

Contents

| | | Page |
|--|----|------|
| Chapter 1. Origin and nature of saline and alkali soils. | | |
| <i>Sources of soluble salts.</i> | 1 | 1 |
| <i>Salinization of soils.</i> | 3 | 3 |
| <i>Alkalication or accumulation of exchangeable sodium in soils.</i> | 3 | 3 |
| Characteristics of saline and alkali soils, | | |
| <i>Saline soils.</i> | 4 | 4 |
| <i>Saline-alkali soils.</i> | 4 | 4 |
| <i>Nonsaline-alkali soils.</i> | 5 | 5 |
| Chapter 2. Determination of the properties of saline and alkali soils. | | |
| <i>Soil sampling.</i> | 7 | 7 |
| <i>Estimation of soluble salts from electrical conductivity.</i> | 7 | 7 |
| <i>Conductivity of the saturation extract and the saturation percentage.</i> | 7 | 7 |
| <i>Relation of conductivity to salt content and osmotic pressure.</i> | 8 | 8 |
| <i>Conductivity of 1:1 and 1:5 extracts.</i> | 9 | 9 |
| <i>Salinity appraisal from the electrical resistance of soil paste.</i> | 13 | 13 |
| <i>Conversion of conductivity data to a standard reference temperature.</i> | 13 | 13 |
| <i>Comparison of percent salt in soil and extract measurements.</i> | 16 | 16 |
| <i>Chemical determinations.</i> | 16 | 16 |
| <i>Soil reaction—pH.</i> | 17 | 17 |
| <i>Soluble cations and anions.</i> | 17 | 17 |
| <i>Soluble boron.</i> | 18 | 18 |
| <i>Exchangeable cations.</i> | 19 | 19 |
| <i>Gypsum.</i> | 19 | 19 |
| <i>Alkaline-earth carbonates (lime).</i> | 20 | 20 |
| <i>Physical determinations.</i> | 21 | 21 |
| <i>Infiltration rate.</i> | 21 | 21 |
| <i>Permeability and hydraulic conductivity.</i> | 22 | 22 |
| <i>Moisture retention by soil.</i> | 23 | 23 |
| <i>Density and porosity.</i> | 23 | 23 |
| <i>Aggregation and stability of structure.</i> | 25 | 25 |
| <i>Crust formation.</i> | 25 | 25 |
| <i>Choice of determinations and interpretation of data.</i> | 25 | 25 |
| <i>Equilibrium relations between soluble and exchangeable cations.</i> | 25 | 25 |
| <i>Chemical analyses of representative soil samples.</i> | 26 | 26 |
| <i>Nonsaline-nonalkali soils.</i> | 26 | 26 |
| <i>Saline soils.</i> | 26 | 26 |
| <i>Nonsaline-alkali soils.</i> | 26 | 26 |
| <i>Saline-alkali soils.</i> | 30 | 30 |
| <i>Cross-checking chemical analyses for consistency and reliability.</i> | 30 | 30 |
| <i>Factors that modify the effect of exchangeable sodium on sods.</i> | 30 | 30 |
| <i>Texture.</i> | 31 | 31 |
| <i>Surface area and type of clay mineral.</i> | 31 | 31 |
| <i>Potassium status and soluble silicate.</i> | 31 | 31 |
| <i>Organic matter.</i> | 33 | 33 |
| <i>Sequence of determinations for soil diagnosis</i> | | |
| Chapter 3. Improvement and management of soils in arid and semiarid regions in relation to salinity and alkali. | | |
| <i>Basic principles.</i> | 34 | 34 |
| <i>Irrigation and leaching in relation to salinity control.</i> | 34 | 34 |
| <i>Irrigation.</i> | 34 | 34 |
| <i>Leaching.</i> | 35 | 35 |
| <i>Leaching requirement.</i> | 36 | 36 |
| <i>Leaching methods.</i> | 37 | 37 |
| <i>Field leaching trials.</i> | 38 | 38 |
| <i>Special practices for salinity control.</i> | 39 | 39 |
| | 40 | 40 |
| Chapter 3-Continued | | |
| <i>Drainage of irrigated lands in relation to salinity control.</i> | 41 | 41 |
| <i>Drainage requirements.</i> | 42 | 42 |
| <i>Water transmission properties of soils.</i> | 44 | 44 |
| <i>Boundary conditions.</i> | 44 | 44 |
| <i>Layout and placement of drains.</i> | 44 | 44 |
| <i>Techniques for drainage investigations.</i> | 45 | 45 |
| <i>Measurements of hydraulic head.</i> | 45 | 45 |
| <i>Determination of subsoil stratigraphy.</i> | 46 | 46 |
| <i>Determination of water-transmitting properties of soils.</i> | 47 | 47 |
| <i>Chemical amendments for replacement of exchangeable sodium.</i> | 48 | 48 |
| <i>Suitability of various amendments under different soil conditions.</i> | 48 | 48 |
| <i>Chemical reactions of various amendments in alkali soils.</i> | 48 | 48 |
| <i>Class 1. Soils containing alkaline-earth carbonates.</i> | 48 | 48 |
| <i>Class 2. Soils containing no alkaline-earth carbonates; pH 7.5 or higher.</i> | 49 | 49 |
| <i>Class 3. Soils containing no alkaline-earth carbonates; pH less than 7.5.</i> | 49 | 49 |
| <i>Estimation of amounts of various amendments needed for exchangeable-sodium replacement.</i> | 49 | 49 |
| <i>Speed of reaction of amendments and economic considerations.</i> | 50 | 50 |
| <i>Application of amendments.</i> | 50 | 50 |
| <i>Laboratory and greenhouse tests as aids to diagnosis.</i> | 51 | 51 |
| <i>Reclamation tests in the field.</i> | 52 | 52 |
| <i>Reclamation of saline and alkali soils in humid regions.</i> | 54 | 54 |
| Chapter 4. Plant response and crop selection for saline and alkali soils. | | |
| <i>Significance of indicator plants for saline soils.</i> | 55 | 55 |
| <i>Indicator plants.</i> | 56 | 56 |
| <i>Crop response on saline soils.</i> | 58 | 58 |
| <i>Salinity and water availability.</i> | 59 | 59 |
| <i>Specific ion effects.</i> | 61 | 61 |
| <i>Sodium.</i> | 62 | 62 |
| <i>Calcium.</i> | 62 | 62 |
| <i>Magnesium.</i> | 62 | 62 |
| <i>Potassium.</i> | 62 | 62 |
| <i>Chloride.</i> | 63 | 63 |
| <i>Sulfate.</i> | 63 | 63 |
| <i>Bicarbonate.</i> | 63 | 63 |
| <i>Boron.</i> | 63 | 63 |
| <i>Plant analysis.</i> | 63 | 63 |
| <i>Crop selection for saline soils.</i> | 65 | 65 |
| <i>Germination.</i> | 65 | 65 |
| <i>Relative salt tolerance of crop plants.</i> | 65 | 65 |
| <i>Relative boron tolerance of crop plants.</i> | 67 | 67 |
| Chapter 5. Quality of irrigation water. | | |
| <i>Methods of analysis.</i> | 69 | 69 |
| <i>Characteristics that determine quality.</i> | 69 | 69 |
| <i>Electrical conductivity.</i> | 69 | 69 |
| <i>Sodium-adsorption-ratio.</i> | 72 | 72 |
| <i>Boron.</i> | 75 | 75 |
| <i>Bicarbonate.</i> | 75 | 75 |
| <i>Typical waters.</i> | 75 | 75 |
| <i>Classification of Irrigation waters.</i> | 75 | 75 |
| <i>Salinity hazard.</i> | 76 | 76 |
| <i>Sodium hazard.</i> | 76 | 76 |
| <i>Diagram for classifying irrigation waters.</i> | 79 | 79 |
| <i>Conductivity.</i> | 79 | 79 |
| <i>Sodium.</i> | 81 | 81 |
| <i>Effect of boron concentration on quality.</i> | 81 | 81 |
| <i>Effect of bicarbonate ion concentration on quality.</i> | 81 | 81 |

| Page | Page | | |
|---|------------|---|------------|
| Chapter 6. Methods for soil characterization | 83 | Chapter 6-Continued | 107 |
| Sampling, soil extracts, and salinity appraisal. | 83 | Soil water | 107 |
| (1) Soil sample collecting, handling, and sub-sampling | 83 | (26) Soil-moisture content | 107 |
| (2) Saturated soil paste | 84 | (27) Saturation percentage | 107 |
| (3) Soil-water extracts | 84 | (27a) Saturation percentage from oven-drying | 107 |
| (3a) Saturation extract | 84 | (27b) Saturation percentage from volume of water added | 107 |
| (3b) Twice-saturation extract for coarse-textured soils (tentative) | 88 | (27c) Saturation percentage from the weight of a known volume of paste | 107 |
| (3c) Soil-water extracts at 1:1 and 1:5 | 88 | (28) Infiltration rate | 108 |
| (3d) Soil extract in the field-moisture range | 88 | (28a) Basin | 108 |
| (4) Electrical conductivity of solutions | 89 | (28b) Cylinder | 108 |
| (4a) Standard Wheatstone bridge | 89 | (29) 1/10-atmosphere percentage | 109 |
| (4b) Direct indicating bridge | 89 | (30) 1/3-atmosphere percentage | 109 |
| (5) Resistance of soil paste and percent salt in soil | 91 | (31) 15-atmosphere percentage | 109 |
| (6) Freezing-point depression | 91 | (32) Moisture-retention curve | 110 |
| (6a) Freezing-point depression of solutions | 91 | (33) Field-moisture range | 111 |
| (6b) Freezing-point depression of water in soil cores | 91 | (34) Hydraulic conductivity | 111 |
| Soluble cations and anions | 93 | (34a) Hydraulic conductivity of soil cores | 111 |
| (7) Calcium and magnesium by titration with ethylenediaminetetraacetate (Versenate) | 94 | (34b) Hydraulic conductivity of disturbed soil | 112 |
| (8) Calcium by precipitation as calcium oxalate | 94 | (34c) Hydraulic conductivity from piezometer measurements | 113 |
| (9) Magnesium by precipitation as magnesium ammonium phosphate | 95 | (34d) Hydraulic conductivity from auger-hole measurements | 114 |
| (10) Sodium | 95 | (35) Hydraulic-head measurements in saturated soil | 116 |
| (10a) Sodium by flame photometer | 96 | (35a) Piesometers installed by driving | 116 |
| (10b) Sodium by precipitation as sodium uranyl zinc acetate | 96 | (35b) Piezometers installed by jetting | 117 |
| (11) Potassium | 97 | (35c) Observation wells uncased or with perforated casing | 117 |
| (11a) Potassium by flame photometer | 97 | (36) Ground-water graphical methods | 118 |
| (11b) Potassium by precipitation as potassium dipicrylaminate | 97 | (36a) Water-table contour maps | 118 |
| (12) Carbonate and bicarbonate by titration with acid | 98 | (36b) Water-table isobath maps | 118 |
| (13) Chloride by titration with silver nitrate | 98 | (36c) Profile flow patterns for ground water | 118 |
| (14) Sulfate | 99 | (36d) Water-table isopleths for showing time variations in the elevation of the water table | 119 |
| (14a) Sulfate by precipitation as barium sulfate | 99 | Physical measurements | 120 |
| (14b) Sulfate by precipitation as calcium sulfate | 99 | (37) Intrinsic permeability | 120 |
| (15) Nitrate by phenoldisulfonic acid | 100 | (37a) Permeability of soil to air | 120 |
| (16) Silicate as silicomolybdate | 100 | (37b) Permeability of soil to water | 121 |
| (17) Boron | 100 | (38) Bulk density | 121 |
| Exchangeable cations | 100 | (39) Particle density | 122 |
| (18) Exchangeable cations | 100 | (40) Porosity | 122 |
| (19) Cation-exchange-capacity | 101 | (41) Particle-size distribution | 122 |
| (20) Exchangeable-cation percentages | 101 | (42) Aggregate-size distribution | 124 |
| (20a) Exchangeable-cation percentages by direct determination | 101 | (42a) Wet sieving | 124 |
| (20b) Estimation of exchangeable-sodium-percentage and exchangeable-potassium-percentage from soluble cations | 101 | (42b) Aggregation of particles less than 50 microns | 125 |
| Supplementary measurements | 102 | (43) Modulus of rupture | 126 |
| (21) pH determinations | 102 | Chapter 7. Methods of plant culture and plant analysis | 127 |
| (21a) pH reading of saturated soil paste | 102 | Plant-culture techniques adapted to salt-tolerance investigations | 127 |
| (21b) pH reading of soil suspension | 102 | (50) Artificially salinized field plots | 127 |
| (21c) pH reading of waters, solutions, and soil extracts | 102 | (51) Drum cultures | 128 |
| (22) Gypsum | 102 | (52) Sand and water cultures | 128 |
| (22a) Gypsum by precipitation with acetone (qualitative) | 102 | Methods of plant analysis | 128 |
| (22b) Gypsum by precipitation with acetone (quantitative) | 104 | (53) Sampling and preparation of plant samples | 128 |
| (22c) Gypsum by increase in soluble calcium plus magnesium content upon dilution | 104 | (54) Ashing | 129 |
| (22d) Gypsum requirement | 104 | (54a) Wet digestion | 129 |
| (23) Alkaline-earth carbonates (lime) | 105 | (54b) Magnesium nitrate ignition | 129 |
| (23a) Alkaline-earth carbonates by effervescence with acid | 105 | (55) Calcium | 129 |
| (23b) Alkaline-earth carbonates by gravimetric loss of carbon dioxide | 105 | (55a) Calcium by flame photometer | 129 |
| (23c) Alkaline-earth carbonates from acid neutralization | 105 | (55b) Calcium by oxalate method | 130 |
| (24) Organic matter | 105 | (56) Magnesium | 130 |
| (25) Total and external ethylene glycol retention | 105 | (57) Sodium | 131 |
| | 106 | (57a) Sodium by flame photometer | 131 |
| | 106 | (57b) Sodium by uranyl zinc acetate | 131 |
| | 106 | (58) Potassium | 132 |
| | 106 | (58a) Potassium by flame photometer | 132 |
| | 106 | (58b) Potassium by cobaltinitrite | 132 |
| | 106 | (59) Chloride | 133 |
| | 106 | (60) Sulfur | 134 |
| | 106 | (61) Phosphorus | 134 |
| | 106 | (62) Boron | 134 |

CONTENTS

VII

| | |
|---|-----|
| Chapter 8. Methods of analysis of irrigation waters. | |
| (70) Collection of irrigation water samples. | 136 |
| (71) Records, reports, and expression of results. | 136 |
| (72) Electrical conductivity. | 136 |
| (73) Boron..... | 140 |
| (73a) Boron, electrometric titration. | 140 |
| (73b) Boron, colorimetric, using carmine. | 142 |
| (74) Dissolved solids. | 142 |
| (75) pH of waters. | 142 |
| (7 6) S i l i c a | 142 |
| (76a) Silica, gravimetric. | 142 |
| (76b) Silica, colorimetric | 143 |
| (77) Calcium. | 143 |
| (78) Magnesium. | 144 |
| (79) Calcium and magnesium by the Versenate method..... | 144 |
| (80) Sodium. | 144 |
| (80a) Sodium by uranyl zinc acetate, gravimetric. | 144 |
| (80b) Sodium by flame photometer. | 144 |

| | |
|-------------|---|
| Page | Page |
| 136 | Chapter 8-Continued |
| 136 | (81) Potassium. |
| 136 | (81 a) Potassium by cobaltinitrite, gravimetric. |
| 136 | (81b) Potassium by cobaltinitrite, volumetric. |
| 140 | (81c) Potassium by flame photometer. |
| 140 | (82) Carbonate and bicarbonate., |
| 142 | (83) Sulfate. |
| 142 | (84) Chloride. |
| 142 | (8.5) Fluoride |
| 142 | (86) Nitrate. |
| 142 | (86a) Nitrate, phenoldisulfonic acid. |
| 142 | (86b) Nitrate, Devarda. |
| 143 | Literature cited. |
| 144 | Glossary. |
| 144 | Appendix. |
| 144 | Symbols and abbreviations. |
| 144 | Conversion formulas and factors. |
| 144 | Chemical symbols, equivalent weights, and common names. |
| 144 | Soil sampler and core retainer. |
| 144 | Modulus of rupture apparatus. |
| 144 | 144 |
| 145 | 145 |
| 145 | 145 |
| 145 | 145 |
| 145 | 145 |
| 146 | 1 % |
| 146 | 146 |
| 147 | 147 |
| 147 | 147 |
| 147 | 147 |
| 147 | 147 |
| 148 | 148 |
| 154 | 154 |
| 157 | 157 |
| 157 | 157 |
| 157 | 157 |
| 158 | 158 |
| 159 | 1.59 |
| 160 | 160 |