

Table 4. Nutrient Intakes from Food: Mean Amounts Consumed per Individual¹,
by Family Income (as % of Federal Poverty Threshold²) and Age, in the United States, 2009-2010

Family income as % of Federal poverty threshold and age (years)	Sample size	Food energy kcal	Protein g	Carbo- hydrate g	Total sugars g	Dietary fiber g	Total fat g	Saturated fat g	Mono- unsaturated fat g	Poly- unsaturated fat g
		(SE)	(SE)	(SE)	(SE)	(SE)	(SE)	(SE)	(SE)	(SE)
Under 131% poverty:										
2 - 5.....	431	1566 (27.8)	57.0 (0.96)	212 (4.8)	110 (3.5)	10.9 (0.33)	56.2 (1.16)	20.4 (0.49)	19.6 (0.43)	11.0 (0.30)
6 - 11.....	496	1936 (42.2)	70.9 (1.72)	257 (6.4)	125 (3.0)	13.9 (0.53)	71.7 (1.84)	25.3 (0.71)	25.1 (0.65)	14.8 (0.52)
12 - 19.....	503	2146 (57.6)	77.9 (2.04)	284 (8.6)	138 (3.5)	14.1 (0.46)	78.0 (2.50)	26.2 (0.84)	27.5 (1.00)	17.3 (0.68)
20 and over...	1755	2099 (34.0)	79.3 (1.55)	265 (4.7)	124 (3.3)	15.5 (0.37)	74.9 (1.06)	24.8 (0.44)	27.1 (0.37)	16.1 (0.33)
2 and over...	3185	2042 (26.4)	76.3 (1.15)	262 (3.5)	125 (2.2)	14.8 (0.29)	73.4 (0.94)	24.7 (0.36)	26.3 (0.32)	15.7 (0.27)
131-185% poverty:										
2 - 5.....	93	1576 (46.5)	58.2 (3.79)	215 (9.7)	115 (8.4)	12.3 (0.98)	56.3 (5.29)	21.9 (3.63)	19.1 (1.66)	10.3 (0.71)
6 - 11.....	145	1834 (46.8)	59.4 (2.06)	257 (6.3)	132 (4.9)	12.9 (0.71)	65.9 (2.65)	23.1 (1.38)	23.0 (0.90)	13.9 (0.50)
12 - 19.....	162	1998 (132.7)	65.7 (3.27)	273 (23.7)	136 (20.7)	13.4 (0.99)	73.4 (3.97)	24.5 (1.40)	25.7 (1.60)	16.9 (1.08)
20 and over...	743	2080 (46.3)	78.5 (2.84)	261 (6.6)	126 (4.7)	15.6 (0.85)	76.2 (2.43)	25.2 (0.97)	27.7 (0.90)	16.6 (0.50)
2 and over...	1143	2019 (31.6)	74.1 (2.22)	259 (4.0)	127 (3.2)	14.9 (0.68)	73.8 (1.94)	24.7 (0.90)	26.6 (0.71)	16.1 (0.31)
Over 185% poverty:										
2 - 5.....	266	1514 (42.4)	53.8 (1.98)	210 (6.1)	109 (3.6)	12.3 (0.44)	53.5 (1.99)	19.6 (0.92)	18.5 (0.71)	10.6 (0.42)
6 - 11.....	422	1825 (36.3)	63.8 (1.72)	253 (5.4)	122 (2.8)	14.2 (0.54)	64.5 (1.35)	22.3 (0.60)	22.8 (0.51)	13.6 (0.38)
12 - 19.....	482	2188 (75.8)	82.1 (3.01)	289 (11.5)	139 (6.2)	14.6 (0.61)	80.0 (3.26)	27.6 (1.33)	28.3 (1.28)	16.9 (0.76)
20 and over...	2730	2149 (21.5)	85.0 (1.18)	255 (2.7)	112 (1.6)	17.7 (0.28)	81.2 (1.11)	26.5 (0.47)	29.2 (0.41)	18.2 (0.31)
2 and over...	3900	2102 (16.2)	81.9 (0.91)	256 (2.5)	115 (1.8)	16.9 (0.23)	78.7 (0.87)	26.0 (0.37)	28.2 (0.32)	17.4 (0.30)
All Individuals³:										
2 - 5.....	861	1537 (24.5)	55.6 (1.11)	211 (3.2)	110 (2.0)	11.7 (0.22)	54.6 (1.39)	20.1 (0.75)	18.9 (0.47)	10.7 (0.33)
6 - 11.....	1154	1869 (20.4)	65.8 (0.81)	256 (3.7)	123 (1.7)	14.0 (0.28)	67.2 (0.69)	23.4 (0.33)	23.7 (0.30)	14.1 (0.21)
12 - 19.....	1265	2167 (43.7)	79.1 (2.04)	287 (5.9)	138 (2.5)	14.4 (0.39)	79.4 (2.13)	27.0 (0.88)	28.0 (0.84)	17.3 (0.54)
20 and over...	5762	2132 (19.6)	82.9 (0.93)	259 (2.3)	117 (1.3)	17.1 (0.24)	79.2 (1.00)	25.9 (0.40)	28.5 (0.33)	17.6 (0.26)
2 and over...	9042	2081 (12.9)	79.5 (0.70)	259 (1.7)	119 (1.1)	16.2 (0.20)	76.8 (0.75)	25.5 (0.30)	27.5 (0.24)	16.8 (0.23)

Table 4. Nutrient Intakes from Food: Mean Amounts Consumed per Individual¹,
by Family Income (as % of Federal Poverty Threshold²) and Age, in the United States, 2009-2010 (continued)

Family income as % of Federal poverty threshold and age (years)	Choles- terol mg	Retinol µg	Vitamin A (RAE) µg	Alpha- carotene µg	Beta- carotene µg	Beta-crypto- xanthin µg	Lycopene µg	Lutein + zeaxanthin µg	Thiamin mg
	(SE)	(SE)	(SE)	(SE)	(SE)	(SE)	(SE)	(SE)	(SE)
Under 131% poverty:									
2 - 5.....	188 (7.7)	479 (21.6)	559 (20.6)	182 (27.4)	838 (77.3)	71 (7.5)	2975 (241.5)	567 (38.8)	1.29 (0.035)
6 - 11.....	228 (9.2)	490 (17.8)	600 (16.7)	249 (42.6)	1154 (102.6)	73 (7.9)	4533 (623.5)	815 (64.7)	1.57 (0.054)
12 - 19.....	245 (14.8)	455 (25.2)	558 (27.1)	225 (41.3)	1102 (120.2)	57 (8.5)	5671 (762.1)	826 (99.2)	1.67 (0.080)
20 and over...	275 (10.3)	383 (8.4)	556 (12.3)	394 (27.8)	1827 (93.4)	92 (9.8)	4942 (320.1)	1230 (79.2)	1.57 (0.028)
2 and over...	258 (9.3)	413 (8.4)	561 (10.0)	337 (20.5)	1568 (68.1)	84 (6.0)	4833 (277.4)	1072 (60.5)	1.56 (0.022)
131-185% poverty:									
2 - 5.....	168 (15.6)	525 (67.8)	610 (69.1)	158* (48.9)	889 (167.6)	99 (29.1)	3722 (482.6)	638 (78.7)	1.30 (0.113)
6 - 11.....	186 (14.6)	473 (30.4)	553 (36.1)	192 (55.2)	838 (168.5)	52 (8.9)	3574 (433.2)	772 (175.0)	1.47 (0.056)
12 - 19.....	177 (14.2)	364 (18.5)	453 (29.2)	235* (80.7)	940 (196.5)	45 (10.5)	4153 (726.3)	600 (45.1)	1.37 (0.066)
20 and over...	269 (15.4)	413 (24.4)	578 (23.3)	318 (29.7)	1780 (134.5)	75 (10.0)	5191 (607.7)	1311 (159.4)	1.56 (0.053)
2 and over...	246 (12.5)	420 (20.0)	564 (18.4)	288 (24.3)	1551 (109.9)	71 (7.7)	4844 (454.1)	1145 (132.9)	1.51 (0.038)
Over 185% poverty:									
2 - 5.....	159 (9.3)	490 (26.2)	614 (29.2)	278 (56.9)	1322 (135.3)	67 (8.9)	3307 (391.1)	739 (58.0)	1.25 (0.044)
6 - 11.....	174 (5.5)	489 (24.1)	598 (32.5)	284 (60.0)	1140 (150.7)	65 (9.0)	4500 (585.4)	615 (36.6)	1.51 (0.060)
12 - 19.....	253 (12.9)	484 (28.3)	605 (33.7)	264 (61.1)	1295 (145.9)	62 (6.3)	5289 (559.7)	909 (93.8)	1.74 (0.088)
20 and over...	276 (4.3)	456 (13.9)	674 (18.4)	423 (17.6)	2362 (73.2)	84 (4.2)	5634 (357.3)	1731 (120.5)	1.71 (0.022)
2 and over...	261 (4.2)	463 (10.6)	659 (15.0)	391 (14.2)	2127 (67.2)	80 (3.4)	5419 (313.7)	1529 (103.4)	1.68 (0.017)
All Individuals³:									
2 - 5.....	174 (5.7)	490 (16.0)	592 (19.2)	232 (40.1)	1074 (97.9)	72 (6.9)	3259 (183.8)	650 (27.8)	1.27 (0.024)
6 - 11.....	196 (4.9)	487 (16.6)	592 (19.1)	260 (34.9)	1096 (86.6)	67 (6.0)	4495 (346.0)	708 (42.9)	1.54 (0.036)
12 - 19.....	247 (10.7)	468 (24.5)	579 (28.7)	243 (31.9)	1178 (73.9)	62 (5.5)	5491 (389.9)	851 (51.7)	1.68 (0.061)
20 and over...	276 (4.5)	437 (7.9)	643 (11.0)	424 (20.2)	2216 (53.0)	88 (4.0)	5464 (275.2)	1557 (92.9)	1.66 (0.018)
2 and over...	261 (4.3)	448 (5.8)	628 (9.4)	379 (16.8)	1942 (49.4)	82 (3.2)	5263 (214.4)	1356 (77.7)	1.63 (0.012)

Table 4. Nutrient Intakes from Food: Mean Amounts Consumed per Individual¹,
by Family Income (as % of Federal Poverty Threshold²) and Age, in the United States, 2009-2010 (continued)

Family income as % of Federal poverty threshold and age (years)	Ribo- flavin mg (SE)	Niacin mg (SE)	Vitamin B6 mg (SE)	Folic acid µg (SE)	Food folate µg (SE)	Folate (DFE) µg (SE)	Choline mg (SE)	Vitamin B12 µg (SE)	Added Vitamin B12 µg (SE)
Under 131% poverty:									
2 - 5.....	1.85 (0.057)	16.7 (0.45)	1.47 (0.054)	187 (13.5)	126 (2.6)	443 (23.4)	230 (5.4)	4.62 (0.178)	1.05 (0.107)
6 - 11.....	1.99 (0.056)	21.9 (0.66)	1.69 (0.060)	221 (14.5)	154 (5.0)	530 (27.6)	263 (6.8)	4.86 (0.150)	1.03 (0.074)
12 - 19.....	1.98 (0.087)	24.3 (0.70)	1.84 (0.069)	222 (10.7)	165 (7.9)	543 (22.5)	278 (12.3)	5.06 (0.247)	1.05 (0.120)
20 and over...	1.97 (0.041)	24.6 (0.50)	1.97 (0.054)	177 (7.1)	202 (4.6)	503 (12.8)	328 (8.9)	4.90 (0.110)	0.86 (0.072)
2 and over...	1.97 (0.028)	23.6 (0.34)	1.88 (0.036)	189 (6.7)	185 (3.7)	507 (12.2)	306 (7.4)	4.89 (0.082)	0.92 (0.058)
131-185% poverty:									
2 - 5.....	1.86 (0.123)	15.2 (0.83)	1.42 (0.097)	153 (13.4)	143 (13.8)	402 (33.3)	224 (7.8)	4.67 (0.285)	0.97 (0.185)
6 - 11.....	1.88 (0.092)	20.0 (1.50)	1.68 (0.176)	210 (12.6)	137 (6.8)	495 (23.5)	229 (12.5)	4.86 (0.284)	1.36 (0.247)
12 - 19.....	1.62 (0.083)	20.5 (0.91)	1.54 (0.084)	192 (11.7)	156 (9.6)	483 (27.2)	216 (13.1)	3.78 (0.242)	0.94 (0.135)
20 and over...	2.04 (0.093)	23.7 (0.85)	1.96 (0.090)	173 (8.0)	209 (9.8)	503 (19.4)	323 (10.8)	5.14 (0.334)	0.96 (0.130)
2 and over...	1.97 (0.067)	22.5 (0.63)	1.85 (0.068)	177 (6.8)	193 (7.3)	494 (16.4)	297 (8.7)	4.93 (0.255)	0.99 (0.105)
Over 185% poverty:									
2 - 5.....	1.84 (0.087)	15.5 (0.49)	1.39 (0.056)	168 (7.1)	133 (4.7)	419 (13.0)	214 (9.1)	4.19 (0.251)	0.90 (0.083)
6 - 11.....	1.91 (0.065)	19.2 (0.61)	1.48 (0.057)	210 (12.3)	152 (6.5)	510 (25.4)	233 (6.9)	4.42 (0.148)	0.89 (0.059)
12 - 19.....	2.16 (0.098)	26.0 (0.90)	2.04 (0.101)	244 (22.0)	174 (5.0)	588 (35.9)	294 (9.1)	5.59 (0.333)	1.10 (0.119)
20 and over...	2.25 (0.035)	26.6 (0.33)	2.17 (0.032)	195 (5.6)	235 (3.1)	567 (11.6)	345 (4.3)	5.66 (0.161)	1.10 (0.059)
2 and over...	2.20 (0.024)	25.6 (0.26)	2.08 (0.028)	200 (5.8)	219 (3.2)	558 (11.2)	327 (4.2)	5.50 (0.110)	1.08 (0.048)
All Individuals³:									
2 - 5.....	1.84 (0.045)	15.9 (0.29)	1.43 (0.030)	173 (5.5)	131 (2.9)	426 (10.5)	223 (4.8)	4.42 (0.135)	0.96 (0.056)
6 - 11.....	1.94 (0.037)	20.4 (0.47)	1.59 (0.053)	217 (9.5)	152 (3.2)	522 (18.3)	244 (3.8)	4.62 (0.096)	1.00 (0.064)
12 - 19.....	2.05 (0.077)	24.8 (0.57)	1.91 (0.062)	233 (13.6)	172 (3.7)	568 (23.7)	283 (8.4)	5.12 (0.201)	1.01 (0.070)
20 and over...	2.16 (0.028)	25.8 (0.29)	2.10 (0.025)	190 (3.6)	225 (2.2)	548 (7.4)	340 (3.9)	5.42 (0.097)	1.03 (0.036)
2 and over...	2.11 (0.017)	24.7 (0.20)	2.00 (0.021)	196 (4.0)	208 (2.0)	541 (7.6)	319 (3.7)	5.26 (0.068)	1.02 (0.029)

Table 4. Nutrient Intakes from Food: Mean Amounts Consumed per Individual¹,
by Family Income (as % of Federal Poverty Threshold²) and Age, in the United States, 2009-2010 (continued)

Family income as % of Federal poverty threshold and age (years)	Vitamin C		Vitamin D		Vitamin E (alpha- tocopherol)		Added Vitamin E		Vitamin K		Calcium		Phosphorus		Magnesium	
	mg	(SE)	µg	(SE)	mg	(SE)	mg	(SE)	µg	(SE)	mg	(SE)	mg	(SE)	mg	(SE)
Under 131% poverty:																
2 - 5.....	82.4	(4.12)	6.9	(0.27)	4.8	(0.19)	0.6	(0.13)	36.9	(1.68)	992	(26.6)	1103	(23.2)	202	(4.2)
6 - 11.....	78.6	(4.58)	6.3	(0.31)	5.8	(0.21)	0.5	(0.10)	56.4	(4.48)	1073	(49.4)	1312	(37.0)	229	(7.4)
12 - 19.....	86.0	(10.40)	5.4	(0.26)	6.9	(0.32)	0.6*	(0.20)	61.4	(4.95)	1060	(41.2)	1367	(32.5)	251	(7.2)
20 and over...	83.3	(3.03)	4.7	(0.15)	6.7	(0.11)	0.3	(0.06)	84.1	(4.65)	942	(18.4)	1338	(23.0)	286	(4.3)
2 and over...	83.1	(1.88)	5.2	(0.10)	6.5	(0.09)	0.4	(0.04)	73.9	(3.15)	977	(15.5)	1319	(14.6)	268	(3.4)
131-185% poverty:																
2 - 5.....	83.1	(13.26)	6.8	(0.69)	4.4	(0.30)	0.4	(0.11)	42.3	(6.68)	1090	(143.3)	1200	(85.5)	227	(12.1)
6 - 11.....	74.5	(8.38)	5.8	(0.41)	6.0	(0.57)	0.8*	(0.37)	57.8	(12.74)	955	(47.9)	1158	(43.8)	215	(7.8)
12 - 19.....	72.9	(7.28)	3.8	(0.26)	6.6	(0.35)	0.4*	(0.16)	56.2	(4.75)	939	(71.1)	1236	(94.8)	235	(13.0)
20 and over...	87.0	(6.65)	4.7	(0.30)	7.2	(0.38)	0.4	(0.10)	93.6	(9.22)	971	(45.3)	1336	(48.1)	289	(12.1)
2 and over...	84.1	(5.53)	4.8	(0.22)	6.9	(0.25)	0.4	(0.08)	83.2	(7.90)	973	(37.9)	1301	(40.2)	273	(8.9)
Over 185% poverty:																
2 - 5.....	81.7	(4.80)	6.8	(0.39)	5.0	(0.24)	0.4	(0.07)	47.6	(3.72)	1057	(59.2)	1150	(50.0)	213	(7.2)
6 - 11.....	68.8	(3.87)	5.9	(0.28)	5.9	(0.12)	0.6	(0.10)	51.2	(2.57)	1052	(42.0)	1258	(44.5)	234	(9.1)
12 - 19.....	79.2	(6.28)	5.8	(0.39)	7.1	(0.38)	0.6	(0.11)	67.1	(3.71)	1126	(49.3)	1449	(56.3)	266	(8.7)
20 and over...	89.6	(2.75)	5.3	(0.22)	8.6	(0.11)	0.9	(0.09)	115.3	(5.25)	1053	(16.9)	1456	(20.4)	316	(3.3)
2 and over...	86.8	(1.91)	5.5	(0.20)	8.1	(0.11)	0.8	(0.08)	103.1	(4.56)	1061	(13.5)	1428	(13.7)	301	(2.6)
All Individuals³:																
2 - 5.....	83.1	(3.76)	6.8	(0.21)	4.8	(0.16)	0.5	(0.07)	42.5	(2.24)	1032	(34.3)	1136	(26.6)	210	(3.4)
6 - 11.....	73.8	(2.97)	6.1	(0.15)	5.9	(0.10)	0.5	(0.08)	53.1	(2.24)	1048	(23.7)	1263	(21.4)	231	(4.9)
12 - 19.....	82.6	(5.79)	5.5	(0.26)	7.1	(0.23)	0.5	(0.08)	62.9	(1.59)	1099	(34.3)	1408	(34.0)	260	(5.5)
20 and over...	88.9	(1.67)	5.1	(0.14)	8.0	(0.10)	0.7	(0.06)	105.4	(4.23)	1016	(10.1)	1414	(13.7)	307	(2.8)
2 and over...	86.6	(1.40)	5.3	(0.11)	7.5	(0.10)	0.6	(0.05)	92.7	(3.52)	1029	(7.1)	1386	(7.6)	290	(2.0)

Table 4. Nutrient Intakes from Food: Mean Amounts Consumed per Individual¹,
by Family Income (as % of Federal Poverty Threshold²) and Age, in the United States, 2009-2010 (continued)

Family income as % of Federal poverty threshold and age (years)	Iron mg	Iron (SE)	Zinc mg	Zinc (SE)	Copper mg	Copper (SE)	Selenium µg	Selenium (SE)	Potassium mg	Potassium (SE)	Sodium ⁴ mg	Sodium ⁴ (SE)	Caffeine mg	Caffeine (SE)	Theobromine mg	Theobromine (SE)	Alcohol ⁵ g	Alcohol ⁵ (SE)
Under 131% poverty:																		
2 - 5.....	11.9	(0.43)	8.9	(0.25)	0.8	(0.02)	75.0	(1.54)	2036	(37.6)	2373	(44.5)	6.8	(1.04)	39.6	(3.35)	--	--
6 - 11.....	13.9	(0.57)	10.5	(0.35)	0.9	(0.03)	96.7	(2.45)	2254	(71.2)	3203	(114.5)	18.6	(2.15)	61.9	(6.57)	--	--
12 - 19.....	14.8	(0.48)	11.5	(0.34)	1.1	(0.03)	107.4	(4.12)	2319	(76.5)	3467	(107.4)	51.8	(5.57)	51.0	(4.00)	--	--
20 and over...	14.4	(0.29)	11.2	(0.25)	1.2	(0.02)	108.1	(2.61)	2564	(43.4)	3467	(46.7)	158.4	(12.30)	34.8	(1.84)	10.2	(1.35)
2 and over...	14.2	(0.24)	11.0	(0.20)	1.1	(0.02)	104.0	(2.01)	2451	(31.0)	3346	(39.3)	115.2	(8.13)	40.5	(2.20)	--	--
131-185% poverty:																		
2 - 5.....	11.1	(0.64)	9.2	(0.62)	0.9	(0.06)	71.4	(5.03)	2160	(128.8)	2303	(98.6)	8.1	(1.45)	57.9	(10.27)	--	--
6 - 11.....	13.4	(0.57)	9.7	(0.34)	0.9	(0.04)	81.1	(3.43)	2062	(90.9)	2669	(60.5)	21.0	(3.72)	72.0	(7.77)	--	--
12 - 19.....	14.0	(0.86)	9.7	(0.45)	1.0	(0.05)	85.1	(4.11)	2096	(91.2)	3171	(179.6)	65.6	(14.85)	49.9	(7.21)	--	--
20 and over...	14.0	(0.48)	11.2	(0.43)	1.3	(0.06)	105.7	(3.46)	2638	(94.5)	3336	(76.8)	165.5	(14.87)	36.9	(2.85)	8.8	(1.80)
2 and over...	13.8	(0.35)	10.8	(0.33)	1.2	(0.04)	99.2	(2.73)	2499	(65.8)	3196	(57.4)	132.2	(11.43)	42.7	(2.49)	--	--
Over 185% poverty:																		
2 - 5.....	11.3	(0.55)	8.3	(0.34)	0.8	(0.03)	72.1	(1.58)	2070	(81.1)	2254	(75.8)	4.3	(0.40)	46.6	(5.50)	--	--
6 - 11.....	13.5	(0.50)	9.5	(0.26)	1.0	(0.03)	88.1	(2.87)	2134	(78.0)	2881	(98.7)	15.4	(1.60)	69.9	(7.10)	--	--
12 - 19.....	15.5	(0.55)	11.9	(0.46)	1.2	(0.05)	115.4	(4.96)	2417	(84.0)	3684	(163.7)	59.0	(10.57)	49.1	(4.29)	--	--
20 and over...	15.8	(0.26)	12.4	(0.20)	1.4	(0.02)	115.8	(1.44)	2866	(31.5)	3685	(34.8)	193.3	(9.19)	42.1	(1.78)	12.4	(0.94)
2 and over...	15.4	(0.18)	11.9	(0.15)	1.3	(0.02)	111.9	(1.03)	2735	(28.9)	3566	(25.8)	159.4	(7.26)	44.9	(1.95)	--	--
All Individuals³:																		
2 - 5.....	11.5	(0.24)	8.6	(0.12)	0.8	(0.02)	73.5	(1.09)	2071	(36.0)	2308	(43.5)	5.9	(0.45)	44.5	(3.29)	--	--
6 - 11.....	13.7	(0.31)	9.9	(0.16)	1.0	(0.01)	90.7	(1.42)	2172	(39.6)	2971	(49.0)	17.2	(1.06)	66.4	(4.71)	--	--
12 - 19.....	15.1	(0.39)	11.5	(0.28)	1.1	(0.03)	109.7	(3.26)	2366	(63.7)	3562	(109.4)	57.0	(6.01)	50.8	(2.98)	--	--
20 and over...	15.3	(0.16)	11.9	(0.16)	1.3	(0.01)	112.9	(1.34)	2776	(23.6)	3589	(29.2)	179.4	(7.97)	40.6	(1.70)	11.3	(0.73)
2 and over...	14.9	(0.11)	11.5	(0.11)	1.2	(0.01)	108.5	(0.99)	2640	(18.0)	3463	(19.4)	142.4	(6.33)	44.1	(1.66)	--	--

Table 4. Nutrient Intakes from Food: Mean Amounts Consumed per Individual¹,
by Family Income (as % of Federal Poverty Threshold²) and Age, in the United States, 2009-2010 (continued)

Family income as % of Federal poverty threshold and age (years)	SFA 4:0 g (SE)	SFA 6:0 g (SE)	SFA 8:0 g (SE)	SFA 10:0 g (SE)	SFA 12:0 g (SE)	SFA 14:0 g (SE)	SFA 16:0 g (SE)	SFA 18:0 g (SE)
Under 131% poverty:								
2 - 5.....	0.50 (0.025)	0.32 (0.015)	0.28 (0.023)	0.44 (0.020)	0.61 (0.032)	1.89 (0.067)	10.76 (0.273)	4.89 (0.115)
6 - 11.....	0.56 (0.030)	0.34 (0.019)	0.27 (0.017)	0.48 (0.026)	0.67 (0.038)	2.27 (0.101)	13.44 (0.369)	6.30 (0.170)
12 - 19.....	0.57 (0.046)	0.31 (0.025)	0.24 (0.017)	0.45 (0.029)	0.68 (0.066)	2.21 (0.107)	14.18 (0.449)	6.64 (0.186)
20 and over...	0.48 (0.013)	0.28 (0.008)	0.23 (0.008)	0.41 (0.012)	0.69 (0.038)	2.05 (0.055)	13.45 (0.211)	6.34 (0.118)
2 and over...	0.51 (0.013)	0.29 (0.008)	0.24 (0.007)	0.43 (0.011)	0.68 (0.028)	2.08 (0.047)	13.33 (0.181)	6.25 (0.094)
131-185% poverty:								
2 - 5.....	0.66 (0.188)	0.39 (0.108)	0.31 (0.067)	0.54 (0.133)	0.74 (0.171)	2.26 (0.568)	11.02 (1.565)	5.25 (0.735)
6 - 11.....	0.54 (0.060)	0.30 (0.032)	0.26 (0.024)	0.46 (0.041)	0.65 (0.094)	2.03 (0.177)	12.25 (0.605)	5.87 (0.377)
12 - 19.....	0.53 (0.066)	0.32 (0.038)	0.23 (0.022)	0.45 (0.045)	0.66 (0.046)	2.14 (0.188)	13.18 (0.634)	5.97 (0.352)
20 and over...	0.53 (0.038)	0.30 (0.021)	0.23 (0.013)	0.44 (0.026)	0.70 (0.058)	2.11 (0.119)	13.57 (0.508)	6.39 (0.214)
2 and over...	0.54 (0.040)	0.31 (0.022)	0.24 (0.013)	0.45 (0.027)	0.70 (0.049)	2.11 (0.120)	13.25 (0.435)	6.23 (0.192)
Over 185% poverty:								
2 - 5.....	0.54 (0.040)	0.33 (0.026)	0.26 (0.018)	0.46 (0.029)	0.65 (0.030)	1.95 (0.134)	9.91 (0.392)	4.63 (0.212)
6 - 11.....	0.52 (0.031)	0.30 (0.018)	0.24 (0.017)	0.44 (0.026)	0.77 (0.069)	1.98 (0.090)	11.69 (0.263)	5.57 (0.128)
12 - 19.....	0.62 (0.039)	0.33 (0.014)	0.27 (0.013)	0.51 (0.023)	0.89 (0.073)	2.43 (0.126)	14.63 (0.747)	6.92 (0.368)
20 and over...	0.56 (0.018)	0.31 (0.010)	0.24 (0.007)	0.47 (0.015)	0.75 (0.032)	2.24 (0.060)	14.29 (0.235)	6.68 (0.116)
2 and over...	0.56 (0.016)	0.31 (0.009)	0.24 (0.007)	0.47 (0.014)	0.76 (0.028)	2.23 (0.053)	13.95 (0.171)	6.54 (0.091)
All Individuals³:								
2 - 5.....	0.54 (0.039)	0.33 (0.023)	0.27 (0.011)	0.46 (0.024)	0.63 (0.027)	1.96 (0.114)	10.32 (0.342)	4.78 (0.154)
6 - 11.....	0.53 (0.021)	0.31 (0.012)	0.25 (0.012)	0.46 (0.017)	0.71 (0.032)	2.07 (0.058)	12.38 (0.169)	5.84 (0.071)
12 - 19.....	0.60 (0.027)	0.33 (0.011)	0.26 (0.010)	0.49 (0.017)	0.82 (0.046)	2.36 (0.086)	14.45 (0.484)	6.77 (0.234)
20 and over...	0.54 (0.012)	0.30 (0.007)	0.24 (0.005)	0.45 (0.010)	0.73 (0.028)	2.18 (0.044)	14.00 (0.201)	6.57 (0.106)
2 and over...	0.55 (0.010)	0.31 (0.006)	0.24 (0.005)	0.46 (0.008)	0.73 (0.023)	2.18 (0.037)	13.71 (0.145)	6.43 (0.081)

Table 4. Nutrient Intakes from Food: Mean Amounts Consumed per Individual¹,
by Family Income (as % of Federal Poverty Threshold²) and Age, in the United States, 2009-2010 (continued)

Family income as % of Federal poverty threshold and age (years)	MFA 16:1 g (SE)	MFA 18:1 g (SE)	MFA 20:1 g (SE)	MFA 22:1 g (SE)	PFA 18:2 g (SE)	PFA 18:3 g (SE)	PFA 18:4 g (SE)
Under 131% poverty:							
2 - 5.....	0.80 (0.024)	18.37 (0.405)	0.17 (0.008)	0.01 (0.003)	9.81 (0.286)	0.91 (0.022)	0.01 (0.001)
6 - 11.....	1.07 (0.052)	23.49 (0.611)	0.22 (0.009)	0.02 (0.002)	13.20 (0.464)	1.24 (0.060)	0.01 (0.001)
12 - 19.....	1.14 (0.035)	25.72 (0.944)	0.26 (0.013)	0.03 (0.004)	15.51 (0.592)	1.34 (0.060)	0.02 (0.001)
20 and over...	1.17 (0.028)	25.27 (0.346)	0.27 (0.006)	0.03 (0.005)	14.21 (0.297)	1.40 (0.030)	0.01 (0.001)
2 and over...	1.12 (0.022)	24.56 (0.301)	0.25 (0.005)	0.02 (0.003)	13.91 (0.238)	1.33 (0.028)	0.01 (0.001)
131-185% poverty:							
2 - 5.....	0.78 (0.116)	17.92 (1.523)	0.15 (0.013)	0.01 (0.001)	9.23 (0.669)	0.88 (0.059)	#
6 - 11.....	0.90 (0.085)	21.55 (0.804)	0.19 (0.013)	0.01 (0.002)	12.50 (0.454)	1.12 (0.052)	0.01* (0.005)
12 - 19.....	0.99 (0.069)	24.03 (1.479)	0.25 (0.019)	0.01 (0.002)	15.35 (1.002)	1.25 (0.092)	0.01 (0.002)
20 and over...	1.14 (0.053)	25.96 (0.842)	0.25 (0.009)	0.02 (0.002)	14.68 (0.438)	1.52 (0.058)	0.01 (0.002)
2 and over...	1.08 (0.049)	24.87 (0.656)	0.24 (0.006)	0.02 (0.001)	14.23 (0.266)	1.41 (0.041)	0.01 (0.002)
Over 185% poverty:							
2 - 5.....	0.67 (0.033)	17.39 (0.664)	0.17 (0.007)	0.01 (0.001)	9.51 (0.385)	0.88 (0.039)	0.01 (0.001)
6 - 11.....	0.81 (0.026)	21.44 (0.486)	0.22 (0.010)	0.01 (0.002)	12.22 (0.324)	1.10 (0.049)	0.01 (0.002)
12 - 19.....	1.17 (0.068)	26.39 (1.174)	0.27 (0.016)	0.02 (0.003)	15.08 (0.694)	1.38 (0.052)	0.02 (0.005)
20 and over...	1.18 (0.019)	27.25 (0.385)	0.29 (0.007)	0.03 (0.003)	16.11 (0.272)	1.63 (0.036)	0.01 (0.001)
2 and over...	1.13 (0.015)	26.32 (0.300)	0.28 (0.007)	0.03 (0.003)	15.45 (0.265)	1.54 (0.032)	0.01 (0.001)
All Individuals³:							
2 - 5.....	0.74 (0.026)	17.74 (0.441)	0.17 (0.006)	0.01 (0.001)	9.53 (0.308)	0.90 (0.019)	0.01 (0.001)
6 - 11.....	0.91 (0.022)	22.19 (0.280)	0.22 (0.006)	0.01 (0.001)	12.61 (0.184)	1.15 (0.032)	0.01 (0.001)
12 - 19.....	1.14 (0.043)	26.12 (0.777)	0.26 (0.012)	0.02 (0.002)	15.48 (0.488)	1.38 (0.040)	0.01 (0.002)
20 and over...	1.17 (0.016)	26.65 (0.316)	0.28 (0.004)	0.03 (0.002)	15.51 (0.229)	1.57 (0.027)	0.01 (0.001)
2 and over...	1.12 (0.013)	25.73 (0.232)	0.27 (0.004)	0.03 (0.002)	14.93 (0.200)	1.48 (0.023)	0.01 (0.001)

Table 4. Nutrient Intakes from Food: Mean Amounts Consumed per Individual¹,
by Family Income (as % of Federal Poverty Threshold²) and Age, in the United States, 2009-2010 (continued)

Family income as % of Federal poverty threshold and age (years)	PFA 20:4 g (SE)	PFA 20:5 g (SE)	PFA 22:5 g (SE)	PFA 22:6 g (SE)
Under 131% poverty:				
2 - 5.....	0.09 (0.004)	0.01 (0.003)	0.01 (0.001)	0.03 (0.005)
6 - 11.....	0.11 (0.006)	0.01 (0.002)	0.02 (0.001)	0.03 (0.004)
12 - 19.....	0.13 (0.009)	0.02 (0.002)	0.02 (0.001)	0.04 (0.005)
20 and over...	0.15 (0.006)	0.03 (0.004)	0.02 (0.001)	0.07 (0.005)
2 and over...	0.14 (0.005)	0.03 (0.003)	0.02 (0.001)	0.06 (0.004)
131-185% poverty:				
2 - 5.....	0.06 (0.006)	0.01 (0.002)	0.01 (0.001)	0.02 (0.002)
6 - 11.....	0.10 (0.008)	0.01 (0.002)	0.01 (0.002)	0.02 (0.004)
12 - 19.....	0.10 (0.009)	0.01 (0.002)	0.01 (0.002)	0.02 (0.003)
20 and over...	0.14 (0.008)	0.03 (0.005)	0.02 (0.002)	0.05 (0.007)
2 and over...	0.13 (0.006)	0.02 (0.003)	0.02 (0.001)	0.04 (0.005)
Over 185% poverty:				
2 - 5.....	0.07 (0.005)	0.01 (0.002)	0.01 (0.001)	0.02* (0.007)
6 - 11.....	0.08 (0.004)	0.01 (0.002)	0.01 (0.001)	0.03 (0.003)
12 - 19.....	0.13 (0.009)	0.02 (0.002)	0.02 (0.001)	0.04 (0.004)
20 and over...	0.15 (0.002)	0.04 (0.005)	0.02 (0.001)	0.08 (0.008)
2 and over...	0.14 (0.002)	0.03 (0.004)	0.02 (0.001)	0.07 (0.007)
All Individuals³:				
2 - 5.....	0.08 (0.003)	0.01 (0.002)	0.01 (0.001)	0.02 (0.004)
6 - 11.....	0.10 (0.004)	0.01 (0.002)	0.01 (#)	0.03 (0.003)
12 - 19.....	0.13 (0.006)	0.02 (0.001)	0.02 (0.001)	0.04 (0.003)
20 and over...	0.15 (0.002)	0.04 (0.003)	0.02 (0.001)	0.07 (0.005)
2 and over...	0.14 (0.002)	0.03 (0.003)	0.02 (0.001)	0.06 (0.004)

Symbol Legend

* Indicates an estimate that may be less statistically reliable than estimates that are not flagged. The rules for flagging estimated means are as follows:

Mean: An estimated mean is flagged when based on a sample size of less than 30 times the variance inflation factor (VIF), where the VIF represents a broadly calculated average design effect, or when the relative standard error is greater than 30 percent. The VIF used in this table is 2.04.

Indicates a non-zero value too small to report.

Footnotes

¹ Sample weights designed for dietary analysis were used to allow estimates representative of the U. S. population for the years of collection.

² Percent of poverty level is based on family income, family size and composition using U.S. Census Bureau poverty thresholds. The poverty threshold categories are related to Federal Nutrition Assistance Programs, www.fns.usda.gov.

³ Includes persons of all income levels or with unknown family income.

⁴ Salt adjustment is not applied to *What We Eat in America, NHANES 2009-2010* and all subsequent surveys. Estimates of sodium intake include salt added in cooking and food preparation as assumed in the nutrient profiles for foods in FNDDS 5.0. Details available at: www.ars.usda.gov/ba/bhnrc/fsrg.

⁵ Alcohol estimates are shown only for 20 years and over age groups. Although the data are collected for all individuals, estimates are not presented due to extreme variability and/or inadequate sample size.

Abbreviations

SE = standard error; RAE = retinol activity equivalents; DFE = dietary folate equivalents. SFA = saturated fatty acid; MFA = monounsaturated fatty acid; PFA = polyunsaturated fatty acid.

Notes Applicable to All Tables in Series: *What We Eat in America, NHANES 2009-2010*

The statistics in this table are estimated from Day 1 dietary recall interviews conducted in the *What We Eat in America*, National Health and Nutrition Examination Survey (NHANES) 2009-2010. The 24-hour dietary recalls were conducted in-person, by trained interviewers, using the USDA 5-step Automated Multiple-Pass Method. Food intakes were coded and nutrient values were determined using the USDA Food and Nutrient Database for Dietary Studies 5.0 www.ars.usda.gov/ba/bhnrc/fsrg which is based on nutrient values in the USDA National Nutrient Database for Standard Reference, Release 24 (Agricultural Research Service, Nutrient Data Laboratory, 2011).

Intakes of nutrients and other dietary components are based on the consumption of food and beverages, including water, and do not include intake from supplements or medications.

The table includes data from individuals 2 years and over. Breast-fed children were excluded because breast milk was not quantified in dietary recall interviews.

Suggested Citation

U.S. Department of Agriculture, Agricultural Research Service. 2012. Nutrient Intakes from Food: Mean Amounts Consumed per Individual, by Family Income (as % of Federal Poverty Threshold) and Age, *What We Eat in America, NHANES 2009-2010*. Available: www.ars.usda.gov/ba/bhnrc/fsrg.