NARMS - EB 1997

Veterinary Isolates

Fig. 22. Minimum Inhibitory Concentrations by Antimicrobial Agent Major Serotypes in Dairy Cattle (Non-Clinical On Farm)



Breakpoint = 64

NARMS - EB 1997

Veterinary Isolates

Fig. 22. Minimum Inhibitory Concentrations by Antimicrobial Agent Major Serotypes in Dairy Cattle (Non-Clinical On Farm)



⇩ Breakpoint

NARMS - EB 1997

Veterinary Isolates

Fig. 22. Minimum Inhibitory Concentrations by Antimicrobial Agent Major Serotypes in Dairy Cattle (Non-Clinical On Farm)



⇩ Breakpoint

NARMS - EB 1997

Veterinary Isolates

Fig. 22. Minimum Inhibitory Concentrations by Antimicrobial Agent Major Serotypes in Dairy Cattle (Non-Clinical On Farm)



Breakpoint = 32

NARMS - EB 1997

Veterinary Isolates

Fig. 22. Minimum Inhibitory Concentrations by Antimicrobial Agent Major Serotypes in Dairy Cattle (Non-Clinical On Farm)



⇩ Breakpoint

NARMS - EB 1997

Veterinary Isolates

Fig. 22. Minimum Inhibitory Concentrations by Antimicrobial Agent Major Serotypes in Dairy Cattle (Non-Clinical On Farm)



Breakpoint = 64

NARMS - EB 1997

Veterinary Isolates

Fig. 22. Minimum Inhibitory Concentrations by Antimicrobial Agent Major Serotypes in Dairy Cattle (Non-Clinical On Farm)



⇩ Breakpoint

NARMS - EB 1997

Veterinary Isolates

Fig. 22. Minimum Inhibitory Concentrations by Antimicrobial Agent Major Serotypes in Dairy Cattle (Non-Clinical On Farm)



⇩ Breakpoint

NARMS - EB 1997

Veterinary Isolates

Fig. 22. Minimum Inhibitory Concentrations by Antimicrobial Agent Major Serotypes in Dairy Cattle (Non-Clinical On Farm)



Breakpoint = 4

NARMS - EB 1997

Veterinary Isolates

Fig. 22. Minimum Inhibitory Concentrations by Antimicrobial Agent Major Serotypes in Dairy Cattle (Non-Clinical On Farm)



⇩ Breakpoint

NARMS - EB 1997

Veterinary Isolates

Fig. 22. Minimum Inhibitory Concentrations by Antimicrobial Agent Major Serotypes in Dairy Cattle (Non-Clinical On Farm)



⇩ Breakpoint

NARMS - EB 1997

Veterinary Isolates

Fig. 22. Minimum Inhibitory Concentrations by Antimicrobial Agent Major Serotypes in Dairy Cattle (Non-Clinical On Farm)



⇩ Breakpoint

NARMS - EB 1997

Veterinary Isolates

Fig. 22. Minimum Inhibitory Concentrations by Antimicrobial Agent Major Serotypes in Dairy Cattle (Non-Clinical On Farm)



⇩ Breakpoint

NARMS - EB 1997

Veterinary Isolates

Fig. 22. Minimum Inhibitory Concentrations by Antimicrobial Agent Major Serotypes in Dairy Cattle (Non-Clinical On Farm)



⇩ Breakpoint

NARMS - EB 1997

Veterinary Isolates

Fig. 22. Minimum Inhibitory Concentrations by Antimicrobial Agent Major Serotypes in Dairy Cattle (Non-Clinical On Farm)



⇩ Breakpoint

NARMS - EB 1997

Veterinary Isolates

Fig. 22. Minimum Inhibitory Concentrations by Antimicrobial Agent Major Serotypes in Dairy Cattle (Non-Clinical On Farm)



⇩ Breakpoint

NARMS - EB 1997

Veterinary Isolates

Fig. 22. Minimum Inhibitory Concentrations by Antimicrobial Agent Major Serotypes in Dairy Cattle (Non-Clinical On Farm)



⇩ Breakpoint