



# AMERICAN METEOROLOGICAL SOCIETY

*Bulletin of the American Meteorological Society*

## **EARLY ONLINE RELEASE**

This is a preliminary PDF of the author-produced manuscript that has been peer-reviewed and accepted for publication. Since it is being posted so soon after acceptance, it has not yet been copyedited, formatted, or processed by AMS Publications. This preliminary version of the manuscript may be downloaded, distributed, and cited, but please be aware that there will be visual differences and possibly some content differences between this version and the final published version.

The DOI for this manuscript is doi: 10.1175/BAMS-D-17-0183.1

The final published version of this manuscript will replace the preliminary version at the above DOI once it is available.

If you would like to cite this EOR in a separate work, please use the following full citation:

Averyt, K., J. Derner, L. Dilling, R. Guerrero, L. Joyce, S. McNeeley, E. McNie, J. Morissette, D. Ojima, R. O'Malley, D. Peck, A. Ray, M. Reeves, and W. Travis, 2017: Regional Climate Response Collaboratives: Multi-institutional Support for Climate Resilience. Bull. Amer. Meteor. Soc. doi:10.1175/BAMS-D-17-0183.1, in press.



1 **Regional Climate Response Collaboratives: Multi-institutional**  
2 **Support for Climate Resilience**

3 Kristen Averyt<sup>1,2,3</sup>, Justin D. Derner<sup>4,5</sup>, Lisa Dilling<sup>1,2\*</sup>, Rafael Guerrero<sup>4,6</sup>, Linda  
4 Joyce<sup>4,7</sup>, Shannon McNeeley<sup>8</sup>, Elizabeth McNie<sup>1,2</sup>, Jeffrey Morissette<sup>9</sup>, Dennis Ojima<sup>8,10</sup>,  
5 Robin O'Malley<sup>8,9</sup>, Dannele Peck<sup>4,5</sup>, Andrea J. Ray<sup>1,11</sup>, Matt Reeves<sup>4,7</sup>, William Travis<sup>1,2</sup>

6 <sup>1</sup>Western Water Assessment, University of Colorado Boulder

7 <sup>2</sup>University of Colorado Boulder

8 <sup>3</sup>Now at Desert Research Institute, Reno Nevada

9 <sup>4</sup>U.S. Department of Agriculture Northern Plains Climate Hub

10 <sup>5</sup>U.S. Department of Agriculture Agricultural Research Service

11 <sup>6</sup>U.S. Department of Agriculture Natural Resources Conservation Service

12 <sup>7</sup>U.S. Department of Agriculture Forest Service

13 <sup>8</sup>U.S. Department of Interior, North Central Climate Science Center

14 <sup>9</sup>U.S. Geological Survey

15 <sup>10</sup>Colorado State University

16 <sup>11</sup>National Oceanic and Atmospheric Administration, Earth Systems Research  
17 Laboratory, Physical Sciences Division

18

19 \*Correspondence to: ldilling@colorado.edu

20 Corresponding Author Full Contact information: Lisa Dilling, ldilling@colorado.edu,  
21 303-735-3678, Environmental Studies Program, 4001 Discovery Drive UCB 397  
22 University of Colorado Boulder 80309

23 **Abstract:** Federal investments by U.S. agencies to enhance climate resilience at regional  
24 scales grew over the past decade (2010s). To maximize efficiency and effectiveness in  
25 serving multiple sectors and scales, it has become critical to leverage existing agency-  
26 specific research, infrastructure, and capacity while avoiding redundancy. We discuss  
27 lessons learned from a multi-institutional “regional climate response collaborative” that  
28 comprises three different federally-supported climate service entities in the Rocky  
29 Mountain west and northern plains region. These lessons include leveraging different  
30 strengths of each partner, creating deliberate mechanisms to increase cross-entity  
31 communication and joint ownership of projects, and placing a common priority on  
32 stakeholder-relevant research and outcomes. We share the conditions that fostered  
33 successful collaboration, which can be transferred elsewhere, and suggest mechanisms  
34 for overcoming potential barriers. Synergies are essential for producing actionable  
35 research that informs climate-related decisions for stakeholders and ultimately enhances  
36 climate resilience at regional scales.

37 Climate variability and change affect society across numerous sectors at multiple  
38 spatiotemporal scales. New demands for information and decision support tools to  
39 enhance climate resilience at regional scales have prompted diverse agency investments  
40 over the past decade (2010s). Here, we discuss lessons learned from a regional climate  
41 response collaborative comprised of three different climate-service entities and using a  
42 multi-institutional approach. These entities have defined roles and responsibilities in  
43 terms of the agency missions and expectations, the landscapes they work in, and their  
44 stakeholders, but are also linked together by common elements such as climate  
45 information needs, shared water resources, and intersecting socio-economic systems. We  
46 can now draw on agencies' experiences to understand how best to leverage existing  
47 research, infrastructure, and capacity (personnel and resources) to maximize effectiveness  
48 while avoiding redundancy.

49 No single entity has the exclusive mandate or resources to deliver climate services  
50 (for more background see NRC 2009). Instead, the institutional capacity for  
51 understanding climate variability, stakeholder needs, experimental tool development,  
52 technology transfer, and options for adaptation to climate variability and change has been  
53 built by many entities over the years. A thorough discussion of the myriad of entities'  
54 contributions to regional capacity building over the preceding years is beyond the scope  
55 of this paper. However, some example organizations include the Regional Climate  
56 Centers (RCCs), State Climate Offices, NOAA Regional Climate Services Directors,  
57 National Drought Mitigation Center (NDMC) and Landscape Conservation Cooperatives

58 (LCCs).<sup>1</sup> The National Integrated Drought Information System (NIDIS) is a relative  
59 newcomer to the space, but has brought new capacity and resources for regional drought  
60 early warning systems (DEWs). Dilling et al. (2015) provide further analysis of how  
61 decision support capacity intersects with regional climate-related needs.

62 Our focus here is on a collaboration among entities located within the Rocky  
63 Mountain West and Northern Plains region, which have been supported by the  
64 Department of Commerce through the National Oceanic and Atmospheric Administration  
65 (NOAA), the Department of Interior (DOI), and the U.S. Department of Agriculture  
66 (USDA). NOAA established the first University-based Regional Integrated Sciences and  
67 Assessment (RISA) program in the U.S in 1995; its mission is to “help expand and build  
68 the nation’s capacity to prepare for and adapt to climate variability and change.” RISAs  
69 work across a variety of contexts and focus on enhancing the use of science in decision  
70 making and building resilience to extreme events in urban and rural areas, such as  
71 drought and coastal flooding. The DOI followed suit in 2009, establishing regionally  
72 focused Climate Science Centers (CSCs) through Secretarial Order 3289. CSCs are  
73 tasked with providing robust climate science to support DOI agencies (National Park  
74 Service, U.S. Fish and Wildlife Service, Bureau of Land Management, Bureau of  
75 Reclamation, Bureau of Indian Affairs) that manage Departmental land, water, fish,  
76 wildlife, and cultural heritage resources. CSCs also work closely with DOI LCCs and  
77 state fish and wildlife agencies. Then, in 2014, the USDA organized 10 Climate Hubs  
78 (CH) to develop and deliver science-based, region-specific information and technologies

---

<sup>1</sup> An acronym list can be found in Table 1.

79 to farmers, ranchers and foresters that enable climate-smart decision-making. The Hubs'  
80 work includes directing constituents to USDA programs that may provide technical and  
81 financial assistance. Taken together, there are 26 different RISA, CSC, and CH entities  
82 across the U.S., each with a unique geographic purview.

83 This paper highlights a regional climate response collaborative located in the  
84 Rocky Mountain West and Northern Plains that comprises three entities: Western Water  
85 Assessment (WWA), North Central Climate Science Center (NCCSC), and Northern  
86 Plains Climate Hub (NPCH). For 15 years, NOAA has supported WWA, a RISA  
87 Program based at the University of Colorado Boulder covering a three-state region<sup>2</sup>.  
88 WWA is primarily a research unit that focuses on how to make climate information more  
89 usable at regional scales. With strengths in hydrology, climate science, and decision  
90 science, WWA has strong ties with water resource managers.

91 The NCCSC opened its doors in 2011 to serve DOI land managers within a seven-  
92 state region<sup>3</sup>. As a university-agency partnership<sup>4</sup>, similar to WWA, the NCCSC  
93 leverages academic research and extensive U.S. Geological Survey (USGS) capabilities  
94 to bring the best climate science to federal land managers, state wildlife agencies, and  
95 tribal resource managers. NCCSC also provides opportunities for university and USGS  
96 researchers to engage with decision-makers.

---

<sup>2</sup> Colorado, Utah and Wyoming

<sup>3</sup> North Dakota, South Dakota, Nebraska, Kansas, Colorado, Wyoming, Montana

<sup>4</sup> Hosted by Colorado State University in collaboration with 8 additional universities in the region at the time this paper was written.

97           The USDA NPCH was established in 2014 to provide weather and climate-related  
98 information and decision-support tools to farmers, ranchers, forest landowners, and tribes  
99 striving to adapt to climate variability in a six-state region.<sup>5</sup> NPCH also serves as a  
100 messenger in collaboration with the land grant Cooperative Extension for working-land  
101 managers, relaying their weather or climate-related concerns and ideas back to USDA,  
102 WWA, NCCSC, and other partners.

103           These three entities' geographic regions do not overlap perfectly with each other,  
104 so the examples presented here focus on collaborative projects where geographic overlap  
105 does occur, primarily in northern Colorado and Wyoming. Successful collaborative  
106 efforts in this region include the following, each led by one of the regional entities with  
107 contributions from the others: producing the Colorado Climate Report (Lukas et al.,  
108 2014), which was incorporated into the Colorado State Water Plan<sup>6</sup>; defining the  
109 ecological impacts of drought (North Central Climate Science Center, 2015); capacity-  
110 building and co-production of drought preparedness tools with tribes in the Wind River  
111 Indian Reservation (North Central Climate Science Center, 2016), including early  
112 application of a new drought indicator, the Evaporative Demand Drought Indicator,  
113 (EDDI) (Rangwala et al. 2015); development of the Drought, Ranching, and Insurance  
114 Response Model to inform decision-making in the region's extensive rangeland livestock  
115 industry (Western Water Assessment 2017); and an assessment of the vulnerability of  
116 grazing and confined livestock to mid and late 21<sup>st</sup> century climatic predictions (Derner et

---

<sup>5</sup> North Dakota, South Dakota, Nebraska, Colorado, Wyoming, Montana

<sup>6</sup> <https://www.colorado.gov/cowaterplan>

117 al. 2017). Next we describe two of these examples in greater detail to illustrate how the  
118 collaborating entities' expertise and resources are typically leveraged to serve  
119 stakeholders' needs more effectively and efficiently.

120         The goal of the Wind River Drought Preparedness Project is to co-produce  
121 actionable science for drought preparedness through foundational partnerships with the  
122 Eastern Shoshone and Northern Arapaho tribes at Wind River Reservation (WRR),  
123 NCCSC, WWA, NPCH, among many other government agencies and university partners.  
124 The NCCSC established initial relationships with tribal water resource managers to co-  
125 develop the project with the National Drought Mitigation Center and NIDIS, and led  
126 initial studies of drought impacts and responses in the region (McNeeley and Beeton,  
127 2017). Partnerships among the High Plains Regional Climate Center, NDMC, NIDIS, and  
128 NCCSC have enabled the co-production of quarterly drought and climate summaries for  
129 WRR and the surrounding area (Wind River Indian Reservation Drought and Climate  
130 Summary). The partnership with WWA is supporting the testing of innovative drought  
131 tools such as the EDDI for the WRR (Hobbins et al. 2016), and providing an overall  
132 evaluation of the project. The summaries and EDDI together provide the infrastructure  
133 for monitoring and early warning systems, and support decision-making on the ground.  
134 All partners are working together to synthesize this information into an integrated social-  
135 climate-ecological vulnerability assessment that will provide the science needed to  
136 develop a reservation-wide drought management plan, while the NPCH is working  
137 specifically to integrate climate information into agricultural and ranching sections of the  
138 WRR Agricultural Resources Management Plan.

139           A second example, the Drought, Ranching, and Insurance Response Model  
140 collaborative effort, was motivated by widespread drought in 2012 (Hoerling et al.,  
141 2014), which had major impacts on the region’s rangelands and triggered large reductions  
142 in cattle herd numbers due to reduced forage availability and high feed prices. In  
143 response, USDA’s Agricultural Research Service (ARS) developed an on-line drought  
144 calculator to help ranchers assess forage availability (Dunn et al., 2013). USDA’s Risk  
145 Management Agency (RMA) also rolled out a pilot Pasture, Rangeland, Forage (PRF)  
146 insurance policy for livestock producers, indexed to NOAA’s gridded precipitation  
147 product (USDA Risk Management Agency, 2015). WWA brought these two USDA  
148 offerings together in an integrated computer simulation model to inform livestock  
149 producers’ adaptation decisions in the face of drought (Derner and Augustine 2016).  
150 WWA’s model features a drought forage calculator based on local conditions, the cost  
151 and expected profit of different drought adaptations (e.g., purchasing supplemental feed  
152 vs. early marketing), and a PRF insurance calculator based on a producer’s specific  
153 rainfall grid. WWA worked closely with NPCH to improve the model’s representation of  
154 livestock production decisions and define the range of drought management options  
155 available within it. NPCH has also arranged for livestock industry experts to meet with  
156 WWA to discuss, test, and improve the model. At the time of writing, both on-line and  
157 down-loadable versions of the model are available on-line from WWA and it is being  
158 applied in a variety of user experiments to test hypotheses about the role of insurance and  
159 enhanced information in drought risk management.

160           **Lessons Learned**

161 Many factors have contributed to the successful transdisciplinary efforts and  
162 outcomes of this regional climate response collaborative. We look forward to further  
163 refinements of on-going efforts to achieve efficient and effective working relationships at  
164 a regional level to build climate resilience with targeted resources.

165 Lesson 1: Collaborative success of our three regional climate entities was  
166 manifest in recognizing, appreciating and leveraging differences and synergies across  
167 regional partners (Table 2). Collectively, the three regional climate entities embrace a  
168 shared focus to address stakeholder-driven priorities with our staff's combined skills,  
169 knowledges, and experiences in scientific, technical and information-transfer.

170 Lesson 2: Emphasizing transdisciplinary services facilitates cross-  
171 agency/department collaboration through regional nodes involving direct connections to  
172 each climate entity. Services offered, for example, through the USDA-supported NPCH  
173 or the Wind River Project benefit from their close collaboration with the NOAA-  
174 supported WWA's research on seasonal drought forecasting and decision-making. These  
175 stakeholder-focused collaborations enable interdisciplinary and multi-institutional efforts  
176 at regional scales, which propel science-based information into entirely new decision  
177 spheres. For example, NPCH has long-standing relationships with farmers and ranchers  
178 through USDA Service Centers, Agricultural Experiment Stations, Cooperative  
179 Extension at land grant universities and producer organizations; NCCSC has close ties  
180 with state and federal fish, wildlife and resource managers as well as tribal communities;  
181 and WWA works hand-in-hand with water resources managers and municipalities.

182           Lesson 3: Ongoing active communications resulting from intentionally created  
183 integrated management structures fosters the building of relationships and synergistic  
184 leveraging. For example, the NCCSC and NPCH share a joint stakeholder committee;  
185 members of the WWA research team are imbedded within NCCSC’s management  
186 structure; the WWA Advisory Board includes leadership from NCCSC and NPCH; and  
187 the three entities hold twice-yearly joint meetings. Regular maintenance and nurturing of  
188 these connections between nodes, or “webs of connectivity,” are essential to the practical  
189 functioning of our collaborative work and thus our success in serving the needs of  
190 stakeholders (Vogel et al., 2007 as cited in Dilling et al., 2015).

191           Lesson 4: The successful collaboration benefitted from early agreement on a set  
192 of common principles for delivering climate services at a regional scale (described further  
193 below). Common principles can also provide guidance for other regional collaboratives  
194 that may emerge in the future from other federal agencies.

### 195           **Common Principles**

196           All three organizations share a common principle of aiming to co-develop and co-  
197 produce science with stakeholders to support climate-smart decision-making (Lemos and  
198 Morehouse, 2005). Research and outreach agendas are therefore carefully designed to  
199 optimize their relevance to stakeholder-driven priorities. Outcomes focus on an ongoing  
200 process of action and adjustment, or adaptive management, rather than prescriptive  
201 solutions, with active engagement of stakeholders throughout the entire effort.

202           Each entity strives to remain flexible and responsive to their primary stakeholders,  
203 and cognizant of the emerging or evolving regional challenges posed by extreme climate  
204 events. This flexibility is made possible by an adaptive management structure, where  
205 investments and divestments can be made quickly, and decisions about realignments can  
206 be made strategically within the organizations themselves. An example of this flexibility  
207 is an ad hoc webinar that our collaborative organized at the onset of the El Niño signal in  
208 2015. Scientists from WWA presented material while the NCCSC and NPCH engaged  
209 their unique sets of stakeholders for participation. The webinar resulted in a front-page  
210 article in the Wyoming Livestock Roundup newspaper (a stakeholder of the NPCH;  
211 Albert, 2015), and provided insights about ecological impacts, which NCCSC contributed  
212 to NOAA’s Missouri Basin Region El Niño Impacts and Outlook report (NOAA, 2015).

213           Scientists within each entity also share a commitment to successful collaborations  
214 across disciplines and institutions, and a dedication to engage with stakeholders and  
215 decision-makers across socio-political divides. Members of the collaborative discuss  
216 scientific and organizational failures, and share lessons learned so others can avoid  
217 similar pitfalls. Communication skills are valued alongside scientific excellence.  
218 Researchers often put these communication skills to use as “climate counselors,” working  
219 with stakeholders to synthesize and tailor climate science information to most effectively  
220 address questions at hand. This requires an emphasis on listening and communicating  
221 early, often, and iteratively. Perhaps most importantly, collaborative team members  
222 understand the context of climate in the scope of regional priorities and concerns because

223 effective solutions must reflect the missions of individual entities as well as the realities  
224 of our diverse stakeholder communities (2).

225 All three entities endeavor to foster mutual engagement, knowledge, and trust  
226 with “on-the-ground” stakeholders and decision makers that require sustained  
227 commitment beyond two or three-year research projects. This necessitates a different  
228 funding model and expectations for practical, two-way translation of science for effective  
229 transfer of knowledge and learning, and feedback loops for iterative collaborations. This  
230 regional climate response collaborative, through diversity of scientific and support staff  
231 with long-term partners, facilitates more rapid and relevant dissemination of usable  
232 science from collaborative efforts, through the most appropriate partner for a particular  
233 project, rather than having to forge new relationships for each new decision–support  
234 project.

### 235 **Transferability to other Regions**

236 Regions differ and have unique sets of leaders, sensitivities, and decision contexts  
237 on the ground. Nonetheless, in addition to the lessons and principles discussed above, we  
238 offer some additional thoughts specifically focused on collaboration from our own  
239 experiences that may transcend regional differences and help others interested in  
240 launching regional climate response collaboratives.

241 First, it is important that entities place a conscious, deliberate focus on making  
242 collaboration successful for each entity as well as the larger collaborative. Collaboration  
243 across agencies requires staff time, targeted financial resources (to support meetings and

244 projects), and prioritization among many competing demands. For example, the three  
245 centers' periodic retreats require management focus and funding, and since the three  
246 centers rotate responsibility for these meetings, all have "skin in the game" for their  
247 success.

248         Second, it helps to have some existing collaborations at a smaller scale upon  
249 which to build a more permanent and routine expectation of institutional collaboration.  
250 For example, individual scientists in our organizations already had experiences working  
251 together on prior research projects, which created an existing reservoir of trust and  
252 common ground upon which to build. If such projects do not yet exist in a region,  
253 focusing on one or two small, naturally-arising project opportunities (e.g., collaborative  
254 pilot projects) is recommended prior to building a bigger regional collaborative.

255         Third, it is important to discuss and debate up front the reasons for collaborating  
256 and whether there is added value for each organization. As previously described, we had  
257 a natural division of roles and responsibilities in terms of the types of landscapes we  
258 worked in, the stakeholders we interacted with, and the expectations of each of our  
259 agencies. Nonetheless, our landscapes and stakeholders are also linked together by  
260 common elements such as climate information needs, the geographies of shared water  
261 resources, and intertwined socio-economic systems (such as grazing activities that take  
262 place both on private and public lands). Discussing and determining the real value-added  
263 for collaboration produces a strong foundation for underpinning commitment to the  
264 process.

265

266

### **Addressing Possible Barriers to Collaboration**

267

268

269

270

271

272

273

274

Naturally there are barriers to embarking on a regional climate response collaborative. The degree of inter-organizational interactions implied here requires significant management time and attention – a scarce resource. Time demands are often cited as key barriers, and sustained management commitment to strategies like regularly scheduled meetings are needed to ensure these efforts get their due. In addition, it is important to seek out opportunities that provide a “win” for individual entities as well as for the whole—by ensuring that the collaboration activity supports existing goals that each agency must accomplish as well as the larger goal of the regional project.

275

276

277

278

279

280

281

Second, because the three entities are pioneering new approaches, personnel transitions have the potential to derail forward motion. All three entities will inevitably struggle with the balance between reliance upon innovative leadership and regularizing processes to institutionalize the new ways of operating. In our case, personnel transitions have already happened in all three of our organizations, but the collaborative effort remains steadfast and new projects are being co-produced, a clear sign that the collaboration has become institutionalized.

282

283

284

285

Third, like any other collaboration across disciplinary lines, language can be a barrier, such as the use of different terminology and vernacular in different sectors. For example, most ecologists are not familiar with “cow-calf operations” and many agriculture specialists do not track “evolutionary adaptive capacity.” We emphasize joint

286 retreats every 6 months in a casual setting that enable dialogue and presentations  
287 designed to be accessible rather than “impressive.” Language barriers can be persistent  
288 and attention needs to be focused on making sure that true understanding has taken place,  
289 which can be time consuming.

290 Finally, “agency turf” can derail attempts at collaboration. In the climate services  
291 landscape, however, there are many stakeholder needs in different contexts across  
292 multiple spatiotemporal scales; thus many opportunities arise to be creative and unique in  
293 providing usable science. Our experiences are that keenly focusing on opportunities, and  
294 clearly articulating differentiated missions of organizations can mitigate turf battles.

295

## 296 **Conclusions**

297 Developing new ways of connecting, leveraging, and supporting regional climate  
298 response collaboratives shows promise in building and improving regional climate  
299 resilience. It is our experience that collaboration itself is a form of adaptive capacity that  
300 enhances efficient co-production and delivery of relevant information through existing  
301 networks of trusted relationships. Establishing and maintaining a diversity of partners  
302 ensures that redundancy is minimized, and enables flexibilities in response to emerging  
303 stakeholder and societal priorities. Further experimentation with regional strategies for  
304 collaboration, co-production, and interdisciplinary communication is needed to continue  
305 to strengthen climate resilience.

306

307 **Acknowledgments:** The authors appreciate support from the DOI Climate Science  
308 Centers, the USDA Climate Hubs, the Cooperative Institute for Research in  
309 Environmental Sciences, the NOAA/ESRL Physical Sciences Division and a grant from  
310 the NOAA Regional Integrated Sciences and Assessment Program to the Western Water  
311 Assessment (NA10OAR4310214). Any use of trade, product, or firm names is for  
312 descriptive purposes only and does not imply endorsement by the U.S. Government.  
313

314 **For Further Reading:**

315 Albert, S., Wyoming Livestock Roundup, 2014: El Nino impacts predicted to influence  
316 warm, dry winter in West. Accessed 20 September 2016. [Available online at  
317 [http://www.wylr.net/water/188-weather/5659-el-nino-impacts-predicted-to-influence-](http://www.wylr.net/water/188-weather/5659-el-nino-impacts-predicted-to-influence-warm-dry-winter-in-west)  
318 [warm-dry-winter-in-west.](http://www.wylr.net/water/188-weather/5659-el-nino-impacts-predicted-to-influence-warm-dry-winter-in-west)]

319

320 Derner, J.D., and D.J. Augustine. 2016. Adaptive management for drought on rangelands.  
321 *Rangelands* 38:211-215.

322

323 Derner, J.D., D. Briske, M. Reeves, T. Brown-Brandl, M. Meehan, D. Blumenthal, W.  
324 Travis, D. Augustine, H. Wilmer, J.D. Scasta, J. Hendrickson, J. Volesky, L. Edwards  
325 and D. Peck. 2017. Vulnerability of grazing and confined livestock in the Northern Great  
326 Plains to projected mid- and late-21<sup>st</sup> century climate. *Climatic Change* (in press)

327

328 Dilling L., K. Lackstrom, B. Haywood, K. Dow, M.C. Lemos, J. Berggren, and S.  
329 Kalafatis, 2015: What stakeholder needs tell us about enabling adaptive capacity: the  
330 intersection of context and information provision across regions in the United States.  
331 *Weather, Climate, and Society*. 7(1), 5–17, doi:10.1175/WCAS-D-14-00001.1

332

333 Dunn, G.H., M. Gutwein, L.J. Wiles, T.R. Green, A. Menger, and J. Printz, 2013. The  
334 drought calculator: decision support tool for predicting forage growth during drought.  
335 *Rangeland Ecology and Management*. 66(5):570–578, doi:10.2111/REM-D-12-00087.1

336 Hobbins, M., Wood, A., McEvoy, D., Huntington, J., Morton, C., Verdin, J., Anderson,  
337 M., Hain, C. (2016). The Evaporative Demand Drought Index: Part I-Linking Drought  
338 Evolution to Variations in Evaporative Demand. *Journal of Hydrometeorology*, *17*,  
339 1745–1761. <https://doi.org/10.1175/JHM-D-15-0121.1>

340

341 Hoerling, M., J. Eischeid, A. Kumar, R. Leung, A. Mariotti, K. Mo, S. Schubert, and R.  
342 Seager, 2014: Causes and predictability of the 2012 Great Plains drought. *Bulletin of the*  
343 *American Meteorological Society*. **95**, 269–282, doi:10.1175/BAMS-D-13-00055.1

344

345 Lemos, M.C., and B. J. Morehouse, 2005: The co-production of science and policy in  
346 integrated climate assessments. *Global Environmental Change*. **15**, 57-68,  
347 doi:10.1016/j.gloenvcha.2004.09.004

348

349 Lukas, J., J. Barsugli, N. Doesken, I. Rangwala, and K. Wolter, 2014: Climate Change in  
350 Colorado: A Synthesis to Support Water Resources Management and Adaptation.  
351 (Western Water Assessment, University of Colorado Boulder).

352

353 McNeeley, S.M., Beeton, T.A., 2017. Wind River Reservation: Drought Risk and  
354 Adaptation in the Interior (DRAI) report. A draft report for The Wind River Indian  
355 Reservation’s Vulnerability to the Impacts of Drought and the Development of Decision  
356 Tools to Support Drought Preparedness. North Central Climate Science Center, Fort  
357 Collins, CO.

358

359 NOAA, 2015: High Plains Regional Climate Center. Accessed 20 September 2016.

360 [Available online at <http://www.drought.gov/media/pgfiles/ENSO-MOBasin-2015->

361 [Final.pdf.](#)]

362

363 North Central Climate Science Center, 2016: The Wind River Indian Reservation's

364 vulnerability to the impacts of drought and the development of decision tools to support

365 drought preparedness. Accessed 20 September 2016. [Available online at

366 <http://revampclimate.colostate.edu/revamp/project/wind-river-drought-preparedness>]

367

368 North Central Climate Science Center, 2015: Ecological Drought in the North Central

369 United States. Accessed 11 June 2017. [Available online at

370 [http://ian.umces.edu/pdfs/ian\\_newsletter\\_504.pdf](http://ian.umces.edu/pdfs/ian_newsletter_504.pdf)]

National Research Council. 2009: Restructuring Federal Climate Research to Meet the  
Challenges of Climate Change. National Academies Press, 254 pp.

371

372 Rangwala, I., M. Hobbins, J. Barsugli, and C. Dewes, 2015: EDDI—A Powerful Tool for

373 Early Drought Warning. Accessed 24 June 2017. [Available online at

374 [http://wwa.colorado.edu/publications/reports/EDDI\\_2-pager.pdf](http://wwa.colorado.edu/publications/reports/EDDI_2-pager.pdf)]

375

376 USDA Risk Management Agency, 2015: Pasture, Rangeland, Forage Pilot Insurance  
377 Program. Accessed 24 June 2017. [Available online at  
378 <https://www.rma.usda.gov/pubs/rme/prfinsprog.pdf>]

379

380 Western Water Assessment, 2017: Drought Decision Analysis. Accessed 11 June 2017.  
381 [Available online at  
382 [http://wwa.colorado.edu/themes/projects/drought\\_decision\\_analysis.html](http://wwa.colorado.edu/themes/projects/drought_decision_analysis.html)]

383

384 Wind River Indian Reservation (WRIR) Climate and Drought Summary. Accessed  
385 October 10, 2017. [Available online at: <http://tribalwaterengineers.org/> see tab  
386 under “Projects” and “Drought Mitigation Projects”]

387 **Table 1:** Acronyms used in text.  
 388  
 389

Acronym	Entity
ARS	Agricultural Research Service (USDA)
CH	Climate Hub (USDA)
CSC	Climate Science Center (DOI)
DEWS	Drought Early Warning System (NIDIS)
DOI	Department of the Interior (DOI)
EDDI	Evaporative Demand Drought Indicator
LCC	Landscape Conservation Cooperatives (DOI)
NCCSC	North Central Climate Science Center (DOI)
NDMC	National Drought Mitigation Center
NIDIS	National Integrated Drought Information System (NOAA)
NOAA	National Oceanic and Atmospheric Administration
NPCH	Northern Plains Climate Hub (USDA)
PRF	Pasture, Rangeland, Forage
RCC	Regional Climate Center (NOAA)
RISA	Regional Integrated Sciences and Assessments (NOAA)
RMA	Risk Management Agency (USDA)
USDA	Department of Agriculture
USGS	US Geological Survey (DOI)
WRIR	Wind River Indian Reservation (Used for Drought and Climate Outlook Summary)
WRR	Wind River Reservation
WWA	Western Water Assessment (RISA)

390  
 391  
 392  
 393

394 **Table 2.** Characteristics of the federally-supported Regional Climate Response

395 Collaborative in the Northern Plains & Rocky Mountain West.

	<b>Western Water Assessment</b>	<b>North Central Climate Science Center</b>	<b>Northern Plains Climate Hub</b>
<b>Supporting Agency &amp; Program</b>	National Oceanic and Atmospheric Administration (NOAA)	Department of Interior (DOI), U.S. Geological Survey	U.S. Department of Agriculture (USDA)
<b>Primary Users, Stakeholders, Constituents</b>	Federal, municipal, regional, residential; Water resource managers	Department of Interior, state land managers, and tribal environmental professionals	Agricultural and natural resource managers; ranchers, farmers, forest land owners
<b>Sectoral Focus</b>	Water resources, urban, hazards, science policy	Wildlife, wildland, tribal	Agriculture and forestry
<b>Annual Direct Agency Support</b>	\$700k	\$2.0M	\$475k
<b>Start Year</b>	1999	2011	2014
<b>Mission</b>	To conduct innovative research and engagement aimed at effectively and efficiently incorporating knowledge into decision making in order to advance the ability of regional and national entities to manage climate impacts.	To provide the best possible climate science to DOI land managers & provide university and USGS researchers an opportunity to work with an engaged and proactive applied management community.	To develop and deliver science-based, region-specific information and technologies that enable agricultural and natural resource managers to make climate-informed decisions, and to provide access to assistance for implementing those decisions.
<b>Geographic Focus</b>	UT, WY, CO	Upper Missouri Basin (MT, ND, WY, NE, SD, CO, KS)	Northern Plains (ND, SD, NE, MT, WY, CO)
<b>Temporal</b>	Seasonal to 2100	DOI and Tribal	Working-lands

<b>Focus</b>		management planning horizons	management planning horizons (days to decades)
<b>Research to Application Mode</b>	Research focus informed by needs of decision makers	Research and applied	Some applied research; greater emphasis on transfer of information and tools to end-users
<b>Research to Application Process</b>	Co-production using interdisciplinary research teams	Foundational science with client requirements	Direct working-land managers to tools and USDA programs that may provide technical and financial assistance to reduce risk and increase resilience
<b>Operations and Staff</b>	University Director; program manager; two regional engagement experts	USGS Director & University Director; USGS staff; University researchers	USDA ARS Director, Fellow & Liaison; University coordinator; support of FS and NRCS staff
<b>Federal-University Partnership</b>	Single University with NOAA ESRL	University consortium (9) with USGS's National Climate Change Wildlife Science Center (NCCWSC)	USDA collaborations with Cooperative Extension and Agricultural Experiment Stations at Land Grant Universities (6)
<b>Funding Model</b>	Through NOAA OAR	Through USGS NCCWSC	Through six USDA agencies
<b>Stakeholder Advisory Committee</b>	Eight members from academia, federal agencies, non-profit sectors	Federal employees and Tribal representative, run jointly with the NPCH	Federal employees and Tribal representative, run jointly with the NCCSC
<b>Core scientific strengths</b>	Hydrology, climate modeling, paleoclimate, decision science,	Ecosystems and ecological modeling, remote sensing, public and	Agricultural production, soil & crop science, rangelands, systems

	evaluation, usable science	tribal lands, decision support	modeling, adaptation strategies, management practices, social sciences
--	----------------------------	--------------------------------	--

396