



# NARMS-EB 1999

MICs for Azithromycin among *Campylobacter jejuni* isolates (n=563)



# NARMS-EB 1999


MICs for Chloramphenicol among *Campylobacter jejuni* isolates  
(n=563)



\*phenotype was not reproducible upon further testing


# NARMS-EB 1999

MICs for Ciprofloxacin among *Campylobacter jejuni* isolates (n=563)




# NARMS-EB 1999

MICs for Clindamycin among *Campylobacter jejuni* isolates (n=563)




# NARMS-EB 1999

MICs for Erythromycin among *Campylobacter jejuni* isolates (n=563)




# NARMS-EB 1999

MICs for Gentamicin among *Campylobacter jejuni* isolates (n=563)




# NARMS-EB 1999

MICs for Nalidixic Acid among *Campylobacter jejuni* isolates (n=563)



# NARMS-EB 1999

MICs for Tetracycline among *Campylobacter jejuni* isolates (n=563)









# NARMS-EB 1999

MICs for Chloramphenicol among *Campylobacter coli* isolates (n=168)




# NARMS-EB 1999

MICs for Ciprofloxacin among *Campylobacter coli* isolates (n=168)




# NARMS-EB 1999

MICs for Clindamycin among *Campylobacter coli* isolates (n=168)




# NARMS-EB 1999

MICs for Erythromycin among *Campylobacter coli* isolates (n=168)




# NARMS-EB 1999

MICs for Gentamicin among *Campylobacter coli* isolates (n=168)



# NARMS-EB 1999

MICs for Nalidixic Acid among *Campylobacter coli* isolates (n=168)



# NARMS-EB 1999

MICs for Tetracycline among *Campylobacter coli* isolates (n=168)

