



NARMS-EB 2002

MICs for *Campylobacter jejuni* among *Campylobacter jejuni* isolates




NARMS-EB 2002

MICs for Chloramphenicol among *Campylobacter jejuni* isolates




NARMS-EB 2002

MICs for Ciprofloxacin among *Campylobacter jejuni* isolates




NARMS-EB 2002

MICs for Clindamycin among *Campylobacter jejuni* isolates




NARMS-EB 2002

MICs for Erythromycin among *Campylobacter jejuni* isolates




NARMS-EB 2002

MICs for Gentamicin among *Campylobacter jejuni* isolates




NARMS-EB 2002

MICs for Nalidixic Acid among *Campylobacter jejuni* isolates




NARMS-EB 2002

MICs for Tetracycline among *Campylobacter jejuni* isolates




NARMS-EB 2002

MICs for *Azithromycin* among *Campylobacter coli* isolates




NARMS-EB 2002

MICs for Chloramphenicol among *Campylobacter coli* isolates




NARMS-EB 2002

MICs for Ciprofloxacin among *Campylobacter coli* isolates




NARMS-EB 2002

MICs for Clindamycin among *Campylobacter coli* isolates




NARMS-EB 2002

MICs for Erythromycin among *Campylobacter coli* isolates




NARMS-EB 2002

MICs for Gentamicin among *Campylobacter coli* isolates



NARMS-EB 2002

MICs for Nalidixic Acid among *Campylobacter coli* isolates



NARMS-EB 2002

MICs for Tetracycline among *Campylobacter coli* isolates

