


NARMS – EB 2002

Veterinary Isolates

Fig. 2. Minimum Inhibitory Concentrations by Antimicrobial Agent for Salmonella Isolates from Slaughter by Species

Amikacin




NARMS – EB 2002

Veterinary Isolates

Fig. 2. Minimum Inhibitory Concentrations by Antimicrobial Agent for Salmonella Isolates from Slaughter by Species

Amoxicillin/Clavulanic Acid




NARMS – EB 2002

Veterinary Isolates

Fig. 2. Minimum Inhibitory Concentrations by Antimicrobial Agent for Salmonella Isolates from Slaughter by Species

Ampicillin




NARMS – EB 2002

Veterinary Isolates

Fig. 2. Minimum Inhibitory Concentrations by Antimicrobial Agent for Salmonella Isolates from Slaughter by Species

Cefoxitin




NARMS – EB 2002

Veterinary Isolates

Fig. 2. Minimum Inhibitory Concentrations by Antimicrobial Agent for Salmonella Isolates from Slaughter by Species


Ceftiofur



NARMS – EB 2002

Veterinary Isolates


Fig. 2. Minimum Inhibitory Concentrations by Antimicrobial Agent for Salmonella Isolates from Slaughter by Species



NARMS – EB 2002

Veterinary Isolates


Fig. 2. Minimum Inhibitory Concentrations by Antimicrobial Agent for Salmonella Isolates from Slaughter by Species



NARMS – EB 2002

Veterinary Isolates


Fig. 2. Minimum Inhibitory Concentrations by Antimicrobial Agent for Salmonella Isolates from Slaughter by Species



NARMS – EB 2002

Veterinary Isolates

Fig. 2. Minimum Inhibitory Concentrations by Antimicrobial Agent for Salmonella Isolates from Slaughter by Species




NARMS – EB 2002

Veterinary Isolates

Fig. 2. Minimum Inhibitory Concentrations by Antimicrobial Agent for Salmonella Isolates from Slaughter by Species

Gentamicin




NARMS – EB 2002

Veterinary Isolates

Fig. 2. Minimum Inhibitory Concentrations by Antimicrobial Agent for Salmonella Isolates from Slaughter by Species

Kanamycin




NARMS – EB 2002

Veterinary Isolates

Fig. 2. Minimum Inhibitory Concentrations by Antimicrobial Agent for Salmonella Isolates from Slaughter by Species

Nalidixic Acid




NARMS – EB 2002

Veterinary Isolates

Fig. 2. Minimum Inhibitory Concentrations by Antimicrobial Agent for Salmonella Isolates from Slaughter by Species

Streptomycin




NARMS – EB 2002

Veterinary Isolates

Fig. 2. Minimum Inhibitory Concentrations by Antimicrobial Agent for Salmonella Isolates from Slaughter by Species


Sulfamethoxazole



NARMS – EB 2002

Veterinary Isolates

Fig. 2. Minimum Inhibitory Concentrations by Antimicrobial Agent for Salmonella Isolates from Slaughter by Species



NARMS – EB 2002

Veterinary Isolates

Fig. 2. Minimum Inhibitory Concentrations by Antimicrobial Agent for Salmonella Isolates from Slaughter by Species

