NARMS – EB 2002

Veterinary Isolates

Fig. 23 Minimum Inhibitory Concentrations by Antimicrobial Agent Major Serotypes from Cattle (Slaughter)



*including copenhagen

NARMS – EB 2002

Veterinary Isolates

Fig. 23 Minimum Inhibitory Concentrations by Antimicrobial Agent Major Serotypes from Cattle (Slaughter)



*including copenhagen

NARMS – EB 2002

Veterinary Isolates

Fig. 23 Minimum Inhibitory Concentrations by Antimicrobial Agent Major Serotypes from Cattle (Slaughter)



*including copenhagen

NARMS – EB 2002

Veterinary Isolates

Fig. 23 Minimum Inhibitory Concentrations by Antimicrobial Agent Major Serotypes from Cattle (Slaughter)



*including copenhagen

NARMS – EB 2002

Veterinary Isolates

Fig. 23 Minimum Inhibitory Concentrations by Antimicrobial Agent Major Serotypes from Cattle (Slaughter)



*including copenhagen

NARMS – EB 2002

Veterinary Isolates

Fig. 23 Minimum Inhibitory Concentrations by Antimicrobial Agent Major Serotypes from Cattle (Slaughter)



*including copenhagen

NARMS – EB 2002

Veterinary Isolates

Fig. 23 Minimum Inhibitory Concentrations by Antimicrobial Agent Major Serotypes from Cattle (Slaughter)



*including copenhagen

NARMS – EB 2002

Veterinary Isolates

Fig. 23 Minimum Inhibitory Concentrations by Antimicrobial Agent Major Serotypes from Cattle (Slaughter)



*including copenhagen

NARMS – EB 2002

Veterinary Isolates

Fig. 23 Minimum Inhibitory Concentrations by Antimicrobial Agent Major Serotypes from Cattle (Slaughter)



*including copenhagen

NARMS – EB 2002

Veterinary Isolates

Fig. 23 Minimum Inhibitory Concentrations by Antimicrobial Agent Major Serotypes from Cattle (Slaughter)



*including copenhagen

NARMS – EB 2002

Veterinary Isolates

Fig. 23 Minimum Inhibitory Concentrations by Antimicrobial Agent Major Serotypes from Cattle (Slaughter)



*including copenhagen

NARMS – EB 2002

Veterinary Isolates

Fig. 23 Minimum Inhibitory Concentrations by Antimicrobial Agent Major Serotypes from Cattle (Slaughter)



*including copenhagen

NARMS – EB 2002

Veterinary Isolates

Fig. 23 Minimum Inhibitory Concentrations by Antimicrobial Agent Major Serotypes from Cattle (Slaughter)



*including copenhagen

NARMS – EB 2002

Veterinary Isolates

Fig. 23 Minimum Inhibitory Concentrations by Antimicrobial Agent Major Serotypes from Cattle (Slaughter)



*including copenhagen

NARMS – EB 2002

Veterinary Isolates

Fig. 23 Minimum Inhibitory Concentrations by Antimicrobial Agent Major Serotypes from Cattle (Slaughter)



*including copenhagen

NARMS – EB 2002

Veterinary Isolates

Fig. 23 Minimum Inhibitory Concentrations by Antimicrobial Agent Major Serotypes from Cattle (Slaughter)



*including copenhagen