


# NARMS – EB 2002

## Veterinary Isolates

**Fig. 26 Minimum Inhibitory Concentrations by Antimicrobial Agent  
Major Serotypes from Chicken (Slaughter)**




# NARMS – EB 2002

## Veterinary Isolates

**Fig. 26 Minimum Inhibitory Concentrations by Antimicrobial Agent  
Major Serotypes from Chicken (Slaughter)**


### Amoxicillin/Clavulanic Acid



# NARMS – EB 2002

## Veterinary Isolates


**Fig. 26 Minimum Inhibitory Concentrations by Antimicrobial Agent  
Major Serotypes from Chicken (Slaughter)**



# NARMS – EB 2002

## Veterinary Isolates


**Fig. 26 Minimum Inhibitory Concentrations by Antimicrobial Agent  
Major Serotypes from Chicken (Slaughter)**



# NARMS – EB 2002

## Veterinary Isolates


**Fig. 26 Minimum Inhibitory Concentrations by Antimicrobial Agent  
Major Serotypes from Chicken (Slaughter)**



# NARMS – EB 2002

## Veterinary Isolates

**Fig. 26 Minimum Inhibitory Concentrations by Antimicrobial Agent  
Major Serotypes from Chicken (Slaughter)**




# NARMS – EB 2002

## Veterinary Isolates

**Fig. 26 Minimum Inhibitory Concentrations by Antimicrobial Agent  
Major Serotypes from Chicken (Slaughter)**


### Cephalothin



# NARMS – EB 2002

## Veterinary Isolates

**Fig. 26 Minimum Inhibitory Concentrations by Antimicrobial Agent  
Major Serotypes from Chicken (Slaughter)**






# NARMS – EB 2002

## Veterinary Isolates


**Fig. 26 Minimum Inhibitory Concentrations by Antimicrobial Agent  
Major Serotypes from Chicken (Slaughter)**



# NARMS – EB 2002

## Veterinary Isolates


**Fig. 26 Minimum Inhibitory Concentrations by Antimicrobial Agent  
Major Serotypes from Chicken (Slaughter)**



# NARMS – EB 2002

## Veterinary Isolates


**Fig. 26 Minimum Inhibitory Concentrations by Antimicrobial Agent  
Major Serotypes from Chicken (Slaughter)**



# NARMS – EB 2002

## Veterinary Isolates


**Fig. 26 Minimum Inhibitory Concentrations by Antimicrobial Agent  
Major Serotypes from Chicken (Slaughter)**



# NARMS – EB 2002

## Veterinary Isolates


**Fig. 26 Minimum Inhibitory Concentrations by Antimicrobial Agent  
Major Serotypes from Chicken (Slaughter)**



# NARMS – EB 2002

## Veterinary Isolates


**Fig. 26 Minimum Inhibitory Concentrations by Antimicrobial Agent  
Major Serotypes from Chicken (Slaughter)**



# NARMS – EB 2002

## Veterinary Isolates

**Fig. 26 Minimum Inhibitory Concentrations by Antimicrobial Agent  
Major Serotypes from Chicken (Slaughter)**



# NARMS – EB 2002

## Veterinary Isolates

**Fig. 26 Minimum Inhibitory Concentrations by Antimicrobial Agent  
Major Serotypes from Chicken (Slaughter)**

