


NARMS – EB 2002

Veterinary Isolates

**Fig. 28 Minimum Inhibitory Concentrations by Antimicrobial Agent
Major Serotypes from Swine (Diagnostic)**




*including copenhagen

NARMS – EB 2002

Veterinary Isolates

**Fig. 28 Minimum Inhibitory Concentrations by Antimicrobial Agent
Major Serotypes from Swine (Diagnostic)**




*including copenhagen

NARMS – EB 2002

Veterinary Isolates

**Fig. 28 Minimum Inhibitory Concentrations by Antimicrobial Agent
Major Serotypes from Swine (Diagnostic)**




*including copenhagen

NARMS – EB 2002

Veterinary Isolates

**Fig. 28 Minimum Inhibitory Concentrations by Antimicrobial Agent
Major Serotypes from Swine (Diagnostic)**




*including copenhagen

NARMS – EB 2002

Veterinary Isolates

**Fig. 28 Minimum Inhibitory Concentrations by Antimicrobial Agent
Major Serotypes from Swine (Diagnostic)**




*including copenhagen

NARMS – EB 2002

Veterinary Isolates

**Fig. 28 Minimum Inhibitory Concentrations by Antimicrobial Agent
Major Serotypes from Swine (Diagnostic)**




*including copenhagen

NARMS – EB 2002

Veterinary Isolates

**Fig. 28 Minimum Inhibitory Concentrations by Antimicrobial Agent
Major Serotypes from Swine (Diagnostic)**




*including copenhagen

NARMS – EB 2002

Veterinary Isolates

**Fig. 28 Minimum Inhibitory Concentrations by Antimicrobial Agent
Major Serotypes from Swine (Diagnostic)**




*including copenhagen

NARMS – EB 2002

Veterinary Isolates

**Fig. 28 Minimum Inhibitory Concentrations by Antimicrobial Agent
Major Serotypes from Swine (Diagnostic)**




*including copenhagen

NARMS – EB 2002

Veterinary Isolates

**Fig. 28 Minimum Inhibitory Concentrations by Antimicrobial Agent
Major Serotypes from Swine (Diagnostic)**




*including copenhagen

NARMS – EB 2002

Veterinary Isolates

**Fig. 28 Minimum Inhibitory Concentrations by Antimicrobial Agent
Major Serotypes from Swine (Diagnostic)**




*including copenhagen

NARMS – EB 2002

Veterinary Isolates

**Fig. 28 Minimum Inhibitory Concentrations by Antimicrobial Agent
Major Serotypes from Swine (Diagnostic)**




*including copenhagen

NARMS – EB 2002

Veterinary Isolates

**Fig. 28 Minimum Inhibitory Concentrations by Antimicrobial Agent
Major Serotypes from Swine (Diagnostic)**




*including copenhagen

NARMS – EB 2002

Veterinary Isolates

**Fig. 28 Minimum Inhibitory Concentrations by Antimicrobial Agent
Major Serotypes from Swine (Diagnostic)**




*including copenhagen

NARMS – EB 2002

Veterinary Isolates

**Fig. 28 Minimum Inhibitory Concentrations by Antimicrobial Agent
Major Serotypes from Swine (Diagnostic)**




*including copenhagen

NARMS – EB 2002

Veterinary Isolates

**Fig. 28 Minimum Inhibitory Concentrations by Antimicrobial Agent
Major Serotypes from Swine (Diagnostic)**



*including copenhagen