


# NARMS – EB 2002

## Veterinary Isolates

**Fig. 32 Minimum Inhibitory Concentrations by Antimicrobial Agent  
Major Serotypes from Turkey (Slaughter)**

### Amikacin




# NARMS – EB 2002

## Veterinary Isolates

**Fig. 32 Minimum Inhibitory Concentrations by Antimicrobial Agent  
Major Serotypes from Turkey (Slaughter)**


### Amoxicillin/Clavulanic Acid



# NARMS – EB 2002

## Veterinary Isolates


**Fig. 32 Minimum Inhibitory Concentrations by Antimicrobial Agent  
Major Serotypes from Turkey (Slaughter)**



# NARMS – EB 2002

## Veterinary Isolates


**Fig. 32 Minimum Inhibitory Concentrations by Antimicrobial Agent  
Major Serotypes from Turkey (Slaughter)**



# NARMS – EB 2002

## Veterinary Isolates


**Fig. 32 Minimum Inhibitory Concentrations by Antimicrobial Agent  
Major Serotypes from Turkey (Slaughter)**



# NARMS – EB 2002

## Veterinary Isolates


**Fig. 32 Minimum Inhibitory Concentrations by Antimicrobial Agent  
Major Serotypes from Turkey (Slaughter)**



# NARMS – EB 2002

## Veterinary Isolates


**Fig. 32 Minimum Inhibitory Concentrations by Antimicrobial Agent  
Major Serotypes from Turkey (Slaughter)**



# NARMS – EB 2002

## Veterinary Isolates

**Fig. 32 Minimum Inhibitory Concentrations by Antimicrobial Agent  
Major Serotypes from Turkey (Slaughter)**






# NARMS – EB 2002

## Veterinary Isolates


**Fig. 32 Minimum Inhibitory Concentrations by Antimicrobial Agent  
Major Serotypes from Turkey (Slaughter)**



# NARMS – EB 2002

## Veterinary Isolates


**Fig. 32 Minimum Inhibitory Concentrations by Antimicrobial Agent  
Major Serotypes from Turkey (Slaughter)**



# NARMS – EB 2002

## Veterinary Isolates


**Fig. 32 Minimum Inhibitory Concentrations by Antimicrobial Agent  
Major Serotypes from Turkey (Slaughter)**



# NARMS – EB 2002

## Veterinary Isolates


**Fig. 32 Minimum Inhibitory Concentrations by Antimicrobial Agent  
Major Serotypes from Turkey (Slaughter)**



# NARMS – EB 2002

## Veterinary Isolates


**Fig. 32 Minimum Inhibitory Concentrations by Antimicrobial Agent  
Major Serotypes from Turkey (Slaughter)**



# NARMS – EB 2002

## Veterinary Isolates


**Fig. 32 Minimum Inhibitory Concentrations by Antimicrobial Agent  
Major Serotypes from Turkey (Slaughter)**



# NARMS – EB 2002

## Veterinary Isolates

**Fig. 32 Minimum Inhibitory Concentrations by Antimicrobial Agent  
Major Serotypes from Turkey (Slaughter)**



# NARMS – EB 2002

## Veterinary Isolates

**Fig. 32 Minimum Inhibitory Concentrations by Antimicrobial Agent  
Major Serotypes from Turkey (Slaughter)**

