

Table 4. Resistance Patterns of *Campylobacter coli* Isolates, by Year, 1998-2005

Year	1998	1999	2000	2001	2002	2003	2004	2005
Number of Isolates Tested	63	168	172	52	288	247	186	380
Resistance Pattern								
No Resistance detected	19.0% 12	33.3% 56	27.9% 48	30.8% 16	37.5% 108	32.8% 81	37.1% 69	47.6% 181
Resistance ≥ 1 CLSI subclass ¹	81.0% 51	66.7% 112	72.1% 124	69.2% 36	62.5% 180	67.2% 166	62.9% 117	52.4% 199
Resistance ≥ 2 CLSI subclasses ¹	47.6% 30	26.2% 44	29.7% 51	26.9% 14	27.4% 79	32.4% 80	32.3% 60	29.2% 111
Resistance ≥ 3 CLSI subclasses ¹	30.2% 19	17.3% 29	18.6% 32	15.4% 8	13.9% 40	18.6% 46	18.3% 34	17.9% 68
Resistance ≥ 4 CLSI subclasses ¹	1.6% 1	4.8% 8	3.5% 6	1.9% 1	4.9% 14	3.6% 9	2.7% 5	2.6% 10
Resistance ≥ 5 CLSI subclasses ¹	0.0% 0	1.8% 3	0.0% 0	0.0% 0	2.1% 6	0.4% 1	0.5% 1	0.3% 1

¹CLSI: Clinical and Laboratory Standards Institute M100 Document

Table 5. Resistance Patterns of *Campylobacter jejuni* Isolates, by Year, 1998-2005

Year	1998	1999	2000	2001	2002	2003	2004	2005
Number of Isolates Tested	128	563	590	64	526	374	508	567
Resistance Pattern								
No Resistance detected	38.3% 49	42.6% 240	42.2% 249	53.1% 34	44.9% 236	45.5% 170	48.2% 245	46.9% 266
Resistance ≥ 1 CLSI subclass ¹	61.7% 79	57.4% 323	57.8% 341	46.9% 30	55.1% 290	54.5% 204	51.8% 263	53.1% 301
Resistance ≥ 2 CLSI subclasses ¹	14.8% 19	11.5% 65	11.9% 70	21.9% 14	21.3% 112	16.0% 60	22.0% 112	16.0% 91
Resistance ≥ 3 CLSI subclasses ¹	9.4% 12	6.9% 39	6.6% 39	9.4% 6	11.4% 60	8.8% 33	12.2% 62	6.2% 35
Resistance ≥ 4 CLSI subclasses ¹	2.3% 3	0.0% 0	0.2% 1	0.0% 0	0.0% 0	0.0% 0	0.4% 2	0.2% 1
Resistance ≥ 5 CLSI subclasses ¹	1.6% 2	0.0% 0	0.0% 0	0.0% 0	0.0% 0	0.3% 1	0.0% 0	0.0% 0

¹CLSI: Clinical and Laboratory Standards Institute M100 Document