

Table 6. Resistance Patterns of *Enterococcus* Isolates, by Year, 2003-2005

Species	<i>E. faecalis</i>			<i>E. faecium</i>			Other			
	Year	2003	2004	2005	2003	2004	2005	2003	2004	2005
Number of Isolates Tested		1376	740	865	420	373	312	420	386	320
Resistance Pattern										
No Resistance detected		0.1%	0.4%	0.2%	0.0%	0.5%	1.3%	2.6%	3.4%	1.6%
		1	3	2	0	2	4	11	13	5
Resistance ≥ 1 CLSI subclass ¹		99.9%	99.6%	99.8%	100.0%	99.5%	98.7%	97.4%	96.6%	98.4%
		1375	737	863	420	371	308	409	373	315
Resistance ≥ 2 CLSI subclasses ¹		99.1%	95.1%	92.9%	98.8%	96.5%	97.4%	95.5%	93.3%	93.4%
		1364	704	804	415	360	304	401	360	299
Resistance ≥ 3 CLSI subclassess ¹		83.3%	79.9%	76.6%	96.0%	92.0%	88.8%	89.8%	83.2%	81.3%
		1146	591	663	403	343	277	377	321	260
Resistance ≥ 4 CLSI subclassess ¹		50.3%	46.6%	43.8%	83.6%	78.3%	76.3%	76.0%	68.7%	64.1%
		692	345	379	351	292	238	319	265	205
Resistance ≥ 5 CLSI subclassess ¹		22.2%	20.8%	21.0%	65.7%	59.8%	57.1%	49.3%	44.6%	39.1%
		306	154	182	276	223	178	207	172	125

¹CLSI: Clinical and Laboratory Standards Institute M100 Document