NARMS-EB 1998

MICs for Azithromycin among *Campylobacter jejuni* isolates (n=128)



NARMS-EB 1998

MICs for Chloramphenicol among *Campylobacter jejuni* isolates (n=128)



*phenotype was not reproducible upon further testing

NARMS-EB 1998

MICs for Ciprofloxacin among *Campylobacter jejuni* isolates (n=128)



NARMS-EB 1998

MICs for Clindamycin among *Campylobacter jejuni* isolates (n=128)



NARMS-EB 1998

MICs for Erythromycin among *Campylobacter jejuni* isolates (n=128)



NARMS-EB 1998

MICs for Gentamicin among *Campylobacter jejuni* isolates (n=128)



NARMS-EB 1998

MICs for Nalidixic Acid among *Campylobacter jejuni* isolates (n=128)



NARMS-EB 1998

MICs for Tetracycline among *Campylobacter jejuni* isolates (n=128)



NARMS-EB 1998

MICs for Azithromycin among *Campylobacter coli* isolates (n=63)



NARMS-EB 1998

MICs for Chloramphenicol among *Campylobacter coli* isolates (n=63)



NARMS-EB 1998

MICs for Ciprofloxacin among *Campylobacter coli* isolates (n=63)



NARMS-EB 1998

MICs for Clindamycin among *Campylobacter coli* isolates (n=63)



NARMS-EB 1998

MICs for Erythromycin among *Campylobacter coli* isolates (n=63)



NARMS-EB 1998

MICs for Gentamicin among *Campylobacter coli* isolates (n=63)



NARMS-EB 1998

MICs for Nalidixic Acid among *Campylobacter coli* isolates (n=63)



NARMS-EB 1998

MICs for Tetracycline among *Campylobacter coli* isolates (n=63)