NARMS - EB 1997

Veterinary Isolates

Fig. 24. Minimum Inhibitory Concentrations by Antimicrobial Agent Major Serotypes from Chicken (Diagnostic)



Breakpoint = 64

NARMS - EB 1997

Veterinary Isolates

Fig. 24. Minimum Inhibitory Concentrations by Antimicrobial Agent Major Serotypes from Chicken (Diagnostic)



⇩ Breakpoint

NARMS - EB 1997

Veterinary Isolates

Fig. 24. Minimum Inhibitory Concentrations by Antimicrobial Agent Major Serotypes from Chicken (Diagnostic)



⇩ Breakpoint

NARMS - EB 1997

Veterinary Isolates

Fig. 24. Minimum Inhibitory Concentrations by Antimicrobial Agent Major Serotypes from Chicken (Diagnostic)



Breakpoint = 32

NARMS - EB 1997

Veterinary Isolates

Fig. 24. Minimum Inhibitory Concentrations by Antimicrobial Agent Major Serotypes from Chicken (Diagnostic)



⇩ Breakpoint

NARMS - EB 1997

Veterinary Isolates

Fig. 24. Minimum Inhibitory Concentrations by Antimicrobial Agent Major Serotypes from Chicken (Diagnostic)



Breakpoint = 64

NARMS - EB 1997

Veterinary Isolates

Fig. 24. Minimum Inhibitory Concentrations by Antimicrobial Agent Major Serotypes from Chicken (Diagnostic)



⇩ Breakpoint

NARMS - EB 1997

Veterinary Isolates

Fig. 24. Minimum Inhibitory Concentrations by Antimicrobial Agent Major Serotypes from Chicken (Diagnostic)



⇩ Breakpoint

NARMS - EB 1997

Veterinary Isolates

Fig. 24. Minimum Inhibitory Concentrations by Antimicrobial Agent Major Serotypes from Chicken (Diagnostic)



Breakpoint = 4

NARMS - EB 1997

Veterinary Isolates

Fig. 24. Minimum Inhibitory Concentrations by Antimicrobial Agent Major Serotypes from Chicken (Diagnostic)



⇩ Breakpoint

NARMS - EB 1997

Veterinary Isolates

Fig. 24. Minimum Inhibitory Concentrations by Antimicrobial Agent Major Serotypes from Chicken (Diagnostic)



⇩ Breakpoint

NARMS - EB 1997

Veterinary Isolates

Fig. 24. Minimum Inhibitory Concentrations by Antimicrobial Agent Major Serotypes from Chicken (Diagnostic)



⇩ Breakpoint

NARMS - EB 1997

Veterinary Isolates

Fig. 24. Minimum Inhibitory Concentrations by Antimicrobial Agent Major Serotypes from Chicken (Diagnostic)



⇩ Breakpoint

NARMS - EB 1997

Veterinary Isolates

Fig. 24. Minimum Inhibitory Concentrations by Antimicrobial Agent Major Serotypes from Chicken (Diagnostic)



⇩ Breakpoint

NARMS - EB 1997

Veterinary Isolates

Fig. 24. Minimum Inhibitory Concentrations by Antimicrobial Agent Major Serotypes from Chicken (Diagnostic)



⇩ Breakpoint

NARMS - EB 1997

Veterinary Isolates

Fig. 24. Minimum Inhibitory Concentrations by Antimicrobial Agent Major Serotypes from Chicken (Diagnostic)



⇩ Breakpoint

NARMS - EB 1997

Veterinary Isolates

Fig. 24. Minimum Inhibitory Concentrations by Antimicrobial Agent Major Serotypes from Chicken (Diagnostic)



⇩ Breakpoint