NARMS – EB 1999

Veterinary Isolates

Fig. 10. Minimum Inhibitory Concentrations by Antimicrobial Agent for Salmonella Isolates from Horse (Diagnostic)









⇩ Breakpoint

Diagnostic n=269

NARMS – EB 1999

Veterinary Isolates

Fig. 10. Minimum Inhibitory Concentrations by Antimicrobial Agent for Salmonella Isolates from Horse (Diagnostic)









⇩ Breakpoint

Diagnostic n=269

NARMS – EB 1999

Veterinary Isolates

Fig. 10. Minimum Inhibitory Concentrations by Antimicrobial Agent for Salmonella Isolates from Horse (Diagnostic)









⇩ Breakpoint

*Breakpoint Not Established

Diagnostic n=269

NARMS – EB 1999

Veterinary Isolates

Fig. 10. Minimum Inhibitory Concentrations by Antimicrobial Agent for Salmonella Isolates from Horse (Diagnostic)









⇩ Breakpoint

Diagnostic n=269

NARMS – EB 1999

Veterinary Isolates

Fig. 10. Minimum Inhibitory Concentrations by Antimicrobial Agent for Salmonella Isolates from Horse (Diagnostic)



⇩ Breakpoint

Diagnostic n=269