NARMS – EB 1999

Veterinary Isolates

Fig. 29. Minimum Inhibitory Concentrations by Antimicrobial Agent Major Serotypes from Turkey (Slaughter)



Breakpoint = 64

NARMS – EB 1999

Veterinary Isolates

Fig. 29. Minimum Inhibitory Concentrations by Antimicrobial Agent Major Serotypes from Turkey (Slaughter)



⇩ Breakpoint

NARMS – EB 1999

Veterinary Isolates

Fig. 29. Minimum Inhibitory Concentrations by Antimicrobial Agent Major Serotypes from Turkey (Slaughter)



⇩ Breakpoint

NARMS – EB 1999

Veterinary Isolates

Fig. 29. Minimum Inhibitory Concentrations by Antimicrobial Agent Major Serotypes from Turkey (Slaughter)



⇩ Breakpoint

NARMS – EB 1999

Veterinary Isolates

Fig. 29. Minimum Inhibitory Concentrations by Antimicrobial Agent Major Serotypes from Turkey (Slaughter)



⇩ Breakpoint

NARMS – EB 1999

Veterinary Isolates

Fig. 29. Minimum Inhibitory Concentrations by Antimicrobial Agent Major Serotypes from Turkey (Slaughter)



⇩ Breakpoint

NARMS – EB 1999

Veterinary Isolates

Fig. 29. Minimum Inhibitory Concentrations by Antimicrobial Agent Major Serotypes from Turkey (Slaughter)



⇩ Breakpoint

NARMS – EB 1999

Veterinary Isolates

Fig. 29. Minimum Inhibitory Concentrations by Antimicrobial Agent Major Serotypes from Turkey (Slaughter)



⇩ Breakpoint

NARMS – EB 1999

Veterinary Isolates

Fig. 29. Minimum Inhibitory Concentrations by Antimicrobial Agent Major Serotypes from Turkey (Slaughter)



Breakpoint = 4

NARMS – EB 1999

Veterinary Isolates

Fig. 29. Minimum Inhibitory Concentrations by Antimicrobial Agent Major Serotypes from Turkey (Slaughter)



*Breakpoint Not Established

NARMS – EB 1999

Veterinary Isolates

Fig. 29. Minimum Inhibitory Concentrations by Antimicrobial Agent Major Serotypes from Turkey (Slaughter)



⇩ Breakpoint

NARMS – EB 1999

Veterinary Isolates

Fig. 29. Minimum Inhibitory Concentrations by Antimicrobial Agent Major Serotypes from Turkey (Slaughter)



⇩ Breakpoint

NARMS – EB 1999

Veterinary Isolates

Fig. 29. Minimum Inhibitory Concentrations by Antimicrobial Agent Major Serotypes from Turkey (Slaughter)



⇩ Breakpoint

NARMS – EB 1999

Veterinary Isolates

Fig. 29. Minimum Inhibitory Concentrations by Antimicrobial Agent Major Serotypes from Turkey (Slaughter)



⇩ Breakpoint

NARMS – EB 1999

Veterinary Isolates

Fig. 29. Minimum Inhibitory Concentrations by Antimicrobial Agent Major Serotypes from Turkey (Slaughter)



⇩ Breakpoint

NARMS – EB 1999

Veterinary Isolates

Fig. 29. Minimum Inhibitory Concentrations by Antimicrobial Agent Major Serotypes from Turkey (Slaughter)



⇩ Breakpoint

NARMS – EB 1999

Veterinary Isolates

Fig. 29. Minimum Inhibitory Concentrations by Antimicrobial Agent Major Serotypes from Turkey (Slaughter)



⇩ Breakpoint