NARMS-EB 2003
Veterinary Isolates

Fig. 2 Minimum Inhibitory Concentrations by Antimicrobial Agent for Salmonella Isolates from Slaughter by Species

Amikacin



Breakpoint=64

NARMS-EB 2003
Veterinary Isolates

Fig. 2 Minimum Inhibitory Concentrations by Antimicrobial Agent for Salmonella Isolates from Slaughter by Species

Amoxicillin/Clavulanic Acid



↓ Breakpoint

NARMS-EB 2003
Veterinary Isolates

Fig. 2 Minimum Inhibitory Concentrations by Antimicrobial Agent for Salmonella Isolates from Slaughter by Species

Ampicillin



↓ Breakpoint

NARMS-EB 2003
Veterinary Isolates

Fig. 2 Minimum Inhibitory Concentrations by Antimicrobial Agent for Salmonella Isolates from Slaughter by Species



Breakpoint=32

NARMS-EB 2003
Veterinary Isolates

Fig. 2 Minimum Inhibitory Concentrations by Antimicrobial Agent for Salmonella Isolates from Slaughter by Species

Ceftiofur



↓ Breakpoint

NARMS-EB 2003
Veterinary Isolates

Fig. 2 Minimum Inhibitory Concentrations by Antimicrobial Agent for Salmonella Isolates from Slaughter by Species

Ceftriaxone



↓ Breakpoint

NARMS-EB 2003
Veterinary Isolates

Fig. 2 Minimum Inhibitory Concentrations by Antimicrobial Agent for Salmonella Isolates from Slaughter by Species

Cephalothin



↓ Breakpoint

NARMS-EB 2003
Veterinary Isolates

Fig. 2 Minimum Inhibitory Concentrations by Antimicrobial Agent for Salmonella Isolates from Slaughter by Species

Chloramphenicol



↓ Breakpoint

NARMS-EB 2003
Veterinary Isolates

Fig. 2 Minimum Inhibitory Concentrations by Antimicrobial Agent for Salmonella Isolates from Slaughter by Species

Ciprofloxacin



↓ Breakpoint

NARMS-EB 2003
Veterinary Isolates

Fig. 2 Minimum Inhibitory Concentrations by Antimicrobial Agent for Salmonella Isolates from Slaughter by Species

Gentamicin



↓ Breakpoint

NARMS-EB 2003
Veterinary Isolates

Fig. 2 Minimum Inhibitory Concentrations by Antimicrobial Agent for Salmonella Isolates from Slaughter by Species

Kanamycin



↓ Breakpoint

NARMS-EB 2003
Veterinary Isolates

Fig. 2 Minimum Inhibitory Concentrations by Antimicrobial Agent for Salmonella Isolates from Slaughter by Species

Nalidixic Acid



↓ Breakpoint

NARMS-EB 2003
Veterinary Isolates

Fig. 2 Minimum Inhibitory Concentrations by Antimicrobial Agent for Salmonella Isolates from Slaughter by Species

Streptomycin



↓ Breakpoint

NARMS-EB 2003
Veterinary Isolates

Fig. 2 Minimum Inhibitory Concentrations by Antimicrobial Agent for Salmonella Isolates from Slaughter by Species

Sulfamethoxazole



↓ Breakpoint

NARMS-EB 2003
Veterinary Isolates

Fig. 2 Minimum Inhibitory Concentrations by Antimicrobial Agent for Salmonella Isolates from Slaughter by Species

Tetracycline



↓ Breakpoint

NARMS-EB 2003
Veterinary Isolates

Fig. 2 Minimum Inhibitory Concentrations by Antimicrobial Agent for Salmonella Isolates from Slaughter by Species

Trimethroprim/Sulfamethoxazole



↓ Breakpoint