NARMS-EB 2003
Veterinary Isolates

Fig. 25 Minimum Inhibitory Concentrations by Antimicrobial Agent
Major Serotypes from Chicken (Diagnostic)

Amikacin



Breakpoint=64

* Includes var copenhagen

NARMS-EB 2003
Veterinary Isolates

Fig. 25 Minimum Inhibitory Concentrations by Antimicrobial Agent
Major Serotypes from Chicken (Diagnostic)



↓ Breakpoint

* Includes var copenhagen

NARMS-EB 2003
Veterinary Isolates

Fig. 25 Minimum Inhibitory Concentrations by Antimicrobial Agent
Major Serotypes from Chicken (Diagnostic)



↓ Breakpoint

* Includes var copenhagen

NARMS-EB 2003
Veterinary Isolates

Fig. 25 Minimum Inhibitory Concentrations by Antimicrobial Agent
Major Serotypes from Chicken (Diagnostic)



* Includes var copenhagen

NARMS-EB 2003
Veterinary Isolates

Fig. 25 Minimum Inhibitory Concentrations by Antimicrobial Agent
Major Serotypes from Chicken (Diagnostic)



↓ Breakpoint

* Includes var copenhagen

NARMS-EB 2003
Veterinary Isolates

Fig. 25 Minimum Inhibitory Concentrations by Antimicrobial Agent
Major Serotypes from Chicken (Diagnostic)

Ceftriaxone



↓ Breakpoint

* Includes var copenhagen

NARMS-EB 2003
Veterinary Isolates

Fig. 25 Minimum Inhibitory Concentrations by Antimicrobial Agent
Major Serotypes from Chicken (Diagnostic)



↓ Breakpoint

* Includes var copenhagen

NARMS-EB 2003
Veterinary Isolates

Fig. 25 Minimum Inhibitory Concentrations by Antimicrobial Agent
Major Serotypes from Chicken (Diagnostic)



↓ Breakpoint

* Includes var copenhagen

NARMS-EB 2003
Veterinary Isolates

Fig. 25 Minimum Inhibitory Concentrations by Antimicrobial Agent
Major Serotypes from Chicken (Diagnostic)



↓ Breakpoint

* Includes var copenhagen

NARMS-EB 2003
Veterinary Isolates

Fig. 25 Minimum Inhibitory Concentrations by Antimicrobial Agent
Major Serotypes from Chicken (Diagnostic)



↓ Breakpoint

* Includes var copenhagen

NARMS-EB 2003
Veterinary Isolates

Fig. 25 Minimum Inhibitory Concentrations by Antimicrobial Agent
Major Serotypes from Chicken (Diagnostic)

Kanamycin



↓ Breakpoint

* Includes var copenhagen

NARMS-EB 2003
Veterinary Isolates

Fig. 25 Minimum Inhibitory Concentrations by Antimicrobial Agent
Major Serotypes from Chicken (Diagnostic)

Nalidixic Acid



↓ Breakpoint

* Includes var copenhagen

NARMS-EB 2003
Veterinary Isolates

Fig. 25 Minimum Inhibitory Concentrations by Antimicrobial Agent
Major Serotypes from Chicken (Diagnostic)



↓ Breakpoint

* Includes var copenhagen

NARMS-EB 2003
Veterinary Isolates

Fig. 25 Minimum Inhibitory Concentrations by Antimicrobial Agent
Major Serotypes from Chicken (Diagnostic)

Sulfamethoxazole



↓ Breakpoint

* Includes var copenhagen

NARMS-EB 2003
Veterinary Isolates

Fig. 25 Minimum Inhibitory Concentrations by Antimicrobial Agent
Major Serotypes from Chicken (Diagnostic)



↓ Breakpoint

* Includes var copenhagen

NARMS-EB 2003
Veterinary Isolates

Fig. 25 Minimum Inhibitory Concentrations by Antimicrobial Agent
Major Serotypes from Chicken (Diagnostic)



↓ Breakpoint

* Includes var copenhagen