NARMS-EB 2003
Veterinary Isolates

Fig. 31 Minimum Inhibitory Concentrations by Antimicrobial Agent
Major Serotypes from Turkey (Diagnostic)

Amikacin



Breakpoint=64

NARMS-EB 2003
Veterinary Isolates

Fig. 31 Minimum Inhibitory Concentrations by Antimicrobial Agent
Major Serotypes from Turkey (Diagnostic)



↓ Breakpoint

NARMS-EB 2003
Veterinary Isolates

Fig. 31 Minimum Inhibitory Concentrations by Antimicrobial Agent
Major Serotypes from Turkey (Diagnostic)



↓ Breakpoint

NARMS-EB 2003
Veterinary Isolates

Fig. 31 Minimum Inhibitory Concentrations by Antimicrobial Agent
Major Serotypes from Turkey (Diagnostic)



Breakpoint=32

NARMS-EB 2003
Veterinary Isolates

Fig. 31 Minimum Inhibitory Concentrations by Antimicrobial Agent
Major Serotypes from Turkey (Diagnostic)



↓ Breakpoint

NARMS-EB 2003
Veterinary Isolates

Fig. 31 Minimum Inhibitory Concentrations by Antimicrobial Agent
Major Serotypes from Turkey (Diagnostic)

Ceftriaxone



↓ Breakpoint

NARMS-EB 2003
Veterinary Isolates

Fig. 31 Minimum Inhibitory Concentrations by Antimicrobial Agent
Major Serotypes from Turkey (Diagnostic)



↓ Breakpoint

NARMS-EB 2003
Veterinary Isolates

Fig. 31 Minimum Inhibitory Concentrations by Antimicrobial Agent
Major Serotypes from Turkey (Diagnostic)



↓ Breakpoint

NARMS-EB 2003
Veterinary Isolates

Fig. 31 Minimum Inhibitory Concentrations by Antimicrobial Agent
Major Serotypes from Turkey (Diagnostic)

Ciprofloxacin



↓ Breakpoint

NARMS-EB 2003
Veterinary Isolates

Fig. 31 Minimum Inhibitory Concentrations by Antimicrobial Agent
Major Serotypes from Turkey (Diagnostic)

Gentamicin



↓ Breakpoint

NARMS-EB 2003
Veterinary Isolates

Fig. 31 Minimum Inhibitory Concentrations by Antimicrobial Agent
Major Serotypes from Turkey (Diagnostic)



↓ Breakpoint

NARMS-EB 2003
Veterinary Isolates

Fig. 31 Minimum Inhibitory Concentrations by Antimicrobial Agent
Major Serotypes from Turkey (Diagnostic)

Nalidixic Acid



↓ Breakpoint

NARMS-EB 2003
Veterinary Isolates

Fig. 31 Minimum Inhibitory Concentrations by Antimicrobial Agent
Major Serotypes from Turkey (Diagnostic)



↓ Breakpoint

NARMS-EB 2003
Veterinary Isolates

Fig. 31 Minimum Inhibitory Concentrations by Antimicrobial Agent
Major Serotypes from Turkey (Diagnostic)

Sulfamethoxazole



↓ Breakpoint

NARMS-EB 2003
Veterinary Isolates

Fig. 31 Minimum Inhibitory Concentrations by Antimicrobial Agent
Major Serotypes from Turkey (Diagnostic)



↓ Breakpoint

NARMS-EB 2003
Veterinary Isolates

Fig. 31 Minimum Inhibitory Concentrations by Antimicrobial Agent
Major Serotypes from Turkey (Diagnostic)

Trimethroprim/Sulfamethoxazole



↓ Breakpoint