NARMS – EB 2004
Veterinary Isolates
Fig. 23 Minimum Inhibitory Concentrations (μg/ml) by Antimicrobial Agent for Major Serotypes from Cattle (Slaughter)



↓ Breakpoint

NARMS – EB 2004
Veterinary Isolates
Fig. 23 Minimum Inhibitory Concentrations (μg/ml) by Antimicrobial Agent for Major Serotypes from Cattle (Slaughter)



↓ Breakpoint

NARMS – EB 2004
Veterinary Isolates
Fig. 23 Minimum Inhibitory Concentrations (μg/ml) by Antimicrobial Agent for Major Serotypes from Cattle (Slaughter)



↓ Breakpoint

NARMS – EB 2004
Veterinary Isolates
Fig. 23 Minimum Inhibitory Concentrations (μg/ml) by Antimicrobial Agent for Major Serotypes from Cattle (Slaughter)



↓ Breakpoint

NARMS – EB 2004
Veterinary Isolates
Fig. 23 Minimum Inhibitory Concentrations (μg/ml) by Antimicrobial Agent for Major Serotypes from Cattle (Slaughter)



↓ Breakpoint

NARMS – EB 2004
Veterinary Isolates
Fig. 23 Minimum Inhibitory Concentrations (μg/ml) by Antimicrobial Agent for Major Serotypes from Cattle (Slaughter)



↓ Breakpoint

NARMS – EB 2004
Veterinary Isolates
Fig. 23 Minimum Inhibitory Concentrations (μg/ml) by Antimicrobial Agent for Major Serotypes from Cattle (Slaughter)



↓ Breakpoint

NARMS – EB 2004
Veterinary Isolates
Fig. 23 Minimum Inhibitory Concentrations (μg/ml) by Antimicrobial Agent for Major Serotypes from Cattle (Slaughter)



↓ Breakpoint

NARMS – EB 2004
Veterinary Isolates
Fig. 23 Minimum Inhibitory Concentrations (μg/ml) by Antimicrobial Agent for Major Serotypes from Cattle (Slaughter)



↓ Breakpoint

NARMS – EB 2004
Veterinary Isolates
Fig. 23 Minimum Inhibitory Concentrations (μg/ml) by Antimicrobial Agent for Major Serotypes from Cattle (Slaughter)



↓ Breakpoint

NARMS – EB 2004
Veterinary Isolates
Fig. 23 Minimum Inhibitory Concentrations (μg/ml) by Antimicrobial Agent for Major Serotypes from Cattle (Slaughter)



↓ Breakpoint

NARMS – EB 2004
Veterinary Isolates
Fig. 23 Minimum Inhibitory Concentrations (μg/ml) by Antimicrobial Agent for Major Serotypes from Cattle (Slaughter)



↓ Breakpoint

NARMS – EB 2004
Veterinary Isolates
Fig. 23 Minimum Inhibitory Concentrations (μg/ml) by Antimicrobial Agent for Major Serotypes from Cattle (Slaughter)



↓ Breakpoint

NARMS – EB 2004
Veterinary Isolates
Fig. 23 Minimum Inhibitory Concentrations (μg/ml) by Antimicrobial Agent for Major Serotypes from Cattle (Slaughter)



↓ Breakpoint

NARMS – EB 2004
Veterinary Isolates
Fig. 23 Minimum Inhibitory Concentrations (μg/ml) by Antimicrobial Agent for Major Serotypes from Cattle (Slaughter)



↓ Breakpoint