

Table 53. All Restaurants: Percent Reporting, Mean Amounts, and Percent of Selected Nutrients from Foods Obtained from All Restaurants ¹, by Male/Female and Age, in the United States, 2017-March 2020 Prepandemic

F o o d e n e r g y																	
—————All Individuals ² ————— —————All Restaurant Consumers ³ ————— Non-consumers ⁴																	
Males/Females and age	Sample Size	Percent Reporting ⁵		Total Intake		Intake from All Restaurants		Percentages from ⁶ All Restaurants		Total Intake		Intake from All Restaurants		Percentages from ⁶ All Restaurants		Total Intake	
(years)		%	(SE)	kcal	(SE)	kcal	(SE)	%	(SE)	kcal	(SE)	kcal	(SE)	%	(SE)	kcal	(SE)
Males:																	
2 - 5.....	468	45	(2.8)	1667	(41.7)	253	(25.3)	15	(1.3)	1837	(88.7)	569	(49.1)	31	(2.0)	1531	(34.0)
6 - 11.....	701	41	(3.1)	1989	(38.4)	302	(16.0)	15	(0.8)	2139	(58.9)	736	(31.9)	34	(1.2)	1885	(45.4)
12 - 19.....	899	53	(3.2)	2299	(36.4)	651	(61.7)	28	(2.5)	2578	(50.4)	1219	(63.3)	47	(2.2)	1978	(72.2)
20 - 39.....	1086	66	(2.5)	2547	(53.8)	842	(61.0)	33	(2.0)	2651	(75.8)	1282	(69.5)	48	(1.7)	2348	(68.0)
40 - 59.....	1221	56	(2.6)	2561	(48.4)	701	(48.3)	27	(1.7)	2744	(70.6)	1250	(48.2)	46	(1.3)	2327	(55.6)
60 and over.....	1438	44	(2.9)	2305	(32.4)	405	(34.6)	18	(1.4)	2406	(58.8)	926	(49.3)	39	(1.7)	2227	(50.8)
2 - 19.....	2068	47	(2.1)	2061	(20.9)	450	(28.9)	22	(1.4)	2303	(41.9)	949	(37.9)	41	(1.4)	1843	(33.2)
20 and over...	3745	56	(1.9)	2483	(24.2)	668	(32.8)	27	(1.2)	2629	(31.6)	1192	(35.1)	45	(1.0)	2297	(28.7)
2 and over...	5813	54	(1.8)	2379	(20.3)	615	(28.6)	26	(1.1)	2558	(29.5)	1139	(28.7)	45	(0.9)	2169	(22.1)
Females:																	
2 - 5.....	472	40	(3.0)	1417	(24.8)	195	(19.9)	14	(1.3)	1491	(32.6)	492	(23.6)	33	(1.6)	1368	(37.6)
6 - 11.....	710	50	(3.1)	1902	(37.9)	386	(34.9)	20	(1.7)	2079	(50.6)	768	(34.1)	37	(1.5)	1723	(48.0)
12 - 19.....	841	60	(2.5)	1812	(57.3)	530	(28.5)	29	(1.2)	1966	(82.0)	889	(43.3)	45	(1.6)	1586	(42.1)
20 - 39.....	1272	65	(2.4)	1940	(17.6)	608	(24.2)	31	(1.2)	2000	(27.2)	940	(32.8)	47	(1.3)	1829	(35.0)
40 - 59.....	1327	52	(2.3)	1834	(35.5)	442	(19.4)	24	(1.1)	1886	(35.7)	843	(30.5)	45	(1.3)	1777	(56.5)
60 and over.....	1363	42	(2.7)	1696	(34.0)	304	(23.5)	18	(1.3)	1747	(43.0)	716	(24.9)	41	(1.3)	1658	(44.7)
2 - 19.....	2023	52	(1.9)	1757	(31.5)	411	(23.5)	23	(1.1)	1924	(49.0)	786	(29.7)	41	(1.0)	1573	(21.0)
20 and over...	3962	54	(1.9)	1829	(17.7)	458	(14.7)	25	(0.8)	1901	(21.9)	853	(19.3)	45	(0.9)	1745	(27.7)
2 and over...	5985	53	(1.6)	1812	(12.1)	447	(13.6)	25	(0.7)	1906	(19.6)	838	(15.8)	44	(0.7)	1705	(20.6)
Males and Females:																	
2 - 19.....	4091	50	(1.6)	1911	(19.7)	431	(22.3)	23	(1.0)	2108	(36.2)	865	(29.1)	41	(0.9)	1717	(21.0)
20 and over...	7707	55	(1.7)	2144	(14.9)	559	(21.0)	26	(0.9)	2259	(18.8)	1020	(20.5)	45	(0.7)	2003	(20.3)
2 and over...	11798	54	(1.5)	2089	(11.3)	529	(18.1)	25	(0.8)	2226	(15.2)	986	(15.6)	44	(0.6)	1930	(16.5)

Table 53. All Restaurants: Percent Reporting, Mean Amounts, and Percent of Selected Nutrients from Foods Obtained from All Restaurants ¹, by Male/Female and Age, in the United States, 2017-March 2020 Prepandemic (continued)

P r o t e i n																	
—————All Individuals ² ————— —————All Restaurant Consumers ³ ————— Non-consumers ⁴																	
Males/Females and age	Sample Size	Percent Reporting ⁵		Total Intake		Intake from All Restaurants		Percentages from ⁶ All Restaurants		Total Intake		Intake from All Restaurants		Percentages from ⁶ All Restaurants		Total Intake	
(years)		%	(SE)	g	(SE)	g	(SE)	%	(SE)	g	(SE)	g	(SE)	%	(SE)	g	(SE)
Males:																	
2 - 5.....	468	45	(2.8)	56.9	(1.56)	8.9	(0.84)	16	(1.4)	61.1	(3.05)	20.1	(1.61)	33	(2.2)	53.6	(1.68)
6 - 11.....	701	41	(3.1)	66.7	(1.57)	11.3	(0.78)	17	(1.2)	71.4	(2.72)	27.6	(1.16)	39	(1.7)	63.4	(1.62)
12 - 19.....	899	53	(3.2)	86.6	(2.44)	26.3	(2.41)	30	(2.3)	96.3	(3.07)	49.3	(2.57)	51	(2.0)	75.5	(3.34)
20 - 39.....	1086	66	(2.5)	96.6	(1.91)	34.2	(2.46)	35	(2.2)	99.6	(2.95)	52.1	(2.83)	52	(2.2)	90.7	(2.70)
40 - 59.....	1221	56	(2.6)	97.7	(2.18)	28.9	(2.09)	30	(2.0)	100.7	(2.69)	51.5	(2.14)	51	(1.5)	93.8	(3.20)
60 and over.....	1438	44	(2.9)	87.0	(1.88)	17.3	(1.58)	20	(1.7)	91.8	(3.51)	39.6	(2.19)	43	(2.3)	83.3	(2.73)
2 - 19.....	2068	47	(2.1)	73.6	(1.27)	17.6	(1.22)	24	(1.5)	82.1	(2.21)	37.2	(1.64)	45	(1.6)	66.1	(1.52)
20 and over...	3745	56	(1.9)	94.2	(1.14)	27.6	(1.39)	29	(1.3)	98.2	(1.55)	49.1	(1.32)	50	(1.1)	89.1	(1.41)
2 and over...	5813	54	(1.8)	89.2	(1.09)	25.1	(1.26)	28	(1.2)	94.7	(1.54)	46.5	(1.22)	49	(1.0)	82.6	(1.08)
Females:																	
2 - 5.....	472	40	(3.0)	50.0	(0.92)	6.9	(0.71)	14	(1.3)	49.2	(1.53)	17.4	(0.97)	35	(2.2)	50.4	(1.38)
6 - 11.....	710	50	(3.1)	63.0	(1.31)	12.7	(1.34)	20	(1.9)	66.7	(1.58)	25.3	(1.38)	38	(1.6)	59.2	(2.00)
12 - 19.....	841	60	(2.5)	62.3	(2.91)	19.6	(1.11)	32	(1.3)	66.1	(4.00)	32.9	(2.23)	50	(2.5)	56.7	(2.44)
20 - 39.....	1272	65	(2.4)	72.1	(0.90)	23.8	(0.89)	33	(1.1)	74.6	(1.49)	36.8	(1.18)	49	(1.6)	67.7	(2.10)
40 - 59.....	1327	52	(2.3)	68.7	(1.69)	17.7	(0.97)	26	(1.3)	68.6	(1.66)	33.9	(1.60)	49	(1.9)	68.7	(2.40)
60 and over.....	1363	42	(2.7)	65.2	(1.59)	12.2	(0.92)	19	(1.5)	65.1	(1.52)	28.7	(1.25)	44	(1.7)	65.3	(2.13)
2 - 19.....	2023	52	(1.9)	59.9	(1.61)	14.6	(0.94)	24	(1.2)	63.6	(2.36)	28.0	(1.41)	44	(1.2)	55.8	(1.29)
20 and over...	3962	54	(1.9)	68.8	(0.93)	18.1	(0.63)	26	(0.8)	70.3	(1.10)	33.8	(0.79)	48	(1.1)	67.1	(1.40)
2 and over...	5985	53	(1.6)	66.8	(0.79)	17.4	(0.61)	26	(0.8)	68.8	(1.09)	32.5	(0.73)	47	(0.9)	64.5	(1.08)
Males and Females:																	
2 - 19.....	4091	50	(1.6)	66.9	(1.26)	16.2	(0.88)	24	(1.1)	72.5	(2.02)	32.4	(1.19)	45	(1.0)	61.3	(1.09)
20 and over...	7707	55	(1.7)	81.0	(0.74)	22.7	(0.91)	28	(1.0)	84.1	(0.76)	41.4	(0.75)	49	(0.8)	77.4	(1.15)
2 and over...	11798	54	(1.5)	77.7	(0.75)	21.1	(0.81)	27	(0.9)	81.5	(0.95)	39.4	(0.69)	48	(0.7)	73.3	(0.91)

Table 53. All Restaurants: Percent Reporting, Mean Amounts, and Percent of Selected Nutrients from Foods Obtained from All Restaurants ¹, by Male/Female and Age, in the United States, 2017-March 2020 Prepandemic (continued)

C a r b o h y d r a t e																	
—————All Individuals ² —————										—————All Restaurant Consumers ³ —————				Non-consumers ⁴			
Males/Females and age	Sample Size	Percent Reporting ⁵		Total Intake		Intake from All Restaurants		Percentages from ⁶ All Restaurants		Total Intake		Intake from All Restaurants		Percentages from ⁶ All Restaurants		Total Intake	
(years)		%	(SE)	g	(SE)	g	(SE)	%	(SE)	g	(SE)	g	(SE)	%	(SE)	g	(SE)
Males:																	
2 - 5.....	468	45	(2.8)	222	(5.6)	29	(3.1)	13	(1.2)	246	(11.9)	66	(5.9)	27	(1.9)	202	(3.4)
6 - 11.....	701	41	(3.1)	258	(5.9)	33	(1.7)	13	(0.7)	274	(6.7)	81	(3.6)	30	(1.3)	247	(8.3)
12 - 19.....	899	53	(3.2)	282	(4.4)	71	(7.1)	25	(2.5)	310	(6.3)	132	(7.4)	43	(2.5)	249	(8.4)
20 - 39.....	1086	66	(2.5)	289	(7.1)	86	(6.3)	30	(1.9)	295	(8.7)	132	(6.9)	45	(1.6)	278	(11.8)
40 - 59.....	1221	56	(2.6)	285	(4.8)	69	(4.4)	24	(1.6)	303	(8.3)	122	(4.3)	40	(1.3)	262	(7.8)
60 and over.....	1438	44	(2.9)	260	(4.1)	39	(3.2)	15	(1.2)	266	(5.7)	89	(4.4)	33	(1.3)	255	(6.1)
2 - 19.....	2068	47	(2.1)	261	(2.5)	49	(3.2)	19	(1.3)	287	(5.2)	104	(4.1)	36	(1.5)	238	(4.2)
20 and over...	3745	56	(1.9)	280	(3.5)	67	(3.4)	24	(1.1)	291	(4.9)	119	(3.7)	41	(1.0)	264	(3.8)
2 and over...	5813	54	(1.8)	275	(2.8)	62	(3.0)	23	(1.0)	290	(4.3)	116	(2.9)	40	(0.9)	257	(2.8)
Females:																	
2 - 5.....	472	40	(3.0)	189	(3.8)	23	(2.4)	12	(1.2)	199	(4.7)	57	(3.0)	29	(1.5)	183	(6.1)
6 - 11.....	710	50	(3.1)	248	(6.0)	45	(4.2)	18	(1.5)	267	(7.9)	89	(4.3)	33	(1.4)	229	(6.7)
12 - 19.....	841	60	(2.5)	227	(6.6)	59	(3.8)	26	(1.3)	245	(9.6)	100	(5.0)	41	(1.6)	200	(4.8)
20 - 39.....	1272	65	(2.4)	225	(3.3)	63	(2.7)	28	(1.2)	227	(4.0)	97	(3.8)	43	(1.4)	221	(5.3)
40 - 59.....	1327	52	(2.3)	213	(5.6)	45	(2.2)	21	(1.0)	215	(5.3)	85	(3.6)	39	(1.4)	210	(8.8)
60 and over.....	1363	42	(2.7)	194	(4.7)	30	(2.6)	16	(1.2)	193	(5.7)	72	(3.1)	37	(1.3)	194	(5.9)
2 - 19.....	2023	52	(1.9)	226	(3.8)	47	(2.9)	21	(1.0)	244	(5.9)	89	(3.4)	37	(1.0)	205	(2.7)
20 and over...	3962	54	(1.9)	211	(2.2)	47	(1.6)	22	(0.8)	215	(2.7)	87	(2.2)	40	(0.8)	207	(3.5)
2 and over...	5985	53	(1.6)	214	(1.6)	47	(1.5)	22	(0.7)	221	(2.5)	87	(1.8)	39	(0.7)	206	(2.7)
Males and Females:																	
2 - 19.....	4091	50	(1.6)	244	(2.4)	48	(2.5)	20	(0.9)	265	(4.2)	96	(3.3)	36	(1.0)	222	(2.9)
20 and over...	7707	55	(1.7)	244	(2.1)	56	(2.2)	23	(0.8)	253	(2.7)	103	(2.2)	41	(0.7)	234	(2.8)
2 and over...	11798	54	(1.5)	244	(1.6)	54	(1.9)	22	(0.8)	255	(2.1)	101	(1.6)	40	(0.6)	231	(2.2)

Table 53. All Restaurants: Percent Reporting, Mean Amounts, and Percent of Selected Nutrients from Foods Obtained from All Restaurants ¹, by Male/Female and Age, in the United States, 2017-March 2020 Prepandemic (continued)

T o t a l s u g a r s																	
—————All Individuals ² ————— —————All Restaurant Consumers ³ ————— Non-consumers ⁴																	
Males/Females and age	Sample Size	Percent Reporting ⁵		Total Intake		Intake from All Restaurants		Percentages from ⁶ All Restaurants		Total Intake		Intake from All Restaurants		Percentages from ⁶ All Restaurants		Total Intake	
(years)		%	(SE)	g	(SE)	g	(SE)	%	(SE)	g	(SE)	g	(SE)	%	(SE)	g	(SE)
Males:																	
2 - 5.....	468	45	(2.8)	109	(4.3)	10	(1.7)	9	(1.3)	121	(8.0)	23	(3.1)	19	(2.1)	99	(3.3)
6 - 11.....	701	41	(3.1)	117	(3.1)	12	(0.7)	10	(0.6)	127	(4.4)	28	(2.0)	22	(1.7)	110	(4.1)
12 - 19.....	899	53	(3.2)	125	(3.1)	25	(3.4)	20	(2.5)	139	(4.7)	48	(4.2)	34	(2.8)	108	(3.9)
20 - 39.....	1086	66	(2.5)	119	(5.1)	26	(2.3)	22	(1.6)	119	(5.1)	40	(2.7)	34	(1.6)	120	(7.7)
40 - 59.....	1221	56	(2.6)	126	(4.6)	22	(1.9)	18	(1.3)	134	(7.6)	40	(2.9)	30	(1.4)	116	(5.1)
60 and over.....	1438	44	(2.9)	111	(2.4)	11	(1.0)	10	(0.9)	113	(4.1)	26	(1.5)	23	(1.3)	110	(3.6)
2 - 19.....	2068	47	(2.1)	119	(1.7)	18	(1.4)	15	(1.1)	132	(3.5)	37	(2.0)	28	(1.4)	107	(1.9)
20 and over...	3745	56	(1.9)	119	(3.0)	21	(1.3)	17	(0.9)	123	(3.9)	37	(1.8)	30	(1.0)	115	(2.6)
2 and over...	5813	54	(1.8)	119	(2.4)	20	(1.1)	17	(0.8)	125	(3.3)	37	(1.3)	30	(0.7)	113	(2.1)
Females:																	
2 - 5.....	472	40	(3.0)	92	(2.6)	7	(1.0)	8	(1.0)	95	(3.3)	18	(1.6)	19	(1.7)	91	(3.7)
6 - 11.....	710	50	(3.1)	112	(3.6)	18	(2.0)	16	(1.6)	123	(5.3)	36	(2.5)	29	(1.6)	102	(3.5)
12 - 19.....	841	60	(2.5)	99	(3.7)	24	(2.7)	24	(2.1)	109	(5.0)	40	(3.9)	36	(2.9)	85	(3.7)
20 - 39.....	1272	65	(2.4)	96	(3.0)	22	(1.3)	23	(1.3)	96	(3.2)	34	(1.9)	35	(1.5)	97	(4.5)
40 - 59.....	1327	52	(2.3)	96	(2.9)	15	(0.9)	16	(0.8)	94	(4.2)	29	(1.9)	31	(1.4)	97	(4.1)
60 and over.....	1363	42	(2.7)	84	(2.9)	10	(1.1)	11	(1.2)	80	(2.8)	23	(1.6)	29	(1.8)	88	(3.7)
2 - 19.....	2023	52	(1.9)	102	(2.3)	18	(1.6)	18	(1.3)	111	(3.4)	35	(2.4)	31	(1.7)	92	(1.9)
20 and over...	3962	54	(1.9)	92	(1.4)	16	(0.7)	17	(0.8)	91	(1.9)	30	(0.9)	32	(0.8)	94	(2.2)
2 and over...	5985	53	(1.6)	95	(1.1)	16	(0.7)	17	(0.8)	96	(1.7)	31	(0.9)	32	(0.9)	93	(1.7)
Males and Females:																	
2 - 19.....	4091	50	(1.6)	111	(1.5)	18	(1.3)	16	(1.0)	121	(2.6)	36	(2.0)	30	(1.3)	100	(1.5)
20 and over...	7707	55	(1.7)	105	(1.7)	18	(0.8)	17	(0.7)	107	(2.1)	33	(1.0)	31	(0.6)	104	(1.9)
2 and over...	11798	54	(1.5)	107	(1.4)	18	(0.7)	17	(0.6)	110	(1.7)	34	(0.7)	31	(0.5)	103	(1.6)

Table 53. All Restaurants: Percent Reporting, Mean Amounts, and Percent of Selected Nutrients from Foods Obtained from All Restaurants ¹, by Male/Female and Age, in the United States, 2017-March 2020 Prepandemic (continued)

D i e t a r y f i b e r																	
—————All Individuals ² ————— —————All Restaurant Consumers ³ ————— Non-consumers ⁴																	
Males/Females and age	Sample Size	Percent Reporting ⁵		Total Intake		Intake from All Restaurants		Percentages from ⁶ All Restaurants		Total Intake		Intake from All Restaurants		Percentages from ⁶ All Restaurants		Total Intake	
(years)		%	(SE)	g	(SE)	g	(SE)	%	(SE)	g	(SE)	g	(SE)	%	(SE)	g	(SE)
Males:																	
2 - 5.....	468	45	(2.8)	12.5	(0.37)	1.7	(0.16)	14	(1.1)	13.2	(0.65)	3.8	(0.32)	29	(2.4)	11.9	(0.50)
6 - 11.....	701	41	(3.1)	14.7	(0.65)	1.8	(0.12)	13	(1.0)	14.3	(0.54)	4.5	(0.26)	31	(1.6)	15.0	(0.96)
12 - 19.....	899	53	(3.2)	15.4	(0.39)	4.0	(0.43)	26	(2.7)	16.5	(0.73)	7.5	(0.58)	45	(2.8)	14.2	(0.73)
20 - 39.....	1086	66	(2.5)	17.7	(0.50)	5.2	(0.41)	30	(2.0)	17.5	(0.76)	8.0	(0.54)	46	(2.0)	18.1	(0.79)
40 - 59.....	1221	56	(2.6)	18.7	(0.45)	4.6	(0.43)	25	(2.1)	19.1	(0.57)	8.2	(0.49)	43	(2.1)	18.2	(0.67)
60 and over.....	1438	44	(2.9)	17.9	(0.47)	2.7	(0.28)	15	(1.3)	17.9	(0.62)	6.2	(0.41)	35	(1.6)	17.9	(0.56)
2 - 19.....	2068	47	(2.1)	14.6	(0.29)	2.8	(0.21)	19	(1.3)	15.2	(0.44)	5.9	(0.34)	39	(1.8)	14.0	(0.46)
20 and over...	3745	56	(1.9)	18.1	(0.32)	4.3	(0.28)	24	(1.3)	18.1	(0.38)	7.7	(0.34)	42	(1.3)	18.1	(0.41)
2 and over...	5813	54	(1.8)	17.2	(0.28)	3.9	(0.25)	23	(1.2)	17.5	(0.35)	7.3	(0.30)	42	(1.2)	16.9	(0.36)
Females:																	
2 - 5.....	472	40	(3.0)	12.0	(0.41)	1.4	(0.15)	12	(1.4)	11.6	(0.58)	3.6	(0.23)	31	(1.7)	12.3	(0.73)
6 - 11.....	710	50	(3.1)	14.7	(0.40)	2.3	(0.21)	16	(1.2)	15.1	(0.49)	4.6	(0.25)	31	(1.3)	14.4	(0.55)
12 - 19.....	841	60	(2.5)	13.6	(0.85)	3.3	(0.23)	24	(1.2)	14.2	(1.25)	5.6	(0.31)	39	(2.6)	12.7	(0.72)
20 - 39.....	1272	65	(2.4)	15.5	(0.43)	3.9	(0.17)	25	(1.2)	14.9	(0.53)	6.0	(0.24)	40	(2.5)	16.6	(0.64)
40 - 59.....	1327	52	(2.3)	15.0	(0.54)	2.8	(0.19)	19	(1.2)	14.5	(0.43)	5.4	(0.32)	37	(1.6)	15.6	(0.94)
60 and over.....	1363	42	(2.7)	15.2	(0.48)	2.1	(0.21)	14	(1.2)	14.1	(0.56)	5.0	(0.31)	35	(1.3)	15.9	(0.61)
2 - 19.....	2023	52	(1.9)	13.6	(0.41)	2.6	(0.14)	19	(0.8)	14.1	(0.61)	4.9	(0.19)	35	(1.3)	13.1	(0.40)
20 and over...	3962	54	(1.9)	15.2	(0.37)	3.0	(0.12)	20	(0.7)	14.6	(0.34)	5.6	(0.17)	38	(1.3)	16.0	(0.56)
2 and over...	5985	53	(1.6)	14.9	(0.32)	2.9	(0.11)	19	(0.6)	14.5	(0.33)	5.4	(0.14)	38	(1.2)	15.3	(0.48)
Males and Females:																	
2 - 19.....	4091	50	(1.6)	14.1	(0.29)	2.7	(0.15)	19	(0.9)	14.6	(0.49)	5.4	(0.24)	37	(1.2)	13.6	(0.35)
20 and over...	7707	55	(1.7)	16.6	(0.32)	3.6	(0.18)	22	(0.9)	16.3	(0.31)	6.6	(0.20)	40	(0.9)	17.0	(0.44)
2 and over...	11798	54	(1.5)	16.0	(0.27)	3.4	(0.16)	21	(0.8)	15.9	(0.30)	6.3	(0.17)	40	(0.9)	16.1	(0.38)

Table 53. All Restaurants: Percent Reporting, Mean Amounts, and Percent of Selected Nutrients from Foods Obtained from All Restaurants ¹, by Male/Female and Age, in the United States, 2017-March 2020 Prepandemic (continued)

T o t a l f a t																	
—————All Individuals ² ————— —————All Restaurant Consumers ³ ————— Non-consumers ⁴																	
Males/Females and age	Sample Size	Percent Reporting ⁵		Total Intake		Intake from All Restaurants		Percentages from ⁶ All Restaurants		Total Intake		Intake from All Restaurants		Percentages from ⁶ All Restaurants		Total Intake	
(years)		%	(SE)	g	(SE)	g	(SE)	%	(SE)	g	(SE)	g	(SE)	%	(SE)	g	(SE)
Males:																	
2 - 5.....	468	45	(2.8)	63.7	(2.08)	11.3	(1.20)	18	(1.7)	69.8	(4.03)	25.4	(2.48)	36	(2.7)	58.7	(2.25)
6 - 11.....	701	41	(3.1)	79.2	(1.92)	14.0	(0.75)	18	(1.0)	86.7	(3.19)	34.0	(1.69)	39	(1.4)	74.1	(2.11)
12 - 19.....	899	53	(3.2)	93.5	(1.91)	29.7	(2.79)	32	(2.7)	107.3	(2.99)	55.6	(3.11)	52	(2.2)	77.7	(3.48)
20 - 39.....	1086	66	(2.5)	100.5	(2.62)	37.3	(2.95)	37	(2.4)	105.6	(3.67)	56.9	(3.57)	54	(2.2)	90.8	(3.08)
40 - 59.....	1221	56	(2.6)	104.4	(3.02)	32.3	(2.50)	31	(1.9)	114.3	(4.15)	57.5	(2.85)	50	(1.4)	91.7	(3.08)
60 and over.....	1438	44	(2.9)	97.6	(1.60)	19.5	(1.76)	20	(1.8)	104.2	(3.03)	44.5	(2.73)	43	(2.1)	92.4	(3.07)
2 - 19.....	2068	47	(2.1)	82.4	(1.21)	20.5	(1.33)	25	(1.5)	93.9	(2.17)	43.3	(1.90)	46	(1.5)	72.1	(1.61)
20 and over...	3745	56	(1.9)	101.0	(1.14)	30.5	(1.53)	30	(1.4)	108.3	(1.62)	54.3	(1.76)	50	(1.3)	91.7	(1.53)
2 and over...	5813	54	(1.8)	96.4	(1.00)	28.0	(1.31)	29	(1.2)	105.2	(1.58)	52.0	(1.44)	49	(1.0)	86.2	(1.17)
Females:																	
2 - 5.....	472	40	(3.0)	53.2	(1.01)	8.7	(0.91)	16	(1.6)	57.5	(1.41)	22.0	(1.13)	38	(1.9)	50.3	(1.44)
6 - 11.....	710	50	(3.1)	75.6	(1.63)	17.5	(1.51)	23	(1.8)	85.1	(2.54)	34.8	(1.62)	41	(1.8)	65.9	(2.04)
12 - 19.....	841	60	(2.5)	74.7	(2.90)	24.2	(1.32)	32	(1.4)	82.0	(4.05)	40.6	(2.19)	50	(1.9)	63.9	(2.40)
20 - 39.....	1272	65	(2.4)	81.1	(1.14)	27.8	(1.25)	34	(1.3)	85.5	(1.37)	43.0	(1.64)	50	(1.6)	73.1	(2.66)
40 - 59.....	1327	52	(2.3)	75.4	(1.66)	20.4	(0.99)	27	(1.3)	79.1	(2.15)	38.9	(1.64)	49	(1.4)	71.4	(2.68)
60 and over.....	1363	42	(2.7)	71.8	(2.08)	14.3	(1.14)	20	(1.4)	76.1	(2.40)	33.7	(1.43)	44	(1.5)	68.6	(2.67)
2 - 19.....	2023	52	(1.9)	70.3	(1.58)	18.7	(1.04)	27	(1.2)	79.0	(2.52)	35.8	(1.42)	45	(1.1)	60.9	(1.17)
20 and over...	3962	54	(1.9)	76.3	(1.01)	21.1	(0.69)	28	(0.8)	81.1	(1.10)	39.4	(0.93)	49	(1.1)	70.8	(1.79)
2 and over...	5985	53	(1.6)	75.0	(0.70)	20.6	(0.61)	27	(0.8)	80.6	(1.05)	38.6	(0.74)	48	(0.8)	68.5	(1.32)
Males and Females:																	
2 - 19.....	4091	50	(1.6)	76.5	(1.00)	19.6	(1.03)	26	(1.1)	86.2	(1.84)	39.4	(1.40)	46	(1.0)	66.9	(0.99)
20 and over...	7707	55	(1.7)	88.2	(0.72)	25.6	(0.96)	29	(1.0)	94.5	(0.86)	46.7	(0.97)	49	(0.9)	80.6	(1.19)
2 and over...	11798	54	(1.5)	85.4	(0.60)	24.2	(0.83)	28	(0.9)	92.7	(0.82)	45.1	(0.73)	49	(0.7)	77.1	(0.97)

Table 53. All Restaurants: Percent Reporting, Mean Amounts, and Percent of Selected Nutrients from Foods Obtained from All Restaurants ¹, by Male/Female and Age, in the United States, 2017-March 2020 Prepandemic (continued)

S a t u r a t e d f a t																	
—————All Individuals ² ————— —————All Restaurant Consumers ³ ————— Non-consumers ⁴																	
Males/Females and age	Sample Size	Percent Reporting ⁵		Total Intake		Intake from All Restaurants		Percentages from ⁶ All Restaurants		Total Intake		Intake from All Restaurants		Percentages from ⁶ All Restaurants		Total Intake	
(years)		%	(SE)	g	(SE)	g	(SE)	%	(SE)	g	(SE)	g	(SE)	%	(SE)	g	(SE)
Males:																	
2 - 5.....	468	45	(2.8)	22.3	(0.76)	3.5	(0.35)	16	(1.5)	24.0	(1.57)	7.8	(0.68)	33	(2.5)	21.0	(1.04)
6 - 11.....	701	41	(3.1)	27.9	(0.73)	4.9	(0.28)	18	(1.0)	30.2	(1.09)	11.9	(0.61)	40	(1.5)	26.3	(1.08)
12 - 19.....	899	53	(3.2)	32.2	(0.62)	9.9	(0.93)	31	(2.7)	36.5	(1.01)	18.6	(1.07)	51	(2.4)	27.3	(1.22)
20 - 39.....	1086	66	(2.5)	32.8	(0.82)	12.2	(0.91)	37	(2.3)	34.5	(1.11)	18.6	(1.09)	54	(2.3)	29.4	(1.07)
40 - 59.....	1221	56	(2.6)	33.3	(0.80)	10.4	(0.83)	31	(2.1)	36.5	(1.12)	18.6	(1.02)	51	(1.9)	29.2	(1.03)
60 and over.....	1438	44	(2.9)	32.2	(0.76)	6.3	(0.59)	20	(2.0)	34.0	(0.90)	14.4	(0.88)	42	(1.9)	30.9	(1.35)
2 - 19.....	2068	47	(2.1)	28.7	(0.44)	6.9	(0.43)	24	(1.4)	32.2	(0.70)	14.5	(0.60)	45	(1.6)	25.5	(0.57)
20 and over...	3745	56	(1.9)	32.8	(0.39)	9.9	(0.49)	30	(1.4)	35.1	(0.52)	17.7	(0.57)	50	(1.2)	29.9	(0.57)
2 and over...	5813	54	(1.8)	31.8	(0.35)	9.2	(0.43)	29	(1.2)	34.5	(0.50)	17.0	(0.49)	49	(1.0)	28.6	(0.44)
Females:																	
2 - 5.....	472	40	(3.0)	18.3	(0.46)	2.6	(0.29)	14	(1.5)	19.4	(0.63)	6.6	(0.40)	34	(2.0)	17.6	(0.60)
6 - 11.....	710	50	(3.1)	26.4	(0.52)	5.6	(0.50)	21	(1.7)	29.1	(0.82)	11.1	(0.63)	38	(1.8)	23.7	(0.71)
12 - 19.....	841	60	(2.5)	25.0	(0.80)	7.9	(0.52)	32	(1.7)	27.0	(1.18)	13.2	(0.72)	49	(1.8)	22.0	(0.96)
20 - 39.....	1272	65	(2.4)	26.5	(0.40)	9.0	(0.41)	34	(1.3)	28.1	(0.52)	13.9	(0.54)	49	(1.6)	23.5	(0.87)
40 - 59.....	1327	52	(2.3)	24.4	(0.61)	6.5	(0.29)	27	(1.2)	25.5	(0.70)	12.4	(0.44)	49	(1.3)	23.1	(1.11)
60 and over.....	1363	42	(2.7)	23.2	(0.91)	4.4	(0.36)	19	(1.4)	24.3	(0.87)	10.4	(0.47)	43	(1.3)	22.4	(1.17)
2 - 19.....	2023	52	(1.9)	24.0	(0.51)	6.0	(0.40)	25	(1.4)	26.4	(0.85)	11.5	(0.56)	43	(1.3)	21.4	(0.56)
20 and over...	3962	54	(1.9)	24.7	(0.42)	6.7	(0.23)	27	(1.0)	26.3	(0.43)	12.5	(0.26)	48	(0.9)	22.9	(0.81)
2 and over...	5985	53	(1.6)	24.6	(0.28)	6.6	(0.21)	27	(0.9)	26.3	(0.41)	12.3	(0.24)	47	(0.7)	22.6	(0.62)
Males and Females:																	
2 - 19.....	4091	50	(1.6)	26.4	(0.33)	6.4	(0.35)	24	(1.1)	29.2	(0.52)	12.9	(0.48)	44	(1.2)	23.6	(0.41)
20 and over...	7707	55	(1.7)	28.6	(0.32)	8.3	(0.31)	29	(1.1)	30.6	(0.29)	15.1	(0.28)	49	(0.8)	26.2	(0.61)
2 and over...	11798	54	(1.5)	28.1	(0.26)	7.8	(0.28)	28	(0.9)	30.3	(0.27)	14.6	(0.24)	48	(0.6)	25.5	(0.49)

Table 53. All Restaurants: Percent Reporting, Mean Amounts, and Percent of Selected Nutrients from Foods Obtained from All Restaurants ¹, by Male/Female and Age, in the United States, 2017-March 2020 Prepandemic (continued)

M o n o u n s a t u r a t e d f a t																	
—————All Individuals ² ————— —————All Restaurant Consumers ³ ————— Non-consumers ⁴																	
Males/Females and age	Sample Size	Percent Reporting ⁵		Total Intake		Intake from All Restaurants		Percentages from ⁶ All Restaurants		Total Intake		Intake from All Restaurants		Percentages from ⁶ All Restaurants		Total Intake	
(years)		%	(SE)	g	(SE)	g	(SE)	%	(SE)	g	(SE)	g	(SE)	%	(SE)	g	(SE)
Males:																	
2 - 5.....	468	45	(2.8)	20.7	(0.71)	3.9	(0.41)	19	(1.8)	22.7	(1.24)	8.7	(0.86)	38	(2.8)	19.0	(0.78)
6 - 11.....	701	41	(3.1)	26.0	(0.64)	4.7	(0.25)	18	(1.0)	29.0	(1.07)	11.5	(0.54)	40	(1.5)	24.0	(0.69)
12 - 19.....	899	53	(3.2)	30.9	(0.69)	9.8	(0.88)	32	(2.7)	35.4	(1.21)	18.3	(1.00)	52	(2.1)	25.8	(1.32)
20 - 39.....	1086	66	(2.5)	34.4	(0.95)	12.7	(1.06)	37	(2.4)	36.4	(1.30)	19.4	(1.31)	53	(2.4)	30.6	(1.06)
40 - 59.....	1221	56	(2.6)	36.4	(1.30)	10.9	(0.86)	30	(1.7)	39.7	(1.77)	19.4	(0.99)	49	(1.6)	32.1	(1.14)
60 and over.....	1438	44	(2.9)	33.1	(0.56)	6.6	(0.59)	20	(1.8)	35.4	(0.97)	15.2	(0.88)	43	(1.9)	31.3	(1.15)
2 - 19.....	2068	47	(2.1)	27.1	(0.45)	6.8	(0.43)	25	(1.5)	31.0	(0.83)	14.4	(0.62)	46	(1.4)	23.6	(0.60)
20 and over...	3745	56	(1.9)	34.7	(0.50)	10.4	(0.56)	30	(1.4)	37.3	(0.73)	18.5	(0.66)	49	(1.4)	31.4	(0.56)
2 and over...	5813	54	(1.8)	32.9	(0.43)	9.5	(0.47)	29	(1.2)	36.0	(0.68)	17.6	(0.53)	49	(1.1)	29.2	(0.43)
Females:																	
2 - 5.....	472	40	(3.0)	17.5	(0.40)	3.0	(0.30)	17	(1.6)	18.9	(0.52)	7.5	(0.37)	39	(2.0)	16.6	(0.58)
6 - 11.....	710	50	(3.1)	24.4	(0.56)	5.7	(0.50)	23	(1.9)	27.6	(0.95)	11.3	(0.54)	41	(2.1)	21.2	(0.71)
12 - 19.....	841	60	(2.5)	24.0	(0.91)	8.0	(0.45)	33	(1.4)	26.1	(1.18)	13.4	(0.83)	51	(1.8)	20.9	(0.86)
20 - 39.....	1272	65	(2.4)	27.4	(0.51)	9.2	(0.44)	34	(1.3)	28.6	(0.53)	14.3	(0.56)	50	(1.7)	25.2	(1.15)
40 - 59.....	1327	52	(2.3)	25.7	(0.61)	6.8	(0.35)	26	(1.3)	26.9	(0.76)	13.0	(0.56)	48	(1.4)	24.3	(0.95)
60 and over.....	1363	42	(2.7)	24.4	(0.73)	4.8	(0.39)	20	(1.4)	26.3	(0.91)	11.4	(0.52)	43	(1.8)	22.9	(0.93)
2 - 19.....	2023	52	(1.9)	22.7	(0.47)	6.2	(0.34)	27	(1.3)	25.4	(0.75)	11.8	(0.49)	46	(1.3)	19.8	(0.41)
20 and over...	3962	54	(1.9)	25.9	(0.37)	7.0	(0.25)	27	(0.8)	27.5	(0.41)	13.1	(0.34)	48	(1.2)	24.0	(0.63)
2 and over...	5985	53	(1.6)	25.2	(0.27)	6.8	(0.22)	27	(0.8)	27.0	(0.40)	12.8	(0.27)	48	(1.0)	23.1	(0.46)
Males and Females:																	
2 - 19.....	4091	50	(1.6)	25.0	(0.26)	6.5	(0.33)	26	(1.2)	28.1	(0.51)	13.0	(0.44)	46	(1.1)	21.8	(0.37)
20 and over...	7707	55	(1.7)	30.1	(0.31)	8.6	(0.36)	29	(1.0)	32.3	(0.38)	15.8	(0.39)	49	(1.0)	27.5	(0.45)
2 and over...	11798	54	(1.5)	28.9	(0.26)	8.1	(0.30)	28	(0.9)	31.4	(0.34)	15.2	(0.29)	48	(0.8)	26.0	(0.36)

Table 53. All Restaurants: Percent Reporting, Mean Amounts, and Percent of Selected Nutrients from Foods Obtained from All Restaurants ¹, by Male/Female and Age, in the United States, 2017-March 2020 Prepandemic (continued)

P o l y u n s a t u r a t e d f a t																	
All Individuals ²										All Restaurant Consumers ³				Non-consumers ⁴			
Males/Females and age	Sample Size	Percent Reporting ⁵		Total Intake		Intake from All Restaurants		Percentages from ⁶ All Restaurants		Total Intake		Intake from All Restaurants		Percentages from ⁶ All Restaurants		Total Intake	
(years)		%	(SE)	g	(SE)	g	(SE)	%	(SE)	g	(SE)	g	(SE)	%	(SE)	g	(SE)
Males:																	
2 - 5.....	468	45	(2.8)	14.0	(0.54)	2.9	(0.36)	21	(2.2)	15.8	(1.01)	6.4	(0.79)	41	(3.6)	12.5	(0.38)
6 - 11.....	701	41	(3.1)	17.4	(0.72)	3.1	(0.19)	18	(1.1)	18.9	(0.95)	7.4	(0.48)	39	(1.6)	16.4	(0.80)
12 - 19.....	899	53	(3.2)	20.8	(0.70)	7.1	(0.74)	34	(3.0)	24.6	(1.01)	13.3	(0.88)	54	(2.2)	16.4	(0.94)
20 - 39.....	1086	66	(2.5)	23.0	(0.71)	8.7	(0.72)	38	(2.7)	23.9	(1.04)	13.2	(0.90)	55	(2.0)	21.3	(1.15)
40 - 59.....	1221	56	(2.6)	24.3	(0.93)	8.0	(0.68)	33	(2.2)	27.0	(1.30)	14.2	(0.83)	53	(1.8)	20.8	(0.91)
60 and over.....	1438	44	(2.9)	22.9	(0.66)	4.6	(0.45)	20	(1.8)	24.8	(1.31)	10.6	(0.81)	43	(3.5)	21.5	(0.62)
2 - 19.....	2068	47	(2.1)	18.2	(0.39)	4.8	(0.35)	27	(1.7)	21.2	(0.71)	10.2	(0.56)	48	(1.5)	15.5	(0.48)
20 and over...	3745	56	(1.9)	23.4	(0.39)	7.3	(0.38)	31	(1.5)	25.2	(0.51)	13.0	(0.47)	51	(1.6)	21.2	(0.51)
2 and over...	5813	54	(1.8)	22.1	(0.34)	6.7	(0.32)	30	(1.3)	24.3	(0.49)	12.4	(0.38)	51	(1.3)	19.6	(0.40)
Females:																	
2 - 5.....	472	40	(3.0)	11.6	(0.31)	2.3	(0.26)	20	(2.0)	13.3	(0.47)	5.8	(0.39)	44	(2.2)	10.5	(0.42)
6 - 11.....	710	50	(3.1)	17.2	(0.51)	4.7	(0.45)	27	(2.2)	20.4	(0.83)	9.3	(0.57)	46	(2.4)	14.0	(0.56)
12 - 19.....	841	60	(2.5)	18.5	(1.27)	6.1	(0.35)	33	(1.8)	21.3	(2.01)	10.3	(0.62)	48	(3.8)	14.4	(0.64)
20 - 39.....	1272	65	(2.4)	19.2	(0.44)	6.9	(0.36)	36	(1.5)	20.5	(0.50)	10.7	(0.50)	52	(2.0)	16.8	(0.85)
40 - 59.....	1327	52	(2.3)	17.8	(0.54)	5.2	(0.31)	29	(1.8)	19.0	(0.75)	9.8	(0.56)	52	(1.8)	16.4	(0.81)
60 and over.....	1363	42	(2.7)	17.2	(0.45)	3.7	(0.30)	22	(1.7)	18.3	(0.57)	8.8	(0.42)	48	(2.0)	16.5	(0.65)
2 - 19.....	2023	52	(1.9)	16.6	(0.61)	4.8	(0.25)	29	(1.3)	19.7	(1.12)	9.2	(0.38)	47	(2.1)	13.2	(0.26)
20 and over...	3962	54	(1.9)	18.1	(0.32)	5.3	(0.18)	30	(0.9)	19.4	(0.34)	10.0	(0.31)	51	(1.3)	16.5	(0.50)
2 and over...	5985	53	(1.6)	17.8	(0.29)	5.2	(0.15)	29	(0.8)	19.5	(0.37)	9.8	(0.23)	50	(1.2)	15.8	(0.38)
Males and Females:																	
2 - 19.....	4091	50	(1.6)	17.4	(0.41)	4.8	(0.27)	28	(1.1)	20.4	(0.82)	9.7	(0.39)	48	(1.1)	14.5	(0.30)
20 and over...	7707	55	(1.7)	20.7	(0.26)	6.3	(0.23)	30	(1.0)	22.3	(0.33)	11.4	(0.29)	51	(1.2)	18.7	(0.34)
2 and over...	11798	54	(1.5)	19.9	(0.25)	5.9	(0.20)	30	(0.8)	21.9	(0.35)	11.1	(0.21)	51	(0.9)	17.6	(0.27)

Table 53. All Restaurants: Percent Reporting, Mean Amounts, and Percent of Selected Nutrients from Foods Obtained from All Restaurants ¹, by Male/Female and Age, in the United States, 2017-March 2020 Prepandemic (continued)

C h o l e s t e r o l																	
All Individuals ²										All Restaurant Consumers ³				Non-consumers ⁴			
Males/Females and age	Sample Size	Percent Reporting ⁵		Total Intake		Intake from All Restaurants		Percentages from ⁶ All Restaurants		Total Intake		Intake from All Restaurants		Percentages from ⁶ All Restaurants		Total Intake	
(years)		%	(SE)	mg	(SE)	mg	(SE)	%	(SE)	mg	(SE)	mg	(SE)	%	(SE)	mg	(SE)
Males:																	
2 - 5.....	468	45	(2.8)	195	(9.9)	30	(3.8)	15	(1.9)	205	(14.3)	66	(7.4)	32	(2.8)	188	(14.9)
6 - 11.....	701	41	(3.1)	238	(10.2)	40	(3.5)	17	(1.4)	277	(14.7)	97	(6.2)	35	(2.9)	211	(13.6)
12 - 19.....	899	53	(3.2)	286	(11.3)	86	(7.9)	30	(2.6)	325	(13.6)	161	(9.6)	49	(3.0)	242	(15.2)
20 - 39.....	1086	66	(2.5)	372	(12.0)	122	(9.7)	33	(2.2)	370	(17.7)	186	(12.5)	50	(2.4)	376	(25.2)
40 - 59.....	1221	56	(2.6)	370	(10.3)	117	(9.4)	32	(2.1)	392	(13.8)	209	(13.2)	53	(2.0)	342	(14.8)
60 and over.....	1438	44	(2.9)	337	(10.7)	75	(6.0)	22	(1.9)	371	(12.3)	171	(12.7)	46	(2.4)	310	(14.9)
2 - 19.....	2068	47	(2.1)	251	(7.0)	58	(4.3)	23	(1.5)	287	(9.6)	123	(6.4)	43	(2.3)	218	(8.4)
20 and over...	3745	56	(1.9)	361	(5.7)	107	(4.7)	30	(1.2)	378	(7.3)	191	(7.6)	50	(1.6)	340	(10.2)
2 and over...	5813	54	(1.8)	334	(3.8)	95	(4.0)	28	(1.1)	359	(5.9)	176	(6.1)	49	(1.4)	306	(5.9)
Females:																	
2 - 5.....	472	40	(3.0)	181	(10.6)	19	(2.5)	11	(1.3)	184	(15.0)	49	(3.9)	27	(3.2)	179	(12.9)
6 - 11.....	710	50	(3.1)	211	(7.9)	40	(4.3)	19	(1.8)	219	(12.0)	80	(5.0)	36	(1.9)	204	(11.1)
12 - 19.....	841	60	(2.5)	215	(8.5)	70	(5.4)	33	(2.1)	230	(14.1)	118	(10.0)	51	(2.6)	194	(10.7)
20 - 39.....	1272	65	(2.4)	280	(8.6)	89	(5.7)	32	(1.7)	283	(11.5)	138	(6.5)	49	(1.6)	275	(15.8)
40 - 59.....	1327	52	(2.3)	274	(12.5)	71	(4.8)	26	(1.9)	282	(14.5)	136	(9.3)	48	(3.2)	266	(20.9)
60 and over.....	1363	42	(2.7)	256	(8.2)	55	(4.9)	21	(1.9)	273	(11.4)	129	(6.1)	47	(2.5)	244	(10.5)
2 - 19.....	2023	52	(1.9)	207	(5.3)	50	(4.0)	24	(1.7)	219	(10.3)	95	(6.6)	43	(1.7)	193	(6.4)
20 and over...	3962	54	(1.9)	271	(6.4)	72	(3.4)	27	(1.1)	280	(8.5)	135	(4.7)	48	(1.4)	260	(10.4)
2 and over...	5985	53	(1.6)	256	(4.7)	67	(3.0)	26	(1.0)	266	(7.6)	126	(3.9)	47	(1.1)	245	(8.3)
Males and Females:																	
2 - 19.....	4091	50	(1.6)	229	(5.0)	54	(3.4)	24	(1.3)	252	(7.1)	109	(4.7)	43	(1.6)	207	(4.7)
20 and over...	7707	55	(1.7)	314	(5.0)	89	(3.0)	28	(0.9)	328	(5.0)	162	(4.0)	49	(1.0)	298	(9.7)
2 and over...	11798	54	(1.5)	294	(3.2)	81	(2.5)	27	(0.8)	312	(4.4)	151	(3.1)	48	(0.8)	274	(6.6)

Table 53. All Restaurants: Percent Reporting, Mean Amounts, and Percent of Selected Nutrients from Foods Obtained from All Restaurants ¹, by Male/Female and Age, in the United States, 2017-March 2020 Prepandemic (continued)

V i t a m i n A (R A E)																	
All Individuals ²										All Restaurant Consumers ³				Non-consumers ⁴			
Males/Females and age	Sample Size	Percent Reporting ⁵		Total Intake		Intake from All Restaurants		Percentages from ⁶ All Restaurants		Total Intake		Intake from All Restaurants		Percentages from ⁶ All Restaurants		Total Intake	
(years)		%	(SE)	µg	(SE)	µg	(SE)	%	(SE)	µg	(SE)	µg	(SE)	%	(SE)	µg	(SE)
Males:																	
2 - 5.....	468	45	(2.8)	574	(28.9)	45	(7.1)	8	(1.1)	598	(36.7)	102	(14.1)	17	(2.1)	555	(34.9)
6 - 11.....	701	41	(3.1)	612	(32.7)	52	(4.0)	8	(0.7)	624	(47.1)	126	(7.5)	20	(1.7)	603	(32.2)
12 - 19.....	899	53	(3.2)	598	(17.4)	115	(11.4)	19	(2.0)	643	(38.5)	215	(14.7)	33	(3.0)	547	(32.2)
20 - 39.....	1086	66	(2.5)	612	(16.3)	152	(9.4)	25	(1.7)	609	(25.7)	232	(11.9)	38	(2.3)	617	(45.7)
40 - 59.....	1221	56	(2.6)	679	(37.2)	163	(19.2)	24	(2.0)	706	(51.2)	290	(28.4)	41	(2.4)	645	(43.7)
60 and over.....	1438	44	(2.9)	701	(27.7)	93	(8.3)	13	(1.4)	698	(54.0)	213	(15.5)	31	(2.8)	703	(28.4)
2 - 19.....	2068	47	(2.1)	598	(13.6)	79	(5.3)	13	(0.9)	629	(25.8)	167	(8.0)	27	(1.5)	570	(22.9)
20 and over...	3745	56	(1.9)	661	(19.1)	139	(7.7)	21	(1.1)	663	(22.6)	248	(10.4)	37	(1.2)	658	(20.5)
2 and over...	5813	54	(1.8)	645	(14.7)	124	(6.4)	19	(0.9)	655	(19.5)	230	(9.2)	35	(1.0)	633	(13.9)
Females:																	
2 - 5.....	472	40	(3.0)	520	(22.3)	34	(4.3)	6	(0.8)	471	(22.6)	85	(7.4)	18	(1.7)	551	(33.9)
6 - 11.....	710	50	(3.1)	583	(25.5)	58	(6.9)	10	(1.5)	568	(24.8)	116	(11.4)	20	(2.2)	599	(48.6)
12 - 19.....	841	60	(2.5)	484	(21.2)	106	(9.6)	22	(1.7)	495	(33.5)	178	(13.5)	36	(3.2)	467	(20.4)
20 - 39.....	1272	65	(2.4)	592	(25.2)	146	(9.4)	25	(1.2)	593	(34.3)	225	(13.5)	38	(1.9)	590	(42.0)
40 - 59.....	1327	52	(2.3)	578	(23.0)	104	(7.3)	18	(1.4)	559	(24.1)	198	(15.6)	35	(2.1)	598	(44.0)
60 and over.....	1363	42	(2.7)	633	(27.3)	84	(9.1)	13	(1.4)	565	(30.4)	197	(16.7)	35	(2.1)	683	(36.7)
2 - 19.....	2023	52	(1.9)	524	(13.3)	75	(6.6)	14	(1.3)	514	(17.5)	143	(10.7)	28	(2.2)	535	(23.2)
20 and over...	3962	54	(1.9)	600	(15.6)	112	(5.2)	19	(0.8)	575	(20.8)	209	(9.2)	36	(1.0)	629	(22.7)
2 and over...	5985	53	(1.6)	583	(13.0)	104	(4.4)	18	(0.7)	561	(17.0)	195	(7.7)	35	(1.0)	607	(18.5)
Males and Females:																	
2 - 19.....	4091	50	(1.6)	562	(8.9)	77	(4.9)	14	(0.8)	570	(15.0)	155	(7.4)	27	(1.3)	554	(17.7)
20 and over...	7707	55	(1.7)	629	(13.9)	125	(5.1)	20	(0.8)	618	(16.5)	228	(6.5)	37	(0.7)	642	(16.4)
2 and over...	11798	54	(1.5)	613	(11.4)	114	(4.2)	19	(0.6)	607	(14.3)	212	(5.7)	35	(0.7)	620	(13.0)

Table 53. All Restaurants: Percent Reporting, Mean Amounts, and Percent of Selected Nutrients from Foods Obtained from All Restaurants ¹, by Male/Female and Age, in the United States, 2017-March 2020 Prepandemic (continued)

B e t a c a r o t e n e																	
—————All Individuals ² ————— —————All Restaurant Consumers ³ ————— Non-consumers ⁴																	
Males/Females and age	Sample Size	Percent Reporting ⁵		Total Intake		Intake from All Restaurants		Percentages from ⁶ All Restaurants		Total Intake		Intake from All Restaurants		Percentages from ⁶ All Restaurants		Total Intake	
(years)		%	(SE)	µg	(SE)	µg	(SE)	%	(SE)	µg	(SE)	µg	(SE)	%	(SE)	µg	(SE)
Males:																	
2 - 5.....	468	45	(2.8)	1162	(227.6)	107	(30.4)	9*	(2.8)	1053	(166.9)	241	(66.1)	23	(5.3)	1251	(361.1)
6 - 11.....	701	41	(3.1)	1041	(122.1)	93	(15.7)	9	(1.6)	1274	(291.2)	227	(36.2)	18	(4.1)	878	(89.9)
12 - 19.....	899	53	(3.2)	1087	(89.6)	284	(49.0)	26	(4.5)	1148	(110.0)	532	(84.5)	46	(6.3)	1018	(125.2)
20 - 39.....	1086	66	(2.5)	2014	(145.2)	473	(49.1)	24	(2.7)	1815	(153.4)	721	(77.5)	40	(5.2)	2393	(354.9)
40 - 59.....	1221	56	(2.6)	2490	(304.5)	693	(123.9)	28	(2.6)	2530	(270.8)	1235	(199.8)	49	(3.8)	2438	(454.5)
60 and over.....	1438	44	(2.9)	2312	(177.1)	352	(51.9)	15	(2.2)	2253	(184.3)	803	(83.9)	36	(4.3)	2358	(250.6)
2 - 19.....	2068	47	(2.1)	1088	(63.0)	183	(23.4)	17	(1.8)	1165	(91.8)	385	(47.4)	33	(3.5)	1018	(78.2)
20 and over...	3745	56	(1.9)	2264	(151.5)	515	(50.3)	23	(1.7)	2161	(144.2)	918	(77.9)	42	(2.7)	2396	(203.8)
2 and over...	5813	54	(1.8)	1975	(125.8)	433	(41.5)	22	(1.6)	1946	(129.2)	803	(69.7)	41	(2.6)	2008	(143.5)
Females:																	
2 - 5.....	472	40	(3.0)	1319	(194.7)	55	(10.6)	4*	(1.0)	888	(134.9)	140	(24.8)	16	(3.3)	1602	(304.0)
6 - 11.....	710	50	(3.1)	1312	(113.7)	115	(20.4)	9	(1.7)	1252	(164.7)	228	(38.8)	18	(3.3)	1373	(187.2)
12 - 19.....	841	60	(2.5)	1178	(104.8)	280	(32.0)	24	(3.7)	1120	(97.6)	470	(53.6)	42	(5.5)	1264	(211.1)
20 - 39.....	1272	65	(2.4)	2431	(217.5)	531	(56.2)	22	(2.5)	2322	(330.3)	822	(89.2)	35	(5.7)	2631	(352.6)
40 - 59.....	1327	52	(2.3)	2474	(215.4)	456	(56.8)	18	(2.9)	2152	(241.2)	871	(117.2)	40	(4.1)	2828	(473.7)
60 and over.....	1363	42	(2.7)	2813	(188.1)	335	(40.7)	12	(1.7)	2166	(175.1)	789	(89.5)	36	(3.5)	3290	(335.7)
2 - 19.....	2023	52	(1.9)	1252	(53.5)	178	(18.9)	14	(1.7)	1124	(69.1)	340	(36.8)	30	(3.8)	1393	(124.0)
20 and over...	3962	54	(1.9)	2564	(120.9)	445	(32.5)	17	(1.3)	2228	(206.5)	830	(63.3)	37	(3.2)	2953	(206.8)
2 and over...	5985	53	(1.6)	2267	(101.2)	384	(26.5)	17	(1.2)	1983	(167.6)	721	(51.8)	36	(3.0)	2591	(170.2)
Males and Females:																	
2 - 19.....	4091	50	(1.6)	1169	(48.7)	180	(17.0)	15	(1.4)	1144	(60.3)	362	(32.9)	32	(3.1)	1193	(86.9)
20 and over...	7707	55	(1.7)	2420	(122.7)	479	(33.1)	20	(1.1)	2195	(155.9)	873	(51.3)	40	(2.0)	2692	(151.1)
2 and over...	11798	54	(1.5)	2124	(103.3)	408	(27.0)	19	(1.0)	1965	(132.0)	761	(45.4)	39	(1.9)	2309	(119.4)

Table 53. All Restaurants: Percent Reporting, Mean Amounts, and Percent of Selected Nutrients from Foods Obtained from All Restaurants ¹, by Male/Female and Age, in the United States, 2017-March 2020 Prepandemic (continued)

L y c o p e n e												
			All Individuals ²				All Restaurant Consumers ³				Non-consumers ⁴	
Males/Females and age (years)	Sample Size	Percent Reporting ⁵	Total Intake	Intake from All Restaurants	Percentages from ⁶	Total Intake	Intake from All Restaurants	Percentages from ⁶	Total Intake	Intake from All Restaurants	Percentages from ⁶	Total Intake
		% (SE)	µg (SE)	µg (SE)	% (SE)	µg (SE)	µg (SE)	% (SE)	µg (SE)	µg (SE)	% (SE)	µg (SE)
Males:												
2 - 5.....	468	45 (2.8)	4317 (537.4)	776 (151.6)	18 (3.7)	4138 (736.3)	1743 (322.8)	42 (9.9)	4461 (615.8)			
6 - 11.....	701	41 (3.1)	3983 (292.4)	778 (123.5)	20 (2.9)	4013 (430.7)	1893 (270.1)	47 (4.5)	3963 (495.2)			
12 - 19.....	899	53 (3.2)	6062 (630.6)	1623 (193.6)	27 (4.7)	6003 (541.3)	3038 (310.9)	51 (6.5)	6130(1207.2)			
20 - 39.....	1086	66 (2.5)	5360 (400.9)	1678 (183.4)	31 (2.9)	5216 (484.3)	2556 (255.5)	49 (2.8)	5633 (636.2)			
40 - 59.....	1221	56 (2.6)	5956 (489.4)	1925 (283.3)	32 (3.1)	6681 (619.1)	3430 (473.0)	51 (4.7)	5029 (701.9)			
60 and over.....	1438	44 (2.9)	4976 (311.1)	1120 (134.6)	23 (2.9)	5602 (422.2)	2559 (296.5)	46 (4.6)	4489 (447.8)			
2 - 19.....	2068	47 (2.1)	4995 (338.0)	1160 (121.6)	23 (2.8)	5053 (369.5)	2448 (221.5)	48 (4.0)	4942 (539.8)			
20 and over...	3745	56 (1.9)	5457 (266.2)	1605 (87.2)	29 (1.3)	5811 (254.7)	2860 (167.6)	49 (1.8)	5005 (412.7)			
2 and over...	5813	54 (1.8)	5344 (190.5)	1495 (79.1)	28 (1.3)	5648 (225.6)	2771 (144.9)	49 (1.6)	4988 (294.1)			
Females:												
2 - 5.....	472	40 (3.0)	3024 (295.7)	533 (88.8)	18 (3.0)	2856 (314.0)	1345 (206.2)	47 (5.7)	3134 (483.4)			
6 - 11.....	710	50 (3.1)	4367 (357.3)	897 (127.9)	21 (3.1)	4649 (371.9)	1785 (253.6)	38 (4.4)	4083 (499.7)			
12 - 19.....	841	60 (2.5)	3658 (260.7)	1226 (197.3)	34 (4.5)	3154 (407.5)	2057 (333.2)	65 (4.5)	4400 (490.6)			
20 - 39.....	1272	65 (2.4)	4569 (327.5)	1472 (202.2)	32 (3.5)	4646 (429.0)	2278 (309.6)	49 (4.9)	4428 (442.1)			
40 - 59.....	1327	52 (2.3)	4034 (206.1)	1070 (138.5)	27 (3.3)	3850 (271.6)	2043 (241.2)	53 (5.9)	4237 (437.1)			
60 and over.....	1363	42 (2.7)	4038 (322.2)	800 (112.2)	20 (3.1)	3823 (360.3)	1885 (219.3)	49 (5.7)	4197 (431.4)			
2 - 19.....	2023	52 (1.9)	3754 (191.1)	969 (98.8)	26 (2.9)	3576 (225.2)	1855 (197.3)	52 (3.4)	3948 (374.8)			
20 and over...	3962	54 (1.9)	4225 (167.8)	1129 (89.3)	27 (2.1)	4183 (195.9)	2104 (153.2)	50 (3.3)	4273 (252.2)			
2 and over...	5985	53 (1.6)	4118 (132.9)	1093 (83.7)	27 (2.1)	4048 (158.3)	2049 (145.0)	51 (3.0)	4198 (225.7)			
Males and Females:												
2 - 19.....	4091	50 (1.6)	4385 (185.4)	1066 (85.4)	24 (2.4)	4291 (214.0)	2142 (159.3)	50 (2.9)	4478 (359.7)			
20 and over...	7707	55 (1.7)	4818 (162.1)	1358 (68.3)	28 (1.3)	4985 (149.0)	2477 (113.6)	50 (1.5)	4616 (222.4)			
2 and over...	11798	54 (1.5)	4716 (126.8)	1289 (64.5)	27 (1.4)	4833 (130.4)	2403 (106.1)	50 (1.4)	4580 (187.1)			

Table 53. All Restaurants: Percent Reporting, Mean Amounts, and Percent of Selected Nutrients from Foods Obtained from All Restaurants ¹, by Male/Female and Age, in the United States, 2017-March 2020 Prepandemic (continued)

T h i a m i n												
			All Individuals ²				All Restaurant Consumers ³				Non-consumers ⁴	
Males/Females and age (years)	Sample Size	Percent Reporting ⁵	Total Intake	Intake from All Restaurants	Percentages from ⁶ All Restaurants	Total Intake	Intake from All Restaurants	Percentages from ⁶ All Restaurants	Total Intake	Intake from All Restaurants	Percentages from ⁶ All Restaurants	Total Intake
		% (SE)	mg (SE)	mg (SE)	% (SE)	mg (SE)	mg (SE)	% (SE)	mg (SE)	mg (SE)	% (SE)	mg (SE)
Males:												
2 - 5.....	468	45 (2.8)	1.31 (0.041)	0.18 (0.018)	14 (1.2)	1.41 (0.071)	0.40 (0.040)	29 (2.3)	1.23 (0.038)			
6 - 11.....	701	41 (3.1)	1.60 (0.041)	0.22 (0.016)	14 (1.1)	1.63 (0.049)	0.54 (0.024)	33 (1.5)	1.59 (0.052)			
12 - 19.....	899	53 (3.2)	1.82 (0.042)	0.48 (0.049)	26 (2.7)	2.01 (0.089)	0.89 (0.064)	44 (3.3)	1.61 (0.075)			
20 - 39.....	1086	66 (2.5)	1.84 (0.044)	0.60 (0.043)	33 (2.0)	1.91 (0.059)	0.91 (0.046)	48 (1.9)	1.72 (0.090)			
40 - 59.....	1221	56 (2.6)	1.86 (0.051)	0.49 (0.035)	26 (1.9)	1.92 (0.065)	0.86 (0.036)	45 (1.7)	1.77 (0.064)			
60 and over.....	1438	44 (2.9)	1.80 (0.041)	0.30 (0.032)	17 (1.6)	1.87 (0.094)	0.70 (0.052)	37 (2.9)	1.74 (0.064)			
2 - 19.....	2068	47 (2.1)	1.64 (0.027)	0.33 (0.025)	20 (1.5)	1.78 (0.053)	0.69 (0.039)	39 (2.0)	1.52 (0.037)			
20 and over...	3745	56 (1.9)	1.84 (0.025)	0.48 (0.022)	26 (1.2)	1.91 (0.029)	0.85 (0.019)	45 (1.1)	1.75 (0.041)			
2 and over...	5813	54 (1.8)	1.79 (0.020)	0.44 (0.020)	25 (1.1)	1.88 (0.024)	0.81 (0.019)	43 (0.9)	1.68 (0.031)			
Females:												
2 - 5.....	472	40 (3.0)	1.14 (0.032)	0.14 (0.015)	12 (1.3)	1.16 (0.054)	0.34 (0.026)	30 (2.0)	1.13 (0.039)			
6 - 11.....	710	50 (3.1)	1.50 (0.037)	0.24 (0.022)	16 (1.4)	1.53 (0.044)	0.49 (0.026)	32 (1.6)	1.46 (0.059)			
12 - 19.....	841	60 (2.5)	1.35 (0.040)	0.35 (0.015)	26 (1.2)	1.46 (0.061)	0.59 (0.023)	40 (2.3)	1.17 (0.043)			
20 - 39.....	1272	65 (2.4)	1.39 (0.024)	0.42 (0.020)	30 (1.4)	1.42 (0.032)	0.65 (0.030)	46 (1.7)	1.34 (0.052)			
40 - 59.....	1327	52 (2.3)	1.34 (0.033)	0.30 (0.017)	23 (1.2)	1.34 (0.045)	0.58 (0.024)	43 (1.5)	1.35 (0.046)			
60 and over.....	1363	42 (2.7)	1.26 (0.028)	0.21 (0.014)	16 (1.2)	1.28 (0.036)	0.48 (0.019)	38 (1.3)	1.25 (0.029)			
2 - 19.....	2023	52 (1.9)	1.35 (0.024)	0.27 (0.013)	20 (0.9)	1.43 (0.037)	0.52 (0.017)	36 (1.1)	1.26 (0.028)			
20 and over...	3962	54 (1.9)	1.34 (0.017)	0.31 (0.009)	24 (0.8)	1.36 (0.025)	0.59 (0.017)	43 (0.8)	1.31 (0.026)			
2 and over...	5985	53 (1.6)	1.34 (0.014)	0.30 (0.009)	23 (0.7)	1.38 (0.021)	0.57 (0.014)	41 (0.7)	1.30 (0.023)			
Males and Females:												
2 - 19.....	4091	50 (1.6)	1.50 (0.014)	0.30 (0.015)	20 (1.0)	1.60 (0.021)	0.60 (0.022)	38 (1.2)	1.40 (0.025)			
20 and over...	7707	55 (1.7)	1.58 (0.014)	0.39 (0.013)	25 (0.9)	1.63 (0.019)	0.72 (0.010)	44 (0.7)	1.51 (0.026)			
2 and over...	11798	54 (1.5)	1.56 (0.011)	0.37 (0.012)	24 (0.8)	1.62 (0.014)	0.69 (0.010)	43 (0.5)	1.48 (0.021)			

Table 53. All Restaurants: Percent Reporting, Mean Amounts, and Percent of Selected Nutrients from Foods Obtained from All Restaurants ¹, by Male/Female and Age, in the United States, 2017-March 2020 Prepandemic (continued)

R i b o f l a v i n																	
—————All Individuals ² ————— —————All Restaurant Consumers ³ ————— Non-consumers ⁴																	
Males/Females and age	Sample Size	Percent Reporting ⁵		Total Intake		Intake from All Restaurants		Percentages from ⁶ All Restaurants		Total Intake		Intake from All Restaurants		Percentages from ⁶ All Restaurants		Total Intake	
(years)		%	(SE)	mg	(SE)	mg	(SE)	%	(SE)	mg	(SE)	mg	(SE)	%	(SE)	mg	(SE)
Males:																	
2 - 5.....	468	45	(2.8)	1.65	(0.062)	0.20	(0.033)	12	(1.7)	1.75	(0.125)	0.46	(0.061)	26	(2.3)	1.58	(0.047)
6 - 11.....	701	41	(3.1)	1.86	(0.058)	0.22	(0.017)	12	(0.9)	1.89	(0.089)	0.53	(0.039)	28	(1.7)	1.84	(0.061)
12 - 19.....	899	53	(3.2)	2.09	(0.046)	0.47	(0.055)	23	(2.6)	2.30	(0.067)	0.89	(0.062)	38	(3.1)	1.85	(0.087)
20 - 39.....	1086	66	(2.5)	2.47	(0.070)	0.66	(0.051)	27	(1.9)	2.52	(0.085)	1.00	(0.059)	40	(2.3)	2.36	(0.122)
40 - 59.....	1221	56	(2.6)	2.47	(0.090)	0.57	(0.057)	23	(2.4)	2.48	(0.086)	1.01	(0.078)	41	(2.6)	2.45	(0.178)
60 and over.....	1438	44	(2.9)	2.26	(0.043)	0.35	(0.026)	15	(1.2)	2.39	(0.071)	0.79	(0.043)	33	(2.1)	2.16	(0.075)
2 - 19.....	2068	47	(2.1)	1.92	(0.031)	0.33	(0.026)	17	(1.3)	2.07	(0.053)	0.70	(0.037)	34	(1.8)	1.79	(0.046)
20 and over...	3745	56	(1.9)	2.41	(0.044)	0.54	(0.029)	22	(1.3)	2.48	(0.041)	0.96	(0.037)	39	(1.5)	2.32	(0.078)
2 and over...	5813	54	(1.8)	2.29	(0.036)	0.49	(0.025)	21	(1.2)	2.39	(0.034)	0.90	(0.030)	38	(1.3)	2.17	(0.060)
Females:																	
2 - 5.....	472	40	(3.0)	1.46	(0.042)	0.16	(0.023)	11	(1.5)	1.49	(0.065)	0.39	(0.039)	26	(2.5)	1.44	(0.044)
6 - 11.....	710	50	(3.1)	1.77	(0.033)	0.27	(0.033)	15	(1.9)	1.83	(0.056)	0.54	(0.045)	30	(2.2)	1.71	(0.071)
12 - 19.....	841	60	(2.5)	1.54	(0.063)	0.42	(0.036)	27	(1.8)	1.67	(0.093)	0.70	(0.047)	42	(2.2)	1.35	(0.051)
20 - 39.....	1272	65	(2.4)	1.76	(0.042)	0.47	(0.018)	27	(0.9)	1.79	(0.054)	0.73	(0.024)	41	(1.5)	1.70	(0.058)
40 - 59.....	1327	52	(2.3)	1.81	(0.052)	0.35	(0.017)	19	(0.9)	1.75	(0.038)	0.67	(0.028)	38	(1.3)	1.88	(0.079)
60 and over.....	1363	42	(2.7)	1.69	(0.045)	0.26	(0.021)	15	(1.2)	1.70	(0.050)	0.60	(0.023)	35	(1.2)	1.69	(0.053)
2 - 19.....	2023	52	(1.9)	1.60	(0.031)	0.31	(0.026)	20	(1.5)	1.69	(0.052)	0.60	(0.039)	35	(1.7)	1.50	(0.037)
20 and over...	3962	54	(1.9)	1.76	(0.035)	0.36	(0.010)	21	(0.6)	1.75	(0.036)	0.68	(0.014)	39	(0.7)	1.76	(0.047)
2 and over...	5985	53	(1.6)	1.72	(0.028)	0.35	(0.011)	20	(0.6)	1.74	(0.032)	0.66	(0.015)	38	(0.6)	1.70	(0.038)
Males and Females:																	
2 - 19.....	4091	50	(1.6)	1.76	(0.022)	0.32	(0.021)	18	(1.1)	1.88	(0.030)	0.65	(0.030)	34	(1.3)	1.65	(0.029)
20 and over...	7707	55	(1.7)	2.07	(0.032)	0.45	(0.017)	22	(0.9)	2.11	(0.023)	0.82	(0.019)	39	(0.9)	2.02	(0.052)
2 and over...	11798	54	(1.5)	2.00	(0.026)	0.42	(0.015)	21	(0.8)	2.06	(0.021)	0.78	(0.016)	38	(0.7)	1.93	(0.041)

Table 53. All Restaurants: Percent Reporting, Mean Amounts, and Percent of Selected Nutrients from Foods Obtained from All Restaurants ¹, by Male/Female and Age, in the United States, 2017-March 2020 Prepandemic (continued)

N i a c i n																	
—————All Individuals ² ————— —————All Restaurant Consumers ³ ————— Non-consumers ⁴																	
Males/Females and age	Sample Size	Percent Reporting ⁵		Total Intake		Intake from All Restaurants		Percentages from ⁶ All Restaurants		Total Intake		Intake from All Restaurants		Percentages from ⁶ All Restaurants		Total Intake	
(years)		%	(SE)	mg	(SE)	mg	(SE)	%	(SE)	mg	(SE)	mg	(SE)	%	(SE)	mg	(SE)
Males:																	
2 - 5.....	468	45	(2.8)	16.9	(0.47)	2.9	(0.29)	17	(1.5)	19.1	(0.97)	6.6	(0.58)	34	(2.6)	15.1	(0.42)
6 - 11.....	701	41	(3.1)	21.1	(0.58)	3.4	(0.24)	16	(1.2)	22.6	(1.08)	8.3	(0.42)	37	(2.0)	20.1	(0.58)
12 - 19.....	899	53	(3.2)	27.7	(0.55)	7.9	(0.72)	29	(2.4)	31.0	(0.77)	14.9	(0.73)	48	(2.2)	24.0	(1.06)
20 - 39.....	1086	66	(2.5)	33.8	(1.00)	10.5	(0.75)	31	(2.0)	35.0	(1.23)	16.0	(0.80)	46	(2.4)	31.6	(1.19)
40 - 59.....	1221	56	(2.6)	31.4	(0.93)	8.1	(0.56)	26	(2.1)	31.7	(0.97)	14.4	(0.57)	46	(1.9)	31.0	(1.84)
60 and over.....	1438	44	(2.9)	27.9	(1.30)	4.9	(0.44)	18	(1.4)	31.3	(2.63)	11.3	(0.65)	36	(3.6)	25.2	(0.64)
2 - 19.....	2068	47	(2.1)	23.2	(0.33)	5.4	(0.36)	23	(1.5)	26.2	(0.64)	11.3	(0.48)	43	(1.6)	20.6	(0.55)
20 and over...	3745	56	(1.9)	31.3	(0.58)	8.1	(0.39)	26	(1.1)	33.0	(0.79)	14.4	(0.38)	44	(1.3)	29.0	(0.73)
2 and over...	5813	54	(1.8)	29.3	(0.45)	7.4	(0.36)	25	(1.1)	31.5	(0.64)	13.7	(0.34)	44	(1.2)	26.6	(0.55)
Females:																	
2 - 5.....	472	40	(3.0)	14.7	(0.40)	2.2	(0.22)	15	(1.5)	14.5	(0.56)	5.6	(0.32)	39	(2.0)	14.9	(0.60)
6 - 11.....	710	50	(3.1)	20.1	(0.61)	4.0	(0.40)	20	(2.0)	21.1	(0.57)	7.9	(0.42)	38	(1.9)	19.1	(0.95)
12 - 19.....	841	60	(2.5)	20.3	(0.83)	6.1	(0.43)	30	(1.5)	22.4	(1.34)	10.3	(0.87)	46	(3.0)	17.1	(0.63)
20 - 39.....	1272	65	(2.4)	22.3	(0.40)	7.3	(0.28)	33	(1.3)	23.5	(0.61)	11.3	(0.40)	48	(1.9)	20.3	(0.58)
40 - 59.....	1327	52	(2.3)	20.7	(0.50)	5.1	(0.27)	24	(1.3)	20.6	(0.41)	9.6	(0.38)	47	(1.7)	20.7	(0.86)
60 and over.....	1363	42	(2.7)	19.2	(0.61)	3.4	(0.26)	18	(1.5)	19.1	(0.52)	8.0	(0.36)	42	(1.9)	19.2	(0.77)
2 - 19.....	2023	52	(1.9)	19.0	(0.53)	4.6	(0.30)	24	(1.2)	20.7	(0.85)	8.8	(0.49)	43	(1.5)	17.2	(0.52)
20 and over...	3962	54	(1.9)	20.8	(0.35)	5.3	(0.16)	26	(0.9)	21.4	(0.37)	10.0	(0.24)	46	(1.2)	20.0	(0.49)
2 and over...	5985	53	(1.6)	20.4	(0.27)	5.2	(0.16)	25	(0.8)	21.3	(0.28)	9.7	(0.21)	46	(1.0)	19.4	(0.39)
Males and Females:																	
2 - 19.....	4091	50	(1.6)	21.2	(0.35)	5.0	(0.27)	24	(1.1)	23.4	(0.64)	10.0	(0.39)	43	(1.0)	19.0	(0.44)
20 and over...	7707	55	(1.7)	25.8	(0.34)	6.7	(0.24)	26	(0.9)	27.1	(0.38)	12.1	(0.24)	45	(0.9)	24.2	(0.52)
2 and over...	11798	54	(1.5)	24.7	(0.29)	6.3	(0.22)	25	(0.8)	26.3	(0.35)	11.7	(0.20)	44	(0.7)	22.9	(0.40)

Table 53. All Restaurants: Percent Reporting, Mean Amounts, and Percent of Selected Nutrients from Foods Obtained from All Restaurants ¹, by Male/Female and Age, in the United States, 2017-March 2020 Prepandemic (continued)

V i t a m i n B 6																	
—————All Individuals ²————— —————All Restaurant Consumers ³————— Non-consumers⁴																	
Males/Females and age	Sample Size	Percent Reporting ⁵		Total Intake		Intake from All Restaurants		Percentages from ⁶ All Restaurants		Total Intake		Intake from All Restaurants		Percentages from ⁶ All Restaurants		Total Intake	
(years)		%	(SE)	mg	(SE)	mg	(SE)	%	(SE)	mg	(SE)	mg	(SE)	%	(SE)	mg	(SE)
Males:																	
2 - 5.....	468	45	(2.8)	1.47	(0.041)	0.15	(0.014)	10	(0.8)	1.55	(0.094)	0.34	(0.028)	22	(1.6)	1.40	(0.035)
6 - 11.....	701	41	(3.1)	1.65	(0.065)	0.18	(0.013)	11	(0.8)	1.61	(0.094)	0.43	(0.026)	27	(1.9)	1.68	(0.075)
12 - 19.....	899	53	(3.2)	2.09	(0.065)	0.44	(0.045)	21	(2.0)	2.31	(0.120)	0.83	(0.059)	36	(2.5)	1.84	(0.089)
20 - 39.....	1086	66	(2.5)	2.85	(0.118)	0.64	(0.042)	22	(1.7)	2.84	(0.155)	0.97	(0.049)	34	(2.6)	2.87	(0.158)
40 - 59.....	1221	56	(2.6)	2.49	(0.111)	0.53	(0.046)	21	(2.3)	2.43	(0.094)	0.95	(0.053)	39	(2.4)	2.57	(0.200)
60 and over.....	1438	44	(2.9)	2.47	(0.251)	0.33	(0.028)	13	(1.3)	2.95	(0.517)	0.75	(0.044)	25	(4.7)	2.09	(0.064)
2 - 19.....	2068	47	(2.1)	1.81	(0.035)	0.29	(0.022)	16	(1.2)	1.96	(0.072)	0.62	(0.033)	31	(1.7)	1.68	(0.048)
20 and over...	3745	56	(1.9)	2.62	(0.075)	0.51	(0.025)	20	(1.0)	2.72	(0.111)	0.91	(0.027)	34	(1.7)	2.48	(0.090)
2 and over...	5813	54	(1.8)	2.42	(0.059)	0.46	(0.023)	19	(0.9)	2.56	(0.086)	0.85	(0.025)	33	(1.5)	2.26	(0.068)
Females:																	
2 - 5.....	472	40	(3.0)	1.33	(0.035)	0.13	(0.014)	9	(1.1)	1.23	(0.052)	0.32	(0.021)	26	(1.8)	1.40	(0.049)
6 - 11.....	710	50	(3.1)	1.61	(0.067)	0.23	(0.028)	14	(1.8)	1.61	(0.056)	0.45	(0.034)	28	(1.8)	1.61	(0.115)
12 - 19.....	841	60	(2.5)	1.59	(0.083)	0.39	(0.047)	25	(2.4)	1.76	(0.139)	0.66	(0.087)	37	(4.1)	1.34	(0.047)
20 - 39.....	1272	65	(2.4)	1.83	(0.057)	0.47	(0.022)	26	(1.3)	1.84	(0.073)	0.73	(0.029)	40	(2.1)	1.81	(0.070)
40 - 59.....	1327	52	(2.3)	1.69	(0.055)	0.32	(0.019)	19	(1.1)	1.56	(0.044)	0.60	(0.032)	39	(1.9)	1.83	(0.097)
60 and over.....	1363	42	(2.7)	1.58	(0.051)	0.24	(0.018)	15	(1.4)	1.47	(0.044)	0.56	(0.024)	38	(2.0)	1.66	(0.066)
2 - 19.....	2023	52	(1.9)	1.54	(0.052)	0.28	(0.026)	18	(1.4)	1.63	(0.080)	0.54	(0.048)	33	(2.2)	1.45	(0.053)
20 and over...	3962	54	(1.9)	1.71	(0.035)	0.35	(0.014)	20	(0.9)	1.66	(0.038)	0.65	(0.019)	39	(1.3)	1.76	(0.047)
2 and over...	5985	53	(1.6)	1.67	(0.032)	0.33	(0.014)	20	(0.8)	1.65	(0.034)	0.62	(0.020)	38	(1.2)	1.69	(0.037)
Males and Females:																	
2 - 19.....	4091	50	(1.6)	1.68	(0.035)	0.29	(0.019)	17	(1.0)	1.79	(0.060)	0.57	(0.031)	32	(1.3)	1.57	(0.040)
20 and over...	7707	55	(1.7)	2.14	(0.042)	0.43	(0.017)	20	(0.7)	2.18	(0.058)	0.78	(0.016)	36	(1.0)	2.10	(0.049)
2 and over...	11798	54	(1.5)	2.03	(0.036)	0.39	(0.016)	19	(0.7)	2.10	(0.049)	0.73	(0.016)	35	(0.9)	1.96	(0.040)

Table 53. All Restaurants: Percent Reporting, Mean Amounts, and Percent of Selected Nutrients from Foods Obtained from All Restaurants ¹, by Male/Female and Age, in the United States, 2017-March 2020 Prepandemic (continued)

F o l a t e (D F E)																	
—————All Individuals ² ————— —————All Restaurant Consumers ³ ————— Non-consumers ⁴																	
Males/Females and age	Sample Size	Percent Reporting ⁵		Total Intake		Intake from All Restaurants		Percentages from ⁶ All Restaurants		Total Intake		Intake from All Restaurants		Percentages from ⁶ All Restaurants		Total Intake	
(years)		%	(SE)	µg	(SE)	µg	(SE)	%	(SE)	µg	(SE)	µg	(SE)	%	(SE)	µg	(SE)
Males:																	
2 - 5.....	468	45	(2.8)	389	(15.5)	52	(6.7)	13	(1.3)	414	(26.8)	117	(15.2)	28	(2.5)	369	(15.5)
6 - 11.....	701	41	(3.1)	501	(16.6)	65	(5.1)	13	(1.2)	500	(22.7)	157	(8.1)	31	(2.0)	502	(21.9)
12 - 19.....	899	53	(3.2)	555	(17.6)	134	(12.1)	24	(2.5)	593	(31.6)	251	(14.6)	42	(3.2)	511	(31.1)
20 - 39.....	1086	66	(2.5)	568	(17.3)	179	(12.8)	31	(2.0)	585	(20.7)	272	(13.9)	47	(2.0)	535	(32.2)
40 - 59.....	1221	56	(2.6)	559	(18.6)	147	(10.2)	26	(2.0)	593	(20.8)	263	(9.8)	44	(2.1)	516	(25.2)
60 and over.....	1438	44	(2.9)	526	(15.0)	85	(9.3)	16	(1.6)	540	(22.4)	193	(13.4)	36	(2.3)	516	(23.3)
2 - 19.....	2068	47	(2.1)	502	(10.0)	93	(6.4)	19	(1.3)	531	(19.8)	197	(9.8)	37	(2.0)	476	(14.3)
20 and over...	3745	56	(1.9)	553	(7.4)	141	(7.2)	26	(1.3)	578	(10.2)	251	(6.6)	44	(1.2)	522	(13.8)
2 and over...	5813	54	(1.8)	540	(6.0)	129	(6.6)	24	(1.2)	567	(9.8)	240	(6.7)	42	(1.2)	509	(11.0)
Females:																	
2 - 5.....	472	40	(3.0)	346	(15.2)	39	(4.1)	11	(1.3)	358	(37.1)	99	(7.7)	28	(3.1)	337	(14.5)
6 - 11.....	710	50	(3.1)	473	(12.3)	69	(5.4)	14	(1.1)	472	(14.2)	136	(7.2)	29	(1.4)	474	(19.7)
12 - 19.....	841	60	(2.5)	437	(25.5)	103	(5.4)	23	(1.3)	472	(37.8)	172	(6.6)	36	(2.8)	385	(16.0)
20 - 39.....	1272	65	(2.4)	437	(11.5)	121	(6.3)	28	(1.5)	445	(12.2)	187	(9.7)	42	(2.2)	422	(21.8)
40 - 59.....	1327	52	(2.3)	415	(13.1)	92	(6.0)	22	(1.3)	415	(17.6)	175	(8.7)	42	(2.0)	416	(15.7)
60 and over.....	1363	42	(2.7)	393	(10.7)	62	(5.0)	16	(1.2)	389	(12.7)	145	(7.0)	37	(1.5)	395	(13.9)
2 - 19.....	2023	52	(1.9)	429	(11.4)	78	(4.2)	18	(0.8)	454	(21.0)	149	(5.2)	33	(1.3)	403	(11.3)
20 and over...	3962	54	(1.9)	416	(7.0)	93	(3.2)	22	(0.8)	422	(7.6)	173	(5.3)	41	(1.2)	410	(12.1)
2 and over...	5985	53	(1.6)	419	(6.4)	89	(3.0)	21	(0.7)	429	(8.4)	168	(4.5)	39	(1.1)	408	(10.5)
Males and Females:																	
2 - 19.....	4091	50	(1.6)	466	(5.8)	86	(4.3)	18	(0.9)	491	(11.7)	172	(6.3)	35	(1.1)	442	(9.3)
20 and over...	7707	55	(1.7)	482	(5.3)	116	(4.8)	24	(0.9)	498	(7.9)	212	(4.4)	42	(0.9)	462	(7.1)
2 and over...	11798	54	(1.5)	478	(4.7)	109	(4.3)	23	(0.8)	497	(6.9)	203	(4.2)	41	(0.8)	457	(5.8)

Table 53. All Restaurants: Percent Reporting, Mean Amounts, and Percent of Selected Nutrients from Foods Obtained from All Restaurants ¹, by Male/Female and Age, in the United States, 2017-March 2020 Prepandemic (continued)

C h o l i n e																	
—————All Individuals ² ————— —————All Restaurant Consumers ³ ————— Non-consumers ⁴																	
Males/Females and age	Sample Size	Percent Reporting ⁵		Total Intake		Intake from All Restaurants		Percentages from ⁶ All Restaurants		Total Intake		Intake from All Restaurants		Percentages from ⁶ All Restaurants		Total Intake	
(years)		%	(SE)	mg	(SE)	mg	(SE)	%	(SE)	mg	(SE)	mg	(SE)	%	(SE)	mg	(SE)
Males:																	
2 - 5.....	468	45	(2.8)	227	(9.2)	30	(3.2)	13	(1.3)	240	(14.5)	68	(6.0)	28	(1.9)	217	(10.5)
6 - 11.....	701	41	(3.1)	252	(7.6)	36	(2.7)	14	(1.1)	275	(10.4)	88	(5.1)	32	(2.1)	236	(9.7)
12 - 19.....	899	53	(3.2)	305	(9.1)	81	(7.4)	27	(2.1)	342	(10.7)	152	(8.7)	44	(2.3)	262	(13.2)
20 - 39.....	1086	66	(2.5)	390	(10.0)	121	(9.4)	31	(2.1)	396	(13.8)	184	(11.7)	46	(2.1)	380	(15.6)
40 - 59.....	1221	56	(2.6)	407	(7.9)	113	(9.0)	28	(2.0)	419	(12.2)	202	(11.7)	48	(1.7)	391	(11.5)
60 and over.....	1438	44	(2.9)	371	(8.0)	71	(5.4)	19	(1.5)	389	(8.8)	161	(9.9)	41	(2.1)	358	(13.9)
2 - 19.....	2068	47	(2.1)	271	(5.9)	55	(3.8)	20	(1.2)	302	(7.9)	117	(5.5)	39	(1.7)	242	(7.2)
20 and over...	3745	56	(1.9)	391	(4.5)	104	(4.7)	27	(1.1)	402	(6.0)	185	(6.7)	46	(1.3)	376	(8.2)
2 and over...	5813	54	(1.8)	361	(3.0)	92	(4.0)	25	(1.0)	381	(5.0)	170	(5.5)	45	(1.2)	338	(4.8)
Females:																	
2 - 5.....	472	40	(3.0)	211	(7.5)	24	(2.8)	11	(1.3)	212	(10.8)	60	(4.0)	28	(2.5)	210	(9.1)
6 - 11.....	710	50	(3.1)	236	(5.6)	43	(4.6)	18	(1.7)	247	(8.5)	85	(5.2)	34	(1.5)	225	(8.4)
12 - 19.....	841	60	(2.5)	224	(9.6)	68	(4.5)	30	(1.5)	240	(15.0)	114	(8.1)	48	(2.2)	202	(7.7)
20 - 39.....	1272	65	(2.4)	292	(7.3)	87	(4.3)	30	(1.3)	291	(8.6)	135	(4.9)	46	(1.3)	292	(11.2)
40 - 59.....	1327	52	(2.3)	290	(9.1)	67	(4.1)	23	(1.3)	289	(11.2)	128	(7.4)	44	(2.3)	292	(12.6)
60 and over.....	1363	42	(2.7)	280	(6.8)	52	(4.0)	19	(1.5)	287	(8.3)	123	(3.9)	43	(1.6)	275	(9.2)
2 - 19.....	2023	52	(1.9)	225	(4.7)	50	(3.5)	22	(1.3)	237	(8.4)	96	(5.3)	40	(1.3)	212	(3.6)
20 and over...	3962	54	(1.9)	288	(5.2)	69	(2.8)	24	(0.9)	289	(6.5)	130	(3.3)	45	(1.1)	285	(7.1)
2 and over...	5985	53	(1.6)	273	(4.1)	65	(2.6)	24	(0.8)	278	(6.1)	122	(3.0)	44	(0.9)	268	(5.6)
Males and Females:																	
2 - 19.....	4091	50	(1.6)	248	(4.3)	53	(3.1)	21	(1.0)	269	(6.3)	106	(4.3)	39	(1.2)	228	(4.1)
20 and over...	7707	55	(1.7)	337	(4.0)	86	(3.0)	26	(0.8)	345	(4.3)	157	(3.6)	45	(0.8)	328	(7.0)
2 and over...	11798	54	(1.5)	316	(2.7)	78	(2.5)	25	(0.7)	328	(4.0)	146	(2.8)	44	(0.7)	302	(4.7)

Table 53. All Restaurants: Percent Reporting, Mean Amounts, and Percent of Selected Nutrients from Foods Obtained from All Restaurants ¹, by Male/Female and Age, in the United States, 2017-March 2020 Prepandemic (continued)

V i t a m i n B 1 2															
—————All Individuals ² —————										—————All Restaurant Consumers ³ —————				Non-consumers ⁴	
Males/Females and age	Sample Size	Percent Reporting ⁵		Total Intake	Intake from All Restaurants		Percentages from ⁶ All Restaurants		Total Intake	Intake from All Restaurants		Percentages from ⁶ All Restaurants		Total Intake	
(years)		%	(SE)	µg (SE)	µg (SE)	% (SE)	% (SE)	% (SE)	µg (SE)	µg (SE)	% (SE)	% (SE)	% (SE)	µg (SE)	µg (SE)
Males:															
2 - 5.....	468	45	(2.8)	3.96 (0.134)	0.37 (0.042)	9	(1.0)		4.13 (0.246)	0.83 (0.086)	20	(2.0)		3.82 (0.161)	
6 - 11.....	701	41	(3.1)	4.46 (0.186)	0.51 (0.050)	11	(1.1)		4.46 (0.282)	1.24 (0.097)	28	(1.6)		4.45 (0.217)	
12 - 19.....	899	53	(3.2)	5.55 (0.154)	1.16 (0.121)	21	(1.9)		6.08 (0.196)	2.16 (0.167)	36	(2.5)		4.94 (0.258)	
20 - 39.....	1086	66	(2.5)	6.13 (0.308)	1.50 (0.102)	24	(1.9)		6.19 (0.371)	2.28 (0.131)	37	(2.8)		6.03 (0.436)	
40 - 59.....	1221	56	(2.6)	5.69 (0.346)	1.27 (0.090)	22	(2.1)		5.57 (0.308)	2.26 (0.107)	41	(1.9)		5.84 (0.594)	
60 and over.....	1438	44	(2.9)	5.64 (0.333)	0.94 (0.087)	17	(1.7)		6.46 (0.674)	2.14 (0.163)	33	(4.4)		5.00 (0.306)	
2 - 19.....	2068	47	(2.1)	4.85 (0.111)	0.77 (0.063)	16	(1.2)		5.22 (0.152)	1.63 (0.103)	31	(1.7)		4.51 (0.163)	
20 and over...	3745	56	(1.9)	5.84 (0.184)	1.26 (0.054)	22	(1.1)		6.03 (0.205)	2.24 (0.065)	37	(1.5)		5.59 (0.259)	
2 and over...	5813	54	(1.8)	5.59 (0.149)	1.14 (0.050)	20	(1.0)		5.86 (0.165)	2.11 (0.061)	36	(1.3)		5.28 (0.202)	
Females:															
2 - 5.....	472	40	(3.0)	3.33 (0.130)	0.28 (0.036)	8	(1.0)		3.26 (0.159)	0.71 (0.064)	22	(1.9)		3.38 (0.167)	
6 - 11.....	710	50	(3.1)	4.16 (0.145)	0.54 (0.059)	13	(1.5)		4.10 (0.150)	1.06 (0.074)	26	(1.8)		4.23 (0.287)	
12 - 19.....	841	60	(2.5)	3.47 (0.178)	0.78 (0.056)	23	(1.8)		3.74 (0.277)	1.31 (0.100)	35	(3.6)		3.07 (0.192)	
20 - 39.....	1272	65	(2.4)	3.71 (0.100)	1.09 (0.061)	29	(1.4)		3.77 (0.134)	1.68 (0.096)	45	(2.2)		3.60 (0.139)	
40 - 59.....	1327	52	(2.3)	3.84 (0.148)	0.77 (0.039)	20	(1.3)		3.65 (0.147)	1.46 (0.084)	40	(2.9)		4.06 (0.250)	
60 and over.....	1363	42	(2.7)	3.63 (0.183)	0.60 (0.052)	17	(1.5)		3.57 (0.198)	1.42 (0.087)	40	(2.3)		3.68 (0.216)	
2 - 19.....	2023	52	(1.9)	3.67 (0.100)	0.59 (0.037)	16	(1.0)		3.77 (0.162)	1.14 (0.056)	30	(1.7)		3.55 (0.133)	
20 and over...	3962	54	(1.9)	3.73 (0.094)	0.83 (0.035)	22	(1.0)		3.68 (0.103)	1.54 (0.054)	42	(1.3)		3.79 (0.131)	
2 and over...	5985	53	(1.6)	3.72 (0.073)	0.78 (0.030)	21	(0.8)		3.70 (0.078)	1.45 (0.048)	39	(1.2)		3.73 (0.115)	
Males and Females:															
2 - 19.....	4091	50	(1.6)	4.27 (0.073)	0.68 (0.040)	16	(0.8)		4.48 (0.097)	1.37 (0.060)	31	(1.1)		4.06 (0.104)	
20 and over...	7707	55	(1.7)	4.75 (0.113)	1.04 (0.038)	22	(0.9)		4.84 (0.116)	1.89 (0.047)	39	(1.0)		4.63 (0.158)	
2 and over...	11798	54	(1.5)	4.63 (0.094)	0.95 (0.032)	21	(0.7)		4.76 (0.091)	1.78 (0.040)	37	(0.9)		4.48 (0.134)	

Table 53. All Restaurants: Percent Reporting, Mean Amounts, and Percent of Selected Nutrients from Foods Obtained from All Restaurants ¹, by Male/Female and Age, in the United States, 2017-March 2020 Prepandemic (continued)

V i t a m i n C																	
—————All Individuals ² ————— —————All Restaurant Consumers ³ ————— Non-consumers ⁴																	
Males/Females and age	Sample Size	Percent Reporting ⁵		Total Intake		Intake from All Restaurants		Percentages from ⁶ All Restaurants		Total Intake		Intake from All Restaurants		Percentages from ⁶ All Restaurants		Total Intake	
(years)		%	(SE)	mg	(SE)	mg	(SE)	%	(SE)	mg	(SE)	mg	(SE)	%	(SE)	mg	(SE)
Males:																	
2 - 5.....	468	45	(2.8)	84.5	(8.75)	6.3	(1.28)	7	(1.5)	99.6	(16.92)	14.2	(2.78)	14	(3.2)	72.4	(3.87)
6 - 11.....	701	41	(3.1)	73.5	(6.02)	3.9	(0.69)	5	(1.1)	65.4	(6.49)	9.4	(1.77)	14	(2.8)	79.2	(9.29)
12 - 19.....	899	53	(3.2)	67.1	(3.64)	9.1	(1.34)	13	(2.1)	66.8	(4.99)	16.9	(2.19)	25	(3.1)	67.4	(7.28)
20 - 39.....	1086	66	(2.5)	76.5	(3.83)	14.2	(1.44)	19	(1.5)	72.8	(5.09)	21.6	(2.33)	30	(2.2)	83.6	(4.68)
40 - 59.....	1221	56	(2.6)	86.5	(4.46)	16.1	(2.57)	19	(2.5)	89.7	(7.49)	28.7	(4.15)	32	(3.4)	82.5	(5.19)
60 and over.....	1438	44	(2.9)	82.1	(3.23)	7.0	(0.79)	9	(1.0)	78.6	(4.11)	16.1	(1.33)	20	(1.9)	84.8	(4.33)
2 - 19.....	2068	47	(2.1)	72.9	(3.58)	6.7	(0.60)	9	(1.1)	72.9	(5.05)	14.2	(1.13)	19	(2.1)	73.0	(4.61)
20 and over...	3745	56	(1.9)	81.6	(2.47)	12.8	(1.16)	16	(1.2)	80.0	(3.94)	22.9	(1.99)	29	(1.5)	83.6	(2.79)
2 and over...	5813	54	(1.8)	79.5	(2.07)	11.3	(0.94)	14	(1.0)	78.4	(3.43)	21.0	(1.67)	27	(1.3)	80.6	(2.67)
Females:																	
2 - 5.....	472	40	(3.0)	87.1	(3.65)	5.3	(1.21)	6	(1.3)	80.4	(6.81)	13.4	(2.79)	17	(2.9)	91.4	(5.88)
6 - 11.....	710	50	(3.1)	73.5	(5.00)	5.4	(1.17)	7	(1.2)	73.7	(8.75)	10.8	(1.99)	15	(1.8)	73.3	(3.58)
12 - 19.....	841	60	(2.5)	59.2	(4.03)	8.9	(1.06)	15	(1.5)	62.9	(5.64)	14.9	(2.09)	24	(2.7)	53.9	(4.51)
20 - 39.....	1272	65	(2.4)	73.2	(3.86)	13.2	(1.10)	18	(1.4)	71.3	(5.24)	20.4	(1.53)	29	(2.5)	76.7	(4.04)
40 - 59.....	1327	52	(2.3)	73.2	(2.89)	8.8	(0.74)	12	(1.0)	64.2	(3.11)	16.8	(1.15)	26	(1.9)	83.2	(4.32)
60 and over.....	1363	42	(2.7)	73.4	(2.80)	6.6	(0.68)	9	(1.0)	66.2	(3.49)	15.6	(1.33)	24	(2.0)	78.7	(3.98)
2 - 19.....	2023	52	(1.9)	69.9	(2.45)	7.0	(0.69)	10	(0.8)	69.1	(4.04)	13.4	(1.31)	19	(1.7)	70.7	(2.91)
20 and over...	3962	54	(1.9)	73.3	(2.13)	9.7	(0.56)	13	(0.6)	67.7	(2.74)	18.1	(0.85)	27	(1.2)	79.7	(2.69)
2 and over...	5985	53	(1.6)	72.5	(1.82)	9.1	(0.46)	13	(0.5)	68.0	(2.56)	17.0	(0.73)	25	(1.1)	77.6	(2.11)
Males and Females:																	
2 - 19.....	4091	50	(1.6)	71.4	(2.45)	6.9	(0.37)	10	(0.6)	71.0	(3.77)	13.8	(0.65)	19	(1.3)	71.9	(2.77)
20 and over...	7707	55	(1.7)	77.3	(1.89)	11.2	(0.73)	14	(0.7)	73.7	(2.70)	20.4	(1.17)	28	(1.0)	81.5	(1.96)
2 and over...	11798	54	(1.5)	75.9	(1.64)	10.2	(0.57)	13	(0.6)	73.1	(2.46)	19.0	(0.96)	26	(1.0)	79.1	(1.76)

Table 53. All Restaurants: Percent Reporting, Mean Amounts, and Percent of Selected Nutrients from Foods Obtained from All Restaurants ¹, by Male/Female and Age, in the United States, 2017-March 2020 Prepandemic (continued)

V i t a m i n D																	
—————All Individuals ² ————— —————All Restaurant Consumers ³ ————— Non-consumers ⁴																	
Males/Females and age	Sample Size	Percent Reporting ⁵		Total Intake		Intake from All Restaurants		Percentages from ⁶ All Restaurants		Total Intake		Intake from All Restaurants		Percentages from ⁶ All Restaurants		Total Intake	
(years)		%	(SE)	µg	(SE)	µg	(SE)	%	(SE)	µg	(SE)	µg	(SE)	%	(SE)	µg	(SE)
Males:																	
2 - 5.....	468	45	(2.8)	5.8	(0.31)	0.2	(0.04)	4*	(0.7)	5.8	(0.56)	0.5	(0.08)	8*	(1.5)	5.8	(0.35)
6 - 11.....	701	41	(3.1)	5.4	(0.25)	0.2	(0.03)	4	(0.5)	4.8	(0.40)	0.5	(0.07)	11	(1.4)	5.7	(0.27)
12 - 19.....	899	53	(3.2)	5.2	(0.21)	0.5	(0.08)	11	(1.6)	5.4	(0.47)	1.0	(0.13)	19	(2.6)	5.0	(0.37)
20 - 39.....	1086	66	(2.5)	4.5	(0.23)	0.8	(0.07)	19	(1.5)	4.3	(0.27)	1.3	(0.11)	30	(2.7)	4.9	(0.51)
40 - 59.....	1221	56	(2.6)	4.8	(0.26)	0.8	(0.07)	16	(1.6)	4.4	(0.28)	1.4	(0.10)	31	(2.1)	5.2	(0.37)
60 and over.....	1438	44	(2.9)	5.7	(0.39)	0.7	(0.11)	13	(1.6)	5.3	(0.38)	1.7	(0.24)	31	(3.3)	6.0	(0.61)
2 - 19.....	2068	47	(2.1)	5.4	(0.17)	0.4	(0.04)	7	(0.7)	5.3	(0.29)	0.8	(0.07)	15	(1.4)	5.5	(0.24)
20 and over...	3745	56	(1.9)	4.9	(0.17)	0.8	(0.05)	16	(0.9)	4.6	(0.15)	1.4	(0.07)	31	(1.3)	5.4	(0.27)
2 and over...	5813	54	(1.8)	5.0	(0.13)	0.7	(0.03)	14	(0.7)	4.7	(0.14)	1.3	(0.06)	27	(1.2)	5.4	(0.18)
Females:																	
2 - 5.....	472	40	(3.0)	5.0	(0.24)	0.3	(0.06)	5	(1.1)	4.9	(0.30)	0.7	(0.13)	14	(2.4)	5.1	(0.26)
6 - 11.....	710	50	(3.1)	4.8	(0.20)	0.2	(0.03)	5	(0.6)	4.4	(0.25)	0.5	(0.04)	11	(1.1)	5.2	(0.42)
12 - 19.....	841	60	(2.5)	3.4	(0.21)	0.5	(0.05)	13	(1.4)	3.3	(0.28)	0.8	(0.08)	23	(2.9)	3.6	(0.31)
20 - 39.....	1272	65	(2.4)	3.6	(0.18)	0.8	(0.05)	22	(1.7)	3.4	(0.16)	1.2	(0.08)	36	(2.2)	3.9	(0.32)
40 - 59.....	1327	52	(2.3)	3.8	(0.17)	0.5	(0.04)	13	(1.2)	3.4	(0.19)	1.0	(0.09)	29	(2.7)	4.3	(0.28)
60 and over.....	1363	42	(2.7)	3.9	(0.23)	0.5	(0.07)	13	(2.0)	3.8	(0.25)	1.2	(0.16)	32	(3.5)	4.1	(0.31)
2 - 19.....	2023	52	(1.9)	4.2	(0.12)	0.3	(0.02)	8	(0.5)	3.9	(0.18)	0.7	(0.04)	17	(0.9)	4.5	(0.19)
20 and over...	3962	54	(1.9)	3.8	(0.14)	0.6	(0.04)	16	(1.2)	3.5	(0.11)	1.1	(0.06)	33	(1.3)	4.1	(0.23)
2 and over...	5985	53	(1.6)	3.9	(0.11)	0.6	(0.03)	14	(0.9)	3.6	(0.10)	1.0	(0.05)	29	(1.1)	4.2	(0.19)
Males and Females:																	
2 - 19.....	4091	50	(1.6)	4.8	(0.10)	0.4	(0.02)	7	(0.5)	4.6	(0.15)	0.7	(0.04)	16	(0.9)	5.0	(0.15)
20 and over...	7707	55	(1.7)	4.3	(0.13)	0.7	(0.03)	16	(0.9)	4.0	(0.09)	1.3	(0.05)	32	(1.1)	4.7	(0.21)
2 and over...	11798	54	(1.5)	4.4	(0.10)	0.6	(0.02)	14	(0.7)	4.2	(0.08)	1.1	(0.04)	28	(0.9)	4.8	(0.15)

Table 53. All Restaurants: Percent Reporting, Mean Amounts, and Percent of Selected Nutrients from Foods Obtained from All Restaurants ¹, by Male/Female and Age, in the United States, 2017-March 2020 Prepandemic (continued)

V i t a m i n E (a l p h a t o c o p h e r o l)												
			All Individuals ²				All Restaurant Consumers ³				Non-consumers ⁴	
Males/Females and age (years)	Sample Size	Percent Reporting ⁵	Total Intake	Intake from All Restaurants	Percentages from ⁶ All Restaurants	Total Intake	Intake from All Restaurants	Percentages from ⁶ All Restaurants	Total Intake	Intake from All Restaurants	Percentages from ⁶ All Restaurants	Total Intake
		% (SE)	mg (SE)	mg (SE)	% (SE)	mg (SE)	mg (SE)	% (SE)	mg (SE)	mg (SE)	% (SE)	mg (SE)
Males:												
2 - 5.....	468	45 (2.8)	6.4 (0.25)	0.9 (0.11)	15 (1.5)	7.0 (0.37)	2.1 (0.23)	31 (3.1)	5.9 (0.26)			
6 - 11.....	701	41 (3.1)	8.4 (0.86)	1.0 (0.07)	12 (1.5)	7.9 (0.47)	2.5 (0.14)	31 (1.8)	8.7 (1.30)			
12 - 19.....	899	53 (3.2)	8.7 (0.28)	2.3 (0.21)	26 (2.5)	9.8 (0.42)	4.2 (0.23)	43 (2.5)	7.5 (0.39)			
20 - 39.....	1086	66 (2.5)	9.9 (0.32)	2.8 (0.20)	28 (2.0)	10.0 (0.34)	4.3 (0.25)	43 (2.0)	9.8 (0.62)			
40 - 59.....	1221	56 (2.6)	11.2 (0.47)	2.7 (0.24)	24 (1.9)	11.9 (0.66)	4.9 (0.27)	41 (2.3)	10.4 (0.59)			
60 and over.....	1438	44 (2.9)	9.9 (0.21)	1.7 (0.16)	17 (1.5)	10.2 (0.32)	3.8 (0.26)	38 (2.1)	9.6 (0.27)			
2 - 19.....	2068	47 (2.1)	8.1 (0.26)	1.6 (0.11)	19 (1.5)	8.7 (0.23)	3.3 (0.15)	38 (1.6)	7.6 (0.50)			
20 and over...	3745	56 (1.9)	10.4 (0.22)	2.5 (0.12)	24 (1.2)	10.7 (0.28)	4.4 (0.14)	41 (1.2)	9.9 (0.29)			
2 and over...	5813	54 (1.8)	9.8 (0.18)	2.2 (0.11)	23 (1.2)	10.3 (0.24)	4.2 (0.12)	40 (1.2)	9.3 (0.26)			
Females:												
2 - 5.....	472	40 (3.0)	5.5 (0.19)	0.8 (0.08)	14 (1.6)	5.8 (0.24)	1.9 (0.13)	33 (2.5)	5.3 (0.31)			
6 - 11.....	710	50 (3.1)	7.5 (0.22)	1.5 (0.16)	20 (1.9)	8.5 (0.33)	3.0 (0.21)	35 (2.0)	6.4 (0.26)			
12 - 19.....	841	60 (2.5)	8.2 (0.93)	2.0 (0.11)	24 (2.4)	8.9 (1.53)	3.3 (0.20)	37 (6.3)	7.1 (0.36)			
20 - 39.....	1272	65 (2.4)	9.0 (0.26)	2.4 (0.13)	27 (1.2)	9.2 (0.28)	3.8 (0.14)	41 (1.8)	8.4 (0.48)			
40 - 59.....	1327	52 (2.3)	8.5 (0.28)	1.7 (0.09)	20 (1.1)	8.6 (0.28)	3.2 (0.15)	38 (1.6)	8.3 (0.43)			
60 and over.....	1363	42 (2.7)	8.1 (0.27)	1.3 (0.11)	16 (1.4)	8.1 (0.32)	3.1 (0.15)	38 (1.9)	8.2 (0.30)			
2 - 19.....	2023	52 (1.9)	7.4 (0.44)	1.6 (0.09)	21 (1.4)	8.3 (0.83)	3.0 (0.13)	36 (3.5)	6.4 (0.21)			
20 and over...	3962	54 (1.9)	8.5 (0.17)	1.8 (0.07)	22 (0.7)	8.7 (0.16)	3.4 (0.10)	39 (1.1)	8.3 (0.27)			
2 and over...	5985	53 (1.6)	8.3 (0.19)	1.8 (0.06)	21 (0.6)	8.6 (0.27)	3.3 (0.08)	39 (1.4)	7.9 (0.20)			
Males and Females:												
2 - 19.....	4091	50 (1.6)	7.8 (0.24)	1.6 (0.09)	20 (1.1)	8.5 (0.45)	3.1 (0.12)	37 (1.8)	7.0 (0.31)			
20 and over...	7707	55 (1.7)	9.4 (0.14)	2.1 (0.09)	23 (0.9)	9.7 (0.16)	3.9 (0.09)	40 (1.0)	9.1 (0.21)			
2 and over...	11798	54 (1.5)	9.0 (0.14)	2.0 (0.08)	22 (0.8)	9.4 (0.20)	3.7 (0.08)	40 (1.0)	8.5 (0.17)			

Table 53. All Restaurants: Percent Reporting, Mean Amounts, and Percent of Selected Nutrients from Foods Obtained from All Restaurants ¹, by Male/Female and Age, in the United States, 2017-March 2020 Prepandemic (continued)

V i t a m i n K																	
All Individuals ²										All Restaurant Consumers ³				Non-consumers ⁴			
Males/Females and age	Sample Size	Percent Reporting ⁵		Total Intake		Intake from All Restaurants		Percentages from ⁶ All Restaurants		Total Intake		Intake from All Restaurants		Percentages from ⁶ All Restaurants		Total Intake	
(years)		%	(SE)	µg	(SE)	µg	(SE)	%	(SE)	µg	(SE)	µg	(SE)	%	(SE)	µg	(SE)
Males:																	
2 - 5.....	468	45	(2.8)	50.2	(3.04)	7.6	(0.99)	15	(1.8)	52.4	(4.58)	17.2	(2.36)	33	(3.8)	48.4	(3.74)
6 - 11.....	701	41	(3.1)	73.9	(10.85)	10.2	(1.12)	14	(2.5)	91.4	(26.58)	24.9	(2.81)	27*	(8.2)	61.6	(5.28)
12 - 19.....	899	53	(3.2)	83.0	(5.61)	26.3	(2.85)	32	(3.3)	95.1	(6.02)	49.2	(3.97)	52	(3.5)	69.1	(8.82)
20 - 39.....	1086	66	(2.5)	107.7	(5.04)	37.3	(2.47)	35	(2.4)	109.9	(6.46)	56.9	(3.46)	52	(2.6)	103.5	(8.19)
40 - 59.....	1221	56	(2.6)	139.8	(11.75)	44.6	(5.30)	32	(2.4)	145.0	(9.47)	79.4	(7.96)	55	(3.0)	133.2	(17.37)
60 and over.....	1438	44	(2.9)	127.8	(6.12)	23.9	(3.69)	19	(2.6)	123.7	(8.26)	54.7	(5.90)	44	(4.0)	130.9	(8.35)
2 - 19.....	2068	47	(2.1)	73.0	(5.32)	17.0	(1.29)	23	(2.4)	85.6	(8.40)	35.8	(2.22)	42	(4.8)	61.6	(4.41)
20 and over...	3745	56	(1.9)	124.6	(5.95)	36.0	(2.39)	29	(1.4)	125.2	(5.35)	64.2	(3.29)	51	(1.5)	123.8	(7.93)
2 and over...	5813	54	(1.8)	111.9	(5.38)	31.3	(1.93)	28	(1.4)	116.6	(5.15)	58.1	(2.85)	50	(1.7)	106.3	(6.20)
Females:																	
2 - 5.....	472	40	(3.0)	49.9	(2.75)	6.7	(1.01)	14	(1.8)	47.4	(2.85)	17.0	(1.97)	36	(3.8)	51.5	(3.97)
6 - 11.....	710	50	(3.1)	71.4	(4.64)	15.1	(1.43)	21	(1.9)	74.9	(3.79)	30.1	(1.99)	40	(2.6)	67.9	(8.59)
12 - 19.....	841	60	(2.5)	81.5	(6.85)	23.9	(1.88)	29	(2.0)	86.5	(8.59)	40.2	(3.65)	46	(3.9)	74.1	(8.37)
20 - 39.....	1272	65	(2.4)	138.0	(15.50)	38.0	(3.05)	28	(3.1)	143.2	(23.38)	58.8	(4.54)	41	(7.0)	128.7	(12.30)
40 - 59.....	1327	52	(2.3)	127.6	(7.76)	27.3	(2.07)	21	(1.9)	110.1	(8.83)	52.1	(4.20)	47	(3.3)	146.9	(11.95)
60 and over.....	1363	42	(2.7)	119.0	(5.83)	22.6	(2.63)	19	(2.2)	110.8	(8.38)	53.3	(5.37)	48	(2.9)	125.0	(8.48)
2 - 19.....	2023	52	(1.9)	71.4	(3.82)	17.4	(1.02)	24	(0.8)	76.5	(4.57)	33.2	(1.96)	43	(2.2)	65.8	(4.38)
20 and over...	3962	54	(1.9)	128.6	(6.13)	29.6	(1.28)	23	(1.2)	124.4	(10.13)	55.3	(2.53)	44	(3.8)	133.5	(5.89)
2 and over...	5985	53	(1.6)	115.7	(5.01)	26.9	(1.05)	23	(1.0)	113.7	(8.21)	50.4	(1.91)	44	(3.3)	117.9	(4.93)
Males and Females:																	
2 - 19.....	4091	50	(1.6)	72.2	(3.80)	17.2	(1.00)	24	(1.4)	80.9	(5.22)	34.5	(1.66)	43	(2.6)	63.6	(3.76)
20 and over...	7707	55	(1.7)	126.7	(5.57)	32.7	(1.49)	26	(1.0)	124.8	(7.34)	59.7	(1.93)	48	(2.1)	129.0	(5.08)
2 and over...	11798	54	(1.5)	113.8	(4.78)	29.0	(1.24)	26	(1.0)	115.2	(6.36)	54.2	(1.69)	47	(2.0)	112.3	(4.21)

Table 53. All Restaurants: Percent Reporting, Mean Amounts, and Percent of Selected Nutrients from Foods Obtained from All Restaurants ¹, by Male/Female and Age, in the United States, 2017-March 2020 Prepandemic (continued)

C a l c i u m																	
All Individuals ²										All Restaurant Consumers ³				Non-consumers ⁴			
Males/Females and age	Sample Size	Percent Reporting ⁵		Total Intake		Intake from All Restaurants		Percentages from ⁶ All Restaurants		Total Intake		Intake from All Restaurants		Percentages from ⁶ All Restaurants		Total Intake	
(years)		%	(SE)	mg	(SE)	mg	(SE)	%	(SE)	mg	(SE)	mg	(SE)	%	(SE)	mg	(SE)
Males:																	
2 - 5.....	468	45	(2.8)	1026	(43.2)	93	(10.5)	9	(1.0)	1083	(94.9)	210	(19.9)	19	(1.9)	979	(34.6)
6 - 11.....	701	41	(3.1)	1041	(38.7)	113	(7.7)	11	(0.8)	1004	(41.5)	275	(10.0)	27	(1.1)	1067	(48.2)
12 - 19.....	899	53	(3.2)	1105	(24.1)	251	(22.5)	23	(2.0)	1164	(42.5)	469	(27.5)	40	(2.1)	1037	(48.6)
20 - 39.....	1086	66	(2.5)	1088	(25.6)	323	(20.4)	30	(1.7)	1131	(39.2)	492	(23.3)	44	(1.9)	1005	(45.1)
40 - 59.....	1221	56	(2.6)	1076	(33.8)	259	(21.9)	24	(2.0)	1115	(36.6)	461	(28.1)	41	(1.9)	1026	(48.7)
60 and over.....	1438	44	(2.9)	992	(27.4)	144	(13.0)	15	(1.3)	1022	(46.7)	329	(22.3)	32	(1.5)	970	(37.7)
2 - 19.....	2068	47	(2.1)	1067	(21.1)	171	(10.7)	16	(1.0)	1101	(32.6)	361	(15.0)	33	(1.3)	1035	(32.7)
20 and over...	3745	56	(1.9)	1056	(18.2)	250	(12.6)	24	(1.2)	1101	(21.2)	445	(14.1)	40	(1.1)	999	(27.0)
2 and over...	5813	54	(1.8)	1059	(15.4)	230	(11.1)	22	(1.1)	1101	(18.7)	427	(13.2)	39	(1.0)	1010	(22.0)
Females:																	
2 - 5.....	472	40	(3.0)	879	(30.7)	80	(10.6)	9	(1.2)	882	(43.5)	202	(19.3)	23	(2.2)	878	(35.2)
6 - 11.....	710	50	(3.1)	978	(27.3)	129	(12.4)	13	(1.2)	1000	(39.4)	257	(16.2)	26	(1.6)	956	(42.5)
12 - 19.....	841	60	(2.5)	822	(27.2)	190	(12.3)	23	(1.4)	828	(29.8)	318	(13.8)	38	(1.6)	814	(37.6)
20 - 39.....	1272	65	(2.4)	879	(16.1)	231	(9.4)	26	(1.1)	905	(23.1)	357	(13.3)	39	(1.5)	831	(27.8)
40 - 59.....	1327	52	(2.3)	844	(25.9)	162	(7.8)	19	(1.0)	827	(21.7)	309	(15.1)	37	(1.8)	863	(42.6)
60 and over.....	1363	42	(2.7)	798	(28.7)	109	(9.9)	14	(1.1)	787	(30.9)	257	(14.0)	33	(1.0)	806	(36.8)
2 - 19.....	2023	52	(1.9)	886	(15.0)	146	(9.8)	17	(1.0)	891	(18.5)	280	(13.1)	31	(1.3)	880	(21.7)
20 and over...	3962	54	(1.9)	842	(16.3)	170	(4.9)	20	(0.7)	850	(18.5)	316	(7.8)	37	(0.8)	832	(27.7)
2 and over...	5985	53	(1.6)	852	(12.1)	164	(5.2)	19	(0.6)	859	(15.5)	308	(7.7)	36	(0.8)	843	(20.5)
Males and Females:																	
2 - 19.....	4091	50	(1.6)	978	(13.4)	159	(7.9)	16	(0.8)	993	(16.6)	319	(11.4)	32	(1.0)	963	(22.1)
20 and over...	7707	55	(1.7)	945	(13.1)	208	(7.4)	22	(0.9)	974	(13.4)	380	(6.6)	39	(0.7)	911	(19.3)
2 and over...	11798	54	(1.5)	953	(10.6)	197	(6.5)	21	(0.7)	978	(10.5)	367	(6.4)	37	(0.7)	924	(15.5)

Table 53. All Restaurants: Percent Reporting, Mean Amounts, and Percent of Selected Nutrients from Foods Obtained from All Restaurants ¹, by Male/Female and Age, in the United States, 2017-March 2020 Prepandemic *(continued)*

P h o s p h o r u s																	
All Individuals ² All Restaurant Consumers ³ Non-consumers⁴																	
Males/Females and age	Sample Size	Percent Reporting ⁵		Total Intake		Intake from All Restaurants		Percentages from ⁶ All Restaurants		Total Intake		Intake from All Restaurants		Percentages from ⁶ All Restaurants		Total Intake	
(years)		%	(SE)	mg	(SE)	mg	(SE)	%	(SE)	mg	(SE)	mg	(SE)	%	(SE)	mg	(SE)
Males:																	
2 - 5.....	468	45	(2.8)	1186	(38.2)	163	(16.7)	14	(1.2)	1270	(78.0)	365	(31.3)	29	(1.7)	1119	(38.6)
6 - 11.....	701	41	(3.1)	1289	(32.6)	187	(11.1)	14	(0.9)	1332	(45.7)	454	(18.1)	34	(1.3)	1259	(38.4)
12 - 19.....	899	53	(3.2)	1505	(31.2)	416	(38.5)	28	(2.3)	1664	(38.4)	778	(38.8)	47	(1.9)	1324	(57.4)
20 - 39.....	1086	66	(2.5)	1588	(31.4)	525	(36.0)	33	(2.1)	1637	(48.0)	800	(40.8)	49	(2.1)	1494	(44.3)
40 - 59.....	1221	56	(2.6)	1634	(33.3)	448	(33.5)	27	(2.0)	1706	(43.6)	799	(36.4)	47	(1.7)	1541	(48.3)
60 and over.....	1438	44	(2.9)	1480	(28.3)	268	(23.4)	18	(1.5)	1546	(43.9)	613	(36.6)	40	(1.9)	1428	(48.6)
2 - 19.....	2068	47	(2.1)	1365	(21.9)	285	(18.8)	21	(1.3)	1489	(33.5)	602	(24.1)	40	(1.3)	1254	(31.4)
20 and over...	3745	56	(1.9)	1573	(15.1)	425	(20.7)	27	(1.3)	1641	(20.3)	758	(19.9)	46	(1.1)	1486	(22.8)
2 and over...	5813	54	(1.8)	1522	(14.5)	391	(18.6)	26	(1.1)	1608	(19.5)	724	(17.5)	45	(1.0)	1421	(18.2)
Females:																	
2 - 5.....	472	40	(3.0)	1016	(24.0)	130	(14.5)	13	(1.3)	1044	(36.5)	327	(20.5)	31	(2.1)	998	(27.9)
6 - 11.....	710	50	(3.1)	1231	(25.1)	220	(21.5)	18	(1.6)	1304	(33.2)	438	(22.3)	34	(1.4)	1158	(38.9)
12 - 19.....	841	60	(2.5)	1129	(65.4)	315	(13.6)	28	(1.5)	1213	(95.7)	528	(22.9)	44	(3.3)	1005	(35.0)
20 - 39.....	1272	65	(2.4)	1227	(16.8)	380	(14.3)	31	(1.1)	1269	(24.4)	587	(19.7)	46	(1.6)	1150	(31.0)
40 - 59.....	1327	52	(2.3)	1171	(28.3)	274	(14.1)	23	(1.1)	1174	(25.9)	524	(26.0)	45	(1.8)	1168	(40.7)
60 and over.....	1363	42	(2.7)	1138	(31.8)	193	(15.0)	17	(1.3)	1127	(30.3)	454	(16.1)	40	(1.1)	1145	(41.1)
2 - 19.....	2023	52	(1.9)	1138	(34.9)	244	(13.2)	21	(1.0)	1214	(50.8)	467	(16.5)	38	(1.4)	1055	(20.5)
20 and over...	3962	54	(1.9)	1180	(17.0)	286	(9.0)	24	(0.8)	1203	(19.6)	534	(12.4)	44	(0.9)	1154	(25.0)
2 and over...	5985	53	(1.6)	1171	(13.0)	277	(8.5)	24	(0.7)	1205	(17.0)	519	(10.3)	43	(0.8)	1131	(18.5)
Males and Females:																	
2 - 19.....	4091	50	(1.6)	1254	(23.1)	265	(13.3)	21	(0.8)	1347	(34.8)	532	(17.0)	40	(0.9)	1161	(21.0)
20 and over...	7707	55	(1.7)	1369	(10.4)	353	(13.0)	26	(0.9)	1419	(12.0)	644	(10.9)	45	(0.8)	1310	(17.1)
2 and over...	11798	54	(1.5)	1342	(9.9)	332	(11.4)	25	(0.8)	1403	(12.7)	620	(8.8)	44	(0.6)	1272	(13.2)

Table 53. All Restaurants: Percent Reporting, Mean Amounts, and Percent of Selected Nutrients from Foods Obtained from All Restaurants ¹, by Male/Female and Age, in the United States, 2017-March 2020 Prepandemic (continued)

M a g n e s i u m																	
All Individuals ²										All Restaurant Consumers ³				Non-consumers ⁴			
Males/Females and age	Sample Size	Percent Reporting ⁵		Total Intake		Intake from All Restaurants		Percentages from ⁶ All Restaurants		Total Intake		Intake from All Restaurants		Percentages from ⁶ All Restaurants		Total Intake	
(years)		%	(SE)	mg	(SE)	mg	(SE)	%	(SE)	mg	(SE)	mg	(SE)	%	(SE)	mg	(SE)
Males:																	
2 - 5.....	468	45	(2.8)	220	(6.8)	23	(2.3)	11	(0.9)	228	(10.2)	53	(4.4)	23	(1.6)	213	(8.2)
6 - 11.....	701	41	(3.1)	238	(6.9)	27	(1.6)	11	(0.7)	238	(8.8)	65	(3.0)	27	(1.1)	238	(8.2)
12 - 19.....	899	53	(3.2)	276	(6.9)	61	(5.9)	22	(2.1)	296	(10.8)	114	(7.3)	39	(2.0)	253	(10.5)
20 - 39.....	1086	66	(2.5)	333	(5.8)	88	(5.6)	26	(1.7)	340	(8.8)	134	(6.1)	39	(1.9)	319	(8.3)
40 - 59.....	1221	56	(2.6)	354	(7.0)	75	(5.9)	21	(1.6)	359	(10.6)	134	(6.1)	37	(1.5)	348	(8.6)
60 and over.....	1438	44	(2.9)	329	(5.6)	44	(3.6)	13	(1.0)	329	(9.2)	99	(5.2)	30	(1.6)	329	(8.7)
2 - 19.....	2068	47	(2.1)	251	(3.8)	42	(2.8)	17	(1.1)	265	(6.5)	88	(4.1)	33	(1.3)	238	(5.9)
20 and over...	3745	56	(1.9)	339	(3.2)	71	(3.5)	21	(1.0)	344	(4.6)	126	(3.4)	37	(1.1)	333	(4.6)
2 and over...	5813	54	(1.8)	318	(3.0)	64	(3.1)	20	(0.9)	327	(4.5)	118	(3.1)	36	(0.9)	306	(3.9)
Females:																	
2 - 5.....	472	40	(3.0)	195	(4.1)	20	(2.0)	10	(1.1)	192	(5.9)	51	(2.5)	26	(1.4)	197	(6.0)
6 - 11.....	710	50	(3.1)	232	(5.0)	35	(3.5)	15	(1.4)	239	(7.9)	70	(3.9)	29	(1.1)	224	(6.1)
12 - 19.....	841	60	(2.5)	222	(10.5)	52	(2.9)	23	(1.0)	231	(14.8)	87	(4.8)	38	(2.4)	210	(7.5)
20 - 39.....	1272	65	(2.4)	272	(6.0)	67	(2.8)	25	(1.0)	272	(7.8)	103	(3.7)	38	(1.9)	272	(8.2)
40 - 59.....	1327	52	(2.3)	273	(7.0)	47	(2.6)	17	(0.9)	262	(5.9)	89	(4.3)	34	(1.3)	285	(9.7)
60 and over.....	1363	42	(2.7)	264	(6.7)	34	(2.8)	13	(1.1)	252	(7.6)	81	(3.1)	32	(1.0)	273	(8.3)
2 - 19.....	2023	52	(1.9)	220	(5.3)	39	(2.2)	18	(0.8)	227	(7.8)	76	(3.0)	33	(1.2)	211	(3.9)
20 and over...	3962	54	(1.9)	270	(4.5)	50	(1.7)	18	(0.6)	264	(4.5)	93	(1.8)	35	(0.8)	277	(6.4)
2 and over...	5985	53	(1.6)	259	(3.6)	48	(1.6)	18	(0.6)	256	(4.1)	89	(1.7)	35	(0.8)	262	(5.1)
Males and Females:																	
2 - 19.....	4091	50	(1.6)	236	(3.3)	41	(2.1)	17	(0.8)	246	(5.9)	81	(2.8)	33	(0.8)	226	(3.9)
20 and over...	7707	55	(1.7)	303	(3.1)	60	(2.3)	20	(0.7)	303	(3.4)	109	(1.9)	36	(0.7)	303	(4.1)
2 and over...	11798	54	(1.5)	287	(2.6)	55	(2.0)	19	(0.6)	291	(3.5)	103	(1.6)	35	(0.6)	283	(3.3)

Table 53. All Restaurants: Percent Reporting, Mean Amounts, and Percent of Selected Nutrients from Foods Obtained from All Restaurants ¹, by Male/Female and Age, in the United States, 2017-March 2020 Prepandemic (continued)

I r o n																	
—————All Individuals ² ————— —————All Restaurant Consumers ³ ————— Non-consumers ⁴																	
Males/Females and age	Sample Size	Percent Reporting ⁵		Total Intake		Intake from All Restaurants		Percentages from ⁶ All Restaurants		Total Intake		Intake from All Restaurants		Percentages from ⁶ All Restaurants		Total Intake	
(years)		%	(SE)	mg	(SE)	mg	(SE)	%	(SE)	mg	(SE)	mg	(SE)	%	(SE)	mg	(SE)
Males:																	
2 - 5.....	468	45	(2.8)	11.0	(0.49)	1.3	(0.12)	12	(1.0)	11.8	(0.82)	2.9	(0.25)	24	(2.1)	10.4	(0.47)
6 - 11.....	701	41	(3.1)	14.2	(0.53)	1.7	(0.11)	12	(0.9)	14.6	(0.53)	4.2	(0.17)	29	(1.2)	14.0	(0.74)
12 - 19.....	899	53	(3.2)	15.8	(0.35)	3.7	(0.35)	23	(2.4)	17.2	(0.58)	6.9	(0.42)	40	(2.7)	14.2	(0.79)
20 - 39.....	1086	66	(2.5)	15.8	(0.44)	4.8	(0.35)	30	(2.0)	16.1	(0.53)	7.4	(0.39)	46	(1.9)	15.4	(0.87)
40 - 59.....	1221	56	(2.6)	16.2	(0.51)	4.1	(0.32)	25	(2.2)	16.7	(0.60)	7.2	(0.32)	43	(2.2)	15.6	(0.76)
60 and over.....	1438	44	(2.9)	15.7	(0.29)	2.5	(0.23)	16	(1.5)	16.0	(0.45)	5.7	(0.32)	36	(1.7)	15.5	(0.55)
2 - 19.....	2068	47	(2.1)	14.3	(0.28)	2.5	(0.17)	18	(1.3)	15.4	(0.44)	5.3	(0.26)	35	(1.8)	13.3	(0.43)
20 and over...	3745	56	(1.9)	15.9	(0.24)	3.9	(0.21)	24	(1.3)	16.3	(0.30)	6.9	(0.21)	43	(1.2)	15.5	(0.39)
2 and over...	5813	54	(1.8)	15.5	(0.19)	3.6	(0.19)	23	(1.2)	16.1	(0.25)	6.6	(0.20)	41	(1.1)	14.9	(0.30)
Females:																	
2 - 5.....	472	40	(3.0)	9.7	(0.30)	1.0	(0.10)	10	(1.1)	9.6	(0.39)	2.5	(0.15)	26	(1.9)	9.8	(0.43)
6 - 11.....	710	50	(3.1)	13.3	(0.34)	1.9	(0.15)	14	(1.2)	13.3	(0.36)	3.8	(0.16)	29	(1.2)	13.3	(0.56)
12 - 19.....	841	60	(2.5)	12.2	(0.61)	2.8	(0.15)	23	(1.0)	13.0	(0.89)	4.7	(0.20)	36	(2.5)	11.0	(0.33)
20 - 39.....	1272	65	(2.4)	12.1	(0.23)	3.3	(0.14)	27	(1.2)	12.1	(0.28)	5.1	(0.20)	42	(1.6)	12.2	(0.43)
40 - 59.....	1327	52	(2.3)	12.0	(0.34)	2.6	(0.14)	21	(1.2)	11.9	(0.34)	4.9	(0.20)	41	(1.9)	12.1	(0.48)
60 and over.....	1363	42	(2.7)	11.7	(0.28)	1.7	(0.13)	15	(1.0)	11.5	(0.31)	4.1	(0.17)	36	(1.2)	11.9	(0.35)
2 - 19.....	2023	52	(1.9)	12.0	(0.29)	2.1	(0.11)	18	(0.8)	12.5	(0.49)	4.1	(0.15)	32	(1.1)	11.4	(0.29)
20 and over...	3962	54	(1.9)	12.0	(0.17)	2.6	(0.09)	21	(0.7)	11.9	(0.19)	4.8	(0.12)	40	(1.0)	12.0	(0.27)
2 and over...	5985	53	(1.6)	12.0	(0.15)	2.5	(0.08)	21	(0.7)	12.0	(0.19)	4.6	(0.11)	38	(1.0)	11.9	(0.24)
Males and Females:																	
2 - 19.....	4091	50	(1.6)	13.2	(0.21)	2.3	(0.12)	18	(0.9)	13.9	(0.32)	4.7	(0.17)	34	(1.1)	12.4	(0.29)
20 and over...	7707	55	(1.7)	13.9	(0.13)	3.2	(0.13)	23	(1.0)	14.0	(0.18)	5.8	(0.12)	42	(0.8)	13.6	(0.21)
2 and over...	11798	54	(1.5)	13.7	(0.12)	3.0	(0.12)	22	(0.8)	14.0	(0.16)	5.6	(0.11)	40	(0.7)	13.3	(0.19)

Table 53. All Restaurants: Percent Reporting, Mean Amounts, and Percent of Selected Nutrients from Foods Obtained from All Restaurants ¹, by Male/Female and Age, in the United States, 2017-March 2020 Prepandemic (continued)

Z i n c																	
—————All Individuals ² ————— —————All Restaurant Consumers ³ ————— Non-consumers ⁴																	
Males/Females and age	Sample Size	Percent Reporting ⁵		Total Intake		Intake from All Restaurants		Percentages from ⁶ All Restaurants		Total Intake		Intake from All Restaurants		Percentages from ⁶ All Restaurants		Total Intake	
(years)		%	(SE)	mg	(SE)	mg	(SE)	%	(SE)	mg	(SE)	mg	(SE)	%	(SE)	mg	(SE)
Males:																	
2 - 5.....	468	45	(2.8)	7.8	(0.21)	0.9	(0.08)	12	(1.1)	7.9	(0.32)	2.1	(0.17)	27	(2.0)	7.8	(0.34)
6 - 11.....	701	41	(3.1)	9.6	(0.42)	1.4	(0.09)	14	(1.1)	9.7	(0.39)	3.3	(0.17)	34	(1.4)	9.6	(0.62)
12 - 19.....	899	53	(3.2)	11.8	(0.39)	3.1	(0.32)	26	(2.2)	13.1	(0.53)	5.8	(0.44)	44	(2.4)	10.4	(0.52)
20 - 39.....	1086	66	(2.5)	12.8	(0.27)	4.1	(0.29)	32	(2.0)	13.1	(0.44)	6.3	(0.36)	48	(2.3)	12.3	(0.39)
40 - 59.....	1221	56	(2.6)	13.1	(0.44)	3.5	(0.28)	27	(1.9)	13.5	(0.59)	6.3	(0.32)	46	(1.6)	12.6	(0.50)
60 and over.....	1438	44	(2.9)	11.6	(0.22)	2.1	(0.20)	18	(1.7)	12.2	(0.40)	4.9	(0.24)	40	(1.8)	11.2	(0.41)
2 - 19.....	2068	47	(2.1)	10.2	(0.23)	2.1	(0.16)	20	(1.4)	11.0	(0.35)	4.3	(0.25)	39	(1.7)	9.5	(0.35)
20 and over...	3745	56	(1.9)	12.6	(0.17)	3.3	(0.17)	27	(1.2)	13.0	(0.26)	6.0	(0.17)	46	(1.2)	12.0	(0.20)
2 and over...	5813	54	(1.8)	12.0	(0.16)	3.0	(0.16)	25	(1.2)	12.6	(0.24)	5.6	(0.17)	44	(1.0)	11.3	(0.19)
Females:																	
2 - 5.....	472	40	(3.0)	7.0	(0.18)	0.8	(0.08)	11	(1.2)	6.9	(0.31)	1.9	(0.13)	28	(2.2)	7.1	(0.22)
6 - 11.....	710	50	(3.1)	8.9	(0.24)	1.5	(0.17)	17	(1.7)	9.2	(0.33)	3.0	(0.24)	33	(1.9)	8.7	(0.34)
12 - 19.....	841	60	(2.5)	8.1	(0.31)	2.2	(0.10)	27	(1.3)	8.5	(0.48)	3.6	(0.20)	42	(2.9)	7.6	(0.25)
20 - 39.....	1272	65	(2.4)	9.4	(0.16)	2.7	(0.12)	29	(1.1)	9.4	(0.18)	4.2	(0.17)	44	(1.3)	9.3	(0.27)
40 - 59.....	1327	52	(2.3)	9.1	(0.23)	2.1	(0.13)	23	(1.3)	8.7	(0.21)	4.0	(0.22)	46	(2.0)	9.6	(0.40)
60 and over.....	1363	42	(2.7)	8.6	(0.27)	1.4	(0.11)	16	(1.4)	8.6	(0.26)	3.3	(0.15)	39	(1.7)	8.7	(0.33)
2 - 19.....	2023	52	(1.9)	8.2	(0.17)	1.6	(0.09)	20	(1.0)	8.5	(0.29)	3.1	(0.14)	37	(1.5)	7.8	(0.15)
20 and over...	3962	54	(1.9)	9.1	(0.12)	2.1	(0.09)	23	(0.9)	9.0	(0.14)	3.9	(0.11)	44	(1.1)	9.2	(0.19)
2 and over...	5985	53	(1.6)	8.9	(0.10)	2.0	(0.08)	23	(0.8)	8.9	(0.11)	3.8	(0.10)	42	(0.9)	8.9	(0.16)
Males and Females:																	
2 - 19.....	4091	50	(1.6)	9.2	(0.16)	1.9	(0.10)	20	(0.9)	9.7	(0.27)	3.7	(0.15)	38	(1.1)	8.7	(0.20)
20 and over...	7707	55	(1.7)	10.8	(0.10)	2.7	(0.12)	25	(1.0)	11.0	(0.12)	4.9	(0.11)	45	(0.9)	10.5	(0.16)
2 and over...	11798	54	(1.5)	10.4	(0.10)	2.5	(0.11)	24	(0.9)	10.7	(0.13)	4.7	(0.11)	44	(0.7)	10.0	(0.14)

Table 53. All Restaurants: Percent Reporting, Mean Amounts, and Percent of Selected Nutrients from Foods Obtained from All Restaurants ¹, by Male/Female and Age, in the United States, 2017-March 2020 Prepandemic (continued)

C o p p e r																	
All Individuals ²										All Restaurant Consumers ³				Non-consumers ⁴			
Males/Females and age	Sample Size	Percent Reporting ⁵		Total Intake		Intake from All Restaurants		Percentages from ⁶ All Restaurants		Total Intake		Intake from All Restaurants		Percentages from ⁶ All Restaurants		Total Intake	
(years)		%	(SE)	mg	(SE)	mg	(SE)	%	(SE)	mg	(SE)	mg	(SE)	%	(SE)	mg	(SE)
Males:																	
2 - 5.....	468	45	(2.8)	0.8	(0.03)	0.1	(0.01)	12	(1.1)	0.8	(0.04)	0.2	(0.02)	26	(2.1)	0.8	(0.04)
6 - 11.....	701	41	(3.1)	0.9	(0.03)	0.1	(0.01)	13	(1.3)	0.9	(0.04)	0.3	(0.02)	30	(1.8)	0.9	(0.04)
12 - 19.....	899	53	(3.2)	1.1	(0.03)	0.3	(0.03)	24	(2.2)	1.2	(0.05)	0.5	(0.03)	40	(2.2)	0.9	(0.04)
20 - 39.....	1086	66	(2.5)	1.3	(0.03)	0.3	(0.02)	26	(1.8)	1.3	(0.03)	0.5	(0.03)	39	(1.8)	1.3	(0.05)
40 - 59.....	1221	56	(2.6)	1.4	(0.04)	0.3	(0.03)	22	(1.8)	1.4	(0.07)	0.5	(0.04)	37	(1.7)	1.3	(0.04)
60 and over.....	1438	44	(2.9)	1.3	(0.05)	0.2	(0.02)	14	(1.3)	1.4	(0.10)	0.4	(0.03)	31	(2.8)	1.3	(0.04)
2 - 19.....	2068	47	(2.1)	1.0	(0.02)	0.2	(0.01)	18	(1.3)	1.0	(0.03)	0.4	(0.02)	35	(1.5)	0.9	(0.03)
20 and over...	3745	56	(1.9)	1.3	(0.02)	0.3	(0.02)	21	(1.1)	1.4	(0.03)	0.5	(0.02)	36	(1.3)	1.3	(0.02)
2 and over...	5813	54	(1.8)	1.2	(0.02)	0.3	(0.01)	20	(1.0)	1.3	(0.03)	0.5	(0.02)	36	(1.1)	1.2	(0.02)
Females:																	
2 - 5.....	472	40	(3.0)	0.7	(0.02)	0.1	(0.01)	11	(1.2)	0.7	(0.03)	0.2	(0.01)	28	(1.9)	0.7	(0.02)
6 - 11.....	710	50	(3.1)	0.9	(0.03)	0.1	(0.02)	17	(1.6)	0.9	(0.03)	0.3	(0.02)	32	(1.7)	0.8	(0.02)
12 - 19.....	841	60	(2.5)	0.9	(0.08)	0.2	(0.01)	22	(1.5)	1.0	(0.13)	0.4	(0.02)	35	(4.0)	0.9	(0.04)
20 - 39.....	1272	65	(2.4)	1.1	(0.02)	0.2	(0.01)	22	(0.9)	1.1	(0.03)	0.4	(0.01)	35	(1.6)	1.1	(0.04)
40 - 59.....	1327	52	(2.3)	1.1	(0.03)	0.2	(0.01)	17	(1.0)	1.0	(0.03)	0.4	(0.02)	34	(1.3)	1.1	(0.04)
60 and over.....	1363	42	(2.7)	1.1	(0.03)	0.1	(0.01)	12	(0.9)	1.0	(0.03)	0.3	(0.01)	30	(1.1)	1.1	(0.05)
2 - 19.....	2023	52	(1.9)	0.9	(0.04)	0.2	(0.01)	18	(0.9)	0.9	(0.07)	0.3	(0.01)	33	(2.1)	0.8	(0.02)
20 and over...	3962	54	(1.9)	1.1	(0.02)	0.2	(0.01)	17	(0.6)	1.0	(0.02)	0.4	(0.01)	34	(0.8)	1.1	(0.03)
2 and over...	5985	53	(1.6)	1.0	(0.02)	0.2	(0.01)	18	(0.6)	1.0	(0.02)	0.3	(0.01)	33	(0.9)	1.0	(0.02)
Males and Females:																	
2 - 19.....	4091	50	(1.6)	0.9	(0.02)	0.2	(0.01)	18	(0.8)	1.0	(0.05)	0.3	(0.01)	34	(1.2)	0.9	(0.02)
20 and over...	7707	55	(1.7)	1.2	(0.01)	0.2	(0.01)	19	(0.8)	1.2	(0.02)	0.4	(0.01)	35	(0.7)	1.2	(0.02)
2 and over...	11798	54	(1.5)	1.1	(0.01)	0.2	(0.01)	19	(0.7)	1.2	(0.02)	0.4	(0.01)	35	(0.6)	1.1	(0.02)

Table 53. All Restaurants: Percent Reporting, Mean Amounts, and Percent of Selected Nutrients from Foods Obtained from All Restaurants ¹, by Male/Female and Age, in the United States, 2017-March 2020 Prepandemic (continued)

S e l e n i u m																	
—————All Individuals ² ————— —————All Restaurant Consumers ³ ————— Non-consumers ⁴																	
Males/Females and age	Sample Size	Percent Reporting ⁵		Total Intake		Intake from All Restaurants		Percentages from ⁶ All Restaurants		Total Intake		Intake from All Restaurants		Percentages from ⁶ All Restaurants		Total Intake	
(years)		%	(SE)	µg	(SE)	µg	(SE)	%	(SE)	µg	(SE)	µg	(SE)	%	(SE)	µg	(SE)
Males:																	
2 - 5.....	468	45	(2.8)	75.1	(2.37)	12.8	(1.34)	17	(1.6)	80.1	(4.13)	28.6	(2.79)	36	(2.7)	71.1	(2.52)
6 - 11.....	701	41	(3.1)	92.0	(2.26)	16.7	(1.22)	18	(1.3)	100.1	(3.09)	40.5	(1.70)	41	(1.6)	86.4	(2.85)
12 - 19.....	899	53	(3.2)	122.8	(3.36)	37.4	(3.52)	30	(2.7)	134.0	(3.53)	70.1	(3.60)	52	(2.4)	110.0	(5.62)
20 - 39.....	1086	66	(2.5)	136.2	(3.20)	48.5	(3.48)	36	(2.2)	138.6	(4.40)	73.8	(3.90)	53	(2.1)	131.7	(4.74)
40 - 59.....	1221	56	(2.6)	135.4	(2.52)	40.6	(2.71)	30	(1.9)	140.5	(3.32)	72.4	(2.65)	52	(1.5)	129.0	(3.45)
60 and over.....	1438	44	(2.9)	122.9	(2.66)	25.1	(2.40)	20	(1.8)	126.8	(4.09)	57.4	(3.52)	45	(2.2)	119.8	(3.91)
2 - 19.....	2068	47	(2.1)	102.4	(1.59)	25.2	(1.81)	25	(1.6)	113.4	(2.42)	53.2	(2.46)	47	(1.8)	92.4	(2.27)
20 and over...	3745	56	(1.9)	132.2	(1.55)	39.1	(1.83)	30	(1.3)	136.6	(2.15)	69.7	(1.73)	51	(1.2)	126.4	(1.89)
2 and over...	5813	54	(1.8)	124.8	(1.39)	35.7	(1.68)	29	(1.2)	131.6	(2.00)	66.1	(1.68)	50	(1.1)	116.9	(1.58)
Females:																	
2 - 5.....	472	40	(3.0)	64.3	(1.39)	9.3	(0.93)	15	(1.3)	65.5	(2.53)	23.6	(1.43)	36	(2.3)	63.5	(2.02)
6 - 11.....	710	50	(3.1)	89.8	(3.09)	18.1	(1.81)	20	(1.8)	96.7	(4.99)	36.0	(1.97)	37	(2.4)	82.9	(2.94)
12 - 19.....	841	60	(2.5)	90.6	(4.94)	27.4	(1.43)	30	(1.8)	97.1	(8.14)	46.0	(2.71)	47	(4.2)	81.1	(2.19)
20 - 39.....	1272	65	(2.4)	98.4	(1.49)	32.8	(1.30)	33	(1.1)	102.0	(2.21)	50.7	(1.74)	50	(1.6)	91.6	(3.22)
40 - 59.....	1327	52	(2.3)	95.3	(2.18)	25.3	(1.35)	27	(1.4)	97.0	(2.46)	48.2	(2.27)	50	(2.2)	93.3	(3.55)
60 and over.....	1363	42	(2.7)	88.4	(1.96)	18.0	(1.46)	20	(1.8)	91.3	(2.65)	42.4	(1.94)	46	(2.1)	86.2	(2.94)
2 - 19.....	2023	52	(1.9)	84.7	(2.68)	20.5	(1.26)	24	(1.2)	91.8	(4.48)	39.2	(1.78)	43	(1.8)	76.9	(1.48)
20 and over...	3962	54	(1.9)	94.2	(1.11)	25.7	(0.90)	27	(0.9)	97.8	(1.59)	47.9	(1.20)	49	(1.2)	90.1	(1.82)
2 and over...	5985	53	(1.6)	92.1	(0.99)	24.5	(0.85)	27	(0.8)	96.4	(1.85)	45.9	(1.05)	48	(1.2)	87.1	(1.44)
Males and Females:																	
2 - 19.....	4091	50	(1.6)	93.7	(1.66)	22.9	(1.26)	24	(1.1)	102.3	(2.84)	46.0	(1.68)	45	(1.0)	85.2	(1.42)
20 and over...	7707	55	(1.7)	112.5	(0.86)	32.1	(1.19)	29	(1.0)	116.9	(1.00)	58.6	(1.04)	50	(0.9)	107.1	(1.72)
2 and over...	11798	54	(1.5)	108.0	(0.80)	29.9	(1.07)	28	(0.9)	113.7	(1.25)	55.8	(0.94)	49	(0.7)	101.5	(1.34)

Table 53. All Restaurants: Percent Reporting, Mean Amounts, and Percent of Selected Nutrients from Foods Obtained from All Restaurants ¹, by Male/Female and Age, in the United States, 2017-March 2020 Prepandemic (continued)

P o t a s s i u m																	
—————All Individuals ² ————— —————All Restaurant Consumers ³ ————— Non-consumers ⁴																	
Males/Females and age	Sample Size	Percent Reporting ⁵		Total Intake		Intake from All Restaurants		Percentages from ⁶ All Restaurants		Total Intake		Intake from All Restaurants		Percentages from ⁶ All Restaurants		Total Intake	
(years)		%	(SE)	mg	(SE)	mg	(SE)	%	(SE)	mg	(SE)	mg	(SE)	%	(SE)	mg	(SE)
Males:																	
2 - 5.....	468	45	(2.8)	2085	(63.0)	255	(25.8)	12	(1.0)	2240	(140.9)	573	(47.1)	26	(1.5)	1961	(55.4)
6 - 11.....	701	41	(3.1)	2086	(50.7)	263	(16.8)	13	(0.8)	2143	(97.2)	641	(36.0)	30	(1.6)	2046	(44.2)
12 - 19.....	899	53	(3.2)	2404	(54.9)	595	(58.3)	25	(2.2)	2617	(82.6)	1114	(70.7)	43	(2.2)	2160	(95.0)
20 - 39.....	1086	66	(2.5)	2769	(48.1)	834	(60.4)	30	(1.9)	2792	(76.5)	1271	(71.0)	46	(1.8)	2725	(82.7)
40 - 59.....	1221	56	(2.6)	3011	(60.4)	747	(61.0)	25	(1.8)	3084	(94.8)	1330	(71.2)	43	(1.6)	2917	(67.8)
60 and over.....	1438	44	(2.9)	2932	(47.5)	453	(35.5)	15	(1.2)	2988	(71.0)	1035	(51.5)	35	(1.6)	2887	(69.2)
2 - 19.....	2068	47	(2.1)	2230	(40.1)	412	(27.9)	18	(1.2)	2404	(70.7)	869	(40.5)	36	(1.5)	2073	(48.1)
20 and over...	3745	56	(1.9)	2900	(28.9)	695	(34.9)	24	(1.1)	2937	(37.4)	1239	(39.9)	42	(1.0)	2851	(39.3)
2 and over...	5813	54	(1.8)	2735	(26.2)	625	(30.5)	23	(1.0)	2822	(39.7)	1159	(35.0)	41	(1.0)	2632	(27.7)
Females:																	
2 - 5.....	472	40	(3.0)	1886	(37.5)	222	(26.3)	12	(1.3)	1881	(65.1)	561	(37.6)	30	(1.9)	1890	(60.3)
6 - 11.....	710	50	(3.1)	2068	(44.5)	349	(38.8)	17	(1.7)	2181	(58.9)	695	(46.3)	32	(1.7)	1953	(71.8)
12 - 19.....	841	60	(2.5)	1875	(74.4)	510	(25.7)	27	(1.0)	1980	(109.8)	855	(53.5)	43	(2.3)	1720	(44.6)
20 - 39.....	1272	65	(2.4)	2313	(47.6)	646	(27.8)	28	(1.1)	2306	(51.0)	1000	(37.0)	43	(1.8)	2326	(68.9)
40 - 59.....	1327	52	(2.3)	2312	(53.0)	460	(25.1)	20	(1.1)	2224	(51.8)	878	(42.4)	39	(1.6)	2409	(75.6)
60 and over.....	1363	42	(2.7)	2313	(55.4)	346	(28.2)	15	(1.3)	2222	(61.5)	815	(29.6)	37	(1.3)	2381	(67.7)
2 - 19.....	2023	52	(1.9)	1940	(38.9)	395	(21.0)	20	(0.8)	2027	(57.3)	757	(30.6)	37	(1.1)	1846	(33.2)
20 and over...	3962	54	(1.9)	2313	(36.2)	491	(16.4)	21	(0.7)	2259	(33.7)	915	(18.8)	40	(0.9)	2376	(51.3)
2 and over...	5985	53	(1.6)	2229	(28.8)	469	(15.0)	21	(0.7)	2207	(29.3)	880	(15.6)	40	(0.7)	2253	(40.4)
Males and Females:																	
2 - 19.....	4091	50	(1.6)	2088	(32.9)	404	(19.4)	19	(0.8)	2210	(52.3)	811	(26.1)	37	(0.9)	1967	(35.8)
20 and over...	7707	55	(1.7)	2595	(25.9)	589	(22.5)	23	(0.8)	2593	(26.5)	1074	(21.2)	41	(0.7)	2598	(34.0)
2 and over...	11798	54	(1.5)	2475	(21.3)	545	(19.1)	22	(0.7)	2509	(26.9)	1017	(16.8)	41	(0.6)	2437	(24.7)

Table 53. All Restaurants: Percent Reporting, Mean Amounts, and Percent of Selected Nutrients from Foods Obtained from All Restaurants ¹, by Male/Female and Age, in the United States, 2017-March 2020 Prepandemic (continued)

S o d i u m												
			All Individuals ²				All Restaurant Consumers ³				Non-consumers ⁴	
Males/Females and age (years)	Sample Size	Percent Reporting ⁵	Total Intake	Intake from All Restaurants	Percentages from ⁶ All Restaurants	Total Intake	Intake from All Restaurants	Percentages from ⁶ All Restaurants	Total Intake	Intake from All Restaurants	Percentages from ⁶ All Restaurants	Total Intake
		% (SE)	mg (SE)	mg (SE)	% (SE)	mg (SE)	mg (SE)	% (SE)	mg (SE)	mg (SE)	% (SE)	mg (SE)
Males:												
2 - 5.....	468	45 (2.8)	2331 (67.1)	420 (38.2)	18 (1.6)	2536 (132.9)	943 (79.3)	37 (2.4)	2167 (76.9)			
6 - 11.....	701	41 (3.1)	2993 (73.9)	553 (37.0)	18 (1.2)	3228 (127.4)	1347 (63.9)	42 (1.2)	2829 (86.2)			
12 - 19.....	899	53 (3.2)	3821 (90.2)	1262 (116.7)	33 (2.7)	4308 (121.0)	2362 (143.5)	55 (2.3)	3263 (129.6)			
20 - 39.....	1086	66 (2.5)	4224 (90.8)	1585 (119.1)	38 (2.3)	4423 (137.5)	2415 (141.8)	55 (2.2)	3844 (135.5)			
40 - 59.....	1221	56 (2.6)	4075 (88.2)	1372 (97.1)	34 (2.1)	4462 (121.8)	2445 (99.6)	55 (1.7)	3580 (89.3)			
60 and over.....	1438	44 (2.9)	3686 (65.1)	823 (74.5)	22 (2.0)	4005 (135.7)	1881 (117.2)	47 (2.6)	3438 (117.2)			
2 - 19.....	2068	47 (2.1)	3228 (57.0)	846 (58.4)	26 (1.6)	3641 (92.9)	1785 (83.9)	49 (1.6)	2855 (62.4)			
20 and over...	3745	56 (1.9)	4019 (42.3)	1294 (65.1)	32 (1.4)	4343 (59.2)	2306 (67.8)	53 (1.3)	3604 (52.5)			
2 and over...	5813	54 (1.8)	3824 (38.0)	1184 (56.9)	31 (1.3)	4192 (56.1)	2194 (55.9)	52 (1.1)	3394 (36.5)			
Females:												
2 - 5.....	472	40 (3.0)	2013 (45.0)	342 (34.0)	17 (1.5)	2121 (59.5)	862 (54.9)	41 (2.4)	1942 (77.1)			
6 - 11.....	710	50 (3.1)	2850 (73.4)	634 (55.4)	22 (1.8)	3122 (120.2)	1261 (57.0)	40 (2.0)	2575 (76.2)			
12 - 19.....	841	60 (2.5)	2915 (125.9)	960 (51.5)	33 (1.5)	3184 (189.9)	1611 (95.4)	51 (2.4)	2519 (80.4)			
20 - 39.....	1272	65 (2.4)	3215 (44.1)	1150 (51.5)	36 (1.4)	3377 (65.0)	1779 (68.7)	53 (1.5)	2920 (73.9)			
40 - 59.....	1327	52 (2.3)	2865 (68.6)	836 (38.3)	29 (1.3)	2986 (72.9)	1596 (67.2)	53 (1.6)	2732 (98.4)			
60 and over.....	1363	42 (2.7)	2728 (56.1)	584 (46.5)	21 (1.7)	2877 (75.0)	1377 (55.0)	48 (1.8)	2617 (69.1)			
2 - 19.....	2023	52 (1.9)	2700 (72.8)	721 (40.0)	27 (1.2)	2991 (115.7)	1379 (60.4)	46 (1.2)	2381 (44.2)			
20 and over...	3962	54 (1.9)	2946 (38.1)	869 (32.6)	29 (1.0)	3126 (49.7)	1620 (46.1)	52 (1.1)	2739 (50.3)			
2 and over...	5985	53 (1.6)	2891 (30.2)	835 (29.9)	29 (0.9)	3096 (46.3)	1567 (39.5)	51 (0.9)	2656 (37.0)			
Males and Females:												
2 - 19.....	4091	50 (1.6)	2968 (52.9)	784 (42.2)	26 (1.1)	3306 (90.5)	1575 (60.1)	48 (0.9)	2634 (41.3)			
20 and over...	7707	55 (1.7)	3463 (28.1)	1073 (43.5)	31 (1.1)	3726 (38.6)	1958 (44.3)	53 (0.9)	3143 (38.5)			
2 and over...	11798	54 (1.5)	3346 (26.2)	1005 (37.7)	30 (1.0)	3634 (38.7)	1874 (35.9)	52 (0.7)	3013 (28.0)			

Table 53. All Restaurants: Percent Reporting, Mean Amounts, and Percent of Selected Nutrients from Foods Obtained from All Restaurants ¹, by Male/Female and Age, in the United States, 2017-March 2020 Prepandemic (continued)

C a f f e i n e																	
—————All Individuals ² ————— —————All Restaurant Consumers ³ ————— Non-consumers ⁴																	
Males/Females and age	Sample Size	Percent Reporting ⁵		Total Intake		Intake from All Restaurants		Percentages from ⁶ All Restaurants		Total Intake		Intake from All Restaurants		Percentages from ⁶ All Restaurants		Total Intake	
(years)		%	(SE)	mg	(SE)	mg	(SE)	%	(SE)	mg	(SE)	mg	(SE)	%	(SE)	mg	(SE)
Males:																	
2 - 5.....	468	45	(2.8)	10.2	(2.27)	3.3*	(1.35)	32	(8.5)	14.6	(3.86)	7.4*	(2.84)	51	(9.5)	6.6	(1.68)
6 - 11.....	701	41	(3.1)	18.5	(2.66)	3.3	(0.39)	18	(3.0)	24.6	(3.10)	8.0	(1.09)	33	(5.3)	14.2	(3.27)
12 - 19.....	899	53	(3.2)	47.0	(3.21)	12.3	(2.29)	26	(4.7)	60.1	(5.26)	23.0	(3.34)	38	(5.1)	31.9	(6.02)
20 - 39.....	1086	66	(2.5)	154.7	(12.51)	33.5	(4.02)	22	(2.6)	161.2	(14.70)	51.0	(5.75)	32	(3.7)	142.2	(18.21)
40 - 59.....	1221	56	(2.6)	210.5	(8.25)	37.3	(6.63)	18	(2.8)	207.7	(12.27)	66.6	(11.74)	32	(4.9)	214.2	(9.82)
60 and over.....	1438	44	(2.9)	208.5	(5.45)	23.9	(2.75)	11	(1.2)	214.2	(12.56)	54.7	(7.79)	26	(3.6)	204.1	(12.09)
2 - 19.....	2068	47	(2.1)	29.6	(2.29)	7.4	(1.05)	25	(3.4)	40.7	(3.69)	15.5	(1.86)	38	(3.7)	19.6	(2.91)
20 and over...	3745	56	(1.9)	189.4	(6.23)	32.1	(2.65)	17	(1.3)	189.2	(7.13)	57.2	(5.42)	30	(2.3)	189.8	(8.23)
2 and over...	5813	54	(1.8)	150.1	(4.87)	26.0	(2.02)	17	(1.3)	157.1	(5.76)	48.2	(4.09)	31	(2.2)	142.0	(6.36)
Females:																	
2 - 5.....	472	40	(3.0)	5.2	(0.71)	0.5	(0.11)	9	(1.5)	6.0	(1.13)	1.2	(0.25)	21	(3.2)	4.7	(0.66)
6 - 11.....	710	50	(3.1)	13.8	(1.21)	4.1	(0.62)	30	(3.5)	18.4	(1.76)	8.2	(1.15)	45	(4.2)	9.2	(1.45)
12 - 19.....	841	60	(2.5)	34.9	(2.64)	13.8	(1.91)	40	(4.1)	39.9	(4.43)	23.2	(3.26)	58	(5.1)	27.5	(2.68)
20 - 39.....	1272	65	(2.4)	124.1	(9.73)	33.6	(2.88)	27	(1.9)	124.1	(11.14)	51.9	(4.28)	42	(3.5)	124.1	(14.57)
40 - 59.....	1327	52	(2.3)	173.4	(11.03)	27.1	(4.37)	16	(2.4)	172.2	(6.76)	51.8	(7.58)	30	(3.8)	174.8	(19.00)
60 and over.....	1363	42	(2.7)	152.1	(7.63)	17.9	(2.41)	12	(1.5)	163.2	(11.07)	42.1	(3.97)	26	(2.7)	143.8	(11.24)
2 - 19.....	2023	52	(1.9)	21.6	(1.50)	7.8	(0.92)	36	(3.2)	27.6	(2.34)	14.9	(1.66)	54	(3.9)	15.1	(1.46)
20 and over...	3962	54	(1.9)	149.4	(7.29)	26.5	(2.35)	18	(1.4)	149.5	(6.50)	49.5	(3.65)	33	(2.3)	149.2	(11.52)
2 and over...	5985	53	(1.6)	120.4	(6.04)	22.3	(1.84)	19	(1.4)	122.4	(5.93)	41.8	(2.90)	34	(2.2)	118.1	(9.06)
Males and Females:																	
2 - 19.....	4091	50	(1.6)	25.7	(1.40)	7.6	(0.81)	29	(2.7)	34.0	(2.46)	15.2	(1.49)	45	(3.1)	17.5	(1.75)
20 and over...	7707	55	(1.7)	168.7	(6.01)	29.2	(2.05)	17	(1.1)	169.0	(5.07)	53.3	(3.88)	32	(2.0)	168.2	(9.26)
2 and over...	11798	54	(1.5)	134.9	(4.80)	24.1	(1.58)	18	(1.1)	139.4	(4.32)	44.9	(2.95)	32	(1.9)	129.7	(7.17)

Table 53. All Restaurants: Percent Reporting, Mean Amounts, and Percent of Selected Nutrients from Foods Obtained from All Restaurants ¹, by Male/Female and Age, in the United States, 2017-March 2020 Prepandemic (continued)

A l c o h o l																	
—————All Individuals ² ————— —————All Restaurant Consumers ³ ————— Non-consumers ⁴																	
Males/Females and age	Sample Size	Percent Reporting ⁵		Total Intake		Intake from All Restaurants		Percentages from ⁶ All Restaurants		Total Intake		Intake from All Restaurants		Percentages from ⁶ All Restaurants		Total Intake	
(years)		%	(SE)	g	(SE)	g	(SE)	%	(SE)	g	(SE)	g	(SE)	%	(SE)	g	(SE)
Males:																	
2 - 5.....	468	45	(2.8)	--		--		--		--		--		--		--	
6 - 11.....	701	41	(3.1)	--		--		--		--		--		--		--	
12 - 19.....	899	53	(3.2)	--		--		--		--		--		--		--	
20 - 39.....	1086	66	(2.5)	17.1	(1.58)	3.7	(0.81)	22	(4.8)	20.2	(2.48)	5.7	(1.23)	28	(5.3)	11.2	(2.09)
40 - 59.....	1221	56	(2.6)	17.0	(1.43)	3.6	(0.57)	21	(3.0)	18.5	(2.21)	6.4	(0.96)	34	(5.5)	15.0	(1.94)
60 and over.....	1438	44	(2.9)	9.5	(1.02)	0.9	(0.19)	10	(1.9)	9.2	(1.21)	2.1	(0.45)	23	(4.2)	9.7	(1.47)
2 - 19.....	2068	47	(2.1)	--		--		--		--		--		--		--	
20 and over...	3745	56	(1.9)	14.9	(0.82)	2.9	(0.37)	19	(2.2)	17.1	(1.50)	5.1	(0.66)	30	(3.0)	12.0	(1.21)
2 and over...	5813	54	(1.8)	--		--		--		--		--		--		--	
Females:																	
2 - 5.....	472	40	(3.0)	--		--		--		--		--		--		--	
6 - 11.....	710	50	(3.1)	--		--		--		--		--		--		--	
12 - 19.....	841	60	(2.5)	--		--		--		--		--		--		--	
20 - 39.....	1272	65	(2.4)	6.6	(0.83)	2.2	(0.40)	33	(5.0)	6.7	(0.92)	3.3	(0.62)	50	(5.4)	6.4	(1.54)
40 - 59.....	1327	52	(2.3)	7.6	(0.76)	1.6	(0.38)	22	(4.8)	8.7	(1.10)	3.1	(0.72)	36	(7.1)	6.3	(1.11)
60 and over.....	1363	42	(2.7)	5.5	(1.38)	1.0*	(0.30)	18*	(6.1)	7.0*	(2.42)	2.3	(0.66)	33*	(13.1)	4.4	(0.75)
2 - 19.....	2023	52	(1.9)	--		--		--		--		--		--		--	
20 and over...	3962	54	(1.9)	6.6	(0.60)	1.6	(0.15)	25	(2.8)	7.4	(0.75)	3.0	(0.30)	41	(4.4)	5.6	(0.69)
2 and over...	5985	53	(1.6)	--		--		--		--		--		--		--	
Males and Females:																	
2 - 19.....	4091	50	(1.6)	--		--		--		--		--		--		--	
20 and over...	7707	55	(1.7)	10.6	(0.50)	2.2	(0.21)	21	(1.9)	12.2	(0.86)	4.1	(0.40)	33	(2.5)	8.6	(0.74)
2 and over...	11798	54	(1.5)	--		--		--		--		--		--		--	

Symbol Legend

* Indicates an estimate that may be less statistically reliable than estimates that are not flagged. The rules for flagging estimated means and percentages are as follows:

Mean: An estimated mean is flagged when the relative standard error is greater than 30 percent.

Percent reporting: An estimated percentage between 25 and 75 percent is flagged when based on a sample size of less than 30 times the variance inflation factor (VIF), where the VIF represents a broadly calculated average design effect, or when the relative standard error is greater than 30 percent. An estimated percentage less than or equal to 25 or greater than or equal to 75 is flagged when the smaller of np and $n(1-p)$ is less than 8 times the VIF, where n is the sample size and p is the percentage expressed as a fraction. The VIF used in this table is 2.76.

Nutrient ratios expressed as percentages: An estimated ratio between 25 and 75 percent is flagged when based on a sample size n^* of less than 30 times the variance inflation factor (VIF), where the VIF represents a broadly calculated average design effect and n^* is the number of individuals in the sample reporting non-zero intake of the respective nutrient from any source. An estimated ratio less than or equal to 25 percent or greater than or equal to 75 percent, is flagged when the smaller of n^*p and $n^*(1-p)$ is less than 8 times the VIF, where p is the percentage expressed as a fraction. Additionally, an estimated ratio is flagged when either the relative standard error or $p/(1-p)$ times the relative standard error is greater than 30 percent.

Indicates a non-zero value too small to report.

-- Estimated mean not presented where sample size is less than 30 times the variance inflation factor (VIF), i.e., sample size less than 83 for VIF = 2.76.

Footnotes

- ¹ Respondents were asked the source of each food and beverage - where it was obtained. **All Restaurants** include source coded as: "Restaurant with waiter/waitress", "Bar/tavern/lounge", "Restaurant no additional information", "Cafeteria NOT in a K-12 school", "Restaurant fast food/pizza", "Sport, recreation, or entertainment facility", or "Street vendor, vending truck".
- ² **All Individuals** include both individuals who reported and individuals who did not report at least one food/beverage item from All Restaurants.
- ³ **All Restaurant Consumers** include individuals who reported at least one food or beverage item from All Restaurants.
- ⁴ **Non-consumers** include individuals who did not report any food or beverage item from All Restaurants.
- ⁵ The weighted percentage of respondents in the male/female/age group who reported at least one food/beverage item from All Restaurants.
- ⁶ Percentages are estimated as a ratio of total nutrient intake from All Restaurants to total daily nutrient intake from all sources.

Abbreviations

SE = standard error; RAE = retinol activity equivalents; DFE = dietary folate equivalents.

Notes Applicable to All Tables in Series: What We Eat in America, NHANES 2017-March 2020 Prepandemic

The 2017–March 2020 files represent a unique public-use data release from NHANES. The coronavirus disease 2019 (COVID-19) pandemic required suspension of data collection in March 2020. As a result, the partially completed NHANES 2019–2020 cycle was not nationally representative. Therefore, the 2019–March 2020 data were combined with the data from the 2017–2018 cycle to create the nationally representative 2017–March 2020 prepandemic data files.

Sample weights designed for dietary analysis were used to allow estimates representative of the U. S. population for the years of collection.

The statistics in this table are estimated from Day 1 dietary recall interviews conducted in the *What We Eat in America*, National Health and Nutrition Examination Survey (NHANES) 2017-March 2020 Prepandemic. The 24-hour dietary recalls were conducted in-person, by trained interviewers, using the USDA 5-step Automated Multiple-Pass Method. Food intakes were coded and nutrient values were determined using the USDA Food and Nutrient Database for Dietary Studies 2017-2018 and 2019-2020 as applicable www.ars.usda.gov/nea/bhnrc/fsrg.

Intakes of nutrients and other dietary components are based on the consumption of food and beverages, including water, and do not include intake from supplements or medications.

The table includes data from individuals 2 years and over. Breast-fed children were excluded because breast milk was not quantified in dietary recall interviews.

Although alcohol data are collected for all individuals, estimates are not presented for age groups under 20 years due to extreme variability and/or inadequate sample size.

Suggested Citation

U.S. Department of Agriculture, Agricultural Research Service. 2022. All Restaurants: Percent Reporting, Mean Amounts, and Percent of Selected Nutrients from Foods Obtained from All Restaurants, by Male/Female and Age, *What We Eat in America*, NHANES 2017-March 2020 Prepandemic. Available: www.ars.usda.gov/nea/bhnrc/fsrg.