Table 2a. Fruit: Mean Daily Food Patterns Cup Equivalents

Consumed per Individual, by Race/Ethnicity and Age, in the United States, 2007-2008

		Fruit					
Race/ethnicity							
and age	Sample	Total Fruit	Citrus, Melons.	Other	Fruit		
(years) ‡	size		Berries †	Fruit †	Juice		
			'	'			
			—— Mean (Stan	dard Error) ———			
Non-Hispanic White		1 44 (0 (0=)	0.04 (0.04)	0.67 (0.440)	0.54 (0.055)		
2 - 5	295	1.44 (0.107)	0.24 (0.064)	0.67 (0.119)	0.54 (0.055)		
6 - 11	336	1.06 (0.094)	0.19 (0.042)	0.54 (0.072)	0.33 (0.034)		
12 - 19	360	0.84 (0.112)	0.14 (0.025)	0.44 (0.075)	0.27 (0.050)		
20 and over	2548	0.94 (0.055)	0.19 (0.019)	0.49 (0.039)	0.26 (0.019)		
2 and over	3539	0.96 (0.057)	0.18 (0.021)	0.50 (0.040)	0.28 (0.017)		
Non-Hispanic Black							
2 - 5	182	1.32 (0.077)	0.10 (0.027)	0.47 (0.054)	0.76 (0.072)		
6 - 11	295	1.18 (0.098)	0.14* (0.070)	0.49 (0.048)	0.55 (0.067)		
12 - 19	311	0.84 (0.083)	0.08 (0.020)	0.30 (0.033)	0.46 (0.060)		
20 and over	1136	0.97 (0.059)	0.16 (0.025)	0.39 (0.022)	0.42 (0.034)		
2 and over	1924	0.99 (0.037)	0.14 (0.018)	0.39 (0.017)	0.46 (0.021)		
Hispanic:							
Mexican America	n I						
2 - 5	217	1.51 (0.090)	0.19 (0.040)	0.70 (0.059)	0.62 (0.050)		
6 - 11	291	1.23 (0.086)	0.22* (0.110)	0.44 (0.039)	0.56 (0.050)		
12 - 19	270	1.02 (0.173)	0.18* (0.057)	0.46 (0.095)	0.39 (0.067)		
20 and over	930	0.97 (0.051)	0.15 (0.029)	0.48 (0.053)	0.34 (0.045)		
2 and over	1708	1.06 (0.052)	0.17 (0.028)	0.49 (0.041)	0.40 (0.036)		
All Hispanic							
2 - 5	308	1.64 (0.091)	0.18 (0.033)	0.74 (0.077)	0.72 (0.045)		
6 - 11	437	1.23 (0.101)	0.19* (0.075)	0.47 (0.051)	0.56 (0.053)		
12 - 19	431	1.06 (0.101)	0.15 (0.075)	0.47 (0.031)	0.48 (0.069)		
20 and over	1525	1.01 (0.050)	0.15 (0.030)	0.48 (0.039)	0.37 (0.042)		
2 and over	2701	, , ,		` ,	, ,		
Z and over	2701	1.10 (0.042)	0.16 (0.020)	0.50 (0.034)	0.44 (0.031)		

^{*} Indicates an estimate with a relative standard error greater than 30%.

[†] Includes intact fruit (whole or cut) only; excludes fruit juice.

Does not include individuals with missing race/ethnicity data. All Hispanic category includes Mexican American.

Table 2b. Vegetables: Mean Daily Food Patterns Cup Equivalents

Consumed per Individual, by Race/Ethnicity and Age, in the United States, 2007-2008

					Vegetables				
-	•	S	tarchy Vegetables		Red	and Orange Vegeto	ables		
Race/ethnicity and age (years) ‡	Total Vegetables †	Total Starchy	Potatoes	Other Starchy	Total Red and Orange	Tomatoes	Other Red and Orange	Dark Green	Other
				М	ean (Standard Erro	or)			
Non-Hispanic White:	1				(2 (/			'
2 - 15	0.62 (0.037)	0.29 (0.025)	0.24 (0.025)	0.05 (0.008)	0.19 (0.023)	0.13 (0.017)	0.06 (0.015)	0.04 (0.007)	0.10 (0.016)
6 - 11	0.85 (0.056)	0.40 (0.043)	0.34 (0.041)	0.06 (0.013)	0.24 (0.031)	0.19 (0.020)	0.06 (0.015)	0.03* (0.012)	0.17 (0.024)
12 - 19	1.25 (0.087)	0.47 (0.036)	0.42 (0.036)	0.05 (0.011)	0.37 (0.043)	0.31 (0.036)	0.06 (0.012)	0.07 (0.020)	0.34 (0.039)
20 and over	1.59 (0.060)	0.48 (0.024)	0.40 (0.017)	0.09 (0.009)	0.40 (0.017)	0.33 (0.012)	0.07 (0.008)	0.13 (0.014)	0.57 (0.035)
2 and over	1.46 (0.054)	0.47 (0.019)	0.39 (0.014)	0.08 (0.006)	0.38 (0.018)	0.30 (0.012)	0.07 (0.008)	0.12 (0.012)	0.50 (0.031)
Non-Hispanic Black:									
2 - 5	0.75 (0.059)	0.35 (0.043)	0.28 (0.031)	0.08* (0.025)	0.20 (0.026)	0.17 (0.022)	0.04* (0.014)	0.06* (0.020)	0.13 (0.020)
6 - 11	0.94 (0.056)	0.45 (0.040)	0.37 (0.031)	0.08 (0.018)	0.28 (0.023)	0.24 (0.024)	0.03 (0.006)	0.07 (0.020)	0.14 (0.012)
12 - 19	0.92 (0.058)	0.39 (0.041)	0.32 (0.039)	0.06 (0.011)	0.21 (0.027)	0.19 (0.026)	0.03 (0.006)	0.07* (0.030)	0.25 (0.027)
20 and over	1.30 (0.028)	0.44 (0.012)	0.37 (0.013)	0.08 (0.008)	0.30 (0.015)	0.24 (0.016)	0.06 (0.010)	0.13 (0.013)	0.42 (0.019)
2 and over	1.18 (0.017)	0.43 (0.012)	0.35 (0.011)	0.08 (0.007)	0.28 (0.011)	0.23 (0.014)	0.05 (0.007)	0.11 (0.009)	0.35 (0.014)
Hispanic: <i>Mexican American</i>									
2 - 5	0.73 (0.086)	0.24 (0.041)	0.20 (0.034)	0.05 (0.009)	0.25 (0.036)	0.21 (0.036)	0.04 (0.010)	0.02 (0.005)	0.21 (0.033)
6 - 11	0.76 (0.051)	0.28 (0.032)	0.24 (0.027)	0.04 (0.012)	0.28 (0.027)	0.24 (0.028)	0.04 (0.011)	0.03 (0.008)	0.18 (0.020)
12 - 19	0.97 (0.112)	0.32 (0.053)	0.26 (0.037)	0.07* (0.026)	0.26 (0.034)	0.23 (0.024)	0.03* (0.013)	0.05* (0.022)	0.34 (0.029)
20 and over	1.42 (0.065)	0.33 (0.020)	0.28 (0.019)	0.06 (0.009)	0.42 (0.023)	0.35 (0.023)	0.07 (0.006)	0.08 (0.022)	0.58 (0.029)
2 and over	1.21 (0.057)	0.32 (0.019)	0.26 (0.015)	0.06 (0.009)	0.36 (0.018)	0.31 (0.017)	0.06 (0.006)	0.06 (0.017)	0.47 (0.020)
All Hispanic									
2 - 5	0.73 (0.076)	0.29 (0.042)	0.23 (0.038)	0.06 (0.007)	0.23 (0.028)	0.19 (0.026)	0.04 (0.010)	0.02 (0.006)	0.19 (0.025)
6 - 11	0.79 (0.040)	0.31 (0.025)	0.24 (0.023)	0.07 (0.018)	0.28 (0.017)	0.24 (0.015)	0.03 (0.008)	0.03 (0.005)	0.17 (0.017)
12 - 19	0.91 (0.073)	0.30 (0.034)	0.23 (0.026)	0.07 (0.018)	0.25 (0.024)	0.22 (0.018)	0.03* (0.009)	0.04* (0.014)	0.31 (0.021)
20 and over	1.44 (0.063)	0.37 (0.018)	0.28 (0.020)	0.08 (0.012)	0.43 (0.026)	0.35 (0.024)	0.08 (0.009)	0.09 (0.016)	0.56 (0.023)
2 and over	1.23 (0.052)	0.35 (0.017)	0.27 (0.016)	0.08 (0.011)	0.37 (0.020)	0.31 (0.018)	0.07 (0.007)	0.07 (0.012)	0.45 (0.018)

^{*} Indicates an estimate with a relative standard error greater than 30%.

[†] Total Vegetables does not include legumes.

[‡] Does not include individuals with missing race/ethnicity data. All Hispanic category includes Mexican American.

Table 2c. Grains: Mean Daily Food Patterns Ounce Equivalents

Consumed per Individual, by Race/Ethnicity and Age, in the United States, 2007-2008

	Grains					
Race/ethnicity and age (years) ‡	Total	Grains		hole ains		ined ains
		M	ean (Star	ndard Erro	or) ——	
Non-Hispanic White:			_			
2 - 5	4.37	(0.178)	0.45	(0.044)	3.92	(0.156)
6 - 11	6.35	(0.131)	0.59	(0.063)	5.76	(0.145)
12 - 19	7.65	(0.338)	0.59	(0.087)	7.07	(0.364)
20 and over	6.25	(0.151)	0.74	(0.070)	5.51	(0.115)
2 and over	6.32	(0.136)	0.70	(0.060)	5.62	(0.099)
Non-Hispanic Black:						
2 - *5	4.55	(0.185)	0.46	(0.054)	4.09	(0.181)
6 - 11	6.27	(0.272)	0.47	(0.054)	5.80	(0.252)
12 - 19	6.45	(0.317)	0.48	(0.062)	5.97	(0.297)
20 and over	5.74	(0.150)	0.48	(0.031)	5.25	(0.140)
2 and over	5.81	(0.126)	0.48	(0.026)	5.33	(0.123)
Hispanic:						
Mexican American						
2 - 5	4.79	(0.380)	0.50	(0.056)	4.29	(0.353)
6 - 11	6.34	(0.281)	0.37	(0.031)	5.97	(0.275)
12 - 19	7.98	(0.363)	0.48	(0.093)	7.50	(0.418)
20 and over	7.68	(0.210)	0.46	(0.034)	7.22	(0.207)
2 and over	7.29	(0.137)	0.45	(0.021)	6.84	(0.140)
All Hispanic						
2 - 5	4.74	(0.302)	0.45	(0.045)	4.30	(0.287)
6 - 11	6.32	(0.243)	0.42	(0.031)	5.90	(0.229)
12 - 19	7.54	(0.250)	0.53	(0.076)	7.01	(0.304)
20 and over	7.35	(0.179)	0.46	(0.034)	6.89	(0.168)
2 and over	7.03	(0.128)	0.47	(0.020)	6.57	(0.122)

[‡] Does not include individuals with missing race/ethnicity data. All Hispanic category includes Mexican American.

Table 2d. Dairy: Mean Daily Food Patterns Cup Equivalents

Consumed per Individual, by Race/Ethnicity and Age, in the United States, 2007-2008

	Dairy					
Race/ethnicity and age (years) ‡	Total Dairy †	Fluid Milk	Cheese	Yogurt		
	1	Mean (Stan	dard Error) ———			
Non-Hispanic White:	I	Wearr (Starr	dard Error)	I		
2 - 5	2.27 (0.125)	1.68 (0.102)	0.51 (0.054)	0.06 (0.013)		
6 - 11	2.09 (0.140)	1.32 (0.073)	0.73 (0.121)	0.03 (0.006)		
12 - 19	2.32 (0.121)	1.33 (0.106)	0.95 (0.066)	0.02 (0.003)		
20 and over	1.70 (0.057)	0.89 (0.039)	0.73 (0.036)	0.06 (0.006)		
2 and over	1.82 (0.052)	1.01 (0.036)	0.75 (0.029)	0.05 (0.005)		
Non-Hispanic Black:						
2 - 5	1.68 (0.166)	1.20 (0.120)	0.44 (0.061)	0.02 (0.007)		
6 - 11	1.67 (0.066)	1.01 (0.081)	0.63 (0.060)	0.02* (0.005)		
12 - 19	1.36 (0.096)	0.70 (0.044)	0.63 (0.082)	0.01* (0.010)		
20 and over	1.09 (0.079)	0.51 (0.038)	0.54 (0.048)	0.02 (0.006)		
2 and over	1.22 (0.064)	0.64 (0.029)	0.55 (0.039)	0.02 (0.004)		
Hispanic:						
Mexican American						
2 - 5	2.27 (0.127)	1.72 (0.126)	0.48 (0.037)	0.06 (0.015)		
6 - 11	1.88 (0.140)	1.28 (0.095)	0.55 (0.079)	0.03 (0.009)		
12 - 19	1.79 (0.162)	1.08 (0.149)	0.69 (0.047)	0.01* (0.008)		
20 and over	1.44 (0.084)	0.83 (0.064)	0.57 (0.040)	0.03 (0.007)		
2 and over	1.62 (0.074)	1.00 (0.050)	0.58 (0.032)	0.03 (0.006)		
All Hispanic						
2 - 5	2.40 (0.136)	1.84 (0.127)	0.50 (0.047)	0.05 (0.010)		
6 - 11	2.05 (0.122)	1.40 (0.079)	0.61 (0.068)	0.03 (0.006)		
12 - 19	1.77 (0.095)	1.02 (0.093)	0.73 (0.054)	0.02* (0.005)		
20 and over	1.45 (0.061)	0.83 (0.048)	0.58 (0.031)	0.03 (0.005)		
2 and over	1.65 (0.052)	1.01 (0.038)	0.60 (0.027)	0.03 (0.004)		

^{*} Indicates an estimate with a relative standard error greater than 30%.

[†] Total Dairy includes fluid milk, cheese, yogurt, and miscellaneous dairy (not in table). Fluid Milk includes calcium fortified soy milk.

Does not include individuals with missing race/ethnicity data. All Hispanic category includes Mexican American.

Table 2e. Protein Foods: Mean Daily Food Patterns Ounce Equivalents

Consumed per Individual, by Race/Ethnicity and Age, in the United States, 2007-2008

			Pi	rotein Foods (co	ntinues on next pag	e)		
-				Mea	t, Poultry, and Sea	food		
Race/ethnicity and age (years) ‡	Total Protein Foods †	Total Meat, Poultry, and Seafood	Meat	Poultry	Cured Meat	Seafood Low n-3	Seafood High n-3	Organ Meat
				— Mean (Stan	dard Error)			
Non-Hispanic White:	I			Wear (Star	dara Error)			ı
2 - *5	2.57 (0.169)	2.00 (0.148)	0.53 (0.067)	0.77 (0.123)	0.65 (0.079)	0.04* (0.026)	0.01* (0.006)	0.00 (0.000)
6 - 11	4.22 (0.178)	3.45 (0.208)	1.24 (0.185)	1.12 (0.158)	0.92 (0.067)	0.16 (0.037)	0.02* (0.009)	#
12 - 19	5.15 (0.291)	4.21 (0.214)	1.51 (0.141)	1.46 (0.155)	1.05 (0.154)	0.13* (0.058)	0.05* (0.020)	#
20 and over	6.01 (0.136)	4.71 (0.101)	1.70 (0.074)	1.42 (0.092)	1.08 (0.051)	0.35 (0.023)	0.16 (0.019)	#
2 and over	5.63 (0.119)	4.44 (0.089)	1.59 (0.059)	1.37 (0.080)	1.05 (0.050)	0.30 (0.020)	0.13 (0.015)	#
Non-Hispanic Black:								
2 - 5	3.47 (0.123)	2.86 (0.126)	0.70 (0.060)	0.99 (0.105)	0.99 (0.106)	0.15 (0.038)	0.02* (0.007)	0.00 (0.000)
6 - 11	4.33 (0.147)	3.69 (0.159)	0.97 (0.140)	1.40 (0.113)	1.06 (0.077)	0.22* (0.066)	0.03* (0.019)	0.00 (0.000)
12 - 19	4.78 (0.168)	4.18 (0.143)	1.06 (0.208)	1.72 (0.197)	1.12 (0.138)	0.26 (0.049)	0.01*(0.005)	0.01* (0.007)
20 and over	6.36 (0.175)	5.34 (0.158)	1.53 (0.105)	1.93 (0.118)	1.25 (0.136)	0.51 (0.045)	0.09 (0.024)	0.04* (0.017)
2 and over	5.74 (0.124)	4.84 (0.110)	1.35 (0.081)	1.78 (0.102)	1.20 (0.089)	0.42 (0.028)	0.06 (0.018)	0.03* (0.012)
Hispanic:								
Mexican American								
2 - 5	3.35 (0.241)	2.60 (0.216)	0.95 (0.181)	0.96 (0.090)	0.53 (0.067)	0.12* (0.066)	0.02* (0.021)	#
6 - 11	3.74 (0.159)	3.11 (0.126)	1.31 (0.114)	0.98 (0.126)	0.62 (0.096)	0.13* (0.042)	0.03* (0.021)	0.03* (0.018)
12 - 19	5.13 (0.446)	4.29 (0.393)	1.41 (0.155)	1.77 (0.248)	0.76 (0.082)	0.26* (0.130)	0.03* (0.018)	0.08* (0.070)
20 and over	6.24 (0.205)	5.14 (0.194)	1.95 (0.199)	1.65 (0.136)	0.78 (0.067)	0.55 (0.094)	0.16* (0.069)	0.04 (0.008)
2 and over	5.52 (0.163)	4.54 (0.144)	1.71 (0.148)	1.52 (0.090)	0.74 (0.044)	0.42 (0.065)	0.12* (0.051)	0.04 (0.009)
All Hispanic								
2 - 5	3.19 (0.183)	2.55 (0.175)	0.85 (0.126)	1.01 (0.078)	0.57 (0.085)	0.10* (0.050)	0.02* (0.014)	#
6 - 11	3.66 (0.133)	3.02 (0.129)	1.23 (0.095)	0.96 (0.092)	0.65 (0.078)	0.14 (0.029)	0.02* (0.014)	0.02* (0.012)
12 - 19	5.17 (0.356)	4.47 (0.301)	1.50 (0.160)	1.80 (0.208)	0.80 (0.066)	0.25* (0.089)	0.06* (0.045)	0.05* (0.044)
20 and over	5.98 (0.163)	4.96 (0.146)	1.86 (0.127)	1.61 (0.112)	0.82 (0.061)	0.48 (0.070)	0.15 (0.045)	0.03 (0.007)
2 and over	5.36 (0.106)	4.46 (0.089)	1.65 (0.097)	1.51 (0.081)	0.78 (0.044)	0.38 (0.049)	0.11* (0.035)	0.03 (0.007)

^{*} Indicates an estimate with a relative standard error greater than 30%.

[#] Indicates a non-zero value that is too small to report.

[†] Total Protein Foods includes total meat, poultry, and seafood (finfish, shellfish, and other seafood); eggs; nuts and seeds; and soybean products. Legumes are not included.

Does not include individuals with missing race/ethnicity data. All Hispanic category includes Mexican American.

Table 2e. Protein Foods: Mean Daily Food Patterns Ounce Equivalents

Consumed per Individual, by Race/Ethnicity and Age, in the United States, 2007-2008 (continued)

	Protein Foods					
_	Egg	gs, Nuts an	d Seeds,	and Soyb	ean Products	
Race/ethnicity						
and age			Nut	s and	Soybean	
(years) ‡	E	ggs	Se	eds	Products †	
		M	ean (Star	ndard Erro	or)	
Non-Hispanic White:	1	171	cuii (Biui	idura Erre	1	
2 - 5	0.24	(0.030)	0.31	(0.046)	0.02* (0.006)	
6 - 11	0.32	(0.036)	0.43	(0.095)	0.02* (0.007)	
12 - 19	0.44	(0.057)	0.45	(0.083)	0.06* (0.023)	
20 and over	0.51	(0.024)	0.69	(0.071)	0.09 (0.012)	
2 and over	0.48	(0.022)	0.63	(0.055)	0.08 (0.010)	
Non-Hispanic Black:						
2 - 5	0.40	(0.049)	0.19	(0.044)	0.02 (0.004)	
6 - 11	0.31	(0.041)	0.30	(0.069)	0.03* (0.009)	
12 - 19	0.32	(0.032)	0.25	(0.053)	0.03 (0.006)	
20 and over	0.58	(0.031)	0.40	(0.054)	0.04 (0.009)	
2 and over	0.50	(0.027)	0.36	(0.041)	0.04 (0.006)	
Hispanic:						
Mexican American						
2 - 5	0.56	(0.068)	0.18	(0.042)	0.01 (0.002)	
6 - 11	0.36	(0.074)	0.26	(0.045)	0.01 (0.002)	
12 - 19	0.46	(0.037)	0.35	(0.104)	0.03* (0.011)	
20 and over	0.67	(0.066)	0.39	(0.063)	0.04* (0.016)	
2 and over	0.59	(0.051)	0.35	(0.053)	0.03* (0.011)	
All Hispanic	All Hispanic					
2 - 5	0.48	(0.064)	0.16	(0.033)	0.01 (0.003)	
6 - 11	0.38	(0.051)	0.23	(0.038)	0.02* (0.006)	
12 - 19	0.42	(0.042)	0.26	(0.067)	0.03 (0.007)	
20 and over	0.63	(0.058)	0.34	(0.044)	0.04 (0.013)	
2 and over	0.56	(0.046)	0.30	(0.038)	0.04 (0.009)	

^{*} Indicates an estimate with a relative standard error greater than 30%.

[†] Soy products excluding calcium fortified soy milk and mature soybeans.

[‡] Does not include individuals with missing race/ethnicity data. All Hispanic category includes Mexican American.

Table 2f. Legumes: Mean Daily Food Patterns Cup Equivalents (as Vegetables) and Ounce Equivalents (as Protein Foods)
Consumed per Individual, by Race/Ethnicity and Age, in the United States, 2007-2008

	Legumes †				
Race/ethnicity					
and age	Legumes as	Legumes as			
(years) ‡	Vegetable (cups)	Protein (oz)			
	Maan (Stan	dand Eman			
Non-Hispanic White:		dard Error) —			
2 - 5	0.02* (0.011)	0.07* (0.042)			
6 - 11	0.03 (0.005)	0.11 (0.019)			
12 - 19	0.08* (0.043)	0.33* (0.170)			
20 and over	0.10 (0.015)	0.38 (0.060)			
2 0 and 3 (01	0.10 (0.010)	0.20 (0.000)			
2 and over	0.09 (0.013)	0.34 (0.052)			
M III'' ' DI I					
Non-Hispanic Black: 2 - 5	0.01* (0.007)	0.05* (0.027)			
2 - 5 6 - 11	0.01* (0.007)	0.05* (0.027)			
6 - 11 12 - 19	0.03* (0.011) 0.06 (0.015)	0.11* (0.043) 0.24 (0.060)			
12 - 19 20 and over	()	` ,			
20 and over	0.07 (0.006)	0.27 (0.026)			
2 and over	0.06 (0.007)	0.23 (0.026)			
Hispanic:					
Mexican American	,				
2 - 5	0.08 (0.024)	0.34 (0.095)			
6 - 11	0.11 (0.030)	0.44 (0.118)			
12 - 19	0.15 (0.040)	0.61 (0.159)			
20 and over	0.24 (0.016)	0.94 (0.062)			
	= * (***)	(****=/			
2 and over	0.20 (0.015)	0.78 (0.060)			
All Hispanic					
2 - 5	0.08 (0.019)	0.34 (0.077)			
6 - 11	0.10 (0.023)	0.40 (0.093)			
12 - 19	0.15 (0.028)	0.61 (0.113)			
20 and over	0.25 (0.014)	1.00 (0.054)			
2 and over	0.21 (0.013)	0.82 (0.050)			

^{*} Indicates an estimate with a relative standard error greater than 30%.

[†] Legumes are not included in Total Protein Foods or Total Vegetables. One cup equivalent of vegetable equals 4 oz equivalents of Protein Foods.

Does not include individuals with missing race/ethnicity data. All Hispanic category includes Mexican American.

Table 2g. Oils and Other Components: Mean Daily Food Patterns Gram Equivalents of Oils and Solid Fats; Teaspoon Equivalents of Added Sugars; and Number of Alcoholic Drinks Consumed per Individual, by Race/Ethnicity and Age, in the United States, 2007-2008

	Oils and Other Components							
Race/ethnicity								
and age				olid		lded		oholic
(years) ‡	C	ils	F	ats	Su	gars	Dr	inks
	1			Iean (Star	ndard Err	or)		
Non-Hispanic White	:		10	ican (Stai	idard Lii	01) ———		
2 - 5	13.08	(0.768)	28.49	(1.274)	13.35	(0.471)	0.00	(0.000)
6 - 11	18.41	(0.946)	40.30	(2.029)	22.53	(0.859)	0.00	(0.000)
12 - 19	20.51	(1.122)	44.03	(1.640)	23.57	(1.295)	0.13*	(0.054)
20 and over	22.47	(0.847)	41.16	(0.792)	19.01	(0.930)	0.75	(0.064)
2 1	21.52	(0.400)	40.01	(0.400)	10.40	(0 = 40)	0.50	(0.050)
2 and over	21.53	(0.683)	40.81	(0.699)	19.48	(0.749)	0.59	(0.052)
Non-Hispanic Black	!							
2 - 5	14.67	(1.098)	31.62	(1.752)	12.61	(0.844)	0.00	(0.000)
6 - 11	20.29	(1.106)	37.39	(1.405)	20.83	(0.882)	0.00	(0.000)
12 - 19	21.57	(1.417)	38.86	(1.978)	23.11	(1.226)	0.04*	(0.018)
20 and over	22.36	(0.924)	40.45	(2.028)	20.70	(0.709)	0.71	(0.074)
2 and over	21.53	(0.570)	39.33	(1.512)	20.52	(0.616)	0.50	(0.055)
Hispanic:								
Mexican Americai	ı							
2 - 5	12.22	(1.206)	30.99	(1.487)	12.07	(0.673)	0.00	(0.000)
6 - 11	15.45	(1.347)	34.28	(1.385)	17.37	(1.187)	0.00	(0.000)
12 - 19	18.74	(1.764)	39.64	(1.838)	20.01	(1.559)	0.12	(0.020)
20 and over	20.00	(0.649)	38.15	(1.484)	18.33	(0.623)	0.79	(0.091)
2 and over	18.56	(0.529)	37.22	(1.126)	17.86	(0.474)	0.53	(0.057)
All Hispanic								
2 - 5	13.15	(1.009)	31.28	(1.256)	12.89	(0.555)	0.00	(0.000)
6 - 11	15.60	(0.946)	34.91	(1.049)	17.36	(0.866)	0.00	(0.000)
12 - 19	19.63	(1.402)	39.80	(1.204)	20.50	(1.046)	0.16	(0.027)
20 and over	19.61	(0.601)	36.21	(1.197)	17.67	(0.465)	0.69	(0.063)
2 and over	18.60	(0.471)	36.15	(0.827)	17.62	(0.390)	0.48	(0.040)

^{*} Indicates an estimate with a relative standard error greater than 30%.

[‡] Does not include individuals with missing race/ethnicity data. All Hispanic category includes Mexican American.

Appendix 1: List of Foods Included in the Food Patterns Components, Units, and FPED/FPID Variable Names in Parenthesis

Fruit Components (cup eq.)	Foods			
Total Fruit (F_TOTAL)	Includes the sum of all foods in the Fruit components listed below:			
Citrus, Melons, and Berries (F_CITMLB)	Blackberries Blueberries Boysenberries Calamondin Cantaloupe Casaba Cranberries Dewberries Grapefruit Honeydew Huckleberries Juneberries Kiwi fruit	Kumquats Lemons Limes Loganberries Mandarins Mulberries Oranges Raspberries Strawberries Tangelos Tangerines Watermelon Youngberries		
Other Fruits (F_OTHER)	Apples Apricots Bananas Cherries Currants Dates Figs Grapes Guava Lychees Mangoes Nectarines Papayas	Passion fruits Peaches Pears Persimmons Pineapple Plums (Ciruelas) Pomegranates Prunes Raisins Rhubarb Soursop (Guanabana) Starfruit (Carambola) Tamarind		
Fruit Juice (F_JUICE)	Citrus and non-citrus fruit juices			

Vegetables Components (cup eq.)	Foods				
Total Vegetables (V_TOTAL)	Includes the sum of all foods in the Vegetables components listed below except beans and peas (legumes):				
Dark Green Vegetables (V_DRKGR)	Arugula Basil Beet greens Bitter melon leaves Broccoli Chinese Cabbage (pak-choi) Chrysanthemum garland Chard Chicory leaves Cilantro (Coriander) Collards Cress Dandelion greens Endive Escarole Greens	Horseradish leaves Kale Lambsquarters Leaves of grapes, pumpkin, squash, sweet potato, swamp cabbage, taro, and thistle Lettuce (Boston, butterhead, green or red leaf, Cos or Romaine) Mustard cabbage Mustard greens Parsley Poke greens Spinach Turnip greens Watercress			
Total Red and Orange Vegetables (V_REDOR _TOTAL)	Includes the sum of all foods in the Tomatoes and Other Red and Orange Vegetables components listed below:				
Tomatoes (V_REDOR _TOMATO)	Tomatoes (canned, cooked, raw, stewed) Tomatoes, dried Tomato juice	Tomato paste Tomato puree Tomato sauce			

Vegetables Components (cont.) (cup eq.)	1	Foods		
Other Red and Orange Vegetables (V_REDOR _OTHER)	Calabaza (Spanish pumpkin) Carrots Carrot juice Red colored bell, and nonbell peppers	Pimiento Pumpkin Squash (most winter varieties) Sweet potatoes		
Total Starchy Vegetables (V_STARCHY _TOTAL)	Includes the sum of all foods in the Potatoes and Other Starchy Vegetables components listed below:			
Potatoes (V_STARCHY _POTATO)	White potatoes White potato flour	White potato flakes		
Other Starchy Vegetables (V_STARCHY _OTHER)	Breadfruit Burdock Cassava (Yuca blanca) Corn, sweet (raw) Dasheen Green bananas Hominy Jicama (Yam beans) Lima beans, immature Lotus root	Parsnips Immature peas (e.g., immature cowpeas, blackeye peas, green peas, pigeon peas) Plantains Salsify Tannier Tapioca Taro Water chestnuts Yams		

Vegetables Components (cont.) (cup eq.)	F	oods
Other Vegetables (V_OTHER)	Alfalfa sprouts Artichoke Asparagus Avocado Bamboo shoots Beans (green, yellow, snap, string) Bean sprouts Beets Bitter melon (bitter gourd, balsam pear) Broccoflower Brussels sprouts Cabbage Cactus (Nopales) Capers Cauliflower Celeriac Celery Chayote (Christophine) Chinese cabbage (Pei-tsai) Chinese okra (Luffa) Chives Cucumber Eggplant Fennel bulb Flowers, edible Garlic Ginger root	Jute Kohlrabi Leeks Lettuce (varieties not in dark green category) Mushrooms Okra Olives Onions Palm hearts Peas, podded Peppers, bell and nonbell peppers (not red or orange in color) Pokeberry shoots Radicchio Radish Rutabaga Scallions Seaweed Snow peas Sprouted beans (e.g. mung, soybean) Squash (green, sequin, spaghetti, yellow, zucchini, most summer varieties) Tomatillos Tomatoes, green Turnips Winter melon (Wax
	Horseradish pods	gourd)

Vegetables Components (cont.) (cup eq.)]	Foods
Beans and Peas (Legumes) (V_LEGUMES)	Includes all mature be (legumes) such as:	eans and peas
(V_LEGOWES)	Black beans	Kidney beans
	Blackeye peas	Lentils
	Brown beans	Mature lima beans
	Bayo beans	Mung beans
	Calico beans	Navy beans
	Carob	Pink beans
	Chickpeas	Pinto beans
	(Garbanzo	Red Mexican beans
	beans)	Soybeans (raw)
	Cowpeas	Split peas
	Fava beans	White beans

Grains Components (oz. eq.)	Foo	ods
Total Grains (G_TOTAL)	Includes the sum of all components listed belo	
Whole Grains (G_WHOLE)	Amaranth Barley, whole Barley flour (whole barley) Barley meal Brown rice Brown rice flour Buckwheat groats Bulgur Corn, whole grain Corn meal or flour	Millett Oats Oat flour Oatmeal Popcorn Quinoa Rye, whole grain Rye flour (dark) Triticale Wheat Whole wheat flour Wild rice
Refined Grains (G_REFINED)	Barley, pearled Barley, pearled, flour Barley malt flour Bran (all grains) Corn flour or meal, degermed Corn grits Cream of wheat Couscous Farina	Masa Oat flour, debranned Rice (milled, not whole grain) Rice, milled, flour Rye flour (light and medium) Semolina Wheat flour (milled, not whole grain) Wheat germ

Protein Foods Components (oz. eq.)	Fo	ods
Total Protein Foods (PF_ TOTAL)	Includes the sum of all Foods components list and Peas:	foods in the Protein ed below except Beans
Total Meat, Poultry, and Seafood (PF_MPS_TOTAL)	Includes the sum of all Cured Meat, Organ M High in n-3, and Seafo components listed belo	eat, Poultry, Seafood od Low in n-3
Meat (PF_MEAT)	Armadillo Bacon (not cured) Bear Beaver Beef Bison Caribou Game meat (other) Goat Ground hog Ham (not cured)	Lamb Moose Opossum Oxtail Pork Rabbit Raccoon Squirrel Veal Venison Wild pig

Protein Foods Components (cont.) (oz. eq.)	Foo	ods
Cured Meat (PF_CUREDMEAT)	Bacon Beef sausage Beef luncheon meat Blood sausage Bockwurst Bologna Bratwurst Braunschweiger Capicola Cervelat Chicken sticks Chicken luncheon meat Chicken or turkey loaf Chorizo Cold cut deli meat Corned beef Chipped beef Dutch brand loaf Frankfurters Ham (cured, smoked, deli, deviled, loaf, luncheon meat, minced) Head cheese Honey loaf	Italian sausage Jerky (all meats) Kielbasa Knockwurst Liverwurst Meat spreads Meat sticks Mettwurst Mortadella Pastrami Pepperoni Pepper loaf Polish sausage Pork luncheon meat Pork sausage Potted meats Salami Sandwich loaf Souse Thuringer Turkey luncheon meat Turkey sausage Turkey, smoked Turkey sticks Veal loaf Vienna sausage
Organ Meat (PF_ORGAN)	Brain Chitterlings Giblets Gizzard Heart Kidney	Liver Stomach Sweetbreads Thymus Tongue Tripe

Protein Foods Components (cont.) (oz. eq.)	Fo	ods
Poultry (PF_POULT)	Chicken Cornish game hen Dove Duck Goose	Ostrich Pheasant Quail Turkey
Seafood High in n-3 Fatty Acids (PF_SEAFD_HI)	Anchovy Barracuda Caviar (roe) Cisco Herring Mackerel Pompano Ray Salmon Sardine	Sea bass Shad Shark Squid Swordfish Trout Tuna (albacore and bluefin) Whitefish
Seafood Low in n-3 Fatty Acids (PF_SEAFD_LOW)	Abalone Carp Catfish Clams Cod Crab Crayfish Croaker Eel Flounder Frog legs Haddock Halibut Lobster Mullet Mussels Ocean perch	Oyster Perch Pike Pollock Porgy Scallop Scup Shrimp Snail Snapper Sole Sturgeon Tilapia Tuna (except albacore and bluefin) Turtle Whiting

Protein Foods Components (cont.) (oz. eq.)	Fo	ods
Eggs (PF_EGGS)	Eggs, whole (chicken, duck, goose, quail, and other birds)	Egg white Egg yolk Egg substitute Egg, dried
Soy Products (PF_SOY)	Miso Natto Soybean Soybean curd or tofu Soybean flour Soybean meal	Soybean protein isolate and concentrate Soy milk (not calcium fortified) Soy nuts
Nuts and Seeds (PF_NUTSDS)	Almonds Almond butter Almond paste Brazil nuts Cashew Cashew butter Chestnuts Flax seeds Hazelnuts Macadamia nuts Peanuts Peanut butter	Peanut flour Pecans Pine nuts Pistachios Pumpkin seeds Squash seeds Sesame butter (tahini) Sesame seeds Sesame paste Sunflower seeds Walnuts
Beans and Peas (Legumes) (PF_LEGUMES)	See under Vegetables, component for the list	

Dairy Components (cup eq.)	Foods
Total Dairy (D_TOTAL)	Includes the sum of all foods in the Dairy components listed below, plus the following: Whey
Milk (D_MILK)	Includes fluid milk and calcium added soy milk of all fat-types such as: Buttermilk Milk, fluid Evaporated milk Goat milk, fluid Filled milk Soy milk, calcium Milk, dry added Milk, evaporated
Yogurt (D_YOGURT)	Includes yogurt of all fat-types and yogurt present in flavored and frozen yogurt

Dairy Components (cont.) (cup eq.)	Fo	ods
. ,	all fat-types such as American cheese Blue cheese Brick cheese Brie cheese Camembert cheese Cheddar cheese Colby cheese Colby Jack cheese Cottage cheese Cream cheese, fat free Edam cheese Feta cheese Fontina cheese Goat cheese	Mexican blend Monterey cheese Mozzarella cheese Muenster cheese Parmesan cheese Pasteurized cheese Port de salut cheese Provolone cheese Ricotta cheese Romano cheese Roquefort Swiss cheese Queso anejo Queso asadero Queso Chiluahua Queso del pais,
	Gouda cheese Gruyere cheese Limburger cheese	blanco Queso fresco

Oils Component (grams)]	Foods
Oils (OILS)	Includes fats natural nuts, and seeds and	ly present in seafood, the following:
	Almond oil Canola oil Corn oil Cottonseed oil Fish oil Flaxseed oil Olive oil Peanut oil Rapeseed oil	Safflower oil Sesame oil Spreads Soybean oil Sunflower oil Vegetable oil Walnut oil Wheat germ oil

Added Sugars Component (tsp. eq.)	Fo	ods
Added Sugars (ADD_SUGARS)	Brown Sugar Cane syrup Corn Syrups Corn syrup solids Dextrose Fructose Fruit syrups	Honey Maple syrup Molasses Pancake syrups Raw sugar Sorghum syrups White sugar

Solid Fats Component (grams)	Fo	ods
Solid Fats (SOLID_FATS)	Includes fats naturally products, meat, poultr following:	y, eggs and the
	Butter Cocoa butter Cocoa fat Coconut cream Coconut oil Cream Cream substitute Cream Cheese, regular and low-fat	Ghee Hydrogenated oils Lard Palm oil Tallow Shortening (animal and vegetable) Sour cream

Alcoholic Drinks Component (no. of drinks)	Foods
Alcoholic Drinks (A_DRINKS)	Includes: Beer Wine Distilled spirits Alcohol (ethanol) present in cocktails and other alcoholic beverages Alcohol (ethanol) added to foods after cooking