

NDB No. 03997

Babyfood, Baby MUM MUM Rice Biscuits

Refuse:0%

Nutrients and Units	Amount in 100 grams of edible portion				Amount in edible portion of common measures of food				
	Mean	Std. Error	Number of Data Points	Deriv Code	Source Code	Confidence Code	Measure 1	Measure 2	Measure 3
Proximates:									
Water.....g	2.42		0	FLC	4		0.19		
Energy.....kcal	391		0	NC	4		31		
Energy.....kJ	1635		0	NC	4		131		
Protein.....g	12.50		0	MC	9		1.00		
Total lipid (fat).....g	0.87		0	FLC	4		0.07		
Ash.....g	0.99		0	NR	4		0.08		
Carbohydrate, by difference.....g	83.21		0	NC	4		6.66		
Fiber, total dietary.....g	0.0		0	MC	9		0.0		
Sugars, total.....g	12.50		0	MC	9		1.00		
Starch.....g									
Minerals:									
Calcium, Ca.....mg	0		0	MC	9		0		
Iron, Fe.....mg	0.00		0	MC	9		0.00		
Magnesium, Mg.....mg	47		0	FLC	4		4		
Phosphorus, P.....mg	127		0	FLC	4		10		
Potassium, K.....mg	504		0	FLC	4		40		
Sodium, Na.....mg	313		0	MC	9		25		
Zinc, Zn.....mg	0.65		0	FLC	4		0.05		
Copper, Cu.....mg	0.156		0	FLC	4		0.012		
Manganese, Mn.....mg	0.732		0	FLC	4		0.059		
Selenium, Se.....µg	8.0		0	FLC	4		0.6		
Vitamins:									
Vitamin C, total ascorbic acid.....mg	0.0		0	MC	9		0.0		
Thiamin.....mg	0.174		0	FLC	4		0.014		
Riboflavin.....mg	0.037		0	FLC	4		0.003		
Niacin.....mg	2.896		0	FLC	4		0.232		
Pantothenic acid.....mg	0.623		0	FLC	4		0.050		
Vitamin B-6.....mg	0.571		0	FLC	4		0.046		
Folate, total.....µg	14		0	FLC	4		1		
Folic acid.....µg	0		0	FLC	4		0		
Folate, food.....µg	14		0	FLC	4		1		
Folate, DFE.....µg	14		0	NC	4		1		
Choline, total.....mg	21.3		0	FLC	4		1.7		
Betaine.....mg	0.0		0	FLC	4		0.0		
Vitamin B-12.....µg	0.00		0	FLC	4		0.00		
Vitamin B-12, added.....µg	0.00		0	FLC	4		0.00		
Vitamin A, RAE.....µg	0		0	NC	4		0		
Retinol.....µg	0		0	FLC	4		0		
Carotene, beta.....µg	0		0	FLC	4		0		
Carotene, alpha.....µg	0		0	FLC	4		0		
Cryptoxanthin, beta.....µg	0		0	FLC	4		0		
Vitamin A, IU.....IU	1		0	NC	4		0		
Lycopene.....µg	0		0	FLC	4		0		
Lutein + zeaxanthin.....µg	0		0	FLC	4		0		
Vitamin E (alpha-tocopherol).....mg	0.17		0	FLC	4		0.01		
Vitamin E, added.....mg	0.00		0	FLC	4		0.00		
Tocopherol, beta.....mg	0.00		0	FLC	4		0.00		
Tocopherol, gamma.....mg	0.00		0	FLC	4		0.00		
Tocopherol, delta.....mg	0.00		0	FLC	4		0.00		
Tocotrienol, alpha.....mg	0.00		0	FLC	4		0.00		
Tocotrienol, beta.....mg	0.00		0	FLC	4		0.00		
Tocotrienol, gamma.....mg	0.00		0	FLC	4		0.00		
Tocotrienol, delta.....mg	0.00		0	FLC	4		0.00		
Vitamin D (D2 + D3).....µg	0.0		0	AS	1		0.0		
Vitamin D2 (ergocalciferol).....µg									
Vitamin D3 (cholecalciferol).....µg	0.0		0	FLC	4		0.0		
Vitamin D.....IU	0		0	FLC	4		0		
Vitamin K (phylloquinone).....µg	0.0		0	FLC	4		0.0		

NDB No. 03997

Babyfood, Baby MUM MUM Rice Biscuits

Nutrients and Units	<u>Amount in 100 grams of edible portion</u>					<u>Amount in edible portion of common measures of food</u>			
	Mean	Std. Error	Number of Data Points	Deriv Code	Source Code	Confidence Code	Measure 1	Measure 2	Measure 3
Others:									
Alcohol, ethyl.....g	0.0		0	FLC	4		0.0		
Caffeine.....mg	0		0	FLC	4		0		
Theobromine.....mg	0		0	FLC	4		0		

Blanks in the Mean column indicate lack of reliable data. The Number of Data Points column is the number of analyses upon which the mean is based. Number of Data Points of zero indicates the mean was either calculated (as for Energy) or estimated, usually from a recipe, another form of the same food, or similar food.

Common Measures:

Measure 1 = 8.0g: 4 biscuit

Calories Factors: Protein

Fat

Carbohydrate

Food Group: 03 Baby Foods

USDA National Nutrient Database for Standard Reference, Release 28 (2015)

NDB No. 03022

Babyfood, GERBER, 2nd Foods, apple, carrot and squash, organic

Refuse:0%

Nutrients and Units	Amount in 100 grams of edible portion					Amount in edible portion of common measures of food			
	Mean	Std. Error	Number of Data Points	Deriv Code	Source Code	Confidence Code	Measure 1	Measure 2	Measure 3
Proximates:									
Water.....g	83.83		0	FLC		4			
Energy.....kcal	64		0	NC		4			
Energy.....kJ	266		0	NC		4			
Protein.....g	1.10		0	FLC		4			
Total lipid (fat).....g	0.00		0	NR		4			
Ash.....g	0.26		0	FLC		4			
Carbohydrate, by difference.....g	14.82		0	NC		4			
Fiber, total dietary.....g	1.2		0	FLC		4			
Sugars, total.....g	9.09		0	FLC		4			
Sucrose.....g	0.72		0	FLC		4			
Glucose (dextrose).....g	2.87		0	FLC		4			
Fructose.....g	5.33		0	FLC		4			
Lactose.....g	0.00		0	FLC		4			
Maltose.....g	0.00		0	FLC		4			
Galactose.....g	0.00		0	FLC		4			
Starch.....g									
Minerals:									
Calcium, Ca.....mg	6		0	FLC		4			
Iron, Fe.....mg	0.15		0	FLC		4			
Magnesium, Mg.....mg	5		0	FLC		4			
Phosphorus, P.....mg	17		0	FLC		4			
Potassium, K.....mg	106		0	FLC		4			
Sodium, Na.....mg	20		0	FLC		4			
Zinc, Zn.....mg	0.22		0	FLC		4			
Copper, Cu.....mg	0.033		0	FLC		4			
Manganese, Mn.....mg	0.039		0	FLC		4			
Selenium, Se.....µg	0.8		0	FLC		4			
Vitamins:									
Vitamin C, total ascorbic acid.....mg	2732.0		0	FLC		4			
Thiamin.....mg	0.020		0	FLC		4			
Riboflavin.....mg	0.036		0	FLC		4			
Niacin.....mg	0.255		0	FLC		4			
Pantothenic acid.....mg	0.086		0	FLC		4			
Vitamin B-6.....mg	0.057		0	FLC		4			
Folate, total.....µg	2		0	FLC		4			
Folic acid.....µg	0		0	FLC		4			
Folate, food.....µg	2		0	FLC		4			
Folate, DFE.....µg	2		0	NC		4			
Choline, total.....mg	3.5		0	FLC		4			
Betaine.....mg									
Vitamin B-12.....µg	0.00		0	NR		4			
Vitamin B-12, added.....µg	0.00		0	FLC		4			
Vitamin A, RAE.....µg	21		0	NC		4			
Retinol.....µg	0		0	FLC		4			
Carotene, beta.....µg	206		0	FLC		4			
Carotene, alpha.....µg	78		0	FLC		4			
Cryptoxanthin, beta.....µg	11		0	FLC		4			
Vitamin A, IU.....IU	417		0	NC		4			
Lycopene.....µg	0		0	FLC		4			
Lutein + zeaxanthin.....µg	17		0	FLC		4			
Vitamin E (alpha-tocopherol).....mg	0.07		0	FLC		4			
Vitamin E, added.....mg	0.00		0	FLC		4			
Tocopherol, beta.....mg	0.00		0	FLC		4			
Tocopherol, gamma.....mg	0.00		0	FLC		4			
Tocopherol, delta.....mg	0.00		0	FLC		4			
Tocotrienol, alpha.....mg	0.00		0	FLC		4			

NDB No. 03022

Babyfood, GERBER, 2nd Foods, apple, carrot and squash, organic

Nutrients and Units	Amount in 100 grams of edible portion				Amount in edible portion of common measures of food				
	Mean	Std. Error	Number of Data Points	Deriv Code	Source Code	Confidence Code	Measure 1	Measure 2	Measure 3
Tocotrienol, beta.....mg	0.00		0	FLC	4				
Tocotrienol, gamma.....mg	0.00		0	FLC	4				
Tocotrienol, delta.....mg	0.00		0	FLC	4				
Vitamin D (D2 + D3).....µg	0.0		0	FLC	4				
Vitamin D2 (ergocalciferol).....µg									
Vitamin D3 (cholecalciferol).....µg									
Vitamin D.....IU	0		0	FLC	4				
Vitamin K (phyloquinone).....µg	1.0		0	FLC	4				
Dihydrophyloquinone.....µg	0.0		0	FLC	4				
Menquinone-4.....µg									
Lipids:									
Fatty acids, total saturated.....g	0.000		0	FLC	4				
4:0.....g	0.000		0	FLC	4				
6:0.....g	0.000		0	FLC	4				
8:0.....g	0.000		0	FLC	4				
10:0.....g	0.000		0	FLC	4				
12:0.....g	0.000		0	FLC	4				
13:0.....g									
14:0.....g	0.000		0	FLC	4				
15:0.....g	0.000		0	FLC	4				
16:0.....g	0.000		0	FLC	4				
17:0.....g	0.000		0	FLC	4				
18:0.....g	0.000		0	FLC	4				
20:0.....g	0.000		0	FLC	4				
22:0.....g	0.000		0	FLC	4				
24:0.....g	0.000		0	FLC	4				
Fatty acids, total monounsaturated.....g	0.000		0	FLC	4				
14:1.....g	0.000		0	FLC	4				
15:1.....g	0.000		0	FLC	4				
16:1 undifferentiated.....g	0.000		0	FLC	4				
17:1.....g	0.000		0	FLC	4				
18:1 undifferentiated.....g	0.000		0	FLC	4				
20:1.....g	0.000		0	FLC	4				
22:1 undifferentiated.....g	0.000		0	FLC	4				
24:1 c.....g	0.000		0	FLC	4				
Fatty acids, total polyunsaturated.....g	0.000		0	FLC	4				
18:2 undifferentiated.....g	0.000		0	FLC	4				
18:3 undifferentiated.....g	0.000		0	FLC	4				
18:4.....g	0.000		0	FLC	4				
20:2 n-6 c,c.....g	0.000		0	FLC	4				
20:3 undifferentiated.....g	0.000		0	FLC	4				
20:4 undifferentiated.....g	0.000		0	FLC	4				
20:5 n-3 (EPA).....g	0.000		0	FLC	4				
21:5.....g									
22:4.....g	0.000		0	FLC	4				
22:5 n-3 (DPA).....g	0.000		0	FLC	4				
22:6 n-3 (DHA).....g	0.000		0	FLC	4				
Fatty acids, total trans.....g	0.000		0	NR	4				
Cholesterol.....mg	2		0	FLC	4				
Phytosterols.....mg									
Amino Acids:									
Tryptophan.....g	0.012		0	FLC	4				
Threonine.....g	0.045		0	FLC	4				
Isoleucine.....g	0.048		0	FLC	4				
Leucine.....g	0.083		0	FLC	4				
Lysine.....g	0.083		0	FLC	4				
Methionine.....g	0.021		0	FLC	4				
Cystine.....g	0.010		0	FLC	4				
Phenylalanine.....g	0.042		0	FLC	4				
Tyrosine.....g	0.032		0	FLC	4				
Valine.....g	0.055		0	FLC	4				

NDB No. 03022

Babyfood, GERBER, 2nd Foods, apple, carrot and squash, organic

Nutrients and Units	Amount in 100 grams of edible portion				Amount in edible portion of common measures of food				
	Mean	Std. Error	Number of Data Points	Deriv Code	Source Code	Confidence Code	Measure 1	Measure 2	Measure 3
Arginine.....g	0.065		0	FLC	4				
Histidine.....g	0.035		0	FLC	4				
Alanine.....g	0.061		0	FLC	4				
Aspartic acid.....g	0.149		0	FLC	4				
Glutamic acid.....g	0.166		0	FLC	4				
Glycine.....g	0.047		0	FLC	4				
Proline.....g	0.043		0	FLC	4				
Serine.....g	0.042		0	FLC	4				
Hydroxyproline.....g									
Others:									
Alcohol, ethyl.....g	0.0		0	FLC	4				
Caffeine.....mg	0		0	FLC	4				
Theobromine.....mg	0		0	FLC	4				

Blanks in the Mean column indicate lack of reliable data. The Number of Data Points column is the number of analyses upon which the mean is based. Number of Data Points of zero indicates the mean was either calculated (as for Energy) or estimated, usually from a recipe, another form of the same food, or similar food.

Common Measures:

Calories Factors: Protein

Fat

Carbohydrate

Food Group: 03 Baby Foods

USDA National Nutrient Database for Standard Reference, Release 28 (2015)

NDB No. 03025

Babyfood, GERBER, 3rd Foods, apple, mango and kiwi

Refuse:0%

Nutrients and Units	Amount in 100 grams of edible portion					Amount in edible portion of common measures of food			
	Mean	Std. Error	Number of Data Points	Deriv Code	Source Code	Confidence Code	Measure 1	Measure 2	Measure 3
Proximates:									
Water.....g	86.34		0	FLC					4
Energy.....kcal	53		0	NC					4
Energy.....kJ	223		0	NC					4
Protein.....g	0.47		0	FLC					4
Total lipid (fat).....g	0.00		0	NR					4
Ash.....g	0.32		0	FLC					4
Carbohydrate, by difference.....g	12.88		0	NC					4
Fiber, total dietary.....g	2.0		0	NR					4
Sugars, total.....g	10.18		0	FLC					4
Starch.....g									
Minerals:									
Calcium, Ca.....mg	9		0	FLC					4
Iron, Fe.....mg	0.17		0	FLC					4
Magnesium, Mg.....mg	6		0	FLC					4
Phosphorus, P.....mg	11		0	FLC					4
Potassium, K.....mg	123		0	FLC					4
Sodium, Na.....mg	2		0	FLC					4
Zinc, Zn.....mg	0.06		0	FLC					4
Copper, Cu.....mg	0.061		0	FLC					4
Manganese, Mn.....mg	0.089		0	FLC					4
Selenium, Se.....µg	0.3		0	FLC					4
Vitamins:									
Vitamin C, total ascorbic acid.....mg	23.3		0	FLC					4
Thiamin.....mg	0.018		0	FLC					4
Riboflavin.....mg	0.018		0	FLC					4
Niacin.....mg	0.250		0	FLC					4
Pantothenic acid.....mg	0.093		0	FLC					4
Vitamin B-6.....mg	0.059		0	FLC					4
Folate, total.....µg	14		0	FLC					4
Folic acid.....µg	0		0	FLC					4
Folate, food.....µg	14		0	FLC					4
Folate, DFE.....µg	14		0	NC					4
Choline, total.....mg	4.5		0	FLC					4
Betaine.....mg	0.1		0	FLC					4
Vitamin B-12.....µg	0.00		0	FLC					4
Vitamin B-12, added.....µg	0.00		0	FLC					4
Vitamin A, RAE.....µg	15		0	NC					4
Retinol.....µg	0		0	FLC					4
Carotene, beta.....µg	170		0	FLC					4
Carotene, alpha.....µg	2		0	FLC					4
Cryptoxanthin, beta.....µg	10		0	FLC					4
Vitamin A, IU.....IU	294		0	NC					4
Lycopene.....µg	1		0	FLC					4
Lutein + zeaxanthin.....µg	30		0	FLC					4
Vitamin E (alpha-tocopherol).....mg	0.41		0	FLC					4
Vitamin E, added.....mg	0.00		0	FLC					4
Tocopherol, beta.....mg	0.00		0	FLC					4
Tocopherol, gamma.....mg	0.00		0	FLC					4
Tocopherol, delta.....mg	0.00		0	FLC					4
Tocotrienol, alpha.....mg	0.01		0	FLC					4
Tocotrienol, beta.....mg	0.00		0	FLC					4
Tocotrienol, gamma.....mg	0.01		0	FLC					4
Tocotrienol, delta.....mg	0.00		0	FLC					4
Vitamin D (D2 + D3).....µg	0.0		0	FLC					4
Vitamin D2 (ergocalciferol).....µg									
Vitamin D3 (cholecalciferol).....µg									
Vitamin D.....IU	0		0	FLC					4

NDB No. 03025

Babyfood, GERBER, 3rd Foods, apple, mango and kiwi

Nutrients and Units	Amount in 100 grams of edible portion				Amount in edible portion of common measures of food				
	Mean	Std. Error	Number of Data Points	Deriv Code	Source Code	Confidence Code	Measure 1	Measure 2	Measure 3
Vitamin D.....µg	0			FLC	4				
Vitamin K (phylloquinone).....µg	5.9		0	FLC	4				
Dihydrophyloquinone.....µg	0.0		0	FLC	4				
Menaquinone-4.....µg									
Lipids:									
Fatty acids, total saturated.....g	0.000		0	NC	4				
4:0.....g	0.000		0	FLC	4				
6:0.....g	0.000		0	FLC	4				
8:0.....g	0.000		0	FLC	4				
10:0.....g	0.000		0	FLC	4				
12:0.....g	0.000		0	FLC	4				
13:0.....g									
14:0.....g	0.000		0	FLC	4				
15:0.....g									
16:0.....g	0.000		0	FLC	4				
17:0.....g									
18:0.....g	0.000		0	FLC	4				
20:0.....g									
22:0.....g									
24:0.....g									
Fatty acids, total monounsaturated.....g	0.000		0	NC	4				
14:1.....g									
15:1.....g									
16:1 undifferentiated.....g	0.000		0	FLC	4				
17:1.....g									
18:1 undifferentiated.....g	0.000		0	FLC	4				
20:1.....g	0.000		0	FLC	4				
22:1 undifferentiated.....g	0.000		0	FLC	4				
24:1 c.....g									
Fatty acids, total polyunsaturated.....g	0.000		0	NC	4				
18:2 undifferentiated.....g	0.000		0	FLC	4				
18:3 undifferentiated.....g	0.000		0	FLC	4				
18:4.....g	0.000		0	FLC	4				
20:2 n-6 c,c.....g									
20:3 undifferentiated.....g									
20:4 undifferentiated.....g	0.000		0	FLC	4				
20:5 n-3 (EPA).....g	0.000		0	FLC	4				
21:5.....g									
22:4.....g									
22:5 n-3 (DPA).....g	0.000		0	FLC	4				
22:6 n-3 (DHA).....g	0.000		0	FLC	4				
Fatty acids, total trans.....g									
Cholesterol.....mg	0		0	FLC	4				
Phytosterols.....mg									
Others:									
Alcohol, ethyl.....g	0.0		0	FLC	4				
Caffeine.....mg	0		0	FLC	4				
Theobromine.....mg	0		0	FLC	4				

Blanks in the Mean column indicate lack of reliable data. The Number of Data Points column is the number of analyses upon which the mean is based. Number of Data Points of zero indicates the mean was either calculated (as for Energy) or estimated, usually from a recipe, another form of the same food, or similar food.

Common Measures:

Calories Factors: Protein

Fat

Carbohydrate

Food Group: 03 Baby Foods

USDA National Nutrient Database for Standard Reference, Release 28 (2015)

NDB No. 33878

Babyfood, GERBER, Banana with orange medley

Refuse:0%

Nutrients and Units	Amount in 100 grams of edible portion				Amount in edible portion of common measures of food				
	Mean	Std. Error	Number of Data Points	Deriv Code	Source Code	Confidence Code	Measure 1	Measure 2	Measure 3
Proximates:									
Water.....g	77.91		0	FLC		4			
Energy.....kcal	86		0	NC		4			
Energy.....kJ	359		0	NC		4			
Protein.....g	1.06		0	LC		8			
Total lipid (fat).....g	0.00		0	LC		8			
Ash.....g	0.62		0	FLC		4			
Carbohydrate, by difference.....g	20.41		0	NC		4			
Fiber, total dietary.....g	2.1		0	FLC		4			
Sugars, total.....g	14.27		0	FLC		4			
Starch.....g	2.83		0	FLC		4			
Minerals:									
Calcium, Ca.....mg	0		0	LC		8			
Iron, Fe.....mg	0.23		0	FLC		4			
Magnesium, Mg.....mg	18		0	FLC		4			
Phosphorus, P.....mg	19		0	FLC		4			
Potassium, K.....mg	265		0	FLC		4			
Sodium, Na.....mg	10		0	LC		8			
Zinc, Zn.....mg	0.12		0	FLC		4			
Copper, Cu.....mg	0.099		0	FLC		4			
Manganese, Mn.....mg	0.156		0	FLC		4			
Selenium, Se.....µg	0.7		0	FLC		4			
Vitamins:									
Vitamin C, total ascorbic acid.....mg	24.5		0	FLC		4			
Thiamin.....mg	0.033		0	FLC		4			
Riboflavin.....mg	0.057		0	FLC		4			
Niacin.....mg	0.654		0	FLC		4			
Pantothenic acid.....mg	0.265		0	FLC		4			
Vitamin B-6.....mg	0.232		0	FLC		4			
Folate, total.....µg	31		0	FLC		4			
Folic acid.....µg	0		0	FLC		4			
Folate, food.....µg	31		0	FLC		4			
Folate, DFE.....µg	31		0	NC		4			
Choline, total.....mg	8.8		0	FLC		4			
Betaine.....mg	0.0		0	FLC		4			
Vitamin B-12.....µg	0.00		0	FLC		4			
Vitamin B-12, added.....µg	0.00		0	FLC		4			
Vitamin A, RAE.....µg	28		0	NC		4			
Retinol.....µg	0		0	FLC		4			
Carotene, beta.....µg	322		0	FLC		4			
Carotene, alpha.....µg	15		0	FLC		4			
Cryptoxanthin, beta.....µg	8		0	FLC		4			
Vitamin A, IU.....IU	557		0	NC		4			
Lycopene.....µg	1		0	FLC		4			
Lutein + zeaxanthin.....µg	28		0	FLC		4			
Vitamin E (alpha-tocopherol).....mg	0.49		0	FLC		4			
Vitamin E, added.....mg	0.00		0	FLC		4			
Tocopherol, beta.....mg	0.01		0	FLC		4			
Tocopherol, gamma.....mg	0.01		0	FLC		4			
Tocopherol, delta.....mg	0.00		0	FLC		4			
Tocotrienol, alpha.....mg	0.04		0	FLC		4			
Tocotrienol, beta.....mg	0.00		0	FLC		4			
Tocotrienol, gamma.....mg	0.00		0	FLC		4			
Tocotrienol, delta.....mg	0.00		0	FLC		4			
Vitamin D (D2 + D3).....µg	0.0		0	FLC		4			
Vitamin D2 (ergocalciferol).....µg									
Vitamin D3 (cholecalciferol).....µg									
Vitamin D.....IU	0		0	FLC		4			
Vitamin K (phylloquinone).....µg	2.3		0	FLC		4			

NDB No. 33878

Babyfood, GERBER, Banana with orange medley

Nutrients and Units	<u>Amount in 100 grams of edible portion</u>				<u>Amount in edible portion of common measures of food</u>				
	Mean	Std. Error	Number	Deriv	Source	Confidence	Measure 1	Measure 2	Measure 3
			of Data	Code	Code	Code			
			Points	Code	Code	Code			
Others:									
Alcohol, ethyl.....g	0.0		0	FLC		4			
Caffeine.....mg	0		0	NR		4			
Theobromine.....mg	0		0	FLC		4			

Blanks in the Mean column indicate lack of reliable data. The Number of Data Points column is the number of analyses upon which the mean is based. Number of Data Points of zero indicates the mean was either calculated (as for Energy) or estimated, usually from a recipe, another form of the same food, or similar food.

Common Measures:

Calories Factors: Protein

Fat

Carbohydrate

Food Group: 03 Baby Foods

USDA National Nutrient Database for Standard Reference, Release 28 (2015)

NDB No. 03996
 Babyfood, Multigrain whole grain cereal, dry fortified

Nutrients and Units	Amount in 100 grams of edible portion				Amount in edible portion of common measures of food				
	Mean	Std. Error	Number		Source Code	Confidence Code	Measure 1	Measure 2	Measure 3
			of Data Points	Deriv Code					
Lipids:									
Fatty acids, total saturated.....g	1.058		0	FLC		4			
4:0.....g	0.000		0	FLC		4			
6:0.....g	0.000		0	FLC		4			
8:0.....g	0.000		0	FLC		4			
10:0.....g	0.000		0	FLC		4			
12:0.....g	0.008		0	FLC		4			
13:0.....g									
14:0.....g	0.011		0	FLC		4			
15:0.....g									
16:0.....g	0.912		0	FLC		4			
17:0.....g									
18:0.....g	0.126		0	FLC		4			
20:0.....g									
22:0.....g									
24:0.....g									
Fatty acids, total monounsaturated.....g	1.291		0	FLC		4			
14:1.....g									
15:1.....g									
16:1 undifferentiated.....g	0.019		0	FLC		4			
17:1.....g									
18:1 undifferentiated.....g	1.272		0	FLC		4			
20:1.....g	0.000		0	FLC		4			
22:1 undifferentiated.....g	0.000		0	FLC		4			
24:1 c.....g									
Fatty acids, total polyunsaturated.....g	2.596		0	FLC		4			
18:2 undifferentiated.....g	2.364		0	FLC		4			
18:3 undifferentiated.....g	0.232		0	FLC		4			
18:4.....g	0.000		0	FLC		4			
20:2 n-6 c,c.....g									
20:3 undifferentiated.....g									
20:4 undifferentiated.....g	0.000		0	FLC		4			
20:5 n-3 (EPA).....g	0.000		0	FLC		4			
21:5.....g									
22:4.....g									
22:5 n-3 (DPA).....g	0.000		0	FLC		4			
22:6 n-3 (DHA).....g	0.000		0	FLC		4			
Fatty acids, total trans.....g	0.000		0	FLC		4			
Cholesterol.....mg	0		0	FLC		4			
Phytosterols.....mg									
Others:									
Alcohol, ethyl.....g	0.0		0	FLC		4			
Caffeine.....mg	0		0	FLC		4			
Theobromine.....mg	0		0	FLC		4			

Blanks in the Mean column indicate lack of reliable data. The Number of Data Points column is the number of analyses upon which the mean is based. Number of Data Points of zero indicates the mean was either calculated (as for Energy) or estimated, usually from a recipe, another form of the same food, or similar food.

Common Measures:

Calories Factors: Protein

Fat

Carbohydrate

Food Group: 03 Baby Foods

USDA National Nutrient Database for Standard Reference, Release 28 (2015)

NDB No. 03998

Babyfood, Snack, GERBER, GRADUATES, LIL CRUNCHIES, baked whole grain corn snack

Nutrients and Units	Amount in 100 grams of edible portion				Amount in edible portion of common measures of food				
	Mean	Std. Error	Number		Source Code	Confidence Code	Measure 1	Measure 2	Measure 3
			of Data Points	Deriv Code					
Lipids:									
Fatty acids, total saturated.....g	4.669		0	FLC	4		0.327		
4:0.....g	0.126		0	FLC	4		0.009		
6:0.....g	0.064		0	FLC	4		0.004		
8:0.....g	0.034		0	FLC	4		0.002		
10:0.....g	0.072		0	FLC	4		0.005		
12:0.....g	0.065		0	FLC	4		0.005		
13:0.....g									
14:0.....g	0.401		0	FLC	4		0.028		
15:0.....g	0.000		0	FLC	4		0.000		
16:0.....g	2.608		0	FLC	4		0.183		
17:0.....g	0.000		0	FLC	4		0.000		
18:0.....g	0.969		0	FLC	4		0.068		
20:0.....g	0.135		0	FLC	4		0.009		
22:0.....g	0.067		0	FLC	4		0.005		
24:0.....g									
Fatty acids, total monounsaturated.....g	14.682		0	FLC	4		1.028		
14:1.....g	0.000		0	FLC	4		0.000		
15:1.....g	0.000		0	FLC	4		0.000		
16:1 undifferentiated.....g	0.165		0	FLC	4		0.012		
17:1.....g	0.000		0	FLC	4		0.000		
18:1 undifferentiated.....g	14.194		0	FLC	4		0.994		
20:1.....g	0.265		0	FLC	4		0.019		
22:1 undifferentiated.....g	0.000		0	FLC	4		0.000		
24:1 c.....g									
Fatty acids, total polyunsaturated.....g	7.698		0	FLC	4		0.539		
18:2 undifferentiated.....g	6.344		0	FLC	4		0.444		
18:3 undifferentiated.....g	1.354		0	FLC	4		0.095		
18:4.....g	0.000		0	FLC	4		0.000		
20:2 n-6 c,c.....g	0.000		0	FLC	4		0.000		
20:3 undifferentiated.....g	0.000		0	FLC	4		0.000		
20:4 undifferentiated.....g	0.000		0	FLC	4		0.000		
20:5 n-3 (EPA).....g	0.000		0	FLC	4		0.000		
21:5.....g									
22:4.....g									
22:5 n-3 (DPA).....g	0.000		0	FLC	4		0.000		
22:6 n-3 (DHA).....g	0.000		0	FLC	4		0.000		
Fatty acids, total trans.....g	0.000		0	MC	9		0.000		
Cholesterol.....mg	13		0	FLC	4		1		
Phytosterols.....mg									
Others:									
Alcohol, ethyl.....g	0.0		0	FLC	4		0.0		
Caffeine.....mg	0		0	FLC	4		0		
Theobromine.....mg	0		0	FLC	4		0		

Blanks in the Mean column indicate lack of reliable data. The Number of Data Points column is the number of analyses upon which the mean is based. Number of Data Points of zero indicates the mean was either calculated (as for Energy) or estimated, usually from a recipe, another form of the same food, or similar food.

Common Measures:

Measure 1 = 7.0g: 18 piece

Calories Factors: Protein

Fat

Carbohydrate

Food Group: 03 Baby Foods

USDA National Nutrient Database for Standard Reference, Release 28 (2015)

NDB No. 42150

Babyfood, apple yogurt dessert, strained

Nutrients and Units	Amount in 100 grams of edible portion				Amount in edible portion of common measures of food			
	Mean	Std. Error	Number		Measure 1	Measure 2	Measure 3	
			of Data Points	Deriv Code				Source Code
Lipids:								
Fatty acids, total saturated.....g	1.034		0		4	0.155	1.168	1.168
4:0.....g	0.049		0		4	0.007	0.055	0.055
6:0.....g	0.035		0		4	0.005	0.040	0.040
8:0.....g	0.020		0		4	0.003	0.023	0.023
10:0.....g	0.044		0		4	0.007	0.050	0.050
12:0.....g	0.054		0		4	0.008	0.061	0.061
13:0.....g								
14:0.....g	0.167		0		4	0.025	0.189	0.189
15:0.....g								
16:0.....g	0.438		0		4	0.066	0.495	0.495
17:0.....g								
18:0.....g	0.158		0		4	0.024	0.179	0.179
20:0.....g								
22:0.....g								
24:0.....g								
Fatty acids, total monounsaturated.....g	0.438		0		4	0.066	0.495	0.495
14:1.....g								
15:1.....g								
16:1 undifferentiated.....g	0.035		0		4	0.005	0.040	0.040
17:1.....g								
18:1 undifferentiated.....g	0.364		0		4	0.055	0.411	0.411
20:1.....g	0.000		0		4	0.000	0.000	0.000
22:1 undifferentiated.....g	0.000		0		4	0.000	0.000	0.000
24:1 c.....g								
Fatty acids, total polyunsaturated.....g	0.044		0		4	0.007	0.050	0.050
18:2 undifferentiated.....g	0.030		0		4	0.005	0.034	0.034
18:3 undifferentiated.....g	0.015		0		4	0.002	0.017	0.017
18:4.....g	0.000		0		4	0.000	0.000	0.000
20:2 n-6 c,c.....g								
20:3 undifferentiated.....g								
20:4 undifferentiated.....g	0.000		0		4	0.000	0.000	0.000
20:5 n-3 (EPA).....g	0.000		0		4	0.000	0.000	0.000
21:5.....g								
22:4.....g								
22:5 n-3 (DPA).....g	0.000		0		4	0.000	0.000	0.000
22:6 n-3 (DHA).....g	0.000		0		4	0.000	0.000	0.000
Fatty acids, total trans.....g								
Cholesterol.....mg	6		0		4	1	7	7
Phytosterols.....mg								
Others:								
Alcohol, ethyl.....g	0.0		0		7	0.0	0.0	0.0
Caffeine.....mg	0		0	FLA	4	0	0	0
Theobromine.....mg	0		0	FLA	4	0	0	0

Blanks in the Mean column indicate lack of reliable data. The Number of Data Points column is the number of analyses upon which the mean is based. Number of Data Points of zero indicates the mean was either calculated (as for Energy) or estimated, usually from a recipe, another form of the same food, or similar food.

Common Measures:

Measure 1 = 15.0g: 1 tbsp

Measure 2 = 113g: 1 jar NFS

Measure 3 = 113g: 1 jar Beech-Nut Stage 2 (4 oz)

Calories Factors: Protein

Fat

Carbohydrate

Food Group: 03 Baby Foods

USDA National Nutrient Database for Standard Reference, Release 28 (2015)

NDB No. 03167
 Babyfood, apple-banana juice

Nutrients and Units	Amount in 100 grams of edible portion				Amount in edible portion of common measures of food				
	Mean	Std. Error	Number of Data Points	Deriv Code	Source Code	Confidence Code	Measure 1	Measure 2	Measure 3
Lipids:									
Fatty acids, total saturated.....g	0.018		0	BFFN	4		0.006	0.024	0.023
4:0.....g	0.000		0	BFFN	4		0.000	0.000	0.000
6:0.....g	0.000		0	BFFN	4		0.000	0.000	0.000
8:0.....g	0.000		0	BFFN	4		0.000	0.000	0.000
10:0.....g	0.000		0	BFFN	4		0.000	0.000	0.000
12:0.....g	0.000		0	BFFN	4		0.000	0.000	0.000
13:0.....g									
14:0.....g	0.001		0	BFFN	4		0.000	0.001	0.001
15:0.....g									
16:0.....g	0.015		0	BFFN	4		0.005	0.020	0.019
17:0.....g									
18:0.....g	0.002		0	BFFN	4		0.001	0.003	0.003
20:0.....g									
22:0.....g									
24:0.....g									
Fatty acids, total monounsaturated.....g	0.004		0	BFFN	4		0.001	0.005	0.005
14:1.....g									
15:1.....g									
16:1 undifferentiated.....g	0.000		0	BFFN	4		0.000	0.000	0.000
17:1.....g									
18:1 undifferentiated.....g	0.004		0	BFFN	4		0.001	0.005	0.005
20:1.....g	0.000		0	BFFN	4		0.000	0.000	0.000
22:1 undifferentiated.....g	0.000		0	BFFN	4		0.000	0.000	0.000
24:1 c.....g									
Fatty acids, total polyunsaturated.....g	0.034		0	BFFN	4		0.011	0.045	0.043
18:2 undifferentiated.....g	0.028		0	BFFN	4		0.009	0.037	0.035
18:3 undifferentiated.....g	0.006		0	BFFN	4		0.002	0.008	0.008
18:4.....g	0.000		0	BFFN	4		0.000	0.000	0.000
20:2 n-6 c,c.....g									
20:3 undifferentiated.....g									
20:4 undifferentiated.....g	0.000		0	BFFN	4		0.000	0.000	0.000
20:5 n-3 (EPA).....g	0.000		0	BFFN	4		0.000	0.000	0.000
21:5.....g									
22:4.....g									
22:5 n-3 (DPA).....g	0.000		0	BFFN	4		0.000	0.000	0.000
22:6 n-3 (DHA).....g	0.000		0	BFFN	4		0.000	0.000	0.000
Fatty acids, total trans.....g									
Cholesterol.....mg	0		0	MA	12		0	0	0
Phytosterols.....mg									
Others:									
Alcohol, ethyl.....g	0.0		0	Z	7		0.0	0.0	0.0
Caffeine.....mg	0		0	FLA	4		0	0	0
Theobromine.....mg	0		0	FLA	4		0	0	0

Blanks in the Mean column indicate lack of reliable data. The Number of Data Points column is the number of analyses upon which the mean is based. Number of Data Points of zero indicates the mean was either calculated (as for Energy) or estimated, usually from a recipe, another form of the same food, or similar food.

Common Measures:

Measure 1 = 31.2g: 1 fl oz

Measure 2 = 131g: 1 bottle Earth's Best (4.2 fl oz)

Measure 3 = 125g: 1 bottle Heinz Strained (4 fl oz)

Calories Factors: Protein

Fat

Carbohydrate

Food Group: 03 Baby Foods

USDA National Nutrient Database for Standard Reference, Release 28 (2015)

NDB No. 03169
 Babyfood, apple-cranberry juice

Nutrients and Units	Amount in 100 grams of edible portion				Amount in edible portion of common measures of food				
	Mean	Std. Error	Number of Data Points	Deriv Code	Source Code	Confidence Code	Measure 1	Measure 2	Measure 3
Lipids:									
Fatty acids, total saturated.....g	0.007		0	FLM	4		0.002		
4:0.....g	0.000		0	FLM	4		0.000		
6:0.....g	0.000		0	FLM	4		0.000		
8:0.....g	0.000		0	FLM	4		0.000		
10:0.....g	0.000		0	FLM	4		0.000		
12:0.....g	0.000		0	FLM	4		0.000		
13:0.....g									
14:0.....g	0.000		0	FLM	4		0.000		
15:0.....g									
16:0.....g	0.006		0	FLM	4		0.002		
17:0.....g									
18:0.....g	0.001		0	FLM	4		0.000		
20:0.....g									
22:0.....g									
24:0.....g									
Fatty acids, total monounsaturated.....g	0.001		0	FLM	4		0.000		
14:1.....g									
15:1.....g									
16:1 undifferentiated.....g	0.000		0	FLM	4		0.000		
17:1.....g									
18:1 undifferentiated.....g	0.001		0	FLM	4		0.000		
20:1.....g	0.000		0	FLM	4		0.000		
22:1 undifferentiated.....g	0.000		0	FLM	4		0.000		
24:1 c.....g									
Fatty acids, total polyunsaturated.....g	0.012		0	FLM	4		0.004		
18:2 undifferentiated.....g	0.010		0	FLM	4		0.003		
18:3 undifferentiated.....g	0.002		0	FLM	4		0.001		
18:4.....g	0.000		0	FLM	4		0.000		
20:2 n-6 c,c.....g									
20:3 undifferentiated.....g									
20:4 undifferentiated.....g	0.000		0	FLM	4		0.000		
20:5 n-3 (EPA).....g	0.000		0	FLM	4		0.000		
21:5.....g									
22:4.....g									
22:5 n-3 (DPA).....g	0.000		0	FLM	4		0.000		
22:6 n-3 (DHA).....g	0.000		0	FLM	4		0.000		
Fatty acids, total trans.....g									
Cholesterol.....mg	0		0	Z	7		0		
Phytosterols.....mg									
Others:									
Alcohol, ethyl.....g	0.0		0	Z	7		0.0		
Caffeine.....mg	0		0	FLA	4		0		
Theobromine.....mg	0		0	FLA	4		0		

Blanks in the Mean column indicate lack of reliable data. The Number of Data Points column is the number of analyses upon which the mean is based. Number of Data Points of zero indicates the mean was either calculated (as for Energy) or estimated, usually from a recipe, another form of the same food, or similar food.

Common Measures:

Measure 1 = 31.2g; 1 fl oz

Calories Factors: Protein

Fat

Carbohydrate

Food Group: 03 Baby Foods

USDA National Nutrient Database for Standard Reference, Release 28 (2015)

NDB No. 03289
 Babyfood, apples with ham, strained

Nutrients and Units	Amount in 100 grams of edible portion				Amount in edible portion of common measures of food				
	Mean	Std. Error	Number of Data Points	Deriv Code	Source Code	Confidence Code	Measure 1	Measure 2	Measure 3
Lipids:									
Fatty acids, total saturated.....g	0.250		0	FLM	4		0.038	0.283	0.283
4:0.....g	0.000		0	FLM	4		0.000	0.000	0.000
6:0.....g	0.000		0	FLM	4		0.000	0.000	0.000
8:0.....g	0.000		0	FLM	4		0.000	0.000	0.000
10:0.....g	0.002		0	FLM	4		0.000	0.002	0.002
12:0.....g	0.001		0	FLM	4		0.000	0.001	0.001
13:0.....g									
14:0.....g	0.012		0	MA	12		0.002	0.014	0.014
15:0.....g									
16:0.....g	0.162		0	FLM	4		0.024	0.183	0.183
17:0.....g									
18:0.....g	0.079		0	FLM	4		0.012	0.089	0.089
20:0.....g									
22:0.....g									
24:0.....g									
Fatty acids, total monounsaturated.....g	0.360		0	FLM	4		0.054	0.407	0.407
14:1.....g									
15:1.....g									
16:1 undifferentiated.....g	0.028		0	MA	12		0.004	0.032	0.032
17:1.....g									
18:1 undifferentiated.....g	0.346		0	MA	12		0.052	0.391	0.391
20:1.....g	0.004		0	FLM	4		0.001	0.005	0.005
22:1 undifferentiated.....g	0.000		0	FLM	4		0.000	0.000	0.000
24:1 c.....g									
Fatty acids, total polyunsaturated.....g	0.111		0	FLM	4		0.017	0.125	0.125
18:2 undifferentiated.....g	0.100		0	MA	12		0.015	0.113	0.113
18:3 undifferentiated.....g	0.006		0	MA	12		0.001	0.007	0.007
18:4.....g	0.000		0	FLM	4		0.000	0.000	0.000
20:2 n-6 c,c.....g									
20:3 undifferentiated.....g									
20:4 undifferentiated.....g	0.005		0	FLM	4		0.001	0.006	0.006
20:5 n-3 (EPA).....g	0.000		0	FLM	4		0.000	0.000	0.000
21:5.....g									
22:4.....g									
22:5 n-3 (DPA).....g	0.000		0	FLM	4		0.000	0.000	0.000
22:6 n-3 (DHA).....g	0.000		0	FLM	4		0.000	0.000	0.000
Fatty acids, total trans.....g									
Cholesterol.....mg	8		0	MA	12		1	9	9
Phytosterols.....mg									
Others:									
Alcohol, ethyl.....g	0.0		0	Z	7		0.0	0.0	0.0
Caffeine.....mg	0		0	FLA	4		0	0	0
Theobromine.....mg	0		0	FLA	4		0	0	0

Blanks in the Mean column indicate lack of reliable data. The Number of Data Points column is the number of analyses upon which the mean is based. Number of Data Points of zero indicates the mean was either calculated (as for Energy) or estimated, usually from a recipe, another form of the same food, or similar food.

Common Measures:

Measure 1 = 15.0g: 1 tbsp

Measure 2 = 113g: 1 jar NFS

Measure 3 = 113g: 1 jar Gerber Second Food (4 oz)

Calories Factors: Protein

Fat

Carbohydrate

Food Group: 03 Baby Foods

USDA National Nutrient Database for Standard Reference, Release 28 (2015)

NDB No. 03115
 Babyfood, apples, dices, toddler

Nutrients and Units	Amount in 100 grams of edible portion				Amount in edible portion of common measures of food				
	Mean	Std. Error	Number of Data Deriv		Source Code	Confidence Code	Measure 1	Measure 2	Measure 3
			Points	Code					
Lipids:									
Fatty acids, total saturated.....g	0.020		0	FLM	4		0.006		
4:0.....g	0.000		0	FLM	4		0.000		
6:0.....g	0.000		0	FLM	4		0.000		
8:0.....g	0.000		0	FLM	4		0.000		
10:0.....g	0.000		0	FLM	4		0.000		
12:0.....g	0.000		0	FLM	4		0.000		
13:0.....g									
14:0.....g	0.001		0	FLM	4		0.000		
15:0.....g									
16:0.....g	0.014		0	FLM	4		0.004		
17:0.....g									
18:0.....g	0.003		0	FLM	4		0.001		
20:0.....g									
22:0.....g									
24:0.....g									
Fatty acids, total monounsaturated.....g	0.004		0	FLM	4		0.001		
14:1.....g									
15:1.....g									
16:1 undifferentiated.....g	0.000		0	FLM	4		0.000		
17:1.....g									
18:1 undifferentiated.....g	0.004		0	FLM	4		0.001		
20:1.....g	0.000		0	FLM	4		0.000		
22:1 undifferentiated.....g	0.000		0	FLM	4		0.000		
24:1 c.....g									
Fatty acids, total polyunsaturated.....g	0.030		0	FLM	4		0.009		
18:2 undifferentiated.....g	0.025		0	FLM	4		0.007		
18:3 undifferentiated.....g	0.005		0	FLM	4		0.001		
18:4.....g	0.000		0	FLM	4		0.000		
20:2 n-6 c,c.....g									
20:3 undifferentiated.....g									
20:4 undifferentiated.....g	0.000		0	FLM	4		0.000		
20:5 n-3 (EPA).....g	0.000		0	FLM	4		0.000		
21:5.....g									
22:4.....g									
22:5 n-3 (DPA).....g	0.000		0	FLM	4		0.000		
22:6 n-3 (DHA).....g	0.000		0	FLM	4		0.000		
Fatty acids, total trans.....g									
Cholesterol.....mg	0		0	MA	12		0		
Phytosterols.....mg									
Others:									
Alcohol, ethyl.....g	0.0		0	Z	7		0.0		
Caffeine.....mg	0		0	BFSN	4		0		
Theobromine.....mg	0		0	BFSN	4		0		

Blanks in the Mean column indicate lack of reliable data. The Number of Data Points column is the number of analyses upon which the mean is based. Number of Data Points of zero indicates the mean was either calculated (as for Energy) or estimated, usually from a recipe, another form of the same food, or similar food.

Common Measures:

Measure 1 = 28.35g: 1 oz

Calories Factors: Protein

Fat

Carbohydrate

Food Group: 03 Baby Foods

USDA National Nutrient Database for Standard Reference, Release 28 (2015)

NDB No. 42284

Babyfood, baked product, finger snacks cereal fortified

Nutrients and Units	Amount in 100 grams of edible portion				Amount in edible portion of common measures of food				
	Mean	Std. Error	Number of Data Points		Source Code	Confidence Code	Measure 1	Measure 2	Measure 3
			Deriv Code	Points					
Lipids:									
Fatty acids, total saturated.....g	1.646		0	NC	4		0.028		
4:0.....g	0.000		0		4		0.000		
6:0.....g	0.000		0		4		0.000		
8:0.....g	0.000		0		4		0.000		
10:0.....g	0.000		0		4		0.000		
12:0.....g	0.041		0		4		0.001		
13:0.....g									
14:0.....g	0.020		0		4		0.000		
15:0.....g									
16:0.....g	1.484		0		4		0.025		
17:0.....g									
18:0.....g	0.102		0		4		0.002		
20:0.....g									
22:0.....g									
24:0.....g									
Fatty acids, total monounsaturated.....g	3.130		0	NC	4		0.053		
14:1.....g									
15:1.....g									
16:1 undifferentiated.....g	0.020		0		4		0.000		
17:1.....g									
18:1 undifferentiated.....g	3.110		0		4		0.053		
20:1.....g	0.000		0		4		0.000		
22:1 undifferentiated.....g	0.000		0		4		0.000		
24:1 c.....g									
Fatty acids, total polyunsaturated.....g	3.638		0	NC	4		0.062		
18:2 undifferentiated.....g	3.476		0		4		0.059		
18:3 undifferentiated.....g	0.163		0		4		0.003		
18:4.....g	0.000		0		4		0.000		
20:2 n-6 c,c.....g									
20:3 undifferentiated.....g									
20:4 undifferentiated.....g	0.000		0		4		0.000		
20:5 n-3 (EPA).....g	0.000		0		4		0.000		
21:5.....g									
22:4.....g									
22:5 n-3 (DPA).....g	0.000		0		4		0.000		
22:6 n-3 (DHA).....g	0.000		0		4		0.000		
Fatty acids, total trans.....g									
Cholesterol.....mg	0		0		7		0		
Phytosterols.....mg									
Others:									
Alcohol, ethyl.....g	0.0		0		7		0.0		
Caffeine.....mg	0		0	FLA	4		0		
Theobromine.....mg	0		0	FLA	4		0		

Blanks in the Mean column indicate lack of reliable data. The Number of Data Points column is the number of analyses upon which the mean is based. Number of Data Points of zero indicates the mean was either calculated (as for Energy) or estimated, usually from a recipe, another form of the same food, or similar food.

Common Measures:

Measure 1 = 1.7g: 1 cookie

Calories Factors: Protein

Fat

Carbohydrate

Food Group: 03 Baby Foods

USDA National Nutrient Database for Standard Reference, Release 28 (2015)

NDB No. 43550
 Babyfood, banana apple dessert, strained

Nutrients and Units	Amount in 100 grams of edible portion				Amount in edible portion of common measures of food			
	Mean	Std. Error	Number		Measure 1	Measure 2	Measure 3	
			of Data Points	Deriv Code				Source Code
Lipids:								
Fatty acids, total saturated.....g	0.058		0		4	0.009	0.066	0.066
4:0.....g	0.000		0		4	0.000	0.000	0.000
6:0.....g	0.000		0		4	0.000	0.000	0.000
8:0.....g	0.000		0		4	0.000	0.000	0.000
10:0.....g	0.000		0		4	0.000	0.000	0.000
12:0.....g	0.001		0		4	0.000	0.001	0.001
13:0.....g								
14:0.....g	0.001		0		4	0.000	0.001	0.001
15:0.....g								
16:0.....g	0.042		0		4	0.006	0.047	0.047
17:0.....g								
18:0.....g	0.003		0		4	0.000	0.003	0.003
20:0.....g								
22:0.....g								
24:0.....g								
Fatty acids, total monounsaturated.....g	0.018		0		4	0.003	0.020	0.020
14:1.....g								
15:1.....g								
16:1 undifferentiated.....g	0.003		0		4	0.000	0.003	0.003
17:1.....g								
18:1 undifferentiated.....g	0.015		0		4	0.002	0.017	0.017
20:1.....g	0.000		0		4	0.000	0.000	0.000
22:1 undifferentiated.....g	0.000		0		4	0.000	0.000	0.000
24:1 c.....g								
Fatty acids, total polyunsaturated.....g	0.047		0		4	0.007	0.053	0.053
18:2 undifferentiated.....g	0.035		0		4	0.005	0.040	0.040
18:3 undifferentiated.....g	0.012		0		4	0.002	0.014	0.014
18:4.....g	0.000		0		4	0.000	0.000	0.000
20:2 n-6 c,c.....g								
20:3 undifferentiated.....g								
20:4 undifferentiated.....g	0.000		0		4	0.000	0.000	0.000
20:5 n-3 (EPA).....g	0.000		0		4	0.000	0.000	0.000
21:5.....g								
22:4.....g								
22:5 n-3 (DPA).....g	0.000		0		4	0.000	0.000	0.000
22:6 n-3 (DHA).....g	0.000		0		4	0.000	0.000	0.000
Fatty acids, total trans.....g								
Cholesterol.....mg	0		0		7	0	0	0
Phytosterols.....mg								
Others:								
Alcohol, ethyl.....g	0.0		0		7	0.0	0.0	0.0
Caffeine.....mg	0		0	FLA	4	0	0	0
Theobromine.....mg	0		0	FLA	4	0	0	0

Blanks in the Mean column indicate lack of reliable data. The Number of Data Points column is the number of analyses upon which the mean is based. Number of Data Points of zero indicates the mean was either calculated (as for Energy) or estimated, usually from a recipe, another form of the same food, or similar food.

Common Measures:

Measure 1 = 15.0g: 1 tbsp

Measure 2 = 113g: 1 jar NFS

Measure 3 = 113g: 1 jar Gerber Second Food (4 oz)

Calories Factors: Protein

Fat

Carbohydrate

Food Group: 03 Baby Foods

USDA National Nutrient Database for Standard Reference, Release 28 (2015)

NDB No. 42119

Babyfood, banana juice with low fat yogurt

Nutrients and Units	Amount in 100 grams of edible portion				Amount in edible portion of common measures of food				
	Mean	Std. Error	Number of Data Points	Deriv Code	Source Code	Confidence Code	Measure 1	Measure 2	Measure 3
Lipids:									
Fatty acids, total saturated.....g	0.517		0		4		0.163	0.651	
4:0.....g	0.025		0		4		0.008	0.032	
6:0.....g	0.017		0		4		0.005	0.021	
8:0.....g	0.010		0		4		0.003	0.013	
10:0.....g	0.022		0		4		0.007	0.028	
12:0.....g	0.027		0		4		0.009	0.034	
13:0.....g									
14:0.....g	0.084		0		4		0.026	0.106	
15:0.....g									
16:0.....g	0.219		0		4		0.069	0.276	
17:0.....g									
18:0.....g	0.079		0		4		0.025	0.100	
20:0.....g									
22:0.....g									
24:0.....g									
Fatty acids, total monounsaturated.....g	0.219		0		4		0.069	0.276	
14:1.....g									
15:1.....g									
16:1 undifferentiated.....g	0.017		0		4		0.005	0.021	
17:1.....g									
18:1 undifferentiated.....g	0.182		0		4		0.057	0.229	
20:1.....g	0.000		0		4		0.000	0.000	
22:1 undifferentiated.....g	0.000		0		4		0.000	0.000	
24:1 c.....g									
Fatty acids, total polyunsaturated.....g	0.022		0		4		0.007	0.028	
18:2 undifferentiated.....g	0.015		0		4		0.005	0.019	
18:3 undifferentiated.....g	0.007		0		4		0.002	0.009	
18:4.....g	0.000		0		4		0.000	0.000	
20:2 n-6 c,c.....g									
20:3 undifferentiated.....g									
20:4 undifferentiated.....g	0.000		0		4		0.000	0.000	
20:5 n-3 (EPA).....g	0.000		0		4		0.000	0.000	
21:5.....g									
22:4.....g									
22:5 n-3 (DPA).....g	0.000		0		4		0.000	0.000	
22:6 n-3 (DHA).....g	0.000		0		4		0.000	0.000	
Fatty acids, total trans.....g									
Cholesterol.....mg	3		0		4		1	4	
Phytosterols.....mg									
Others:									
Alcohol, ethyl.....g	0.0		0		7		0.0	0.0	
Caffeine.....mg	0		0	FLA	4		0	0	
Theobromine.....mg	0		0	FLA	4		0	0	

Blanks in the Mean column indicate lack of reliable data. The Number of Data Points column is the number of analyses upon which the mean is based. Number of Data Points of zero indicates the mean was either calculated (as for Energy) or estimated, usually from a recipe, another form of the same food, or similar food.

Common Measures:

Measure 1 = 31.5g: 1 fl oz

Measure 2 = 126g: 1 bottle NFS

Calories Factors: Protein

Fat

Carbohydrate

Food Group: 03 Baby Foods

USDA National Nutrient Database for Standard Reference, Release 28 (2015)

NDB No. 43546
 Babyfood, banana no tapioca, strained

Nutrients and Units	Amount in 100 grams of edible portion				Amount in edible portion of common measures of food			
	Mean	Std. Error	Number		Measure 1	Measure 2	Measure 3	
			of Data Points	Deriv Code				Source Code
Lipids:								
Fatty acids, total saturated.....g	0.072		0		4	0.011	0.081	0.051
4:0.....g	0.000		0		4	0.000	0.000	0.000
6:0.....g	0.000		0		4	0.000	0.000	0.000
8:0.....g	0.000		0		4	0.000	0.000	0.000
10:0.....g	0.000		0		4	0.000	0.000	0.000
12:0.....g	0.001		0		4	0.000	0.001	0.001
13:0.....g								
14:0.....g	0.001		0		4	0.000	0.001	0.001
15:0.....g								
16:0.....g	0.051		0		4	0.008	0.058	0.036
17:0.....g								
18:0.....g	0.003		0		4	0.000	0.003	0.002
20:0.....g								
22:0.....g								
24:0.....g								
Fatty acids, total monounsaturated.....g	0.028		0		4	0.004	0.032	0.020
14:1.....g								
15:1.....g								
16:1 undifferentiated.....g	0.004		0		4	0.001	0.005	0.003
17:1.....g								
18:1 undifferentiated.....g	0.023		0		4	0.003	0.026	0.016
20:1.....g	0.000		0		4	0.000	0.000	0.000
22:1 undifferentiated.....g	0.000		0		4	0.000	0.000	0.000
24:1 c.....g								
Fatty acids, total polyunsaturated.....g	0.041		0		4	0.006	0.046	0.029
18:2 undifferentiated.....g	0.028		0		4	0.004	0.032	0.020
18:3 undifferentiated.....g	0.013		0		4	0.002	0.015	0.009
18:4.....g	0.000		0		4	0.000	0.000	0.000
20:2 n-6 c,c.....g								
20:3 undifferentiated.....g								
20:4 undifferentiated.....g	0.000		0		4	0.000	0.000	0.000
20:5 n-3 (EPA).....g	0.000		0		4	0.000	0.000	0.000
21:5.....g								
22:4.....g								
22:5 n-3 (DPA).....g	0.000		0		4	0.000	0.000	0.000
22:6 n-3 (DHA).....g	0.000		0		4	0.000	0.000	0.000
Fatty acids, total trans.....g								
Cholesterol.....mg	0		0		7	0	0	0
Phytosterols.....mg								
Others:								
Alcohol, ethyl.....g	0.0		0		7	0.0	0.0	0.0
Caffeine.....mg	0		0	Z	7	0	0	0
Theobromine.....mg	0		0	Z	7	0	0	0

Blanks in the Mean column indicate lack of reliable data. The Number of Data Points column is the number of analyses upon which the mean is based. Number of Data Points of zero indicates the mean was either calculated (as for Energy) or estimated, usually from a recipe, another form of the same food, or similar food.

Common Measures:

Measure 1 = 15.0g: 1 tbsp

Measure 2 = 113g: 1 jar NFS

Measure 3 = 71g: 1 jar Beech-Nut Baby's First (2.5 oz)

Calories Factors: Protein

Fat

Carbohydrate

Food Group: 03 Baby Foods

USDA National Nutrient Database for Standard Reference, Release 28 (2015)

NDB No. 03995

Babyfood, banana with mixed berries, strained

Refuse:0%

Nutrients and Units	Amount in 100 grams of edible portion				Amount in edible portion of common measures of food				
	Mean	Std. Error	Number of Data Points	Deriv Code	Source Code	Confidence Code	Measure 1	Measure 2	Measure 3
Proximates:									
Water.....g	76.68		0	FLC	4		75.91		
Energy.....kcal	92		0	NC	4		92		
Energy.....kJ	385		0	NC	4		381		
Protein (N x 6.25).....g	1.01		0	MC	9		1.00		
Total lipid (fat).....g	0.36		0	FLC	4		0.35		
Ash.....g	0.65		0	FLC	4		0.64		
Carbohydrate, by difference.....g	21.31		0	NC	4		21.09		
Fiber, total dietary.....g	1.0		0	MC	9		1.0		
Sugars, total.....g	15.00		0	NR	4		14.85		
Starch.....g									
Minerals:									
Calcium, Ca.....mg	0		0	MC	9		0		
Iron, Fe.....mg	0.00		0	MC	9		0.00		
Magnesium, Mg.....mg	23		0	FLC	4		23		
Phosphorus, P.....mg	20		0	FLC	4		20		
Potassium, K.....mg	283		0	MC	9		280		
Sodium, Na.....mg	0		0	MC	9		0		
Zinc, Zn.....mg	0.23		0	FLC	4		0.23		
Copper, Cu.....mg	0.094		0	FLC	4		0.093		
Manganese, Mn.....mg	0.351		0	FLC	4		0.347		
Selenium, Se.....µg	0.8		0	FLC	4		0.8		
Vitamins:									
Vitamin C, total ascorbic acid.....mg	18.2		0	MC	9		18.0		
Thiamin.....mg	0.028		0	FLC	4		0.028		
Riboflavin.....mg	0.058		0	FLC	4		0.057		
Niacin.....mg	0.623		0	FLC	4		0.617		
Pantothenic acid.....mg	0.295		0	FLC	4		0.292		
Vitamin B-6.....mg	0.257		0	FLC	4		0.255		
Folate, total.....µg	20		0	FLC	4		19		
Folic acid.....µg	0		0	FLC	4		0		
Folate, food.....µg	20		0	FLC	4		19		
Folate, DFE.....µg	20		0	NC	4		19		
Choline, total.....mg	8.9		0	FLC	4		8.8		
Betaine.....mg									
Vitamin B-12.....µg	0.00		0	FLC	4		0.00		
Vitamin B-12, added.....µg	0.00		0	FLC	4		0.00		
Vitamin A, RAE.....µg	3		0	NR	4		2		
Retinol.....µg	0		0	BNA	4		0		
Carotene, beta.....µg	20		0	BNA	4		20		
Carotene, alpha.....µg	20		0	BNA	4		19		
Cryptoxanthin, beta.....µg	0		0	BNA	4		0		
Vitamin A, IU.....IU	51		0	MC	9		50		
Lycopene.....µg	0		0	FLC	4		0		
Lutein + zeaxanthin.....µg	47		0	FLC	4		47		
Vitamin E (alpha-tocopherol).....mg	0.37		0	FLC	4		0.37		
Vitamin E, added.....mg	0.00		0	FLC	4		0.00		
Tocopherol, beta.....mg	0.01		0	FLC	4		0.01		
Tocopherol, gamma.....mg	0.34		0	FLC	4		0.33		
Tocopherol, delta.....mg	0.21		0	FLC	4		0.20		
Tocotrienol, alpha.....mg	0.04		0	FLC	4		0.04		
Tocotrienol, beta.....mg	0.00		0	FLC	4		0.00		
Tocotrienol, gamma.....mg	0.01		0	FLC	4		0.01		
Tocotrienol, delta.....mg	0.00		0	FLC	4		0.00		
Vitamin D (D2 + D3).....µg	0.0		0	FLC	4		0.0		
Vitamin D2 (ergocalciferol).....µg									
Vitamin D3 (cholecalciferol).....µg									
Vitamin D.....IU	0		0	FLC	4		0		
Vitamin K (phylloquinone).....µg	6.3		0	FLC	4		6.3		

NDB No. 03995

Babyfood, banana with mixed berries, strained

Nutrients and Units	<u>Amount in 100 grams of edible portion</u>				<u>Amount in edible portion of common measures of food</u>				
	Mean	Std. Error	Number of Data Points	Deriv Code	Source Code	Confidence Code	Measure 1	Measure 2	Measure 3
Others:									
Alcohol, ethyl.....g	0.0		0	FLC	4		0.0		
Caffeine.....mg	0		0	FLC	4		0		
Theobromine.....mg	0		0	FLC	4		0		

Blanks in the Mean column indicate lack of reliable data. The Number of Data Points column is the number of analyses upon which the mean is based. Number of Data Points of zero indicates the mean was either calculated (as for Energy) or estimated, usually from a recipe, another form of the same food, or similar food.

Common Measures:

Measure 1 = 99g: 1 packet

Calories Factors: Protein

Fat

Carbohydrate

Food Group: 03 Baby Foods

USDA National Nutrient Database for Standard Reference, Release 28 (2015)

Nutrients and Units	Amount in 100 grams of edible portion				Amount in edible portion of common				
	Mean	Std. Error	Number of Data Points	Deriv Code	Source Code	measures of food			
						Confidence Code	Measure 1	Measure 2	Measure 3
Lipids:									
Fatty acids, total saturated.....g	0.000		1	LC	8		0.000	0.000	
4:0.....g	0.000		0	FLC	4		0.000	0.000	
6:0.....g	0.000		0	FLC	4		0.000	0.000	
8:0.....g	0.000		0	FLC	4		0.000	0.000	
10:0.....g	0.000		0	FLC	4		0.000	0.000	
12:0.....g	0.000		0	FLC	4		0.000	0.000	
13:0.....g									
14:0.....g	0.000		0	FLC	4		0.001	0.001	
15:0.....g									
16:0.....g	0.013		0	FLC	4		0.015	0.029	
17:0.....g									
18:0.....g	0.002		0	FLC	4		0.002	0.004	
20:0.....g									
22:0.....g									
24:0.....g									
Fatty acids, total monounsaturated.....g	0.002		0	FLC	4		0.002	0.005	
14:1.....g									
15:1.....g									
16:1 undifferentiated.....g	0.000		0	FLC	4		0.000	0.000	
17:1.....g									
18:1 undifferentiated.....g	0.002		0	FLC	4		0.002	0.005	
20:1.....g	0.000		0	FLC	4		0.000	0.000	
22:1 undifferentiated.....g	0.000		0	FLC	4		0.000	0.000	
24:1 c.....g									
Fatty acids, total polyunsaturated.....g	0.015		0	FLC	4		0.017	0.034	
18:2 undifferentiated.....g	0.012		0	FLC	4		0.013	0.026	
18:3 undifferentiated.....g	0.003		0	FLC	4		0.004	0.007	
18:4.....g	0.000		0	FLC	4		0.000	0.000	
20:2 n-6 c,c.....g									
20:3 undifferentiated.....g									
20:4 undifferentiated.....g	0.000		0	FLC	4		0.000	0.000	
20:5 n-3 (EPA).....g	0.000		0	FLC	4		0.000	0.000	
21:5.....g									
22:4.....g									
22:5 n-3 (DPA).....g	0.000		0	FLC	4		0.000	0.000	
22:6 n-3 (DHA).....g	0.000		0	FLC	4		0.000	0.000	
Fatty acids, total trans.....g	0.000		1	LC	8		0.000	0.000	
Cholesterol.....mg	0		1	LC	8		0	0	
Phytosterols.....mg									
Amino Acids:									
Tryptophan.....g									
Threonine.....g	0.002		0	FLC	4		0.003	0.006	
Isoleucine.....g	0.001		0	FLC	4		0.001	0.002	
Leucine.....g	0.002		0	FLC	4		0.002	0.004	
Lysine.....g	0.002		0	FLC	4		0.002	0.004	
Methionine.....g	0.000		0	FLC	4		0.000	0.000	
Cystine.....g									
Phenylalanine.....g	0.002		0	FLC	4		0.002	0.004	
Tyrosine.....g	0.000		0	FLC	4		0.000	0.001	
Valine.....g	0.002		0	FLC	4		0.002	0.004	
Arginine.....g	0.007		0	FLC	4		0.008	0.016	
Histidine.....g	0.001		0	FLC	4		0.001	0.002	
Alanine.....g	0.013		0	FLC	4		0.015	0.030	
Aspartic acid.....g	0.003		0	FLC	4		0.004	0.008	
Glutamic acid.....g	0.017		0	FLC	4		0.019	0.038	
Glycine.....g	0.002		0	FLC	4		0.002	0.004	
Proline.....g	0.002		0	FLC	4		0.003	0.005	
Serine.....g	0.002		0	FLC	4		0.002	0.004	
Hydroxyproline.....g									
Others:									
Alcohol, ethyl.....g	0.0		0	FLC	4		0.0	0.0	
Caffeine.....mg	0		0	FLC	4		0	0	

NDB No. 03301

Babyfood, beverage, GERBER GRADUATE FRUIT SPLASHERS

Nutrients and Units	<u>Amount in 100 grams of edible portion</u>				<u>Amount in edible portion of common measures of food</u>				
	Mean	Std. Error	Number	Deriv	Source Code	Confidence Code	Measure 1	Measure 2	Measure 3
			of Data Points	Code					
Theobromine.....mg	0		0	FLC	4	0		0	

Blanks in the Mean column indicate lack of reliable data. The Number of Data Points column is the number of analyses upon which the mean is based. Number of Data Points of zero indicates the mean was either calculated (as for Energy) or estimated, usually from a recipe, another form of the same food, or similar food.

Common Measures:

Measure 1 = 113g: 4 oz

Measure 2 = 227g: 8 oz

Calories Factors: Protein

Fat

Carbohydrate

Food Group: 03 Baby Foods

USDA National Nutrient Database for Standard Reference, Release 28 (2015)

NDB No. 03290
Babyfood, carrots and beef, strained

Nutrients and Units	Amount in 100 grams of edible portion				Amount in edible portion of common measures of food				
	Mean	Std. Error	Number of Data Points	Deriv Code	Source Code	Confidence Code	Measure 1	Measure 2	Measure 3
Lipids:									
Fatty acids, total saturated.....g	0.960		0	FLM	4		0.144	1.085	1.085
4:0.....g	0.000		0	FLM	4		0.000	0.000	0.000
6:0.....g	0.000		0	FLM	4		0.000	0.000	0.000
8:0.....g	0.000		0	FLM	4		0.000	0.000	0.000
10:0.....g	0.002		0	FLM	4		0.000	0.002	0.002
12:0.....g	0.002		0	FLM	4		0.000	0.002	0.002
13:0.....g									
14:0.....g	0.068		0	FLM	4		0.010	0.077	0.077
15:0.....g									
16:0.....g	0.546		0	FLM	4		0.082	0.617	0.617
17:0.....g									
18:0.....g	0.285		0	FLM	4		0.043	0.322	0.322
20:0.....g									
22:0.....g									
24:0.....g									
Fatty acids, total monounsaturated.....g	1.060		0	FLM	4		0.159	1.198	1.198
14:1.....g									
15:1.....g									
16:1 undifferentiated.....g	0.090		0	FLM	4		0.014	0.102	0.102
17:1.....g									
18:1 undifferentiated.....g	0.923		0	FLM	4		0.138	1.043	1.043
20:1.....g	0.002		0	FLM	4		0.000	0.002	0.002
22:1 undifferentiated.....g	0.000		0	FLM	4		0.000	0.000	0.000
24:1 c.....g									
Fatty acids, total polyunsaturated.....g	0.130		0	FLM	4		0.020	0.147	0.147
18:2 undifferentiated.....g	0.067		0	FLM	4		0.010	0.076	0.076
18:3 undifferentiated.....g	0.010		0	FLM	4		0.002	0.011	0.011
18:4.....g	0.000		0	FLM	4		0.000	0.000	0.000
20:2 n-6 c,c.....g									
20:3 undifferentiated.....g									
20:4 undifferentiated.....g	0.009		0	FLM	4		0.001	0.010	0.010
20:5 n-3 (EPA).....g	0.000		0	FLM	4		0.000	0.000	0.000
21:5.....g									
22:4.....g									
22:5 n-3 (DPA).....g	0.000		0	FLM	4		0.000	0.000	0.000
22:6 n-3 (DHA).....g	0.000		0	FLM	4		0.000	0.000	0.000
Fatty acids, total trans.....g									
Cholesterol.....mg	8		0	FLM	4		1	9	9
Phytosterols.....mg									
Others:									
Alcohol, ethyl.....g	0.0		0	Z	7		0.0	0.0	0.0
Caffeine.....mg	0		0	FLA	4		0	0	0
Theobromine.....mg	0		0	FLA	4		0	0	0

Blanks in the Mean column indicate lack of reliable data. The Number of Data Points column is the number of analyses upon which the mean is based. Number of Data Points of zero indicates the mean was either calculated (as for Energy) or estimated, usually from a recipe, another form of the same food, or similar food.

Common Measures:

Measure 1 = 15.0g: 1 tbsp

Measure 2 = 113g: 1 jar NFS

Measure 3 = 113g: 1 jar Gerber Second Food (4 oz)

Calories Factors: Protein

Fat

Carbohydrate

Food Group: 03 Baby Foods

USDA National Nutrient Database for Standard Reference, Release 28 (2015)

NDB No. 42316
 Babyfood, carrots, toddler

Nutrients and Units	Amount in 100 grams of edible portion				Amount in edible portion of common measures of food				
	Mean	Std. Error	Number of Data Points		Source Code	Confidence Code	Measure 1	Measure 2	Measure 3
			Deriv Code	Points					
Lipids:									
Fatty acids, total saturated.....g	0.052		0	NC	4		0.015		
4:0.....g	0.000		0		4		0.000		
6:0.....g	0.000		0		4		0.000		
8:0.....g	0.000		0		4		0.000		
10:0.....g	0.000		0		4		0.000		
12:0.....g	0.003		0		4		0.001		
13:0.....g									
14:0.....g	0.003		0		4		0.001		
15:0.....g									
16:0.....g	0.043		0		4		0.012		
17:0.....g									
18:0.....g	0.003		0		4		0.001		
20:0.....g									
22:0.....g									
24:0.....g									
Fatty acids, total monounsaturated.....g	0.012		0	NC	4		0.004		
14:1.....g									
15:1.....g									
16:1 undifferentiated.....g	0.003		0		4		0.001		
17:1.....g									
18:1 undifferentiated.....g	0.009		0		4		0.003		
20:1.....g	0.000		0		4		0.000		
22:1 undifferentiated.....g	0.000		0		4		0.000		
24:1 c.....g									
Fatty acids, total polyunsaturated.....g	0.148		0	NC	4		0.042		
18:2 undifferentiated.....g	0.130		0		4		0.037		
18:3 undifferentiated.....g	0.019		0		4		0.005		
18:4.....g	0.000		0		4		0.000		
20:2 n-6 c,c.....g									
20:3 undifferentiated.....g									
20:4 undifferentiated.....g	0.000		0		4		0.000		
20:5 n-3 (EPA).....g	0.000		0		4		0.000		
21:5.....g									
22:4.....g									
22:5 n-3 (DPA).....g	0.000		0		4		0.000		
22:6 n-3 (DHA).....g	0.000		0		4		0.000		
Fatty acids, total trans.....g									
Cholesterol.....mg	0		0		7		0		
Phytosterols.....mg									
Others:									
Alcohol, ethyl.....g	0.0		0		7		0.0		
Caffeine.....mg	0		0	BFSN	4		0		
Theobromine.....mg	0		0	BFSN	4		0		

Blanks in the Mean column indicate lack of reliable data. The Number of Data Points column is the number of analyses upon which the mean is based. Number of Data Points of zero indicates the mean was either calculated (as for Energy) or estimated, usually from a recipe, another form of the same food, or similar food.

Common Measures:

Measure 1 = 28.35g: 1 oz

Calories Factors: Protein

Fat

Carbohydrate

Food Group: 03 Baby Foods

USDA National Nutrient Database for Standard Reference, Release 28 (2015)

NDB No. 03181
 Babyfood, cereal, barley, dry fortified

Nutrients and Units	Amount in 100 grams of edible portion				Amount in edible portion of common measures of food				
	Mean	Std. Error	Number of Data Points		Source Code	Confidence Code	Measure 1	Measure 2	Measure 3
			Deriv Code	Points					
Lipids:									
Fatty acids, total saturated.....g	0.894		0	NC	4		0.021	0.134	
4:0.....g	0.000		0		4		0.000	0.000	
6:0.....g	0.000		0		4		0.000	0.000	
8:0.....g	0.000		0		4		0.000	0.000	
10:0.....g	0.000		0		4		0.000	0.000	
12:0.....g	0.002		0		4		0.000	0.000	
13:0.....g									
14:0.....g	0.007		0		4		0.000	0.001	
15:0.....g									
16:0.....g	0.602		0		4		0.014	0.090	
17:0.....g									
18:0.....g	0.283		0		4		0.007	0.043	
20:0.....g									
22:0.....g									
24:0.....g									
Fatty acids, total monounsaturated.....g	1.450		0	NC	4		0.035	0.218	
14:1.....g									
15:1.....g									
16:1 undifferentiated.....g	0.220		0		4		0.005	0.033	
17:1.....g									
18:1 undifferentiated.....g	1.226		0		4		0.029	0.184	
20:1.....g	0.004		0		4		0.000	0.001	
22:1 undifferentiated.....g	0.000		0		4		0.000	0.000	
24:1 c.....g									
Fatty acids, total polyunsaturated.....g	3.859		0	NC	4		0.093	0.579	
18:2 undifferentiated.....g	3.543		0		4		0.085	0.531	
18:3 undifferentiated.....g	0.316		0		4		0.008	0.047	
18:4.....g	0.000		0		4		0.000	0.000	
20:2 n-6 c,c.....g									
20:3 undifferentiated.....g									
20:4 undifferentiated.....g	0.000		0		4		0.000	0.000	
20:5 n-3 (EPA).....g	0.000		0		4		0.000	0.000	
21:5.....g									
22:4.....g									
22:5 n-3 (DPA).....g	0.000		0		4		0.000	0.000	
22:6 n-3 (DHA).....g	0.000		0		4		0.000	0.000	
Fatty acids, total trans.....g									
Cholesterol.....mg	0		0	NR	4		0	0	
Phytosterols.....mg									
Others:									
Alcohol, ethyl.....g	0.0		0		7		0.0	0.0	
Caffeine.....mg	0		0	BFSN	4		0	0	
Theobromine.....mg	0		0	BFSN	4		0	0	

Blanks in the Mean column indicate lack of reliable data. The Number of Data Points column is the number of analyses upon which the mean is based. Number of Data Points of zero indicates the mean was either calculated (as for Energy) or estimated, usually from a recipe, another form of the same food, or similar food.

Common Measures:

Measure 1 = 2.4g: 1 tbsp

Measure 2 = 15.0g: .5 oz

Calories Factors: Protein 3.55

Fat 8.37

Carbohydrate 3.95

Food Group: 03 Baby Foods

USDA National Nutrient Database for Standard Reference, Release 28 (2015)

NDB No. 03681

Babyfood, cereal, barley, prepared with whole milk

Refuse:0%

Nutrients and Units	Amount in 100 grams of edible portion				Amount in edible portion of common measures of food				
	Mean	Std. Error	Number of Data Points	Deriv Code	Source Code	Confidence Code	Measure 1	Measure 2	Measure 3
Proximates:									
Water.....g	82.19		0	RPA	1		23.30		
Energy.....kcal	84		0	NC	4		24		
Energy.....kJ	352		0	NC	4		100		
Protein (N x 0).....g	3.73		0	RPA	1		1.06		
Total lipid (fat).....g	3.26		0	RPI	6		0.92		
Ash.....g	0.87		0	RPA	1		0.25		
Carbohydrate, by difference.....g	9.94		0	RPI	6		2.82		
Fiber, total dietary.....g	0.6		0	RPI	6		0.2		
Sugars, total.....g	5.10		0	RPI	6		1.45		
Sucrose.....g	0.00		0	RPA	1		0.00		
Glucose (dextrose).....g	0.00		0	RPA	1		0.00		
Fructose.....g	0.00		0	RPA	1		0.00		
Lactose.....g	4.68		0	RPA	1		1.33		
Maltose.....g	0.00		0	RPA	1		0.00		
Galactose.....g	0.00		0	RPA	1		0.00		
Starch.....g									
Minerals:									
Calcium, Ca.....mg	162		0	RPA	1		46		
Iron, Fe.....mg	3.49		0	RPA	1		0.99		
Magnesium, Mg.....mg	18		0	RPA	1		5		
Phosphorus, P.....mg	110		0	RPA	1		31		
Potassium, K.....mg	151		0	RPA	1		43		
Sodium, Na.....mg	43		0	RPA	1		12		
Zinc, Zn.....mg	0.57		0	RPA	1		0.16		
Copper, Cu.....mg	0.057		0	RPA	1		0.016		
Manganese, Mn.....mg	0.004		0	RPA	1		0.001		
Selenium, Se.....µg	5.6		0	RPA	1		1.6		
Vitamins:									
Vitamin C, total ascorbic acid.....mg	0.2		0	RPA	1		0.0		
Thiamin.....mg	0.242		0	RPA	1		0.069		
Riboflavin.....mg	0.353		0	RPA	1		0.100		
Niacin.....mg	2.707		0	RPA	1		0.768		
Pantothenic acid.....mg	0.384		0	RPI	6		0.109		
Vitamin B-6.....mg	0.060		0	RPA	1		0.017		
Folate, total.....µg	7		0	RPA	1		2		
Folic acid.....µg	0		0	RPI	6		0		
Folate, food.....µg	7		0	RPA	1		2		
Folate, DFE.....µg	7		0	NC	4		2		
Choline, total.....mg	16.6		0	RPI	6		4.7		
Betaine.....mg	0.6		0	RPA	1		0.2		
Vitamin B-12.....µg	0.42		0	RPI	6		0.12		
Vitamin B-12, added.....µg	0.00		0	RPI	6		0.00		
Vitamin A, RAE.....µg	43		0	RPI	6		12		
Retinol.....µg	42		0	RPI	6		12		
Carotene, beta.....µg	6		0	RPI	6		2		
Carotene, alpha.....µg	0		0	RPI	6		0		
Cryptoxanthin, beta.....µg	0		0	RPI	6		0		
Vitamin A, IU.....IU	150		0	RPI	6		43		
Lycopene.....µg	0		0	RPI	6		0		
Lutein + zeaxanthin.....µg	12		0	RPI	6		4		
Vitamin E (alpha-tocopherol).....mg	0.43		0	RPI	6		0.12		
Vitamin E, added.....mg	0.00		0	RPI	6		0.00		
Tocopherol, beta.....mg	0.00		0	RPA	1		0.00		
Tocopherol, gamma.....mg	0.00		0	RPA	1		0.00		
Tocopherol, delta.....mg	0.00		0	RPA	1		0.00		
Tocotrienol, alpha.....mg	0.00		0	RPA	1		0.00		
Tocotrienol, beta.....mg	0.00		0	RPA	1		0.00		

NDB No. 03681

Babyfood, cereal, barley, prepared with whole milk

Nutrients and Units	Amount in 100 grams of edible portion				Amount in edible portion of common				
	Mean	Std. Error	Number of Data Points	Deriv Code	Source Code	Confidence Code	measures of food		
							Measure 1	Measure 2	Measure 3
Tocotrienol, gamma.....mg	0.00		0	RPA	1		0.00		
Tocotrienol, delta.....mg	0.00		0	RPA	1		0.00		
Vitamin D (D2 + D3).....µg	1.2		0	RPI	6		0.3		
Vitamin D2 (ergocalciferol).....µg									
Vitamin D3 (cholecalciferol).....µg	1.2		0	RPA	1		0.3		
Vitamin D.....IU	47		0	RPA	1		13		
Vitamin K (phylloquinone).....µg	0.4		0	RPI	6		0.1		
Dihydrophyloquinone.....µg	0.0		0	RPA	1		0.0		
Menaquinone-4.....µg	0.9		0	RPA	1		0.2		
Lipids:									
Fatty acids, total saturated.....g	1.760		0	RPI	6		0.499		
4:0.....g	0.069		0	RPI	6		0.020		
6:0.....g	0.069		0	RPI	6		0.020		
8:0.....g	0.069		0	RPI	6		0.020		
10:0.....g	0.069		0	RPI	6		0.020		
12:0.....g	0.071		0	RPI	6		0.020		
13:0.....g	0.000		0	RPA	1		0.000		
14:0.....g	0.275		0	RPI	6		0.078		
15:0.....g	0.000		0	RPA	1		0.000		
16:0.....g	0.788		0	RPI	6		0.224		
17:0.....g	0.000		0	RPA	1		0.000		
18:0.....g	0.348		0	RPI	6		0.099		
20:0.....g	0.000		0	RPA	1		0.000		
22:0.....g	0.000		0	RPA	1		0.000		
24:0.....g	0.000		0	RPA	1		0.000		
Fatty acids, total monounsaturated.....g	0.802		0	RPI	6		0.227		
14:1.....g	0.000		0	RPA	1		0.000		
15:1.....g									
16:1 undifferentiated.....g	0.007		0	RPI	6		0.002		
17:1.....g									
18:1 undifferentiated.....g	0.794		0	RPI	6		0.225		
20:1.....g	0.000		0	RPI	6		0.000		
22:1 undifferentiated.....g	0.000		0	RPI	6		0.000		
24:1 c.....g									
Fatty acids, total polyunsaturated.....g	0.309		0	RPI	6		0.088		
18:2 undifferentiated.....g	0.229		0	RPI	6		0.065		
18:3 undifferentiated.....g	0.080		0	RPI	6		0.023		
18:4.....g	0.000		0	RPI	6		0.000		
20:2 n-6 c,c.....g									
20:3 undifferentiated.....g									
20:4 undifferentiated.....g	0.000		0	RPI	6		0.000		
20:5 n-3 (EPA).....g	0.000		0	RPI	6		0.000		
21:5.....g									
22:4.....g									
22:5 n-3 (DPA).....g	0.000		0	RPI	6		0.000		
22:6 n-3 (DHA).....g	0.000		0	RPI	6		0.000		
Fatty acids, total trans.....g									
Cholesterol.....mg	10		0	RPI	6		3		
Phytosterols.....mg									
Amino Acids:									
Tryptophan.....g	0.060		0		1		0.017		
Threonine.....g	0.157		0	RPA	1		0.045		
Isoleucine.....g	0.180		0	RPA	1		0.051		
Leucine.....g	0.300		0	RPA	1		0.085		
Lysine.....g	0.154		0	RPA	1		0.044		
Methionine.....g	0.083		0	RPA	1		0.024		
Cystine.....g	0.034		0	RPA	1		0.010		
Phenylalanine.....g	0.181		0	RPA	1		0.051		
Tyrosine.....g	0.167		0	RPA	1		0.047		
Valine.....g	0.218		0	RPA	1		0.062		
Arginine.....g	0.109		0	RPA	1		0.031		
Histidine.....g	0.086		0	RPA	1		0.024		
Alanine.....g	0.124		0	RPA	1		0.035		

NDB No. 03681

Babyfood, cereal, barley, prepared with whole milk

Nutrients and Units	<u>Amount in 100 grams of edible portion</u>				<u>Amount in edible portion of common measures of food</u>				
	Mean	Std. Error	Number		Source Code	Confidence Code	Measure 1	Measure 2	Measure 3
			of Data Points	Deriv Code					
Aspartic acid.....g	0.262		0	RPA	1		0.074		
Glutamic acid.....g	0.820		0	RPA	1		0.233		
Glycine.....g	0.099		0	RPA	1		0.028		
Proline.....g	0.415		0	RPA	1		0.118		
Serine.....g	0.132		0	RPA	1		0.037		
Hydroxyproline.....g									
Others:									
Alcohol, ethyl.....g	0.0		0	RPI	6		0.0		
Caffeine.....mg	0		0	RPI	6		0		
Theobromine.....mg	0		0	RPI	6		0		

Blanks in the Mean column indicate lack of reliable data. The Number of Data Points column is the number of analyses upon which the mean is based. Number of Data Points of zero indicates the mean was either calculated (as for Energy) or estimated, usually from a recipe, another form of the same food, or similar food.

Common Measures:

Measure 1 = 28.35g: 1 oz

Calories Factors: Protein

Fat

Carbohydrate

Food Group: 03 Baby Foods

USDA National Nutrient Database for Standard Reference, Release 28 (2015)

NDB No. 42285

Babyfood, cereal, brown rice, dry, instant

Refuse:0%

Nutrients and Units	Amount in 100 grams of edible portion				Amount in edible portion of common measures of food				
	Mean	Std. Error	Number of Data Points	Deriv Code	Source Code	Confidence Code	Measure 1	Measure 2	Measure 3
Proximates:									
Water.....g	1.00		0		5		0.04		
Energy.....kcal	406		0	NC	4		15		
Energy.....kJ	1698		0	NC	4		63		
Protein.....g	8.70		0		5		0.32		
Total lipid (fat).....g	3.00		0		5		0.11		
Ash.....g	1.32		0	FLA	4		0.05		
Carbohydrate, by difference.....g	85.98		0	NC	4		3.18		
Fiber, total dietary.....g	6.5		0		4		0.2		
Sugars, total.....g	0.72		0	FLA	4		0.03		
Starch.....g									
Minerals:									
Calcium, Ca.....mg	55		0		5		2		
Iron, Fe.....mg	47.60		0		4		1.76		
Magnesium, Mg.....mg	28		0		5		1		
Phosphorus, P.....mg	272		0		5		10		
Potassium, K.....mg	386		0		5		14		
Sodium, Na.....mg	12		0		5		0		
Zinc, Zn.....mg	0.00		0		5		0.00		
Copper, Cu.....mg	0.368		0		4		0.014		
Manganese, Mn.....mg									
Selenium, Se.....µg	23.4		0	CAZN	4		0.9		
Vitamins:									
Vitamin C, total ascorbic acid.....mg	0.0		0		5		0.0		
Thiamin.....mg	0.930		0		5		0.034		
Riboflavin.....mg	0.170		0		5		0.006		
Niacin.....mg	16.000		0		5		0.592		
Pantothenic acid.....mg									
Vitamin B-6.....mg	0.980		0		5		0.036		
Folate, total.....µg	15		0		4		1		
Folic acid.....µg	0		0	FLA	4		0		
Folate, food.....µg	15		0		4		1		
Folate, DFE.....µg	15		0	NC	4		1		
Choline, total.....mg	33.4		0	FLA	4		1.2		
Betaine.....mg									
Vitamin B-12.....µg	0.00		0		7		0.00		
Vitamin B-12, added.....µg	0.00		0	FLA	4		0.00		
Vitamin A, RAE.....µg	0		0	NC	4		0		
Retinol.....µg	0		0	FLA	4		0		
Carotene, beta.....µg	0		0	FLA	4		0		
Carotene, alpha.....µg	0		0	FLA	4		0		
Cryptoxanthin, beta.....µg	0		0	FLA	4		0		
Vitamin A, IU.....IU	0		0		4		0		
Lycopene.....µg	0		0	FLA	4		0		
Lutein + zeaxanthin.....µg	0		0	FLA	4		0		
Vitamin E (alpha-tocopherol).....mg	0.65		0	FLA	4		0.02		
Vitamin E, added.....mg	0.00		0	FLA	4		0.00		
Tocopherol, beta.....mg									
Tocopherol, gamma.....mg									
Tocopherol, delta.....mg									
Tocotrienol, alpha.....mg									
Tocotrienol, beta.....mg									
Tocotrienol, gamma.....mg									
Tocotrienol, delta.....mg									
Vitamin D (D2 + D3).....µg	0.0		0	FLA	4		0.0		
Vitamin D.....IU	0		0	FLA	4		0		
Vitamin K (phylloquinone).....µg	0.7		0	FLA	4		0.0		
Dihydrophylloquinone.....µg	0.0		0	FLA	4		0.0		
Menaquinone-4.....µg	0.0		0	FLA	4		0.0		

NDB No. 42285

Babyfood, cereal, brown rice, dry, instant

Nutrients and Units	Amount in 100 grams of edible portion				Amount in edible portion of common measures of food				
	Mean	Std. Error	Number		Source Code	Confidence Code	Measure 1	Measure 2	Measure 3
			of Data Points	Deriv Code					
Lipids:									
Fatty acids, total saturated.....g	0.610		0	NC	4		0.023		
4:0.....g	0.000		0		4		0.000		
6:0.....g	0.000		0		4		0.000		
8:0.....g	0.000		0		4		0.000		
10:0.....g	0.000		0		4		0.000		
12:0.....g	0.003		0		4		0.000		
13:0.....g									
14:0.....g	0.011		0		4		0.000		
15:0.....g	0.002		0	FLA	4		0.000		
16:0.....g	0.512		0		4		0.019		
17:0.....g	0.000		0	FLA	4		0.000		
18:0.....g	0.053		0		4		0.002		
20:0.....g	0.014		0	FLA	4		0.001		
22:0.....g	0.000		0	FLA	4		0.000		
24:0.....g	0.016		0	FLA	4		0.001		
Fatty acids, total monounsaturated.....g	1.085		0	NC	4		0.040		
14:1.....g	0.000		0	FLA	4		0.000		
15:1.....g	0.000		0	FLA	4		0.000		
16:1 undifferentiated.....g	0.010		0		4		0.000		
17:1.....g	0.000		0	FLA	4		0.000		
18:1 undifferentiated.....g	1.075		0		4		0.040		
20:1.....g	0.000		0		4		0.000		
22:1 undifferentiated.....g	0.000		0		4		0.000		
24:1 c.....g	0.000		0	FLA	4		0.000		
Fatty acids, total polyunsaturated.....g	1.072		0	NC	4		0.040		
18:2 undifferentiated.....g	1.027		0		4		0.038		
18:3 undifferentiated.....g	0.045		0		4		0.002		
18:4.....g	0.000		0		4		0.000		
20:2 n-6 c,c.....g	0.000		0	FLA	4		0.000		
20:3 undifferentiated.....g	0.000		0	FLA	4		0.000		
20:4 undifferentiated.....g	0.000		0		4		0.000		
20:5 n-3 (EPA).....g	0.000		0		4		0.000		
21:5.....g									
22:4.....g	0.000		0	FLA	4		0.000		
22:5 n-3 (DPA).....g	0.000		0		4		0.000		
22:6 n-3 (DHA).....g	0.000		0		4		0.000		
Fatty acids, total trans.....g	0.001		0	FLA	4		0.000		
Cholesterol.....mg	0		0		7		0		
Phytosterols.....mg									
Others:									
Alcohol, ethyl.....g	0.0		0		7		0.0		
Caffeine.....mg	0		0	FLA	4		0		
Theobromine.....mg	0		0	FLA	4		0		

Blanks in the Mean column indicate lack of reliable data. The Number of Data Points column is the number of analyses upon which the mean is based. Number of Data Points of zero indicates the mean was either calculated (as for Energy) or estimated, usually from a recipe, another form of the same food, or similar food.

Common Measures:

Measure 1 = 3.7g: 1 tbsp

Calories Factors: Protein

Fat

Carbohydrate

Food Group: 03 Baby Foods

USDA National Nutrient Database for Standard Reference, Release 28 (2015)

NDB No. 03201

Babyfood, cereal, egg yolks and bacon, junior

Refuse:0%

Nutrients and Units	Amount in 100 grams of edible portion				Amount in edible portion of common measures of food				
	Mean	Std. Error	Number of Data Points	Deriv Code	Source Code	Confidence Code	Measure 1	Measure 2	Measure 3
Proximates:									
Water.....g	85.90	0.100	19		1		24.35	146.03	
Energy.....kcal	79		0	NC	4		22	134	
Energy.....kJ	331				4		94	562	
Protein (N x 6.03).....g	2.50	0.000	16		1		0.71	4.25	
Total lipid (fat).....g	5.00	0.000	16		1		1.42	8.50	
Ash.....g	0.40	0.000	16		1		0.11	0.68	
Carbohydrate, by difference.....g	6.20		0	NC	4		1.76	10.54	
Fiber, total dietary.....g	0.9		0		4		0.3	1.5	
Sugars, total.....g									
Starch.....g									
Minerals:									
Calcium, Ca.....mg	28	4.000	17		1		8	48	
Iron, Fe.....mg	0.47		17		1		0.13	0.80	
Magnesium, Mg.....mg	5		1		1		1	9	
Phosphorus, P.....mg	50		0		4		14	85	
Potassium, K.....mg	35	1.000	13		1		10	60	
Sodium, Na.....mg	48	2.000	13		1		14	82	
Zinc, Zn.....mg	0.27		1		1		0.08	0.46	
Copper, Cu.....mg	0.020		1		1		0.006	0.034	
Manganese, Mn.....mg									
Selenium, Se.....µg									
Vitamins:									
Vitamin C, total ascorbic acid.....mg	0.9	0.000	15		1		0.3	1.5	
Thiamin.....mg	0.050	0.000	16		1		0.014	0.085	
Riboflavin.....mg	0.077	0.000	16		1		0.022	0.131	
Niacin.....mg	0.266	0.008	16		1		0.075	0.452	
Pantothenic acid.....mg	1.105		0		4		0.313	1.879	
Vitamin B-6.....mg	0.026		0		4		0.007	0.044	
Folate, total.....µg	4	0.100	3		1		1	7	
Folic acid.....µg	0		0	Z	7		0	0	
Folate, food.....µg	4	0.100	3		1		1	7	
Folate, DFE.....µg	4		0	NC	4		1	7	
Choline, total.....mg									
Betaine.....mg									
Vitamin B-12.....µg	0.09		0		4		0.03	0.15	
Vitamin A, RAE.....µg	28		0	NC	4		8	48	
Retinol.....µg	28		0	NC	4		8	48	
Carotene, beta.....µg									
Carotene, alpha.....µg									
Cryptoxanthin, beta.....µg									
Vitamin A, IU.....IU	94	13.000	13		1		27	160	
Lycopene.....µg									
Lutein + zeaxanthin.....µg									
Vitamin E (alpha-tocopherol).....mg									
Tocopherol, beta.....mg									
Tocopherol, gamma.....mg									
Tocopherol, delta.....mg									
Tocotrienol, alpha.....mg									
Tocotrienol, beta.....mg									
Tocotrienol, gamma.....mg									
Tocotrienol, delta.....mg									
Vitamin D (D2 + D3).....µg									
Vitamin D.....IU									
Vitamin K (phylloquinone).....µg									
Dihydrophylloquinone.....µg									
Menaquinone-4.....µg									
Lipids:									

NDB No. 03201

Babyfood, cereal, egg yolks and bacon, junior

Nutrients and Units	Amount in 100 grams of edible portion				Amount in edible portion of common measures of food				
	Mean	Std. Error	Number of Data Points	Deriv Code	Source Code	Confidence Code	Measure 1	Measure 2	Measure 3
Fatty acids, total saturated.....g	1.640		0		4		0.465	2.788	
4:0.....g	0.000		0		4		0.000	0.000	
6:0.....g	0.000		0		4		0.000	0.000	
8:0.....g	0.000		0		4		0.000	0.000	
10:0.....g	0.005		0		4		0.001	0.009	
12:0.....g	0.004		0		4		0.001	0.007	
13:0.....g									
14:0.....g	0.042		0		4		0.012	0.071	
15:0.....g									
16:0.....g	1.104		0		4		0.313	1.877	
17:0.....g									
18:0.....g	0.483		0		4		0.137	0.821	
20:0.....g									
22:0.....g									
24:0.....g									
Fatty acids, total monounsaturated.....g	2.207		0		4		0.626	3.752	
14:1.....g									
15:1.....g									
16:1 undifferentiated.....g	0.168		0		4		0.048	0.286	
17:1.....g									
18:1 undifferentiated.....g	2.038		0		4		0.578	3.465	
20:1.....g	0.000		0		4		0.000	0.000	
22:1 undifferentiated.....g	0.000		0		4		0.000	0.000	
24:1 c.....g									
Fatty acids, total polyunsaturated.....g	0.641		0		4		0.182	1.090	
18:2 undifferentiated.....g	0.546		0		4		0.155	0.928	
18:3 undifferentiated.....g	0.051		0		4		0.014	0.087	
18:4.....g	0.000		0		4		0.000	0.000	
20:2 n-6 c,c.....g									
20:3 undifferentiated.....g									
20:4 undifferentiated.....g	0.025		0		4		0.007	0.043	
20:5 n-3 (EPA).....g	0.000		0		4		0.000	0.000	
21:5.....g									
22:4.....g									
22:5 n-3 (DPA).....g	0.000		0		4		0.000	0.000	
22:6 n-3 (DHA).....g	0.000		0		4		0.000	0.000	
Fatty acids, total trans.....g									
Cholesterol.....mg	94		0		4		27	160	
Phytosterols.....mg									
Others:									
Alcohol, ethyl.....g	0.0		0		7		0.0	0.0	
Caffeine.....mg									
Theobromine.....mg									

Blanks in the Mean column indicate lack of reliable data. The Number of Data Points column is the number of analyses upon which the mean is based. Number of Data Points of zero indicates the mean was either calculated (as for Energy) or estimated, usually from a recipe, another form of the same food, or similar food.

Common Measures:

Measure 1 = 28.35g: 1 oz

Measure 2 = 170g: 1 jar

Calories Factors: Protein 4.2

Fat 8.8

Carbohydrate 3.9

Food Group: 03 Baby Foods

USDA National Nutrient Database for Standard Reference, Release 28 (2015)

NDB No. 03682

Babyfood, cereal, high protein, prepared with whole milk

Refuse:0%

Nutrients and Units	Amount in 100 grams of edible portion				Amount in edible portion of common measures of food				
	Mean	Std. Error	Number of Data Points	Deriv Code	Source Code	Confidence Code	Measure 1	Measure 2	Measure 3
Proximates:									
Water.....g	74.50		0		1		21.12		
Energy.....kcal	111		0	NC	4		31		
Energy.....kJ	464				4		132		
Protein (N x 0).....g	8.70		0		1		2.47		
Total lipid (fat).....g	3.80		0		1		1.08		
Ash.....g	1.50		0		1		0.43		
Carbohydrate, by difference.....g	11.60		0	NC	4		3.29		
Fiber, total dietary.....g									
Sugars, total.....g									
Starch.....g									
Minerals:									
Calcium, Ca.....mg	218		0		1		62		
Iron, Fe.....mg	12.14		0		1		3.44		
Magnesium, Mg.....mg	48		0		1		14		
Phosphorus, P.....mg	177		0		1		50		
Potassium, K.....mg	349		0		1		99		
Sodium, Na.....mg	49		0		1		14		
Zinc, Zn.....mg	1.04		0		1		0.30		
Copper, Cu.....mg	0.217		0		4		0.062		
Manganese, Mn.....mg									
Selenium, Se.....µg									
Vitamins:									
Vitamin C, total ascorbic acid.....mg									
Thiamin.....mg	0.470		0		1		0.133		
Riboflavin.....mg	0.579		0		1		0.164		
Niacin.....mg	5.668		0		1		1.607		
Pantothenic acid.....mg	0.465		0		4		0.132		
Vitamin B-6.....mg	0.113		0		1		0.032		
Folate, total.....µg	35		0		1		10		
Folic acid.....µg	0		0	Z	7		0		
Folate, food.....µg	35		0		1		10		
Folate, DFE.....µg	35		0	NC	4		10		
Choline, total.....mg									
Betaine.....mg									
Vitamin B-12.....µg	0.30		0		4		0.09		
Vitamin A, RAE.....µg									
Retinol.....µg									
Carotene, beta.....µg									
Carotene, alpha.....µg									
Cryptoxanthin, beta.....µg									
Vitamin A, IU.....IU	105		0		4		30		
Lycopene.....µg									
Lutein + zeaxanthin.....µg									
Vitamin E (alpha-tocopherol).....mg									
Tocopherol, beta.....mg									
Tocopherol, gamma.....mg									
Tocopherol, delta.....mg									
Tocotrienol, alpha.....mg									
Tocotrienol, beta.....mg									
Tocotrienol, gamma.....mg									
Tocotrienol, delta.....mg									
Vitamin D (D2 + D3).....µg									
Vitamin D.....IU									
Vitamin K (phylloquinone).....µg									
Dihydrophyloquinone.....µg									
Menaquinone-4.....µg									
Amino Acids:									

NDB No. 03682

Babyfood, cereal, high protein, prepared with whole milk

Nutrients and Units	Amount in 100 grams of edible portion				Amount in edible portion of common measures of food			
	Mean	Std. Error	Number			Measure 1	Measure 2	Measure 3
			of Data Points	Deriv Code	Source Code			
Tryptophan.....g	0.129		0		1	0.037		
Threonine.....g	0.364		0		1	0.103		
Isoleucine.....g	0.454		0		1	0.129		
Leucine.....g	0.752		0		1	0.213		
Lysine.....g	0.607		0		1	0.172		
Methionine.....g	0.169		0		1	0.048		
Cystine.....g	0.144		0		1	0.041		
Phenylalanine.....g	0.443		0		1	0.126		
Tyrosine.....g	0.363		0		1	0.103		
Valine.....g	0.488		0		1	0.138		
Arginine.....g	0.558		0		1	0.158		
Histidine.....g	0.241		0		1	0.068		
Alanine.....g	0.364		0		1	0.103		
Aspartic acid.....g	0.934		0		1	0.265		
Glutamic acid.....g	1.791		0		1	0.508		
Glycine.....g	0.333		0		1	0.094		
Proline.....g	0.608		0		1	0.172		
Serine.....g	0.465		0		1	0.132		
Hydroxyproline.....g								

Blanks in the Mean column indicate lack of reliable data. The Number of Data Points column is the number of analyses upon which the mean is based. Number of Data Points of zero indicates the mean was either calculated (as for Energy) or estimated, usually from a recipe, another form of the same food, or similar food.

Common Measures:

Measure 1 = 28.35g: 1 oz

Calories Factors: Protein

Fat

Carbohydrate

Food Group: 03 Baby Foods

USDA National Nutrient Database for Standard Reference, Release 28 (2015)

NDB No. 03211

Babyfood, cereal, high protein, with apple and orange, dry

Refuse:0%

Nutrients and Units	Amount in 100 grams of edible portion				Amount in edible portion of common measures of food				
	Mean	Std. Error	Number of Data Points	Deriv Code	Source Code	Confidence Code	Measure 1	Measure 2	Measure 3
Proximates:									
Water.....g	5.30		1		1		0.13	0.75	
Energy.....kcal	374		0	NC	4		9	53	
Energy.....kJ	1565				4		38	222	
Protein (N x 5.85).....g	25.40		4		1		0.61	3.61	
Total lipid (fat).....g	6.50		4		1		0.16	0.92	
Ash.....g	5.20		1		1		0.12	0.74	
Carbohydrate, by difference.....g	57.60		0	NC	4		1.38	8.18	
Fiber, total dietary.....g	7.1		0		4		0.2	1.0	
Sugars, total.....g									
Starch.....g									
Minerals:									
Calcium, Ca.....mg	751		3		1		18	107	
Iron, Fe.....mg	47.50		0		1		1.14	6.75	
Magnesium, Mg.....mg	159		1		1		4	23	
Phosphorus, P.....mg	539		1		1		13	77	
Potassium, K.....mg	1330		1		1		32	189	
Sodium, Na.....mg	104		2		1		2	15	
Zinc, Zn.....mg	2.70		1		1		0.06	0.38	
Copper, Cu.....mg	0.964		0		4		0.023	0.137	
Manganese, Mn.....mg									
Selenium, Se.....µg	28.3		0	BFZN	4		0.7	4.0	
Vitamins:									
Vitamin C, total ascorbic acid.....mg	3.1		3		1		0.1	0.4	
Thiamin.....mg	3.790	0.210	5		1		0.091	0.538	
Riboflavin.....mg	4.330	0.268	5		1		0.104	0.615	
Niacin.....mg	23.830	1.288	5		1		0.572	3.384	
Pantothenic acid.....mg									
Vitamin B-6.....mg	0.351		3		1		0.008	0.050	
Folate, total.....µg	190		0		4		5	27	
Folic acid.....µg	0		0	Z	7		0	0	
Folate, food.....µg	190		0		4		5	27	
Folate, DFE.....µg	190		0	NC	4		5	27	
Choline, total.....mg									
Betaine.....mg									
Vitamin B-12.....µg	0.30		2		1		0.01	0.04	
Vitamin A, RAE.....µg	3		0	NC	4		0	0	
Retinol.....µg	0		0	Z	7		0	0	
Carotene, beta.....µg									
Carotene, alpha.....µg									
Cryptoxanthin, beta.....µg									
Vitamin A, IU.....IU	54	17.000	4		1		1	8	
Lycopene.....µg									
Lutein + zeaxanthin.....µg									
Vitamin E (alpha-tocopherol).....mg									
Tocopherol, beta.....mg									
Tocopherol, gamma.....mg									
Tocopherol, delta.....mg									
Tocotrienol, alpha.....mg									
Tocotrienol, beta.....mg									
Tocotrienol, gamma.....mg									
Tocotrienol, delta.....mg									
Vitamin D (D2 + D3).....µg									
Vitamin D.....IU									
Vitamin K (phylloquinone).....µg									
Dihydrophylloquinone.....µg									
Menaquinone-4.....µg									
Lipids:									

NDB No. 03211

Babyfood, cereal, high protein, with apple and orange, dry

Nutrients and Units	Amount in 100 grams of edible portion				Amount in edible portion of common measures of food				
	Mean	Std. Error	Number of Data Points	Deriv Code	Source Code	Confidence Code	Measure 1	Measure 2	Measure 3
Fatty acids, total saturated.....g	0.960		0		4		0.023	0.136	
4:0.....g	0.000		0		4		0.000	0.000	
6:0.....g	0.000		0		4		0.000	0.000	
8:0.....g	0.000		0		4		0.000	0.000	
10:0.....g	0.000		0		4		0.000	0.000	
12:0.....g	0.001		0		4		0.000	0.000	
13:0.....g									
14:0.....g	0.013		0		4		0.000	0.002	
15:0.....g									
16:0.....g	0.716		0		4		0.017	0.102	
17:0.....g									
18:0.....g	0.220		0		4		0.005	0.031	
20:0.....g									
22:0.....g									
24:0.....g									
Fatty acids, total monounsaturated.....g	1.231		0		4		0.030	0.175	
14:1.....g									
15:1.....g									
16:1 undifferentiated.....g	0.019		0		4		0.000	0.003	
17:1.....g									
18:1 undifferentiated.....g	1.207		0		4		0.029	0.171	
20:1.....g	0.003		0		4		0.000	0.000	
22:1 undifferentiated.....g	0.000		0		4		0.000	0.000	
24:1 c.....g									
Fatty acids, total polyunsaturated.....g	3.429		0		4		0.082	0.487	
18:2 undifferentiated.....g	3.022		0		4		0.073	0.429	
18:3 undifferentiated.....g	0.403		0		4		0.010	0.057	
18:4.....g	0.000		0		4		0.000	0.000	
20:2 n-6 c,c.....g									
20:3 undifferentiated.....g									
20:4 undifferentiated.....g	0.000		0		4		0.000	0.000	
20:5 n-3 (EPA).....g	0.000		0		4		0.000	0.000	
21:5.....g									
22:4.....g									
22:5 n-3 (DPA).....g	0.000		0		4		0.000	0.000	
22:6 n-3 (DHA).....g	0.000		0		4		0.000	0.000	
Fatty acids, total trans.....g									
Cholesterol.....mg	0		0		7		0	0	
Phytosterols.....mg									
Others:									
Alcohol, ethyl.....g	0.0		0		7		0.0	0.0	
Caffeine.....mg									
Theobromine.....mg									

Blanks in the Mean column indicate lack of reliable data. The Number of Data Points column is the number of analyses upon which the mean is based. Number of Data Points of zero indicates the mean was either calculated (as for Energy) or estimated, usually from a recipe, another form of the same food, or similar food.

Common Measures:

Measure 1 = 2.4g: 1 tbsp

Measure 2 = 14.2g: .5 oz

Calories Factors: Protein 3.5

Fat 8.4

Carbohydrate4

Food Group: 03 Baby Foods

USDA National Nutrient Database for Standard Reference, Release 28 (2015)

NDB No. 03711

Babyfood, cereal, high protein, with apple and orange, prepared with whole milk

Refuse:0%

Nutrients and Units	Amount in 100 grams of edible portion				Amount in edible portion of common measures of food				
	Mean	Std. Error	Number of Data Points	Deriv Code	Source Code	Confidence Code	Measure 1	Measure 2	Measure 3
Proximates:									
Water.....g	74.40		0		1		21.09		
Energy.....kcal	112		0	NC	4		32		
Energy.....kJ	469				4		133		
Protein (N x 0).....g	6.90		0		1		1.96		
Total lipid (fat).....g	3.90		0		1		1.11		
Ash.....g	1.50		0		1		0.43		
Carbohydrate, by difference.....g	13.40		0	NC	4		3.80		
Fiber, total dietary.....g									
Sugars, total.....g									
Starch.....g									
Minerals:									
Calcium, Ca.....mg	223		0		1		63		
Iron, Fe.....mg	14.42		0		1		4.09		
Magnesium, Mg.....mg	37		0		1		10		
Phosphorus, P.....mg	166		0		1		47		
Potassium, K.....mg	346		0		1		98		
Sodium, Na.....mg	58		0		1		16		
Zinc, Zn.....mg	0.76		0		1		0.22		
Copper, Cu.....mg	0.166		0		4		0.047		
Manganese, Mn.....mg									
Selenium, Se.....µg									
Vitamins:									
Vitamin C, total ascorbic acid.....mg									
Thiamin.....mg	0.655		0		1		0.186		
Riboflavin.....mg	0.847		0		1		0.240		
Niacin.....mg	3.987		0		1		1.130		
Pantothenic acid.....mg									
Vitamin B-6.....mg	0.092		0		1		0.026		
Folate, total.....µg	28		0		4		8		
Folic acid.....µg	0		0	Z	7		0		
Folate, food.....µg	28		0		4		8		
Folate, DFE.....µg	28		0	NC	4		8		
Choline, total.....mg									
Betaine.....mg									
Vitamin B-12.....µg	0.35		0		1		0.10		
Vitamin A, RAE.....µg									
Retinol.....µg									
Carotene, beta.....µg									
Carotene, alpha.....µg									
Cryptoxanthin, beta.....µg									
Vitamin A, IU.....IU									
Lycopene.....µg									
Lutein + zeaxanthin.....µg									
Vitamin E (alpha-tocopherol).....mg									
Tocopherol, beta.....mg									
Tocopherol, gamma.....mg									
Tocopherol, delta.....mg									
Tocotrienol, alpha.....mg									
Tocotrienol, beta.....mg									
Tocotrienol, gamma.....mg									
Tocotrienol, delta.....mg									
Vitamin D (D2 + D3).....µg									
Vitamin D.....IU									
Vitamin K (phylloquinone).....µg									
Dihydrophyloquinone.....µg									
Menaquinone-4.....µg									

Blanks in the Mean column indicate lack of reliable data. The Number of Data Points column is the number of analyses upon which the mean is based.

NDB No. 03711

Babyfood, cereal, high protein, with apple and orange, prepared with whole milk

Nutrients and Units	<u>Amount in 100 grams of edible portion</u>				<u>Amount in edible portion of common measures of food</u>		
	Mean	Std. Error	Number	Source	Measure 1	Measure 2	Measure 3
			of Data Points	Confidence Code			

Number of Data Points of zero indicates the mean was either calculated (as for Energy) or estimated, usually from a recipe, another form of the same food, or similar food.

Common Measures:

Measure 1 = 28.35g: 1 oz

Calories Factors: Protein

Fat

Carbohydrate

Food Group: 03 Baby Foods

USDA National Nutrient Database for Standard Reference, Release 28 (2015)

NDB No. 03185

Babyfood, cereal, mixed, dry fortified

Refuse:0%

Nutrients and Units	Amount in 100 grams of edible portion					Amount in edible portion of common measures of food			
	Mean	Std. Error	Number of Data Points	Deriv Code	Source Code	Confidence Code	Measure 1	Measure 2	Measure 3
Proximates:									
Water.....g	6.70	0.200	22		1		0.17	1.01	
Energy.....kcal	379		0	NC	4		9	57	
Energy.....kJ	1587		0	NC	4		40	238	
Protein (N x 5.9).....g	12.20	0.100	23		1		0.31	1.83	
Total lipid (fat).....g	4.40	0.100	23		1		0.11	0.66	
Ash.....g	3.30	0.100	22		1		0.08	0.50	
Carbohydrate, by difference.....g	73.40		0	NC	4		1.84	11.01	
Fiber, total dietary.....g	7.5		0		4		0.2	1.1	
Sugars, total.....g	0.87		0	FLA	4		0.02	0.13	
Starch.....g									
Minerals:									
Calcium, Ca.....mg	733		14		1		18	110	
Iron, Fe.....mg	47.50		0		1		1.19	7.13	
Magnesium, Mg.....mg	100	4.000	3		1		3	15	
Phosphorus, P.....mg	392	8.000	15		1		10	59	
Potassium, K.....mg	437	11.000	15		1		11	66	
Sodium, Na.....mg	3		0	LC	8		0	0	
Zinc, Zn.....mg	2.40	0.173	3		1		0.06	0.36	
Copper, Cu.....mg	0.334		5		1		0.008	0.050	
Manganese, Mn.....mg									
Selenium, Se.....µg	25.9	3.500	4	A	1		0.6	3.9	
Vitamins:									
Vitamin C, total ascorbic acid.....mg	2.3		15		1		0.1	0.3	
Thiamin.....mg	2.438		19		1		0.061	0.366	
Riboflavin.....mg	2.717	0.127	18		1		0.068	0.408	
Niacin.....mg	34.714	1.840	18		1		0.868	5.207	
Pantothenic acid.....mg	1.074		0		4		0.027	0.161	
Vitamin B-6.....mg	0.189		5		1		0.005	0.028	
Folate, total.....µg	43	2.400	6		1		1	6	
Folic acid.....µg	0		0	Z	7		0	0	
Folate, food.....µg	43	2.400	6		1		1	6	
Folate, DFE.....µg	43		0	NC	4		1	6	
Choline, total.....mg	23.2		0	FLA	4		0.6	3.5	
Betaine.....mg									
Vitamin B-12.....µg	0.00		0		4		0.00	0.00	
Vitamin B-12, added.....µg	0.00		0	Z	7		0.00	0.00	
Vitamin A, RAE.....µg	1		0	NC	4		0	0	
Retinol.....µg	0		0	FLA	4		0	0	
Carotene, beta.....µg	9		0	BNA	4		0	1	
Carotene, alpha.....µg	6		0	BNA	4		0	1	
Cryptoxanthin, beta.....µg	0		0	BNA	4		0	0	
Vitamin A, IU.....IU	20		0	NC	4		1	3	
Lycopene.....µg	0		0	FLA	4		0	0	
Lutein + zeaxanthin.....µg	148		0	O	4		4	22	
Vitamin E (alpha-tocopherol).....mg	3.68		0	BNA	4		0.09	0.55	
Vitamin E, added.....mg	0.00		0	Z	7		0.00	0.00	
Tocopherol, beta.....mg	0.21		0	BNA	4		0.01	0.03	
Tocopherol, gamma.....mg	0.00		0	BNA	4		0.00	0.00	
Tocopherol, delta.....mg	0.26		0	BNA	4		0.01	0.04	
Tocotrienol, alpha.....mg	5.70		0	BNA	4		0.14	0.85	
Tocotrienol, beta.....mg	0.21		0	BNA	4		0.01	0.03	
Tocotrienol, gamma.....mg									
Tocotrienol, delta.....mg									
Vitamin D (D2 + D3).....µg	0.0		0	Z	7		0.0	0.0	
Vitamin D2 (ergocalciferol).....µg									
Vitamin D3 (cholecalciferol).....µg									
Vitamin D.....IU	0		0	Z	7		0	0	
Vitamin K (phylloquinone).....µg	1.5		0	FLA	4		0.0	0.2	

NDB No. 03185

Babyfood, cereal, mixed, dry fortified

Nutrients and Units	<u>Amount in 100 grams of edible portion</u>				<u>Amount in edible portion of common measures of food</u>				
	Mean	Std. Error	Number of Data Points	Deriv Code	Source Code	Confidence Code	Measure 1	Measure 2	Measure 3
Others:									
Alcohol, ethyl.....g	0.0		0		7		0.0	0.0	
Caffeine.....mg	0		0	FLA	4		0	0	
Theobromine.....mg	0		0	FLA	4		0	0	

Blanks in the Mean column indicate lack of reliable data. The Number of Data Points column is the number of analyses upon which the mean is based. Number of Data Points of zero indicates the mean was either calculated (as for Energy) or estimated, usually from a recipe, another form of the same food, or similar food.

Common Measures:

Measure 1 = 2.5g: 1 tbsp

Measure 2 = 15.0g: .5 oz

Calories Factors: Protein 3.4

Fat 8.4

Carbohydrate 4.1

Food Group: 03 Baby Foods

USDA National Nutrient Database for Standard Reference, Release 28 (2015)

NDB No. 03685

Babyfood, cereal, mixed, prepared with whole milk (1)

Refuse:0%

Nutrients and Units	Amount in 100 grams of edible portion				Amount in edible portion of common measures of food				
	Mean	Std. Error	Number of Data Points	Deriv Code	Source Code	Confidence Code	Measure 1	Measure 2	Measure 3
Proximates:									
Water.....g	79.21		0	RA	4		22.46		
Energy.....kcal	96		0	NC	4		27		
Energy.....kJ	402		0	NC	4		114		
Protein (N x 0).....g	4.14		0	RA	4		1.17		
Total lipid (fat).....g	3.38		0	RA	4		0.96		
Ash.....g	0.96		0	RA	4		0.27		
Carbohydrate, by difference.....g	12.30		0	RA	4		3.49		
Fiber, total dietary.....g	0.8		0	RA	4		0.2		
Sugars, total.....g	4.78		0	RA	4		1.35		
Sucrose.....g	0.00		0	RA	4		0.00		
Glucose (dextrose).....g	0.00		0	RA	4		0.00		
Fructose.....g	0.00		0	RA	4		0.00		
Lactose.....g	4.50		0	RA	4		1.28		
Maltose.....g	0.00		0	RA	4		0.00		
Galactose.....g	0.00		0	RA	4		0.00		
Starch.....g									
Minerals:									
Calcium, Ca.....mg	220		0	RA	4		62		
Iron, Fe.....mg	10.43		0	RA	4		2.96		
Magnesium, Mg.....mg	20		0	RA	4		6		
Phosphorus, P.....mg	118		0	RA	4		33		
Potassium, K.....mg	166		0	RA	4		47		
Sodium, Na.....mg	42		0	RA	4		12		
Zinc, Zn.....mg	0.59		0	RA	4		0.17		
Copper, Cu.....mg	0.059		0	RA	4		0.017		
Manganese, Mn.....mg	0.004		0	RA	4		0.001		
Selenium, Se.....µg	6.1		0	RA	4		1.7		
Vitamins:									
Vitamin C, total ascorbic acid.....mg	0.3		0	RA	4		0.1		
Thiamin.....mg	0.308		0	RA	4		0.087		
Riboflavin.....mg	0.448		0	RA	4		0.127		
Niacin.....mg	3.880		0	RA	4		1.100		
Pantothenic acid.....mg	0.450		0	RA	4		0.127		
Vitamin B-6.....mg	0.053		0	RA	4		0.015		
Folate, total.....µg	9		0	RA	4		3		
Folic acid.....µg	0		0	RA	4		0		
Folate, food.....µg	9		0	RA	4		3		
Folate, DFE.....µg	9		0	NC	4		3		
Choline, total.....mg	15.3		0	RA	4		4.3		
Betaine.....mg	0.5		0	RA	4		0.2		
Vitamin B-12.....µg	0.40		0	RA	4		0.11		
Vitamin B-12, added.....µg	0.00		0	RA	4		0.00		
Vitamin A, RAE.....µg	41		0	RA	4		12		
Retinol.....µg	40		0	RA	4		11		
Carotene, beta.....µg	7		0	RA	4		2		
Carotene, alpha.....µg	1		0	RA	4		0		
Cryptoxanthin, beta.....µg	0		0	RA	4		0		
Vitamin A, IU.....IU	146		0	RA	4		41		
Lycopene.....µg	0		0	RA	4		0		
Lutein + zeaxanthin.....µg	16		0	RA	4		5		
Vitamin E (alpha-tocopherol).....mg	0.47		0	RA	4		0.13		
Vitamin E, added.....mg	0.00		0	RA	4		0.00		
Tocopherol, beta.....mg	0.02		0	RA	4		0.01		
Tocopherol, gamma.....mg	0.00		0	RA	4		0.00		
Tocopherol, delta.....mg	0.03		0	RA	4		0.01		
Tocotrienol, alpha.....mg	0.62		0	RA	4		0.18		
Tocotrienol, beta.....mg	0.02		0	RA	4		0.01		

NDB No. 03685

Babyfood, cereal, mixed, prepared with whole milk (1)

Nutrients and Units	Amount in 100 grams of edible portion				Amount in edible portion of common measures of food				
	Mean	Std. Error	Number	Deriv	Source Code	Confidence Code	Measure 1	Measure 2	Measure 3
			of Data Points	Code					
Tocotrienol, gamma.....mg	0.00		0	RA	4		0.00		
Tocotrienol, delta.....mg	0.00		0	RA	4		0.00		
Vitamin D (D2 + D3).....µg	1.1		0	RA	4		0.3		
Vitamin D2 (ergocalciferol).....µg									
Vitamin D3 (cholecalciferol).....µg	1.1		0	RA	4		0.3		
Vitamin D.....IU	45		0	RA	4		13		
Vitamin K (phylloquinone).....µg	0.4		0	RA	4		0.1		
Dihydrophyloquinone.....µg	0.0		0	RA	4		0.0		
Menaquinone-4.....µg	0.8		0	RA	4		0.2		
Lipids:									
Fatty acids, total saturated.....g	1.745		0	RA	4		0.495		
4:0.....g	0.066		0	RA	4		0.019		
6:0.....g	0.066		0	RA	4		0.019		
8:0.....g	0.067		0	RA	4		0.019		
10:0.....g	0.066		0	RA	4		0.019		
12:0.....g	0.069		0	RA	4		0.020		
13:0.....g	0.000		0	RA	4		0.000		
14:0.....g	0.265		0	RA	4		0.075		
15:0.....g	0.000		0	RA	4		0.000		
16:0.....g	0.810		0	RA	4		0.230		
17:0.....g	0.000		0	RA	4		0.000		
18:0.....g	0.330		0	RA	4		0.094		
20:0.....g	0.000		0	RA	4		0.000		
22:0.....g	0.000		0	RA	4		0.000		
24:0.....g	0.000		0	RA	4		0.000		
Fatty acids, total monounsaturated.....g	0.855		0	RA	4		0.243		
14:1.....g	0.000		0	RA	4		0.000		
15:1.....g									
16:1 undifferentiated.....g	0.001		0	RA	4		0.000		
17:1.....g									
18:1 undifferentiated.....g	0.854		0	RA	4		0.242		
20:1.....g	0.000		0	RA	4		0.000		
22:1 undifferentiated.....g	0.000		0	RA	4		0.000		
24:1 c.....g									
Fatty acids, total polyunsaturated.....g	0.359		0	RA	4		0.102		
18:2 undifferentiated.....g	0.284		0	RA	4		0.080		
18:3 undifferentiated.....g	0.071		0	RA	4		0.020		
18:4.....g	0.000		0	RA	4		0.000		
20:2 n-6 c,c.....g									
20:3 undifferentiated.....g									
20:4 undifferentiated.....g	0.000		0	RA	4		0.000		
20:5 n-3 (EPA).....g	0.000		0	RA	4		0.000		
21:5.....g									
22:4.....g									
22:5 n-3 (DPA).....g	0.000		0	RA	4		0.000		
22:6 n-3 (DHA).....g	0.000		0	RA	4		0.000		
Fatty acids, total trans.....g									
Cholesterol.....mg	9		0	RA	4		3		
Phytosterols.....mg									
Amino Acids:									
Tryptophan.....g	0.064		0		1		0.018		
Threonine.....g	0.190		0		1		0.054		
Isoleucine.....g	0.244		0		1		0.069		
Leucine.....g	0.440		0		1		0.125		
Lysine.....g	0.166		0	RA	4		0.047		
Methionine.....g	0.091		0	RA	4		0.026		
Cystine.....g	0.052		0	RA	4		0.015		
Phenylalanine.....g	0.202		0	RA	4		0.057		
Tyrosine.....g	0.186		0	RA	4		0.053		
Valine.....g	0.239		0	RA	4		0.068		
Arginine.....g	0.142		0	RA	4		0.040		
Histidine.....g	0.097		0	RA	4		0.027		
Alanine.....g	0.153		0	RA	4		0.043		

NDB No. 03685

Babyfood, cereal, mixed, prepared with whole milk (1)

Nutrients and Units	Amount in 100 grams of edible portion				Amount in edible portion of common measures of food			
	Mean	Std. Error	Number of Data Points			Measure 1	Measure 2	Measure 3
			Deriv Code	Source Code	Confidence Code			
Aspartic acid.....g	0.286		0	RA	4	0.081		
Glutamic acid.....g	1.099		0		1	0.312		
Glycine.....g	0.126		0	RA	4	0.036		
Proline.....g	0.412		0	RA	4	0.117		
Serine.....g	0.155		0	RA	4	0.044		
Hydroxyproline.....g								
Others:								
Alcohol, ethyl.....g	0.0		0	RA	4	0.0		
Caffeine.....mg	0		0	RA	4	0		
Theobromine.....mg	0		0	RA	4	0		

Blanks in the Mean column indicate lack of reliable data. The Number of Data Points column is the number of analyses upon which the mean is based. Number of Data Points of zero indicates the mean was either calculated (as for Energy) or estimated, usually from a recipe, another form of the same food, or similar food.

Common Measures:

Measure 1 = 28.35g: 1 oz

Footnotes:

1 Prepared with 1/4 cup dry cereal and 1/2 cup whole milk.

Calories Factors: Protein

Fat

Carbohydrate

Food Group: 03 Baby Foods

USDA National Nutrient Database for Standard Reference, Release 28 (2015)

Nutrients and Units	Amount in 100 grams of edible portion				Amount in edible portion of common measures of food				
	Mean	Std. Error	Number	Deriv	Source Code	Confidence Code	Measure 1	Measure 2	Measure 3
			of Data Points	Code					
Tocotrienol, delta.....mg									
Vitamin D (D2 + D3).....µg	0.0		0	Z	7		0.0	0.0	
Vitamin D.....IU	0		0	Z	7		0	0	
Vitamin K (phylloquinone).....µg	0.3		0	T	4		0.1	0.5	
Dihydrophylloquinone.....µg									
Menaquinone-4.....µg									
Lipids:									
Fatty acids, total saturated.....g	0.072		0		4		0.020	0.122	
4:0.....g	0.000		0		4		0.000	0.000	
6:0.....g	0.000		0		4		0.000	0.000	
8:0.....g	0.001		0		4		0.000	0.002	
10:0.....g	0.000		0		4		0.000	0.000	
12:0.....g	0.001		0		4		0.000	0.002	
13:0.....g									
14:0.....g	0.001		0		4		0.000	0.002	
15:0.....g									
16:0.....g	0.060		0		4		0.017	0.102	
17:0.....g									
18:0.....g	0.004		0		4		0.001	0.007	
20:0.....g									
22:0.....g									
24:0.....g									
Fatty acids, total monounsaturated.....g	0.108		0		4		0.031	0.184	
14:1.....g									
15:1.....g									
16:1 undifferentiated.....g	0.001		0		4		0.000	0.002	
17:1.....g									
18:1 undifferentiated.....g	0.106		0		4		0.030	0.180	
20:1.....g	0.000		0		4		0.000	0.000	
22:1 undifferentiated.....g	0.000		0		4		0.000	0.000	
24:1 c.....g									
Fatty acids, total polyunsaturated.....g	0.152		0		4		0.043	0.258	
18:2 undifferentiated.....g	0.145		0		4		0.041	0.247	
18:3 undifferentiated.....g	0.004		0		4		0.001	0.007	
18:4.....g	0.000		0		4		0.000	0.000	
20:2 n-6 c,c.....g									
20:3 undifferentiated.....g									
20:4 undifferentiated.....g	0.000		0		4		0.000	0.000	
20:5 n-3 (EPA).....g	0.000		0		4		0.000	0.000	
21:5.....g									
22:4.....g									
22:5 n-3 (DPA).....g	0.000		0		4		0.000	0.000	
22:6 n-3 (DHA).....g	0.000		0		4		0.000	0.000	
Fatty acids, total trans.....g									
Cholesterol.....mg	0		0		4		0	0	
Phytosterols.....mg									
Amino Acids:									
Tryptophan.....g	0.013		0		1		0.004	0.022	
Threonine.....g	0.034		0		1		0.010	0.058	
Isoleucine.....g	0.043		0		1		0.012	0.073	
Leucine.....g	0.086		0		1		0.024	0.146	
Lysine.....g	0.035		0		1		0.010	0.060	
Methionine.....g	0.024		0		1		0.007	0.041	
Cystine.....g	0.026		0		1		0.007	0.044	
Phenylalanine.....g	0.062		0		1		0.018	0.105	
Tyrosine.....g	0.043		0		1		0.012	0.073	
Valine.....g	0.058		0		1		0.016	0.099	
Arginine.....g	0.065		0		1		0.018	0.111	
Histidine.....g	0.027		0		1		0.008	0.046	
Alanine.....g	0.046		0		1		0.013	0.078	
Aspartic acid.....g	0.081		0		1		0.023	0.138	
Glutamic acid.....g	0.302		0		1		0.086	0.513	
Glycine.....g	0.051		0		1		0.014	0.087	

NDB No. 03188

Babyfood, cereal, mixed, with applesauce and bananas, junior

Nutrients and Units	Amount in 100 grams of edible portion				Amount in edible portion of common measures of food		
	Mean	Std. Error	Number		Measure 1	Measure 2	Measure 3
			of Data Points	Deriv Code			
Proline.....g	0.084		0		1	0.024	0.143
Serine.....g	0.050		0		1	0.014	0.085
Hydroxyproline.....g							
Others:							
Alcohol, ethyl.....g	0.0		0		7	0.0	0.0
Caffeine.....mg	0		0	T	4	0	0
Theobromine.....mg	0		0	T	4	0	0

Blanks in the Mean column indicate lack of reliable data. The Number of Data Points column is the number of analyses upon which the mean is based. Number of Data Points of zero indicates the mean was either calculated (as for Energy) or estimated, usually from a recipe, another form of the same food, or similar food.

Common Measures:

Measure 1 = 28.35g: 1 oz

Measure 2 = 170g: 1 jar

Calories Factors: Protein 3.4

Fat 8.4

Carbohydrate 4.1

Food Group: 03 Baby Foods

USDA National Nutrient Database for Standard Reference, Release 28 (2015)

Nutrients and Units	Amount in 100 grams of edible portion				Amount in edible portion of common measures of food				
	Mean	Std. Error	Number of Data Points	Deriv Code	Source Code	Confidence Code	Measure 1	Measure 2	Measure 3
Tocotrienol, delta.....mg									
Vitamin D (D2 + D3).....µg	0.0		0	Z	7		0.0	0.0	
Vitamin D.....IU	0		0	Z	7		0	0	
Vitamin K (phylloquinone).....µg	0.3		0	T	4		0.1	0.3	
Dihydrophyloquinone.....µg									
Menaquinone-4.....µg									
Lipids:									
Fatty acids, total saturated.....g	0.090		0		4		0.026	0.102	
4:0.....g	0.000		0		4		0.000	0.000	
6:0.....g	0.000		0		4		0.000	0.000	
8:0.....g	0.001		0		4		0.000	0.001	
10:0.....g	0.000		0		4		0.000	0.000	
12:0.....g	0.001		0		4		0.000	0.001	
13:0.....g									
14:0.....g	0.001		0		4		0.000	0.001	
15:0.....g									
16:0.....g	0.076		0		4		0.022	0.086	
17:0.....g									
18:0.....g	0.005		0		4		0.001	0.006	
20:0.....g									
22:0.....g									
24:0.....g									
Fatty acids, total monounsaturated.....g	0.135		0		4		0.038	0.153	
14:1.....g									
15:1.....g									
16:1 undifferentiated.....g	0.001		0		4		0.000	0.001	
17:1.....g									
18:1 undifferentiated.....g	0.133		0		4		0.038	0.150	
20:1.....g	0.000		0		4		0.000	0.000	
22:1 undifferentiated.....g	0.000		0		4		0.000	0.000	
24:1 c.....g									
Fatty acids, total polyunsaturated.....g	0.191		0		4		0.054	0.216	
18:2 undifferentiated.....g	0.181		0		4		0.051	0.205	
18:3 undifferentiated.....g	0.005		0		4		0.001	0.006	
18:4.....g	0.000		0		4		0.000	0.000	
20:2 n-6 c,c.....g									
20:3 undifferentiated.....g									
20:4 undifferentiated.....g	0.000		0		4		0.000	0.000	
20:5 n-3 (EPA).....g	0.000		0		4		0.000	0.000	
21:5.....g									
22:4.....g									
22:5 n-3 (DPA).....g	0.000		0		4		0.000	0.000	
22:6 n-3 (DHA).....g	0.000		0		4		0.000	0.000	
Fatty acids, total trans.....g									
Cholesterol.....mg	0		0		7		0	0	
Phytosterols.....mg									
Amino Acids:									
Tryptophan.....g	0.013		0		1		0.004	0.015	
Threonine.....g	0.035		0		1		0.010	0.040	
Isoleucine.....g	0.044		0		1		0.012	0.050	
Leucine.....g	0.088		0		1		0.025	0.099	
Lysine.....g	0.036		0		1		0.010	0.041	
Methionine.....g	0.025		0		1		0.007	0.028	
Cystine.....g	0.027		0		1		0.008	0.031	
Phenylalanine.....g	0.063		0		1		0.018	0.071	
Tyrosine.....g	0.044		0		1		0.012	0.050	
Valine.....g	0.059		0		1		0.017	0.067	
Arginine.....g	0.067		0		1		0.019	0.076	
Histidine.....g	0.028		0		1		0.008	0.032	
Alanine.....g	0.047		0		1		0.013	0.053	
Aspartic acid.....g	0.083		0		1		0.024	0.094	
Glutamic acid.....g	0.310		0		1		0.088	0.350	
Glycine.....g	0.052		0		1		0.015	0.059	

NDB No. 03187

Babyfood, cereal, mixed, with applesauce and bananas, strained

Nutrients and Units	Amount in 100 grams of edible portion				Amount in edible portion of common measures of food		
	Mean	Std. Error	Number		Measure 1	Measure 2	Measure 3
			of Data Points	Deriv Code			
Proline.....g	0.086		0		1	0.024	0.097
Serine.....g	0.051		0		1	0.014	0.058
Hydroxyproline.....g							
Others:							
Alcohol, ethyl.....g	0.0		0		7	0.0	0.0
Caffeine.....mg	0		0	T	4	0	0
Theobromine.....mg	0		0	T	4	0	0

Blanks in the Mean column indicate lack of reliable data. The Number of Data Points column is the number of analyses upon which the mean is based. Number of Data Points of zero indicates the mean was either calculated (as for Energy) or estimated, usually from a recipe, another form of the same food, or similar food.

Common Measures:

Measure 1 = 28.35g: 1 oz

Measure 2 = 113g: 1 jar

Calories Factors: Protein 3.4

Fat 8.4

Carbohydrate 4.1

Food Group: 03 Baby Foods

USDA National Nutrient Database for Standard Reference, Release 28 (2015)

NDB No. 03186

Babyfood, cereal, mixed, w with bananas, dry

Refuse:0%

Nutrients and Units	Amount in 100 grams of edible portion					Amount in edible portion of common measures of food			
	Mean	Std. Error	Number of Data Points	Deriv Code	Source Code	Confidence Code	Measure 1	Measure 2	Measure 3
Proximates:									
Water.....g	4.50	0.200	6		1		0.11	0.68	
Energy.....kcal	391		0	NC	4		10	59	
Energy.....kJ	1636		0		4		41	245	
Protein (N x 6.1).....g	10.70	0.100	7		1		0.27	1.61	
Total lipid (fat).....g	4.60	0.000	7		1		0.12	0.69	
Ash.....g	3.10	0.200	6		1		0.08	0.47	
Carbohydrate, by difference.....g	77.10		0	NC	4		1.93	11.57	
Fiber, total dietary.....g	7.8		0		4		0.2	1.2	
Sugars, total.....g	6.68		0	FLA	4		0.17	1.00	
Sucrose.....g	1.82		0	FLA	4		0.05	0.27	
Glucose (dextrose).....g	2.44		0	FLA	4		0.06	0.37	
Fructose.....g	2.36		0	FLA	4		0.06	0.35	
Lactose.....g	0.00		0	FLA	4		0.00	0.00	
Maltose.....g	0.01		0	FLA	4		0.00	0.00	
Galactose.....g	0.00		0	FLA	4		0.00	0.00	
Starch.....g									
Minerals:									
Calcium, Ca.....mg	696		1		1		17	104	
Iron, Fe.....mg	47.50		0		5		1.19	7.13	
Magnesium, Mg.....mg	90		2		1		2	14	
Phosphorus, P.....mg	367		2		1		9	55	
Potassium, K.....mg	668		2		1		17	100	
Sodium, Na.....mg	0		0	LC	8		0	0	
Zinc, Zn.....mg	1.40		2		1		0.04	0.21	
Copper, Cu.....mg	0.256		0		4		0.006	0.038	
Manganese, Mn.....mg									
Selenium, Se.....µg	20.0		2	A	1		0.5	3.0	
Vitamins:									
Vitamin C, total ascorbic acid.....mg	3.6	0.500	5		1		0.1	0.5	
Thiamin.....mg	3.780		1		1		0.095	0.567	
Riboflavin.....mg	3.560	0.110	4		1		0.089	0.534	
Niacin.....mg	20.560	0.390	4		1		0.514	3.084	
Pantothenic acid.....mg									
Vitamin B-6.....mg	0.408	0.031	6		1		0.010	0.061	
Folate, total.....µg	17		0		4		0	3	
Folic acid.....µg	0		0	Z	7		0	0	
Folate, food.....µg	17		0		4		0	3	
Folate, DFE.....µg	17		0	NC	4		0	3	
Choline, total.....mg	28.6		0	FLA	4		0.7	4.3	
Betaine.....mg									
Vitamin B-12.....µg	0.24		2		1		0.01	0.04	
Vitamin B-12, added.....µg	0.00		0	Z	7		0.00	0.00	
Vitamin A, RAE.....µg	6		0	NC	4		0	1	
Retinol.....µg	0		0	Z	7		0	0	
Carotene, beta.....µg	51		0	BNA	4		1	8	
Carotene, alpha.....µg	49		0	BNA	4		1	7	
Cryptoxanthin, beta.....µg	0		0	BNA	4		0	0	
Vitamin A, IU.....IU	125		0	NC	4		3	19	
Lycopene.....µg	0		0	FLA	4		0	0	
Lutein + zeaxanthin.....µg	96		0	FLA	4		2	14	
Vitamin E (alpha-tocopherol).....mg	0.51		0	FLA	4		0.01	0.08	
Vitamin E, added.....mg	0.00		0	Z	7		0.00	0.00	
Tocopherol, beta.....mg	0.00		0	FLA	4		0.00	0.00	
Tocopherol, gamma.....mg	0.01		0	FLA	4		0.00	0.00	
Tocopherol, delta.....mg	0.00		0	FLA	4		0.00	0.00	
Tocotrienol, alpha.....mg	0.03		0	FLA	4		0.00	0.00	
Tocotrienol, beta.....mg	0.00		0	FLA	4		0.00	0.00	

Babyfood, cereal, mixed, with bananas, dry

Nutrients and Units	Amount in 100 grams of edible portion				Amount in edible portion of common measures of food				
	Mean	Std. Error	Number	Deriv	Source Code	Confidence Code	Measure 1	Measure 2	Measure 3
			of Data Points	Code					
Tocotrienol, gamma.....mg	0.00		0	FLA	4		0.00	0.00	
Tocotrienol, delta.....mg	0.00		0	FLA	4		0.00	0.00	
Vitamin D (D2 + D3).....µg	0.0		0	Z	7		0.0	0.0	
Vitamin D2 (ergocalciferol).....µg									
Vitamin D3 (cholecalciferol).....µg									
Vitamin D.....IU	0		0	Z	7		0	0	
Vitamin K (phylloquinone).....µg	3.5		0	FLA	4		0.1	0.5	
Dihydrophyloquinone.....µg									
Menaquinone-4.....µg									
<u>Lipids:</u>									
Fatty acids, total saturated.....g	0.846		0		4		0.021	0.127	
4:0.....g	0.000		0		4		0.000	0.000	
6:0.....g	0.000		0		4		0.000	0.000	
8:0.....g	0.006		0		4		0.000	0.001	
10:0.....g	0.001		0		4		0.000	0.000	
12:0.....g	0.010		0		4		0.000	0.002	
13:0.....g									
14:0.....g	0.008		0		4		0.000	0.001	
15:0.....g									
16:0.....g	0.706		0		4		0.018	0.106	
17:0.....g									
18:0.....g	0.049		0		4		0.001	0.007	
20:0.....g									
22:0.....g									
24:0.....g									
Fatty acids, total monounsaturated.....g	1.223		0		4		0.031	0.183	
14:1.....g									
15:1.....g									
16:1 undifferentiated.....g	0.015		0		4		0.000	0.002	
17:1.....g									
18:1 undifferentiated.....g	1.203		0		4		0.030	0.180	
20:1.....g	0.000		0		4		0.000	0.000	
22:1 undifferentiated.....g	0.000		0		4		0.000	0.000	
24:1 c.....g									
Fatty acids, total polyunsaturated.....g	1.734		0		4		0.043	0.260	
18:2 undifferentiated.....g	1.639		0		4		0.041	0.246	
18:3 undifferentiated.....g	0.054		0		4		0.001	0.008	
18:4.....g	0.000		0		4		0.000	0.000	
20:2 n-6 c,c.....g									
20:3 undifferentiated.....g									
20:4 undifferentiated.....g	0.001		0		4		0.000	0.000	
20:5 n-3 (EPA).....g	0.000		0		4		0.000	0.000	
21:5.....g									
22:4.....g									
22:5 n-3 (DPA).....g	0.000		0		4		0.000	0.000	
22:6 n-3 (DHA).....g	0.000		0		4		0.000	0.000	
Fatty acids, total trans.....g									
Cholesterol.....mg	0		0		7		0	0	
Phytosterols.....mg									
<u>Amino Acids:</u>									
Tryptophan.....g	0.126		0		1		0.003	0.019	
Threonine.....g	0.363		0		1		0.009	0.054	
Isoleucine.....g	0.430		0		1		0.011	0.065	
Leucine.....g	0.956		0		1		0.024	0.143	
Lysine.....g	0.460		0		1		0.012	0.069	
Methionine.....g	0.218		0		1		0.005	0.033	
Cystine.....g	0.205		0		1		0.005	0.031	
Phenylalanine.....g	0.546		0		1		0.014	0.082	
Tyrosine.....g	0.439		0		1		0.011	0.066	
Valine.....g	0.604		0		1		0.015	0.091	
Arginine.....g	0.505		0		1		0.013	0.076	
Histidine.....g	0.319		0		1		0.008	0.048	
Alanine.....g	0.437		0		1		0.011	0.066	

NDB No. 03186

Babyfood, cereal, mixed, w with bananas, dry

Nutrients and Units	<u>Amount in 100 grams of edible portion</u>				<u>Amount in edible portion of common measures of food</u>				
	Mean	Std. Error	Number of Data Points	Deriv Code	Source Code	Confidence Code	Measure 1	Measure 2	Measure 3
Aspartic acid.....g	0.783		0		1		0.020	0.117	
Glutamic acid.....g	2.478		0		1		0.062	0.372	
Glycine.....g	0.369		0		1		0.009	0.055	
Proline.....g	0.863		0		1		0.022	0.129	
Serine.....g	0.505		0		1		0.013	0.076	
Hydroxyproline.....g									
Others:									
Alcohol, ethyl.....g	0.0		0		7		0.0	0.0	
Caffeine.....mg	0		0	FLA	4		0	0	
Theobromine.....mg	0		0	FLA	4		0	0	

Blanks in the Mean column indicate lack of reliable data. The Number of Data Points column is the number of analyses upon which the mean is based. Number of Data Points of zero indicates the mean was either calculated (as for Energy) or estimated, usually from a recipe, another form of the same food, or similar food.

Common Measures:

Measure 1 = 2.5g: 1 tbsp

Measure 2 = 15.0g: .5 oz

Calories Factors: Protein 3.4

Fat 8.4

Carbohydrate 4.1

Food Group: 03 Baby Foods

USDA National Nutrient Database for Standard Reference, Release 28 (2015)

NDB No. 03686

Babyfood, cereal, mixed, with bananas, prepared with whole milk

Refuse:0%

Nutrients and Units	Amount in 100 grams of edible portion				Amount in edible portion of common measures of food				
	Mean	Std. Error	Number of Data Points	Deriv Code	Source Code	Confidence Code	Measure 1	Measure 2	Measure 3
Proximates:									
Water.....g	81.81		0	RA	4		23.19		
Energy.....kcal	86		0	NC	4		24		
Energy.....kJ	362		0	NC	4		102		
Protein (N x 0).....g	3.82		0	RA	4		1.08		
Total lipid (fat).....g	3.46		0	RA	4		0.98		
Ash.....g	0.92		0	RA	4		0.26		
Carbohydrate, by difference.....g	10.00		0	RA	4		2.83		
Fiber, total dietary.....g	0.4		0	RA	4		0.1		
Sugars, total.....g	5.90		0	RA	4		1.67		
Starch.....g									
Minerals:									
Calcium, Ca.....mg	153		0	RA	4		43		
Iron, Fe.....mg	3.63		0	RA	4		1.03		
Magnesium, Mg.....mg	18		0	RA	4		5		
Phosphorus, P.....mg	111		0	RA	4		32		
Potassium, K.....mg	178		0	RA	4		50		
Sodium, Na.....mg	48		0	RA	4		14		
Zinc, Zn.....mg	0.49		0	RA	4		0.14		
Copper, Cu.....mg	0.053		0	RA	4		0.015		
Manganese, Mn.....mg	0.004		0	RA	4		0.001		
Selenium, Se.....µg	4.9		0	RA	4		1.4		
Vitamins:									
Vitamin C, total ascorbic acid.....mg	0.4		0	RA	4		0.1		
Thiamin.....mg	0.315		0	RA	4		0.089		
Riboflavin.....mg	0.437		0	RA	4		0.124		
Niacin.....mg	1.605		0	RA	4		0.455		
Pantothenic acid.....mg	0.345		0	RA	4		0.098		
Vitamin B-6.....mg	0.065		0	RA	4		0.018		
Folate, total.....µg	6		0	RA	4		2		
Folic acid.....µg	0		0	RA	4		0		
Folate, food.....µg	6		0	RA	4		2		
Folate, DFE.....µg	6		0	NC	4		2		
Choline, total.....mg	15.4		0	RA	4		4.4		
Betaine.....mg	0.6		0	RA	4		0.2		
Vitamin B-12.....µg	0.43		0	RA	4		0.12		
Vitamin B-12, added.....µg	0.00		0	RA	4		0.00		
Vitamin A, RAE.....µg	43		0	RA	4		12		
Retinol.....µg	42		0	RA	4		12		
Carotene, beta.....µg	8		0	RA	4		2		
Carotene, alpha.....µg	2		0	RA	4		1		
Cryptoxanthin, beta.....µg	0		0	RA	4		0		
Vitamin A, IU.....IU	155		0	RA	4		44		
Lycopene.....µg	0		0	RA	4		0		
Lutein + zeaxanthin.....µg	12		0	RA	4		3		
Vitamin E (alpha-tocopherol).....mg	0.44		0	RA	4		0.13		
Vitamin E, added.....mg	0.00		0	RA	4		0.00		
Tocopherol, beta.....mg	0.00		0	RA	4		0.00		
Tocopherol, gamma.....mg	0.00		0	RA	4		0.00		
Tocopherol, delta.....mg	0.00		0	RA	4		0.00		
Tocotrienol, alpha.....mg	0.00		0	RA	4		0.00		
Tocotrienol, beta.....mg	0.00		0	RA	4		0.00		
Tocotrienol, gamma.....mg	0.00		0	RA	4		0.00		
Tocotrienol, delta.....mg	0.00		0	RA	4		0.00		
Vitamin D (D2 + D3).....µg	1.2		0	RA	4		0.3		
Vitamin D2 (ergocalciferol).....µg									
Vitamin D3 (cholecalciferol).....µg	1.2		0	RA	4		0.3		
Vitamin D.....IU	47		0	RA	4		13		
Vitamin K (phylloquinone).....µg	0.5		0	RA	4		0.1		

NDB No. 03686

Babyfood, cereal, mixed, with bananas, prepared with whole milk

Nutrients and Units	<u>Amount in 100 grams of edible portion</u>				<u>Amount in edible portion of common measures of food</u>				
	Mean	Std. Error	Number of Data Points	Deriv Code	Source Code	Confidence Code	Measure 1	Measure 2	Measure 3
Others:									
Alcohol, ethyl.....g	0.0		0	RA	4		0.0		
Caffeine.....mg	0		0	RA	4		0		
Theobromine.....mg	0		0	RA	4		0		

Blanks in the Mean column indicate lack of reliable data. The Number of Data Points column is the number of analyses upon which the mean is based. Number of Data Points of zero indicates the mean was either calculated (as for Energy) or estimated, usually from a recipe, another form of the same food, or similar food.

Common Measures:

Measure 1 = 28.35g: 1 oz

Calories Factors: Protein

Fat

Carbohydrate

Food Group: 03 Baby Foods

USDA National Nutrient Database for Standard Reference, Release 28 (2015)

NDB No. 03704

Babyfood, cereal, mixed, with honey, prepared with whole milk

Refuse:0%

Nutrients and Units	Amount in 100 grams of edible portion				Amount in edible portion of common measures of food				
	Mean	Std. Error	Number of Data Points	Deriv Code	Source Code	Confidence Code	Measure 1	Measure 2	Measure 3
Proximates:									
Water.....g	74.20		0		1		21.04		
Energy.....kcal	115		0	NC	4		33		
Energy.....kJ	481				4		136		
Protein (N x 0).....g	5.00		0		1		1.42		
Total lipid (fat).....g	3.60		0		1		1.02		
Ash.....g	1.20		0		1		0.34		
Carbohydrate, by difference.....g	15.90		0	NC	4		4.51		
Fiber, total dietary.....g									
Sugars, total.....g									
Starch.....g									
Minerals:									
Calcium, Ca.....mg	294		0		1		83		
Iron, Fe.....mg	11.27		0		1		3.20		
Magnesium, Mg.....mg	28		0		4		8		
Phosphorus, P.....mg	184		0		1		52		
Potassium, K.....mg	171		0		1		48		
Sodium, Na.....mg	48		0		1		14		
Zinc, Zn.....mg	0.72		0		4		0.20		
Copper, Cu.....mg	0.064		0		4		0.018		
Manganese, Mn.....mg									
Selenium, Se.....µg									
Vitamins:									
Vitamin C, total ascorbic acid.....mg									
Thiamin.....mg	0.447		0		1		0.127		
Riboflavin.....mg	0.583		0		1		0.165		
Niacin.....mg	6.260		0		1		1.775		
Pantothenic acid.....mg	0.443		0		4		0.126		
Vitamin B-6.....mg	0.067		0		4		0.019		
Folate, total.....µg	11		0		4		3		
Folic acid.....µg	0		0	Z	7		0		
Folate, food.....µg	11		0		4		3		
Folate, DFE.....µg	11		0	NC	4		3		
Choline, total.....mg									
Betaine.....mg									
Vitamin B-12.....µg	0.30		0		4		0.09		
Vitamin A, RAE.....µg									
Retinol.....µg									
Carotene, beta.....µg									
Carotene, alpha.....µg									
Cryptoxanthin, beta.....µg									
Vitamin A, IU.....IU									
Lycopene.....µg									
Lutein + zeaxanthin.....µg									
Vitamin E (alpha-tocopherol).....mg									
Tocopherol, beta.....mg									
Tocopherol, gamma.....mg									
Tocopherol, delta.....mg									
Tocotrienol, alpha.....mg									
Tocotrienol, beta.....mg									
Tocotrienol, gamma.....mg									
Tocotrienol, delta.....mg									
Vitamin D (D2 + D3).....µg									
Vitamin D.....IU									
Vitamin K (phylloquinone).....µg									
Dihydrophyloquinone.....µg									
Menaquinone-4.....µg									

Blanks in the Mean column indicate lack of reliable data. The Number of Data Points column is the number of analyses upon which the mean is based.

NDB No. 03704

Babyfood, cereal, mixed, with honey, prepared with whole milk

Nutrients and Units	<u>Amount in 100 grams of edible portion</u>						<u>Amount in edible portion of common measures of food</u>		
	Mean	Std. Error	Number of Data Points	Deriv Code	Source Code	Confidence Code	Measure 1	Measure 2	Measure 3

Number of Data Points of zero indicates the mean was either calculated (as for Energy) or estimated, usually from a recipe, another form of the same food, or similar food.

Common Measures:

Measure 1 = 28.35g: 1 oz

Calories Factors: Protein

Fat

Carbohydrate

Food Group: 03 Baby Foods

USDA National Nutrient Database for Standard Reference, Release 28 (2015)

NDB No. 03189

Babyfood, cereal, oatmeal, dry fortified

Refuse:0%

Nutrients and Units	Amount in 100 grams of edible portion					Amount in edible portion of common measures of food			
	Mean	Std. Error	Number of Data Points	Deriv Code	Source Code	Confidence Code	Measure 1	Measure 2	Measure 3
Proximates:									
Water.....g	4.56	0.028	16	A	1		0.15	0.68	0.56
Energy.....kcal	394		0	NC	4		13	59	48
Energy.....kJ	1649		0	NC	4		53	247	201
Protein (N x 5.83).....g	10.99	0.055	16	A	1		0.35	1.65	1.34
Total lipid (fat).....g	6.39	0.241	16	A	1		0.20	0.96	0.78
Ash.....g	4.60	0.006	16	A	1		0.15	0.69	0.56
Carbohydrate, by difference.....g	73.47		0	NC	4		2.35	11.02	8.96
Fiber, total dietary.....g	7.3	0.788	6	A	1		0.2	1.1	0.9
Sugars, total.....g	11.69	0.171	9	A	1		0.37	1.75	1.43
Sucrose.....g	0.99	0.029	9	A	1		0.03	0.15	0.12
Glucose (dextrose).....g	6.53	0.143	9	A	1		0.21	0.98	0.80
Fructose.....g	0.15	0.027	9	A	1		0.00	0.02	0.02
Lactose.....g	0.00	0.000	9	A	1		0.00	0.00	0.00
Maltose.....g	4.01	0.107	9	A	1		0.13	0.60	0.49
Galactose.....g	0.00	0.000	9	A	1		0.00	0.00	0.00
Starch.....g	42.54	1.117	9	A	1		1.36	6.38	5.19
Minerals:									
Calcium, Ca.....mg	1160	9.122	16	A	1		37	174	141
Iron, Fe.....mg	64.07	1.117	16	A	1		2.05	9.61	7.82
Magnesium, Mg.....mg	111	1.014	16	A	1		4	17	13
Phosphorus, P.....mg	505	5.054	16	A	1		16	76	62
Potassium, K.....mg	549	3.906	16	A	1		18	82	67
Sodium, Na.....mg	21	0.437	16	A	1		1	3	3
Zinc, Zn.....mg	12.67	0.180	16	A	1		0.41	1.90	1.55
Copper, Cu.....mg	0.419	0.003	16	A	1		0.013	0.063	0.051
Manganese, Mn.....mg	3.898	0.039	16	A	1		0.125	0.585	0.476
Selenium, Se.....µg	23.7	1.946	9	A	1		0.8	3.6	2.9
Vitamins:									
Vitamin C, total ascorbic acid.....mg	0.0		1	A	1		0.0	0.0	0.0
Thiamin.....mg	1.429	0.009	9	A	1		0.046	0.214	0.174
Riboflavin.....mg	1.587	0.027	9	A	1		0.051	0.238	0.194
Niacin.....mg	21.307	1.851	9	A	1		0.682	3.196	2.599
Pantothenic acid.....mg	1.868	0.023	6	A	1		0.060	0.280	0.228
Vitamin B-6.....mg	0.855	0.019	9	A	1		0.027	0.128	0.104
Folate, total.....µg	248	10.856	9	A	1		8	37	30
Folic acid.....µg	0		0	Z	7		0	0	0
Folate, food.....µg	248	10.856	9	A	1		8	37	30
Folate, DFE.....µg	248		0	NC	4		8	37	30
Choline, total.....mg	32.1		0	AS	1		1.0	4.8	3.9
Betaine.....mg	20.5		1	A	1		0.7	3.1	2.5
Vitamin B-12.....µg	4.60		1	A	1		0.15	0.69	0.56
Vitamin B-12, added.....µg	4.60		0	NR	4		0.15	0.69	0.56
Vitamin A, RAE.....µg	0		0	NC	4		0	0	0
Retinol.....µg	0		3	A	1		0	0	0
Carotene, beta.....µg	0		0	BFSN	4		0	0	0
Carotene, alpha.....µg	0		0	BFSN	4		0	0	0
Cryptoxanthin, beta.....µg	0		0	BFSN	4		0	0	0
Vitamin A, IU.....IU	0		0	AS	1		0	0	0
Lycopene.....µg	0		0	BFSN	4		0	0	0
Lutein + zeaxanthin.....µg	185		0	BFSN	4		6	28	23
Vitamin E (alpha-tocopherol).....mg	4.95		1	A	1		0.16	0.74	0.60
Vitamin E, added.....mg	0.00		0	Z	7		0.00	0.00	0.00
Tocopherol, beta.....mg	0.05		1	A	1		0.00	0.01	0.01
Tocopherol, gamma.....mg	1.69		1	A	1		0.05	0.25	0.21
Tocopherol, delta.....mg	1.79		1	A	1		0.06	0.27	0.22
Tocotrienol, alpha.....mg	0.22		1	A	1		0.01	0.03	0.03
Tocotrienol, beta.....mg	0.00		1	A	1		0.00	0.00	0.00

Nutrients and Units	Amount in 100 grams of edible portion						Amount in edible portion of common		
	Mean	Std. Error	Number of Data Points	Deriv Code	Source Code	Confidence Code	measures of food		
							Measure 1	Measure 2	Measure 3
Tocotrienol, gamma.....mg	0.00		1	A	1	0.00	0.00	0.00	
Tocotrienol, delta.....mg	0.00		1	A	1	0.00	0.00	0.00	
Vitamin D (D2 + D3).....µg	12.7		2	AS	1	0.4	1.9	1.6	
Vitamin D2 (ergocalciferol).....µg	0.0		2	A	1	0.0	0.0	0.0	
Vitamin D3 (cholecalciferol).....µg	12.7		2	A	1	0.4	1.9	1.6	
Vitamin D.....µg	510		0	NR	4	16	77	62	
Vitamin K (phylloquinone).....µg	1.4	0.075	7	A	1	0.0	0.2	0.2	
Dihydrophyloquinone.....µg	0.0	0.000	7	A	1	0.0	0.0	0.0	
Menaquinone-4.....µg	0.0	0.000	7	A	1	0.0	0.0	0.0	
Lipids:									
Fatty acids, total saturated.....g	0.841		0	NC	4	0.027	0.126	0.103	
4:0.....g	0.000	0.000	9	A	1	0.000	0.000	0.000	
6:0.....g	0.000	0.000	9	A	1	0.000	0.000	0.000	
8:0.....g	0.000	0.000	9	A	1	0.000	0.000	0.000	
10:0.....g	0.000	0.000	9	A	1	0.000	0.000	0.000	
12:0.....g	0.001	0.001	9	A	1	0.000	0.000	0.000	
13:0.....g									
14:0.....g	0.014	0.001	9	A	1	0.000	0.002	0.002	
15:0.....g	0.002	0.000	9	A	1	0.000	0.000	0.000	
16:0.....g	0.743	0.014	9	A	1	0.024	0.111	0.091	
17:0.....g	0.002	0.000	9	A	1	0.000	0.000	0.000	
18:0.....g	0.066	0.002	9	A	1	0.002	0.010	0.008	
20:0.....g	0.006	0.000	9	A	1	0.000	0.001	0.001	
22:0.....g	0.003	0.001	9	A	1	0.000	0.000	0.000	
24:0.....g	0.004	0.000	9	A	1	0.000	0.001	0.000	
Fatty acids, total monounsaturated.....g	1.970		0	NC	4	0.063	0.295	0.240	
14:1.....g	0.000	0.000	9	A	1	0.000	0.000	0.000	
15:1.....g	0.000	0.000	9	A	1	0.000	0.000	0.000	
16:1 undifferentiated.....g	0.008	0.000	9	AS	1	0.000	0.001	0.001	
16:1 c.....g	0.008	0.000	9	A	1	0.000	0.001	0.001	
16:1 t.....g	0.000	0.000	9	A	1	0.000	0.000	0.000	
17:1.....g	0.001	0.001	9	A	1	0.000	0.000	0.000	
18:1 undifferentiated.....g	1.521	0.032	9	AS	1	0.049	0.228	0.186	
18:1 c.....g	1.521	0.032	9	A	1	0.049	0.228	0.186	
18:1 t.....g	0.000	0.000	9	A	1	0.000	0.000	0.000	
18:1-11 t (18:1t n-7).....g									
20:1.....g	0.031	0.001	9	A	1	0.001	0.005	0.004	
22:1 undifferentiated.....g	0.002	0.000	9	AS	1	0.000	0.000	0.000	
22:1 c.....g	0.002	0.000	9	A	1	0.000	0.000	0.000	
22:1 t.....g	0.000	0.000	9	A	1	0.000	0.000	0.000	
24:1 c.....g	0.004	0.000	9	A	1	0.000	0.001	0.000	
Fatty acids, total polyunsaturated.....g	2.215		0	NC	4	0.071	0.332	0.270	
18:2 undifferentiated.....g	1.693	0.032	9	AS	1	0.054	0.254	0.207	
18:2 n-6 c,c.....g	1.691	0.032	9	A	1	0.054	0.254	0.206	
18:2 CLAs.....g	0.000	0.000	9	A	1	0.000	0.000	0.000	
18:2 t,t.....g									
18:2 i.....g									
18:2 t not further defined.....g	0.002	0.000	9	A	1	0.000	0.000	0.000	
18:3 undifferentiated.....g	0.057	0.002	9	AS	1	0.002	0.009	0.007	
18:3 n-3 c,c,c (ALA).....g	0.057	0.002	9	A	1	0.002	0.009	0.007	
18:3 n-6 c,c,c.....g	0.000	0.000	9	A	1	0.000	0.000	0.000	
18:3i.....g	0.000	0.000	9	A	1	0.000	0.000	0.000	
18:4.....g	0.000	0.000	9	A	1	0.000	0.000	0.000	
20:2 n-6 c,c.....g	0.000	0.000	9	A	1	0.000	0.000	0.000	
20:3 undifferentiated.....g	0.000	0.000	9	AS	1	0.000	0.000	0.000	
20:3 n-3.....g	0.000	0.000	9	A	1	0.000	0.000	0.000	
20:3 n-6.....g	0.000	0.000	9	A	1	0.000	0.000	0.000	
20:4 undifferentiated.....g	0.000	0.000	9	A	1	0.000	0.000	0.000	
20:4 n-6.....g									
20:5 n-3 (EPA).....g	0.000	0.000	9	A	1	0.000	0.000	0.000	
21:5.....g	0.000		1	A	1	0.000	0.000	0.000	
22:4.....g	0.000	0.000	9	A	1	0.000	0.000	0.000	
22:5 n-3 (DPA).....g	0.000	0.000	9	A	1	0.000	0.000	0.000	

NDB No. 03189

Babyfood, cereal, oatmeal, dry fortified

Nutrients and Units	<u>Amount in 100 grams of edible portion</u>				<u>Amount in edible portion of common measures of food</u>			
	Mean	Std. Error	Number			Measure 1	Measure 2	Measure 3
			of Data Points	Deriv Code	Source Code			
22:6 n-3 (DHA).....g	0.000	0.000	9	A	1	0.000	0.000	0.000
Fatty acids, total trans.....g	0.002		0	NC	4	0.000	0.000	0.000
Fatty acids, total trans-monoenoic.....g	0.000		0	NC	4	0.000	0.000	0.000
Fatty acids, total trans-polyenoic.....g	0.002		0	NC	4	0.000	0.000	0.000
Cholesterol.....mg	0		0		7	0	0	0
Phytosterols.....mg								
Others:								
Alcohol, ethyl.....g	0.0		0		7	0.0	0.0	0.0
Caffeine.....mg	0		0	BFSN	4	0	0	0
Theobromine.....mg	0		0	BFSN	4	0	0	0

Blanks in the Mean column indicate lack of reliable data. The Number of Data Points column is the number of analyses upon which the mean is based. Number of Data Points of zero indicates the mean was either calculated (as for Energy) or estimated, usually from a recipe, another form of the same food, or similar food.

Common Measures:

Measure 1 = 3.2g: 1 tbsp

Measure 2 = 15.0g: .5 oz

Measure 3 = 12.2g: .25 cup

Calories Factors: Protein 3.46

Fat 8.37

Carbohydrate4.12

Food Group: 03 Baby Foods

USDA National Nutrient Database for Standard Reference, Release 28 (2015)

NDB No. 03689

Babyfood, cereal, oatmeal, prepared with whole milk

Refuse:0%

Nutrients and Units	Amount in 100 grams of edible portion				Amount in edible portion of common measures of food				
	Mean	Std. Error	Number of Data Points	Deriv Code	Source Code	Confidence Code	Measure 1	Measure 2	Measure 3
Proximates:									
Water.....g	74.50		0		1		21.12		
Energy.....kcal	116		0	NC	4		33		
Energy.....kJ	485		0		4		138		
Protein (N x 0).....g	5.00		0		1		1.42		
Total lipid (fat).....g	4.10		0		1		1.16		
Ash.....g	1.10		0		1		0.31		
Carbohydrate, by difference.....g	15.30		0	NC	4		4.34		
Fiber, total dietary.....g	1.1		0		4		0.3		
Sugars, total.....g									
Starch.....g									
Minerals:									
Calcium, Ca.....mg	220		0		1		62		
Iron, Fe.....mg	12.14		0		1		3.44		
Magnesium, Mg.....mg	35		0		1		10		
Phosphorus, P.....mg	160		0		1		45		
Potassium, K.....mg	204		0		1		58		
Sodium, Na.....mg	46		0		1		13		
Zinc, Zn.....mg	0.92		0		1		0.26		
Copper, Cu.....mg	0.094		0		4		0.027		
Manganese, Mn.....mg									
Selenium, Se.....µg									
Vitamins:									
Vitamin C, total ascorbic acid.....mg	1.3		0		4		0.4		
Thiamin.....mg	0.506		0		1		0.143		
Riboflavin.....mg	0.563		0		1		0.160		
Niacin.....mg	5.981		0		1		1.696		
Pantothenic acid.....mg	0.514		0		4		0.146		
Vitamin B-6.....mg	0.060		0		1		0.017		
Folate, total.....µg	10		0		1		3		
Folic acid.....µg	0		0	Z	7		0		
Folate, food.....µg	10		0		1		3		
Folate, DFE.....µg	10		0	NC	4		3		
Choline, total.....mg									
Betaine.....mg									
Vitamin B-12.....µg	0.30		0		4		0.09		
Vitamin A, RAE.....µg	22		0	NC	4		6		
Retinol.....µg	19		0	NC	4		5		
Carotene, beta.....µg									
Carotene, alpha.....µg									
Cryptoxanthin, beta.....µg									
Vitamin A, IU.....IU	105		0		4		30		
Lycopene.....µg									
Lutein + zeaxanthin.....µg									
Vitamin E (alpha-tocopherol).....mg									
Tocopherol, beta.....mg									
Tocopherol, gamma.....mg									
Tocopherol, delta.....mg									
Tocotrienol, alpha.....mg									
Tocotrienol, beta.....mg									
Tocotrienol, gamma.....mg									
Tocotrienol, delta.....mg									
Vitamin D (D2 + D3).....µg									
Vitamin D.....IU									
Vitamin K (phylloquinone).....µg									
Dihydrophyloquinone.....µg									
Menaquinone-4.....µg									

Lipids:

NDB No. 03689

Babyfood, cereal, oatmeal, prepared with whole milk

Nutrients and Units	Amount in 100 grams of edible portion				Amount in edible portion of common measures of food				
	Mean	Std. Error	Number of Data Points	Deriv Code	Source Code	Confidence Code	Measure 1	Measure 2	Measure 3
Fatty acids, total saturated.....g	2.258		0		4		0.640		
Fatty acids, total monounsaturated.....g									
Fatty acids, total polyunsaturated.....g									
Fatty acids, total trans.....g									
Cholesterol.....mg	11		0		4		3		
Phytosterols.....mg									
Amino Acids:									
Tryptophan.....g	0.067		0		1		0.019		
Threonine.....g	0.201		0		1		0.057		
Isoleucine.....g	0.256		0		1		0.073		
Leucine.....g	0.445		0		1		0.126		
Lysine.....g	0.311		0		1		0.088		
Methionine.....g	0.112		0		1		0.032		
Cystine.....g	0.104		0		1		0.029		
Phenylalanine.....g	0.222		0		1		0.063		
Tyrosine.....g	0.223		0		1		0.063		
Valine.....g	0.310		0		1		0.088		
Arginine.....g	0.269		0		1		0.076		
Histidine.....g	0.113		0		1		0.032		
Alanine.....g	0.203		0		1		0.058		
Aspartic acid.....g	0.398		0		1		0.113		
Glutamic acid.....g	1.102		0		1		0.312		
Glycine.....g	0.177		0		1		0.050		
Proline.....g	0.381		0		1		0.108		
Serine.....g	0.261		0		1		0.074		
Hydroxyproline.....g									

Blanks in the Mean column indicate lack of reliable data. The Number of Data Points column is the number of analyses upon which the mean is based. Number of Data Points of zero indicates the mean was either calculated (as for Energy) or estimated, usually from a recipe, another form of the same food, or similar food.

Common Measures:

Measure 1 = 28.35g: 1 oz

Calories Factors: Protein

Fat

Carbohydrate

Food Group: 03 Baby Foods

USDA National Nutrient Database for Standard Reference, Release 28 (2015)

Nutrients and Units	Amount in 100 grams of edible portion				Amount in edible portion of common		
	Mean	Std. Error	Number	Source	measures of food		
			of Data Points		Confidence Code	Measure 1	Measure 2
Lipids:							
Fatty acids, total saturated.....g	0.126		0	4		0.036	0.214
4:0.....g	0.000		0	4		0.000	0.000
6:0.....g	0.000		0	4		0.000	0.000
8:0.....g	0.000		0	4		0.000	0.000
10:0.....g	0.000		0	4		0.000	0.000
12:0.....g	0.002		0	4		0.001	0.003
13:0.....g							
14:0.....g	0.001		0	4		0.000	0.002
15:0.....g							
16:0.....g	0.106		0	4		0.030	0.180
17:0.....g							
18:0.....g	0.007		0	4		0.002	0.012
20:0.....g							
22:0.....g							
24:0.....g							
Fatty acids, total monounsaturated.....g	0.216		0	4		0.061	0.367
14:1.....g							
15:1.....g							
16:1 undifferentiated.....g	0.001		0	4		0.000	0.002
17:1.....g							
18:1 undifferentiated.....g	0.215		0	4		0.061	0.366
20:1.....g	0.000		0	4		0.000	0.000
22:1 undifferentiated.....g	0.000		0	4		0.000	0.000
24:1 c.....g							
Fatty acids, total polyunsaturated.....g	0.253		0	4		0.072	0.430
18:2 undifferentiated.....g	0.242		0	4		0.069	0.411
18:3 undifferentiated.....g	0.002		0	4		0.001	0.003
18:4.....g	0.000		0	4		0.000	0.000
20:2 n-6 c,c.....g							
20:3 undifferentiated.....g							
20:4 undifferentiated.....g	0.000		0	4		0.000	0.000
20:5 n-3 (EPA).....g	0.000		0	4		0.000	0.000
21:5.....g							
22:4.....g							
22:5 n-3 (DPA).....g	0.000		0	4		0.000	0.000
22:6 n-3 (DHA).....g	0.000		0	4		0.000	0.000
Fatty acids, total trans.....g							
Cholesterol.....mg	0		0	4		0	0
Phytosterols.....mg							
Amino Acids:							
Tryptophan.....g	0.017		0	1		0.005	0.029
Threonine.....g	0.046		0	1		0.013	0.078
Isoleucine.....g	0.049		0	1		0.014	0.083
Leucine.....g	0.100		0	1		0.028	0.170
Lysine.....g	0.054		0	1		0.015	0.092
Methionine.....g	0.031		0	1		0.009	0.053
Cystine.....g	0.030		0	1		0.009	0.051
Phenylalanine.....g	0.067		0	1		0.019	0.114
Tyrosine.....g	0.052		0	1		0.015	0.088
Valine.....g	0.069		0	1		0.020	0.117
Arginine.....g	0.094		0	1		0.027	0.160
Histidine.....g	0.034		0	1		0.010	0.058
Alanine.....g	0.060		0	1		0.017	0.102
Aspartic acid.....g	0.113		0	1		0.032	0.192
Glutamic acid.....g	0.291		0	1		0.082	0.495
Glycine.....g	0.071		0	1		0.020	0.121
Proline.....g	0.065		0	1		0.018	0.111
Serine.....g	0.063		0	1		0.018	0.107
Hydroxyproline.....g							
Others:							
Alcohol, ethyl.....g	0.0		0	7		0.0	0.0
Caffeine.....mg	0		0	FLA 4		0	0

NDB No. 03192

Babyfood, cereal, oatmeal, with applesauce and bananas, junior

Nutrients and Units	<u>Amount in 100 grams of edible portion</u>				<u>Amount in edible portion of common measures of food</u>				
	Mean	Std. Error	Number	Deriv	Source Code	Confidence Code	Measure 1	Measure 2	Measure 3
			of Data Points	Code					
Theobromine.....mg	0		0	FLA	4	0		0	

Blanks in the Mean column indicate lack of reliable data. The Number of Data Points column is the number of analyses upon which the mean is based. Number of Data Points of zero indicates the mean was either calculated (as for Energy) or estimated, usually from a recipe, another form of the same food, or similar food.

Common Measures:

Measure 1 = 28.35g: 1 oz

Measure 2 = 170g: 1 jar

Calories Factors: Protein 3.5

Fat 8.4

Carbohydrate 4.1

Food Group: 03 Baby Foods

USDA National Nutrient Database for Standard Reference, Release 28 (2015)

Babyfood, cereal, oatmeal, with applesauce and bananas, strained

Nutrients and Units	Amount in 100 grams of edible portion				Amount in edible portion of common measures of food				
	Mean	Std. Error	Number of Data Points	Deriv Code	Source Code	Confidence Code	Measure 1	Measure 2	Measure 3
Lipids:									
Fatty acids, total saturated.....g	0.125		0		4		0.035	0.141	
4:0.....g	0.000		0		4		0.000	0.000	
6:0.....g	0.000		0		4		0.000	0.000	
8:0.....g	0.000		0		4		0.000	0.000	
10:0.....g	0.000		0		4		0.000	0.000	
12:0.....g	0.002		0		4		0.001	0.002	
13:0.....g									
14:0.....g	0.001		0		4		0.000	0.001	
15:0.....g									
16:0.....g	0.105		0		4		0.030	0.119	
17:0.....g									
18:0.....g	0.007		0		4		0.002	0.008	
20:0.....g									
22:0.....g									
24:0.....g									
Fatty acids, total monounsaturated.....g	0.216		0		4		0.061	0.244	
14:1.....g									
15:1.....g									
16:1 undifferentiated.....g	0.001		0		4		0.000	0.001	
17:1.....g									
18:1 undifferentiated.....g	0.215		0		4		0.061	0.243	
20:1.....g	0.000		0		4		0.000	0.000	
22:1 undifferentiated.....g	0.000		0		4		0.000	0.000	
24:1 c.....g									
Fatty acids, total polyunsaturated.....g	0.253		0		4		0.072	0.286	
18:2 undifferentiated.....g	0.242		0		4		0.069	0.273	
18:3 undifferentiated.....g	0.002		0		4		0.001	0.002	
18:4.....g	0.000		0		4		0.000	0.000	
20:2 n-6 c,c.....g									
20:3 undifferentiated.....g									
20:4 undifferentiated.....g	0.000		0		4		0.000	0.000	
20:5 n-3 (EPA).....g	0.000		0		4		0.000	0.000	
21:5.....g									
22:4.....g									
22:5 n-3 (DPA).....g	0.000		0		4		0.000	0.000	
22:6 n-3 (DHA).....g	0.000		0		4		0.000	0.000	
Fatty acids, total trans.....g									
Cholesterol.....mg	0		0		7		0	0	
Phytosterols.....mg									
Amino Acids:									
Tryptophan.....g	0.017		0		1		0.005	0.019	
Threonine.....g	0.046		0		1		0.013	0.052	
Isoleucine.....g	0.049		0		1		0.014	0.055	
Leucine.....g	0.099		0		1		0.028	0.112	
Lysine.....g	0.053		0		1		0.015	0.060	
Methionine.....g	0.030		0		1		0.009	0.034	
Cystine.....g	0.029		0		1		0.008	0.033	
Phenylalanine.....g	0.066		0		1		0.019	0.075	
Tyrosine.....g	0.052		0		1		0.015	0.059	
Valine.....g	0.068		0		1		0.019	0.077	
Arginine.....g	0.093		0		1		0.026	0.105	
Histidine.....g	0.034		0		1		0.010	0.038	
Alanine.....g	0.059		0		1		0.017	0.067	
Aspartic acid.....g	0.111		0		1		0.031	0.125	
Glutamic acid.....g	0.287		0		1		0.081	0.324	
Glycine.....g	0.070		0		1		0.020	0.079	
Proline.....g	0.064		0		1		0.018	0.072	
Serine.....g	0.062		0		1		0.018	0.070	
Hydroxyproline.....g									
Others:									
Alcohol, ethyl.....g	0.0		0		7		0.0	0.0	
Caffeine.....mg	0		0	FLA	4		0	0	

NDB No. 03191

Babyfood, cereal, oatmeal, with applesauce and bananas, strained

Nutrients and Units	<u>Amount in 100 grams of edible portion</u>				<u>Amount in edible portion of common measures of food</u>			
	Mean	Std. Error	Number	Deriv	Source	Measure 1	Measure 2	Measure 3
			of Data	Code	Code			
		Points	Code	Code	Code			
Theobromine.....mg	0		0	FLA	4	0		0

Blanks in the Mean column indicate lack of reliable data. The Number of Data Points column is the number of analyses upon which the mean is based. Number of Data Points of zero indicates the mean was either calculated (as for Energy) or estimated, usually from a recipe, another form of the same food, or similar food.

Common Measures:

Measure 1 = 28.35g: 1 oz

Measure 2 = 113g: 1 jar

Calories Factors: Protein 3.5

Fat 8.4

Carbohydrate 4.1

Food Group: 03 Baby Foods

USDA National Nutrient Database for Standard Reference, Release 28 (2015)

NDB No. 03190

Babyfood, cereal, oatmeal, with bananas, dry

Nutrients and Units	Amount in 100 grams of edible portion				Amount in edible portion of common measures of food				
	Mean	Std. Error	Number of Data Points	Deriv Code	Source Code	Confidence Code	Measure 1	Measure 2	Measure 3
Lipids:									
Fatty acids, total saturated.....g	1.267		0		4		0.032	0.190	
4:0.....g	0.001		0		4		0.000	0.000	
6:0.....g	0.001		0		4		0.000	0.000	
8:0.....g	0.001		0		4		0.000	0.000	
10:0.....g	0.004		0		4		0.000	0.001	
12:0.....g	0.015		0		4		0.000	0.002	
13:0.....g									
14:0.....g	0.018		0		4		0.000	0.003	
15:0.....g									
16:0.....g	0.972		0		4		0.024	0.146	
17:0.....g									
18:0.....g	0.097		0		4		0.002	0.015	
20:0.....g									
22:0.....g									
24:0.....g									
Fatty acids, total monounsaturated.....g	1.429		0		4		0.036	0.214	
14:1.....g									
15:1.....g									
16:1 undifferentiated.....g	0.039		0		4		0.001	0.006	
17:1.....g									
18:1 undifferentiated.....g	1.384		0		4		0.035	0.208	
20:1.....g	0.001		0		4		0.000	0.000	
22:1 undifferentiated.....g	0.000		0		4		0.000	0.000	
24:1 c.....g									
Fatty acids, total polyunsaturated.....g	2.186		0		4		0.055	0.328	
18:2 undifferentiated.....g	1.970		0		4		0.049	0.296	
18:3 undifferentiated.....g	0.166		0		4		0.004	0.025	
18:4.....g	0.000		0		4		0.000	0.000	
20:2 n-6 c,c.....g									
20:3 undifferentiated.....g									
20:4 undifferentiated.....g	0.000		0		4		0.000	0.000	
20:5 n-3 (EPA).....g	0.000		0		4		0.000	0.000	
21:5.....g									
22:4.....g									
22:5 n-3 (DPA).....g	0.000		0		4		0.000	0.000	
22:6 n-3 (DHA).....g	0.000		0		4		0.000	0.000	
Fatty acids, total trans.....g									
Cholesterol.....mg	0		0		7		0	0	
Phytosterols.....mg									
Amino Acids:									
Tryptophan.....g	0.157		0		1		0.004	0.024	
Threonine.....g	0.417		0		1		0.010	0.063	
Isoleucine.....g	0.501		0		1		0.013	0.075	
Leucine.....g	0.978		0		1		0.024	0.147	
Lysine.....g	0.558		0		1		0.014	0.084	
Methionine.....g	0.266		0		1		0.007	0.040	
Cystine.....g	0.272		0		1		0.007	0.041	
Phenylalanine.....g	0.624		0		1		0.016	0.094	
Tyrosine.....g	0.497		0		1		0.012	0.075	
Valine.....g	0.699		0		1		0.017	0.105	
Arginine.....g	0.711		0		1		0.018	0.107	
Histidine.....g	0.362		0		1		0.009	0.054	
Alanine.....g	0.491		0		1		0.012	0.074	
Aspartic acid.....g	0.986		0		1		0.025	0.148	
Glutamic acid.....g	2.603		0		1		0.065	0.390	
Glycine.....g	0.505		0		1		0.013	0.076	
Proline.....g	0.807		0		1		0.020	0.121	
Serine.....g	0.582		0		1		0.015	0.087	
Hydroxyproline.....g									
Others:									
Alcohol, ethyl.....g	0.0		0		7		0.0	0.0	
Caffeine.....mg	0		0	FLA	4		0	0	

NDB No. 03190

Babyfood, cereal, oatmeal, with bananas, dry

Nutrients and Units	<u>Amount in 100 grams of edible portion</u>				<u>Amount in edible portion of common measures of food</u>				
	Mean	Std. Error	Number	Deriv	Source Code	Confidence Code	Measure 1	Measure 2	Measure 3
			of Data Points	Code					
Theobromine.....mg	0		0	FLA	4	0		0	

Blanks in the Mean column indicate lack of reliable data. The Number of Data Points column is the number of analyses upon which the mean is based. Number of Data Points of zero indicates the mean was either calculated (as for Energy) or estimated, usually from a recipe, another form of the same food, or similar food.

Common Measures:

Measure 1 = 2.5g: 1 tbsp

Measure 2 = 15.0g: .5 oz

Calories Factors: Protein 3.5

Fat 8.4

Carbohydrate 4.1

Food Group: 03 Baby Foods

USDA National Nutrient Database for Standard Reference, Release 28 (2015)

NDB No. 03690

Babyfood, cereal, oatmeal, with bananas, prepared with whole milk

Refuse:0%

Nutrients and Units	Amount in 100 grams of edible portion				Amount in edible portion of common measures of food				
	Mean	Std. Error	Number	Deriv Code	Source Code	Confidence Code	Measure 1	Measure 2	Measure 3
			of Data Points						
Proximates:									
Water.....g	81.81		0	RA	4		23.19		
Energy.....kcal	86		0	NC	4		24		
Energy.....kJ	362		0	NC	4		102		
Protein (N x 0).....g	3.82		0	RA	4		1.08		
Total lipid (fat).....g	3.46		0	RA	4		0.98		
Ash.....g	0.92		0	RA	4		0.26		
Carbohydrate, by difference.....g	10.00		0	RA	4		2.83		
Fiber, total dietary.....g	0.4		0	RA	4		0.1		
Sugars, total.....g	5.90		0	RA	4		1.67		
Sucrose.....g	0.00		0	RA	4		0.00		
Glucose (dextrose).....g	0.00		0	RA	4		0.00		
Fructose.....g	0.00		0	RA	4		0.00		
Lactose.....g	4.67		0	RA	4		1.32		
Maltose.....g	0.00		0	RA	4		0.00		
Galactose.....g	0.00		0	RA	4		0.00		
Starch.....g									
Minerals:									
Calcium, Ca.....mg	153		0	RA	4		43		
Iron, Fe.....mg	3.63		0	RA	4		1.03		
Magnesium, Mg.....mg	18		0	RA	4		5		
Phosphorus, P.....mg	111		0	RA	4		32		
Potassium, K.....mg	178		0	RA	4		50		
Sodium, Na.....mg	48		0	RA	4		14		
Zinc, Zn.....mg	0.49		0	RA	4		0.14		
Copper, Cu.....mg	0.053		0	RA	4		0.015		
Manganese, Mn.....mg	0.004		0	RA	4		0.001		
Selenium, Se.....µg	4.9		0	RA	4		1.4		
Vitamins:									
Vitamin C, total ascorbic acid.....mg	0.4		0	RA	4		0.1		
Thiamin.....mg	0.315		0	RA	4		0.089		
Riboflavin.....mg	0.437		0	RA	4		0.124		
Niacin.....mg	1.605		0	RA	4		0.455		
Pantothenic acid.....mg	0.345		0	RA	4		0.098		
Vitamin B-6.....mg	0.104		0	RA	1		0.029		
Folate, total.....µg	6		0	RA	4		2		
Folic acid.....µg	0		0	RA	4		0		
Folate, food.....µg	6		0	RA	4		2		
Folate, DFE.....µg	6		0	NC	4		2		
Choline, total.....mg	15.4		0	RA	4		4.4		
Betaine.....mg	0.6		0	RA	4		0.2		
Vitamin B-12.....µg	0.43		0	RA	4		0.12		
Vitamin B-12, added.....µg	0.00		0	RA	4		0.00		
Vitamin A, RAE.....µg	43		0	RA	4		12		
Retinol.....µg	42		0	RA	4		12		
Carotene, beta.....µg	8		0	RA	4		2		
Carotene, alpha.....µg	2		0	RA	4		1		
Cryptoxanthin, beta.....µg	0		0	RA	4		0		
Vitamin A, IU.....IU	155		0	RA	4		44		
Lycopene.....µg	0		0	RA	4		0		
Lutein + zeaxanthin.....µg	12		0	RA	4		3		
Vitamin E (alpha-tocopherol).....mg	0.44		0	RA	4		0.13		
Vitamin E, added.....mg	0.00		0	RA	4		0.00		
Tocopherol, beta.....mg	0.00		0	RA	4		0.00		
Tocopherol, gamma.....mg	0.00		0	RA	4		0.00		
Tocopherol, delta.....mg	0.00		0	RA	4		0.00		
Tocotrienol, alpha.....mg	0.00		0	RA	4		0.00		
Tocotrienol, beta.....mg	0.00		0	RA	4		0.00		

NDB No. 03690

Babyfood, cereal, oatmeal, with bananas, prepared with whole milk

Nutrients and Units	Amount in 100 grams of edible portion				Amount in edible portion of common measures of food				
	Mean	Std. Error	Number of Data Points	Deriv Code	Source Code	Confidence Code	Measure 1	Measure 2	Measure 3
Tocotrienol, gamma.....mg	0.00		0	RA	4		0.00		
Tocotrienol, delta.....mg	0.00		0	RA	4		0.00		
Vitamin D (D2 + D3).....µg	1.2		0	RA	4		0.3		
Vitamin D2 (ergocalciferol).....µg									
Vitamin D3 (cholecalciferol).....µg	1.2		0	RA	4		0.3		
Vitamin D.....IU	47		0	RA	4		13		
Vitamin K (phylloquinone).....µg	0.5		0	RA	4		0.1		
Dihydrophyloquinone.....µg	0.0		0	RA	4		0.0		
Menaquinone-4.....µg	0.9		0	RA	4		0.2		
Lipids:									
Fatty acids, total saturated.....g	1.820		0	RA	4		0.516		
4:0.....g	0.069		0	RA	4		0.020		
6:0.....g	0.069		0	RA	4		0.020		
8:0.....g	0.069		0	RA	4		0.020		
10:0.....g	0.069		0	RA	4		0.020		
12:0.....g	0.072		0	RA	4		0.020		
13:0.....g	0.000		0	RA	4		0.000		
14:0.....g	0.276		0	RA	4		0.078		
15:0.....g	0.000		0	RA	4		0.000		
16:0.....g	0.840		0	RA	4		0.238		
17:0.....g	0.000		0	RA	4		0.000		
18:0.....g	0.344		0	RA	4		0.098		
20:0.....g	0.000		0	RA	4		0.000		
22:0.....g	0.000		0	RA	4		0.000		
24:0.....g	0.000		0	RA	4		0.000		
Fatty acids, total monounsaturated.....g	0.859		0	RA	4		0.244		
14:1.....g	0.000		0	RA	4		0.000		
15:1.....g									
16:1 undifferentiated.....g	0.003		0	RA	4		0.001		
17:1.....g									
18:1 undifferentiated.....g	0.856		0	RA	4		0.243		
20:1.....g	0.000		0	RA	4		0.000		
22:1 undifferentiated.....g	0.000		0	RA	4		0.000		
24:1 c.....g									
Fatty acids, total polyunsaturated.....g	0.345		0	RA	4		0.098		
18:2 undifferentiated.....g	0.260		0	RA	4		0.074		
18:3 undifferentiated.....g	0.081		0	RA	4		0.023		
18:4.....g	0.000		0	RA	4		0.000		
20:2 n-6 c,c.....g									
20:3 undifferentiated.....g									
20:4 undifferentiated.....g	0.000		0	RA	4		0.000		
20:5 n-3 (EPA).....g	0.000		0	RA	4		0.000		
21:5.....g									
22:4.....g									
22:5 n-3 (DPA).....g	0.000		0	RA	4		0.000		
22:6 n-3 (DHA).....g	0.000		0	RA	4		0.000		
Fatty acids, total trans.....g									
Cholesterol.....mg	10		0	RA	4		3		
Phytosterols.....mg									
Amino Acids:									
Tryptophan.....g	0.080		0	RA	4		0.023		
Threonine.....g	0.161		0	RA	4		0.046		
Isoleucine.....g	0.187		0	RA	4		0.053		
Leucine.....g	0.314		0	RA	4		0.089		
Lysine.....g	0.309		0		1		0.088		
Methionine.....g	0.088		0	RA	4		0.025		
Cystine.....g	0.036		0	RA	4		0.010		
Phenylalanine.....g	0.180		0	RA	4		0.051		
Tyrosine.....g	0.214		0		1		0.061		
Valine.....g	0.227		0	RA	4		0.064		
Arginine.....g	0.122		0	RA	4		0.034		
Histidine.....g	0.095		0	RA	4		0.027		
Alanine.....g	0.130		0	RA	4		0.037		

NDB No. 03690

Babyfood, cereal, oatmeal, with bananas, prepared with whole milk

Nutrients and Units	<u>Amount in 100 grams of edible portion</u>				<u>Amount in edible portion of common measures of food</u>			
	Mean	Std. Error	Number		Measure 1	Measure 2	Measure 3	
			of Data Points	Deriv Code				Source Code
Aspartic acid.....g	0.289		0	RA	4	0.082		
Glutamic acid.....g	0.783		0	RA	4	0.222		
Glycine.....g	0.106		0	RA	4	0.030		
Proline.....g	0.370		0	RA	4	0.105		
Serine.....g	0.141		0	RA	4	0.040		
Hydroxyproline.....g								
Others:								
Alcohol, ethyl.....g	0.0		0	RA	4	0.0		
Caffeine.....mg	0		0	RA	4	0		
Theobromine.....mg	0		0	RA	4	0		

Blanks in the Mean column indicate lack of reliable data. The Number of Data Points column is the number of analyses upon which the mean is based. Number of Data Points of zero indicates the mean was either calculated (as for Energy) or estimated, usually from a recipe, another form of the same food, or similar food.

Common Measures:

Measure 1 = 28.35g: 1 oz

Calories Factors: Protein

Fat

Carbohydrate

Food Group: 03 Baby Foods

USDA National Nutrient Database for Standard Reference, Release 28 (2015)

NDB No. 03193

Babyfood, cereal, oatmeal, with honey, dry

Refuse:0%

Nutrients and Units	Amount in 100 grams of edible portion					Amount in edible portion of common measures of food			
	Mean	Std. Error	Number of Data Points	Deriv Code	Source Code	Confidence Code	Measure 1	Measure 2	Measure 3
Proximates:									
Water.....g	5.80	0.300	13		1		0.14	0.82	
Energy.....kcal	391		0	NC	4		9	56	
Energy.....kJ	1636				4		39	232	
Protein (N x 5.83).....g	13.50	0.100	13		1		0.32	1.92	
Total lipid (fat).....g	7.00	0.100	13		1		0.17	0.99	
Ash.....g	4.40	0.100	13		1		0.11	0.62	
Carbohydrate, by difference.....g	69.30		0	NC	4		1.66	9.84	
Fiber, total dietary.....g									
Sugars, total.....g									
Starch.....g									
Minerals:									
Calcium, Ca.....mg	1154	13.000	13		1		28	164	
Iron, Fe.....mg	67.23	1.130	13		1		1.61	9.55	
Magnesium, Mg.....mg	146		0		4		4	21	
Phosphorus, P.....mg	733	29.000	14		1		18	104	
Potassium, K.....mg	259	8.000	13		1		6	37	
Sodium, Na.....mg	47	2.000	13		1		1	7	
Zinc, Zn.....mg	3.70		0		4		0.09	0.53	
Copper, Cu.....mg	0.529		0		4		0.013	0.075	
Manganese, Mn.....mg									
Selenium, Se.....µg	36.4		0	BFZN	4		0.9	5.2	
Vitamins:									
Vitamin C, total ascorbic acid.....mg	0.0		13		1		0.0	0.0	
Thiamin.....mg	2.771	0.061	13		1		0.067	0.393	
Riboflavin.....mg	2.842	0.030	13		1		0.068	0.404	
Niacin.....mg	36.292	0.808	13		1		0.871	5.153	
Pantothenic acid.....mg	1.540		0		4		0.037	0.219	
Vitamin B-6.....mg	0.154		0		4		0.004	0.022	
Folate, total.....µg	35		0		4		1	5	
Folic acid.....µg	0		0	Z	7		0	0	
Folate, food.....µg	35		0		4		1	5	
Folate, DFE.....µg	35		0	NC	4		1	5	
Choline, total.....mg									
Betaine.....mg									
Vitamin B-12.....µg	0.00		0		4		0.00	0.00	
Vitamin A, RAE.....µg	1		0	NC	4		0	0	
Retinol.....µg	0		0	Z	7		0	0	
Carotene, beta.....µg									
Carotene, alpha.....µg									
Cryptoxanthin, beta.....µg									
Vitamin A, IU.....IU	23	2.000	13		1		1	3	
Lycopene.....µg									
Lutein + zeaxanthin.....µg									
Vitamin E (alpha-tocopherol).....mg									
Tocopherol, beta.....mg									
Tocopherol, gamma.....mg									
Tocopherol, delta.....mg									
Tocotrienol, alpha.....mg									
Tocotrienol, beta.....mg									
Tocotrienol, gamma.....mg									
Tocotrienol, delta.....mg									
Vitamin D (D2 + D3).....µg									
Vitamin D.....IU									
Vitamin K (phylloquinone).....µg									
Dihydrophylloquinone.....µg									
Menaquinone-4.....µg									

Blanks in the Mean column indicate lack of reliable data. The Number of Data Points column is the number of analyses upon which the mean is based.

NDB No. 03193

Babyfood, cereal, oatmeal, with honey, dry

Nutrients and Units	<u>Amount in 100 grams of edible portion</u>				<u>Amount in edible portion of common measures of food</u>		
	Mean	Std. Error	Number	Source	Measure 1	Measure 2	Measure 3
			of Data Points	Confidence Code			

Number of Data Points of zero indicates the mean was either calculated (as for Energy) or estimated, usually from a recipe, another form of the same food, or similar food.

Common Measures:

Measure 1 = 2.4g: 1 tbsp

Measure 2 = 14.2g: .5 oz

Calories Factors: Protein 3.5

Fat 8.4

Carbohydrate 4.1

Food Group: 03 Baby Foods

USDA National Nutrient Database for Standard Reference, Release 28 (2015)

NDB No. 03693

Babyfood, cereal, oatmeal, with honey, prepared with whole milk

Refuse:0%

Nutrients and Units	Amount in 100 grams of edible portion				Amount in edible portion of common measures of food				
	Mean	Std. Error	Number of Data Points	Deriv Code	Source Code	Confidence Code	Measure 1	Measure 2	Measure 3
Proximates:									
Water.....g	74.50		0		1		21.12		
Energy.....kcal	115		0	NC	4		33		
Energy.....kJ	481				4		136		
Protein (N x 0).....g	5.00		0		1		1.42		
Total lipid (fat).....g	3.90		0		1		1.11		
Ash.....g	1.30		0		1		0.37		
Carbohydrate, by difference.....g	15.30		0	NC	4		4.34		
Fiber, total dietary.....g									
Sugars, total.....g									
Starch.....g									
Minerals:									
Calcium, Ca.....mg	289		0		1		82		
Iron, Fe.....mg	11.09		0		1		3.14		
Magnesium, Mg.....mg	35		0		4		10		
Phosphorus, P.....mg	198		0		1		56		
Potassium, K.....mg	170		0		1		48		
Sodium, Na.....mg	49		0		1		14		
Zinc, Zn.....mg	0.93		0		4		0.26		
Copper, Cu.....mg	0.095		0		4		0.027		
Manganese, Mn.....mg									
Selenium, Se.....µg									
Vitamins:									
Vitamin C, total ascorbic acid.....mg									
Thiamin.....mg	0.487		0		1		0.138		
Riboflavin.....mg	0.602		0		1		0.171		
Niacin.....mg	6.034		0		1		1.711		
Pantothenic acid.....mg	0.514		0		4		0.146		
Vitamin B-6.....mg	0.060		0		4		0.017		
Folate, total.....µg	10		0		4		3		
Folic acid.....µg	0		0	Z	7		0		
Folate, food.....µg	10		0		4		3		
Folate, DFE.....µg	10		0	NC	4		3		
Choline, total.....mg									
Betaine.....mg									
Vitamin B-12.....µg	0.30		0		4		0.09		
Vitamin A, RAE.....µg									
Retinol.....µg									
Carotene, beta.....µg									
Carotene, alpha.....µg									
Cryptoxanthin, beta.....µg									
Vitamin A, IU.....IU									
Lycopene.....µg									
Lutein + zeaxanthin.....µg									
Vitamin E (alpha-tocopherol).....mg									
Tocopherol, beta.....mg									
Tocopherol, gamma.....mg									
Tocopherol, delta.....mg									
Tocotrienol, alpha.....mg									
Tocotrienol, beta.....mg									
Tocotrienol, gamma.....mg									
Tocotrienol, delta.....mg									
Vitamin D (D2 + D3).....µg									
Vitamin D.....IU									
Vitamin K (phylloquinone).....µg									
Dihydrophyloquinone.....µg									
Menaquinone-4.....µg									

Blanks in the Mean column indicate lack of reliable data. The Number of Data Points column is the number of analyses upon which the mean is based.

NDB No. 03693

Babyfood, cereal, oatmeal, with honey, prepared with whole milk

Nutrients and Units	<u>Amount in 100 grams of edible portion</u>				<u>Amount in edible portion of common measures of food</u>				
	Mean	Std. Error	Number	Deriv	Source Code	Confidence Code	Measure 1	Measure 2	Measure 3
			of Data Points	Code					

Number of Data Points of zero indicates the mean was either calculated (as for Energy) or estimated, usually from a recipe, another form of the same food, or similar food.

Common Measures:

Measure 1 = 28.35g: 1 oz

Calories Factors: Protein

Fat

Carbohydrate

Food Group: 03 Baby Foods

USDA National Nutrient Database for Standard Reference, Release 28 (2015)

NDB No. 43544

Babyfood, cereal, rice with pears and apple, dry, instant fortified

Nutrients and Units	Amount in 100 grams of edible portion				Amount in edible portion of common measures of food			
	Mean	Std. Error	Number of Data Points			Measure 1	Measure 2	Measure 3
			Deriv Code	Source Code	Confidence Code			
Lipids:								
Fatty acids, total saturated.....g	0.185		0		4		0.028	
4:0.....g	0.000		0		4		0.000	
6:0.....g	0.000		0		4		0.000	
8:0.....g	0.000		0		4		0.000	
10:0.....g	0.000		0		4		0.000	
12:0.....g	0.000		0		4		0.000	
13:0.....g								
14:0.....g	0.004		0		4		0.001	
15:0.....g								
16:0.....g	0.163		0		4		0.024	
17:0.....g								
18:0.....g	0.013		0		4		0.002	
20:0.....g								
22:0.....g								
24:0.....g								
Fatty acids, total monounsaturated.....g	0.252		0		4		0.038	
14:1.....g								
15:1.....g								
16:1 undifferentiated.....g	0.004		0		4		0.001	
17:1.....g								
18:1 undifferentiated.....g	0.248		0		4		0.037	
20:1.....g	0.001		0		4		0.000	
22:1 undifferentiated.....g	0.000		0		4		0.000	
24:1 c.....g								
Fatty acids, total polyunsaturated.....g	0.231		0		4		0.035	
18:2 undifferentiated.....g	0.202		0		4		0.030	
18:3 undifferentiated.....g	0.030		0		4		0.005	
18:4.....g	0.000		0		4		0.000	
20:2 n-6 c,c.....g								
20:3 undifferentiated.....g								
20:4 undifferentiated.....g	0.000		0		4		0.000	
20:5 n-3 (EPA).....g	0.000		0		4		0.000	
21:5.....g								
22:4.....g								
22:5 n-3 (DPA).....g	0.000		0		4		0.000	
22:6 n-3 (DHA).....g	0.000		0		4		0.000	
Fatty acids, total trans.....g								
Cholesterol.....mg	0		0		7		0	
Phytosterols.....mg								
Others:								
Alcohol, ethyl.....g	0.0		0		7		0.0	
Caffeine.....mg	0		0	NR	4		0	
Theobromine.....mg	0		0	NR	4		0	

Blanks in the Mean column indicate lack of reliable data. The Number of Data Points column is the number of analyses upon which the mean is based. Number of Data Points of zero indicates the mean was either calculated (as for Energy) or estimated, usually from a recipe, another form of the same food, or similar food.

Common Measures:

Measure 1 = 15.0g: 1 serving

Calories Factors: Protein

Fat

Carbohydrate

Food Group: 03 Baby Foods

USDA National Nutrient Database for Standard Reference, Release 28 (2015)

Nutrients and Units	Amount in 100 grams of edible portion						Amount in edible portion of common measures of food		
	Mean	Std. Error	Number of Data Points	Deriv Code	Source Code	Confidence Code	Measure 1	Measure 2	Measure 3
Tocotrienol, delta.....mg									
Vitamin D (D2 + D3).....µg	8.5		2	AS	1		0.2	1.3	
Vitamin D.....IU	341		0	NR	4		9	51	
Vitamin K (phylloquinone).....µg	0.5	0.014	7	A	1		0.0	0.1	
Dihydrophyloquinone.....µg	0.0	0.000	7	A	1		0.0	0.0	
Menquinone-4.....µg	0.0	0.000	7	A	1		0.0	0.0	
Lipids:									
Fatty acids, total saturated.....g	0.234		0	NC	4		0.006	0.035	
4:0.....g	0.000	0.000	6	A	1		0.000	0.000	
6:0.....g	0.000	0.000	6	A	1		0.000	0.000	
8:0.....g	0.000	0.000	6	A	1		0.000	0.000	
10:0.....g	0.000	0.000	6	A	1		0.000	0.000	
12:0.....g	0.000	0.000	6	A	1		0.000	0.000	
13:0.....g									
14:0.....g	0.009	0.001	6	A	1		0.000	0.001	
15:0.....g	0.002	0.000	6	A	1		0.000	0.000	
16:0.....g	0.178	0.010	6	A	1		0.004	0.027	
17:0.....g	0.002	0.000	6	A	1		0.000	0.000	
18:0.....g	0.032	0.000	6	A	1		0.001	0.005	
20:0.....g	0.004	0.000	6	A	1		0.000	0.001	
22:0.....g	0.003	0.000	6	A	1		0.000	0.000	
24:0.....g	0.005	0.000	6	A	1		0.000	0.001	
Fatty acids, total monounsaturated.....g	0.420		0	NC	4		0.011	0.063	
14:1.....g	0.000	0.000	6	A	1		0.000	0.000	
15:1.....g	0.000	0.000	6	A	1		0.000	0.000	
16:1 undifferentiated.....g	0.001		0	AS	1		0.000	0.000	
16:1 c.....g	0.001	0.000	6	A	1		0.000	0.000	
16:1 t.....g	0.000	0.000	6	A	1		0.000	0.000	
17:1.....g	0.000	0.000	6	A	1		0.000	0.000	
18:1 undifferentiated.....g	0.207		0	AS	1		0.005	0.031	
18:1 c.....g	0.207	0.009	6	A	1		0.005	0.031	
18:1 t.....g	0.000	0.000	6	A	1		0.000	0.000	
18:1-11 t (18:1t n-7).....g									
20:1.....g	0.002	0.000	6	A	1		0.000	0.000	
22:1 undifferentiated.....g	0.000		0	AS	1		0.000	0.000	
22:1 c.....g	0.000	0.000	6	A	1		0.000	0.000	
22:1 t.....g	0.000	0.000	6	A	1		0.000	0.000	
24:1 c.....g	0.001	0.000	6	A	1		0.000	0.000	
Fatty acids, total polyunsaturated.....g	0.784		0	NC	4		0.020	0.118	
18:2 undifferentiated.....g	0.363		0	AS	1		0.009	0.054	
18:2 n-6 c,c.....g	0.363	0.024	6	A	1		0.009	0.054	
18:2 CLAs.....g	0.000	0.000	6	A	1		0.000	0.000	
18:2 t,t.....g									
18:2 i.....g									
18:2 t not further defined.....g	0.000	0.000	6	A	1		0.000	0.000	
18:3 undifferentiated.....g	0.029		0	AS	1		0.001	0.004	
18:3 n-3 c,c,c (ALA).....g	0.029	0.002	6	A	1		0.001	0.004	
18:3 n-6 c,c,c.....g	0.000	0.000	6	A	1		0.000	0.000	
18:3i.....g	0.000	0.000	6	A	1		0.000	0.000	
18:4.....g	0.000	0.000	6	A	1		0.000	0.000	
20:2 n-6 c,c.....g	0.000	0.000	6	A	1		0.000	0.000	
20:3 undifferentiated.....g	0.000		0	AS	1		0.000	0.000	
20:3 n-3.....g	0.000	0.000	6	A	1		0.000	0.000	
20:3 n-6.....g	0.000	0.000	6	A	1		0.000	0.000	
20:4 undifferentiated.....g	0.000	0.000	6	A	1		0.000	0.000	
20:4 n-6.....g									
20:5 n-3 (EPA).....g	0.000	0.000	6	A	1		0.000	0.000	
21:5.....g									
22:4.....g	0.000	0.000	6	A	1		0.000	0.000	
22:5 n-3 (DPA).....g	0.000	0.000	6	A	1		0.000	0.000	
22:6 n-3 (DHA).....g	0.000	0.000	6	A	1		0.000	0.000	
Fatty acids, total trans.....g	0.000		0	NC	4		0.000	0.000	
Fatty acids, total trans-monoenoic.....g	0.000		0	NC	4		0.000	0.000	

NDB No. 03194

Babyfood, cereal, rice, dry fortified

Nutrients and Units	Amount in 100 grams of edible portion				Amount in edible portion of common measures of food		
	Mean	Std. Error	Number		Measure 1	Measure 2	Measure 3
			of Data Points	Deriv Code			
Fatty acids, total trans-polyenoic.....g	0.000		0	NC	4	0.000	0.000
Cholesterol.....mg	0		0		7	0	0
Phytosterols.....mg							
<u>Amino Acids:</u>							
Tryptophan.....g	0.094		0		1	0.002	0.014
Threonine.....g	0.316		0		1	0.008	0.047
Isoleucine.....g	0.290		0		1	0.007	0.044
Leucine.....g	0.559		0		1	0.014	0.084
Lysine.....g	0.304		0		1	0.008	0.046
Methionine.....g	0.185		0		1	0.005	0.028
Cystine.....g	0.169		0		1	0.004	0.025
Phenylalanine.....g	0.364		0		1	0.009	0.055
Tyrosine.....g	0.324		0		1	0.008	0.049
Valine.....g	0.446		0		1	0.011	0.067
Arginine.....g	0.646		0		1	0.016	0.097
Histidine.....g	0.193		0		1	0.005	0.029
Alanine.....g	0.425		0		1	0.011	0.064
Aspartic acid.....g	0.696		0		1	0.017	0.104
Glutamic acid.....g	1.291		0		1	0.032	0.194
Glycine.....g	0.366		0		1	0.009	0.055
Proline.....g	0.316		0		1	0.008	0.047
Serine.....g	0.342		0		1	0.009	0.051
Hydroxyproline.....g	0.000		2	A	1	0.000	0.000
<u>Others:</u>							
Alcohol, ethyl.....g	0.0		0		7	0.0	0.0
Caffeine.....mg	0		0	Z	7	0	0
Theobromine.....mg	0		0	Z	7	0	0

Blanks in the Mean column indicate lack of reliable data. The Number of Data Points column is the number of analyses upon which the mean is based. Number of Data Points of zero indicates the mean was either calculated (as for Energy) or estimated, usually from a recipe, another form of the same food, or similar food.

Common Measures:

Measure 1 = 2.5g: 1 tbsp

Measure 2 = 15.0g: .5 oz

Calories Factors: Protein 3.82

Fat 8.37

Carbohydrate 4.16

Food Group: 03 Baby Foods

USDA National Nutrient Database for Standard Reference, Release 28 (2015)

NDB No. 03694

Babyfood, cereal, rice, prepared with whole milk

Refuse:0%

Nutrients and Units	Amount in 100 grams of edible portion				Amount in edible portion of common measures of food				
	Mean	Std. Error	Number of Data Points	Deriv Code	Source Code	Confidence Code	Measure 1	Measure 2	Measure 3
Proximates:									
Water.....g	81.96		0	RA	4		23.23		
Energy.....kcal	85		0	NC	4		24		
Energy.....kJ	357		0	NC	4		101		
Protein (N x 0).....g	3.45		0	RA	4		0.98		
Total lipid (fat).....g	3.38		0	RA	4		0.96		
Ash.....g	0.89		0	RA	4		0.25		
Carbohydrate, by difference.....g	10.31		0	RA	4		2.92		
Fiber, total dietary.....g	0.0		0	RA	4		0.0		
Sugars, total.....g	4.87		0	RA	4		1.38		
Sucrose.....g	0.00		0	RA	4		0.00		
Glucose (dextrose).....g	0.00		0	RA	4		0.00		
Fructose.....g	0.00		0	RA	4		0.00		
Lactose.....g	4.67		0	RA	4		1.32		
Maltose.....g	0.00		0	RA	4		0.00		
Galactose.....g	0.00		0	RA	4		0.00		
Starch.....g									
Minerals:									
Calcium, Ca.....mg	168		0	RA	4		48		
Iron, Fe.....mg	3.63		0	RA	4		1.03		
Magnesium, Mg.....mg	25		0	RA	4		7		
Phosphorus, P.....mg	122		0	RA	4		35		
Potassium, K.....mg	151		0	RA	4		43		
Sodium, Na.....mg	42		0	RA	4		12		
Zinc, Zn.....mg	0.49		0	RA	4		0.14		
Copper, Cu.....mg	0.048		0	RA	4		0.014		
Manganese, Mn.....mg	0.004		0	RA	4		0.001		
Selenium, Se.....µg	4.3		0	RA	4		1.2		
Vitamins:									
Vitamin C, total ascorbic acid.....mg	0.2		0	RA	4		0.1		
Thiamin.....mg	0.243		0	RA	4		0.069		
Riboflavin.....mg	0.324		0	RA	4		0.092		
Niacin.....mg	2.449		0	RA	4		0.694		
Pantothenic acid.....mg	0.345		0	RA	4		0.098		
Vitamin B-6.....mg	0.069		0	RA	4		0.020		
Folate, total.....µg	6		0	RA	4		2		
Folic acid.....µg	0		0	RA	4		0		
Folate, food.....µg	6		0	RA	4		2		
Folate, DFE.....µg	6		0	NC	4		2		
Choline, total.....mg	14.6		0	RA	4		4.1		
Betaine.....mg	0.6		0	RA	4		0.2		
Vitamin B-12.....µg	0.41		0	RA	4		0.12		
Vitamin B-12, added.....µg	0.00		0	RA	4		0.00		
Vitamin A, RAE.....µg	42		0	NC	4		12		
Retinol.....µg	42		0	RA	4		12		
Carotene, beta.....µg	6		0	RA	4		2		
Carotene, alpha.....µg	0		0	RA	4		0		
Cryptoxanthin, beta.....µg	0		0	RA	4		0		
Vitamin A, IU.....IU	150		0	RA	4		42		
Lycopene.....µg	0		0	RA	4		0		
Lutein + zeaxanthin.....µg	0		0	RA	4		0		
Vitamin E (alpha-tocopherol).....mg	0.44		0	RA	4		0.13		
Vitamin E, added.....mg	0.00		0	RA	4		0.00		
Tocopherol, beta.....mg	0.00		0	RA	4		0.00		
Tocopherol, gamma.....mg	0.00		0	RA	4		0.00		
Tocopherol, delta.....mg	0.00		0	RA	4		0.00		
Tocotrienol, alpha.....mg	0.00		0	RA	4		0.00		
Tocotrienol, beta.....mg	0.00		0	RA	4		0.00		

NDB No. 03694

Babyfood, cereal, rice, prepared with whole milk

Nutrients and Units	Amount in 100 grams of edible portion				Amount in edible portion of common measures of food				
	Mean	Std. Error	Number of Data Points	Deriv Code	Source Code	Confidence Code	Measure 1	Measure 2	Measure 3
Tocotrienol, gamma.....mg	0.00		0	RA	4		0.00		
Tocotrienol, delta.....mg	0.00		0	RA	4		0.00		
Vitamin D (D2 + D3).....µg	1.2		0	RA	4		0.3		
Vitamin D2 (ergocalciferol).....µg									
Vitamin D3 (cholecalciferol).....µg	1.2		0	RA	4		0.3		
Vitamin D.....IU	47		0	RA	4		13		
Vitamin K (phylloquinone).....µg	0.2		0	RA	4		0.1		
Dihydrophyloquinone.....µg	0.0		0	RA	4		0.0		
Menaquinone-4.....µg	0.9		0	RA	4		0.2		
Lipids:									
Fatty acids, total saturated.....g	1.793		0	RA	4		0.508		
4:0.....g	0.069		0	RA	4		0.020		
6:0.....g	0.069		0	RA	4		0.020		
8:0.....g	0.069		0	RA	4		0.020		
10:0.....g	0.069		0	RA	4		0.020		
12:0.....g	0.071		0	RA	4		0.020		
13:0.....g	0.000		0	RA	4		0.000		
14:0.....g	0.275		0	RA	4		0.078		
15:0.....g	0.000		0	RA	4		0.000		
16:0.....g	0.824		0	RA	4		0.234		
17:0.....g	0.000		0	RA	4		0.000		
18:0.....g	0.347		0	RA	4		0.098		
20:0.....g	0.000		0	RA	4		0.000		
22:0.....g	0.000		0	RA	4		0.000		
24:0.....g	0.000		0	RA	4		0.000		
Fatty acids, total monounsaturated.....g	0.846		0	RA	4		0.240		
14:1.....g	0.000		0	RA	4		0.000		
15:1.....g									
16:1 undifferentiated.....g	0.002		0	RA	4		0.001		
17:1.....g									
18:1 undifferentiated.....g	0.844		0	RA	4		0.239		
20:1.....g	0.000		0	RA	4		0.000		
22:1 undifferentiated.....g	0.000		0	RA	4		0.000		
24:1 c.....g									
Fatty acids, total polyunsaturated.....g	0.333		0	RA	4		0.094		
18:2 undifferentiated.....g	0.247		0	RA	4		0.070		
18:3 undifferentiated.....g	0.085		0	RA	4		0.024		
18:4.....g	0.000		0	RA	4		0.000		
20:2 n-6 c,c.....g									
20:3 undifferentiated.....g									
20:4 undifferentiated.....g	0.000		0	RA	4		0.000		
20:5 n-3 (EPA).....g	0.000		0	RA	4		0.000		
21:5.....g									
22:4.....g									
22:5 n-3 (DPA).....g	0.000		0	RA	4		0.000		
22:6 n-3 (DHA).....g	0.000		0	RA	4		0.000		
Fatty acids, total trans.....g									
Cholesterol.....mg	10		0	RA	4		3		
Phytosterols.....mg									
Amino Acids:									
Tryptophan.....g	0.075		0	RA	4		0.021		
Threonine.....g	0.153		0	RA	4		0.043		
Isoleucine.....g	0.171		0	RA	4		0.049		
Leucine.....g	0.282		0	RA	4		0.080		
Lysine.....g	0.150		0	RA	4		0.042		
Methionine.....g	0.082		0	RA	4		0.023		
Cystine.....g	0.028		0	RA	4		0.008		
Phenylalanine.....g	0.160		0	RA	4		0.045		
Tyrosine.....g	0.162		0	RA	4		0.046		
Valine.....g	0.208		0	RA	4		0.059		
Arginine.....g	0.117		0	RA	4		0.033		
Histidine.....g	0.082		0	RA	4		0.023		
Alanine.....g	0.125		0	RA	4		0.035		

NDB No. 03694

Babyfood, cereal, rice, prepared with whole milk

Nutrients and Units	<u>Amount in 100 grams of edible portion</u>				<u>Amount in edible portion of common measures of food</u>			
	Mean	Std. Error	Number		Measure 1	Measure 2	Measure 3	
			of Data Points	Deriv Code				Source Code
Aspartic acid.....g	0.267		0	RA	4	0.076		
Glutamic acid.....g	0.684		0	RA	4	0.194		
Glycine.....g	0.095		0	RA	4	0.027		
Proline.....g	0.333		0	RA	4	0.094		
Serine.....g	0.122		0	RA	4	0.035		
Hydroxyproline.....g								
Others:								
Alcohol, ethyl.....g	0.0		0	RA	4	0.0		
Caffeine.....mg	0		0	RA	4	0		
Theobromine.....mg	0		0	RA	4	0		

Blanks in the Mean column indicate lack of reliable data. The Number of Data Points column is the number of analyses upon which the mean is based. Number of Data Points of zero indicates the mean was either calculated (as for Energy) or estimated, usually from a recipe, another form of the same food, or similar food.

Common Measures:

Measure 1 = 28.35g: 1 oz

Calories Factors: Protein

Fat

Carbohydrate

Food Group: 03 Baby Foods

USDA National Nutrient Database for Standard Reference, Release 28 (2015)

Babyfood, cereal, rice, with applesauce and bananas, strained

Nutrients and Units	Amount in 100 grams of edible portion				Amount in edible portion of common measures of food				
	Mean	Std. Error	Number of Data Points	Deriv Code	Source Code	Confidence Code	Measure 1	Measure 2	Measure 3
Lipids:									
Fatty acids, total saturated.....g	0.114		0		4		0.018	0.032	0.129
4:0.....g	0.000		0		4		0.000	0.000	0.000
6:0.....g	0.000		0		4		0.000	0.000	0.000
8:0.....g	0.000		0		4		0.000	0.000	0.000
10:0.....g	0.000		0		4		0.000	0.000	0.000
12:0.....g	0.000		0		4		0.000	0.000	0.000
13:0.....g									
14:0.....g	0.002		0		4		0.000	0.001	0.002
15:0.....g									
16:0.....g	0.096		0		4		0.015	0.027	0.108
17:0.....g									
18:0.....g	0.007		0		4		0.001	0.002	0.008
20:0.....g									
22:0.....g									
24:0.....g									
Fatty acids, total monounsaturated.....g	0.104		0		4		0.017	0.029	0.118
14:1.....g									
15:1.....g									
16:1 undifferentiated.....g	0.003		0		4		0.000	0.001	0.003
17:1.....g									
18:1 undifferentiated.....g	0.101		0		4		0.016	0.029	0.114
20:1.....g	0.000		0		4		0.000	0.000	0.000
22:1 undifferentiated.....g	0.000		0		4		0.000	0.000	0.000
24:1 c.....g									
Fatty acids, total polyunsaturated.....g	0.102		0		4		0.016	0.029	0.115
18:2 undifferentiated.....g	0.082		0		4		0.013	0.023	0.093
18:3 undifferentiated.....g	0.021		0		4		0.003	0.006	0.024
18:4.....g	0.000		0		4		0.000	0.000	0.000
20:2 n-6 c,c.....g									
20:3 undifferentiated.....g									
20:4 undifferentiated.....g	0.000		0		4		0.000	0.000	0.000
20:5 n-3 (EPA).....g	0.000		0		4		0.000	0.000	0.000
21:5.....g									
22:4.....g									
22:5 n-3 (DPA).....g	0.000		0		4		0.000	0.000	0.000
22:6 n-3 (DHA).....g	0.000		0		4		0.000	0.000	0.000
Fatty acids, total trans.....g									
Cholesterol.....mg	0		0		7		0	0	0
Phytosterols.....mg									
Amino Acids:									
Tryptophan.....g	0.012		0		1		0.002	0.003	0.014
Threonine.....g	0.040		0		1		0.006	0.011	0.045
Isoleucine.....g	0.048		0		1		0.008	0.014	0.054
Leucine.....g	0.116		0		1		0.019	0.033	0.131
Lysine.....g	0.068		0		1		0.011	0.019	0.077
Methionine.....g	0.020		0		1		0.003	0.006	0.023
Cystine.....g	0.014		0		1		0.002	0.004	0.016
Phenylalanine.....g	0.058		0		1		0.009	0.016	0.066
Tyrosine.....g	0.056		0		1		0.009	0.016	0.063
Valine.....g	0.068		0		1		0.011	0.019	0.077
Arginine.....g	0.040		0		1		0.006	0.011	0.045
Histidine.....g	0.032		0		1		0.005	0.009	0.036
Alanine.....g	0.056		0		1		0.009	0.016	0.063
Aspartic acid.....g	0.076		0		1		0.012	0.022	0.086
Glutamic acid.....g	0.236		0		1		0.038	0.067	0.267
Glycine.....g	0.028		0		1		0.004	0.008	0.032
Proline.....g	0.104		0		1		0.017	0.029	0.118
Serine.....g	0.052		0		1		0.008	0.015	0.059
Hydroxyproline.....g									
Others:									
Alcohol, ethyl.....g	0.0		0		7		0.0	0.0	0.0
Caffeine.....mg	0		0	FLA	4		0	0	0

NDB No. 03195

Babyfood, cereal, rice, with applesauce and bananas, strained

Nutrients and Units	<u>Amount in 100 grams of edible portion</u>				<u>Amount in edible portion of common measures of food</u>				
	Mean	Std. Error	Number		Source Code	Confidence Code	Measure 1	Measure 2	Measure 3
			of Data Points	Deriv Code					
Theobromine.....mg	0		0	FLA	4	0	0	0	

Blanks in the Mean column indicate lack of reliable data. The Number of Data Points column is the number of analyses upon which the mean is based. Number of Data Points of zero indicates the mean was either calculated (as for Energy) or estimated, usually from a recipe, another form of the same food, or similar food.

Common Measures:

- Measure 1 = 16g: 1 tbsp
- Measure 2 = 28.35g: 1 oz
- Measure 3 = 113g: 1 jar

Calories Factors: Protein 3.8

Fat 8.4

Carbohydrate 4.2

Food Group: 03 Baby Foods

USDA National Nutrient Database for Standard Reference, Release 28 (2015)

NDB No. 03212

Babyfood, cereal, rice, with bananas, dry

Nutrients and Units	Amount in 100 grams of edible portion				Amount in edible portion of common measures of food				
	Mean	Std. Error	Number of Data Points	Deriv Code	Source Code	Confidence Code	Measure 1	Measure 2	Measure 3
Lipids:									
Fatty acids, total saturated.....g	0.978		0		4		0.024	0.147	
4:0.....g	0.001		0		4		0.000	0.000	
6:0.....g	0.000		0		4		0.000	0.000	
8:0.....g	0.000		0		4		0.000	0.000	
10:0.....g	0.002		0		4		0.000	0.000	
12:0.....g	0.002		0		4		0.000	0.000	
13:0.....g									
14:0.....g	0.018		0		4		0.000	0.003	
15:0.....g									
16:0.....g	0.790		0		4		0.020	0.119	
17:0.....g									
18:0.....g	0.098		0		4		0.002	0.015	
20:0.....g									
22:0.....g									
24:0.....g									
Fatty acids, total monounsaturated.....g	0.986		0		4		0.025	0.148	
14:1.....g									
15:1.....g									
16:1 undifferentiated.....g	0.026		0		4		0.001	0.004	
17:1.....g									
18:1 undifferentiated.....g	0.955		0		4		0.024	0.143	
20:1.....g	0.002		0		4		0.000	0.000	
22:1 undifferentiated.....g	0.000		0		4		0.000	0.000	
24:1 c.....g									
Fatty acids, total polyunsaturated.....g	1.503		0		4		0.038	0.225	
18:2 undifferentiated.....g	1.288		0		4		0.032	0.193	
18:3 undifferentiated.....g	0.214		0		4		0.005	0.032	
18:4.....g	0.000		0		4		0.000	0.000	
20:2 n-6 c,c.....g									
20:3 undifferentiated.....g									
20:4 undifferentiated.....g	0.000		0		4		0.000	0.000	
20:5 n-3 (EPA).....g	0.000		0		4		0.000	0.000	
21:5.....g									
22:4.....g									
22:5 n-3 (DPA).....g	0.000		0		4		0.000	0.000	
22:6 n-3 (DHA).....g	0.000		0		4		0.000	0.000	
Fatty acids, total trans.....g									
Cholesterol.....mg	0		0		4		0	0	
Phytosterols.....mg									
Amino Acids:									
Tryptophan.....g	0.154		0		1		0.004	0.023	
Threonine.....g	0.444		0		1		0.011	0.067	
Isoleucine.....g	0.464		0		1		0.012	0.070	
Leucine.....g	0.821		0		1		0.021	0.123	
Lysine.....g	0.452		0		1		0.011	0.068	
Methionine.....g	0.229		0		1		0.006	0.034	
Cystine.....g	0.184		0		1		0.005	0.028	
Phenylalanine.....g	0.400		0		1		0.010	0.060	
Tyrosine.....g	0.368		0		1		0.009	0.055	
Valine.....g	0.547		0		1		0.014	0.082	
Arginine.....g	0.603		0		1		0.015	0.090	
Histidine.....g	0.273		0		1		0.007	0.041	
Alanine.....g	0.496		0		1		0.012	0.074	
Aspartic acid.....g	0.857		0		1		0.021	0.129	
Glutamic acid.....g	1.523		0		1		0.038	0.228	
Glycine.....g	0.364		0		1		0.009	0.055	
Proline.....g	0.418		0		1		0.010	0.063	
Serine.....g	0.467		0		1		0.012	0.070	
Hydroxyproline.....g									
Others:									
Alcohol, ethyl.....g	0.0		0		7		0.0	0.0	
Caffeine.....mg	0		0	FLA	4		0	0	

NDB No. 03212

Babyfood, cereal, rice, with bananas, dry

Nutrients and Units	<u>Amount in 100 grams of edible portion</u>				<u>Amount in edible portion of common measures of food</u>		
	Mean	Std. Error	Number		Measure 1	Measure 2	Measure 3
			of Data Points	Deriv Code			
Theobromine.....mg	0		0	FLA	4	0	0

Blanks in the Mean column indicate lack of reliable data. The Number of Data Points column is the number of analyses upon which the mean is based. Number of Data Points of zero indicates the mean was either calculated (as for Energy) or estimated, usually from a recipe, another form of the same food, or similar food.

Common Measures:

Measure 1 = 2.5g: 1 tbsp

Measure 2 = 15.0g: .5 oz

Calories Factors: Protein 3.8

Fat 8.4

Carbohydrate 4.2

Food Group: 03 Baby Foods

USDA National Nutrient Database for Standard Reference, Release 28 (2015)

NDB No. 03712

Babyfood, cereal, rice, with bananas, prepared with whole milk

Refuse:0%

Nutrients and Units	Amount in 100 grams of edible portion				Amount in edible portion of common measures of food				
	Mean	Std. Error	Number	Deriv Code	Source Code	Confidence Code	Measure 1	Measure 2	Measure 3
			of Data Points						
Proximates:									
Water.....g	81.81		0	RA	4		23.19		
Energy.....kcal	86		0	NC	4		24		
Energy.....kJ	360		0	NC	4		102		
Protein (N x 0).....g	3.57		0	RA	4		1.01		
Total lipid (fat).....g	3.32		0	RA	4		0.94		
Ash.....g	0.81		0	RA	4		0.23		
Carbohydrate, by difference.....g	10.49		0	RA	4		2.97		
Fiber, total dietary.....g	0.1		0	RA	4		0.0		
Sugars, total.....g	6.13		0	RA	4		1.74		
Sucrose.....g	0.00		0	RA	4		0.00		
Glucose (dextrose).....g	0.00		0	RA	4		0.00		
Fructose.....g	0.00		0	RA	4		0.00		
Lactose.....g	4.67		0	RA	4		1.32		
Maltose.....g	0.00		0	RA	4		0.00		
Galactose.....g	0.00		0	RA	4		0.00		
Starch.....g									
Minerals:									
Calcium, Ca.....mg	156		0	RA	4		44		
Iron, Fe.....mg	3.63		0	RA	4		1.03		
Magnesium, Mg.....mg	20		0	RA	4		6		
Phosphorus, P.....mg	109		0	RA	4		31		
Potassium, K.....mg	180		0	RA	4		51		
Sodium, Na.....mg	47		0	RA	4		13		
Zinc, Zn.....mg	0.46		0	RA	4		0.13		
Copper, Cu.....mg	0.042		0	RA	4		0.012		
Manganese, Mn.....mg	0.004		0	RA	4		0.001		
Selenium, Se.....µg	4.3		0	RA	4		1.2		
Vitamins:									
Vitamin C, total ascorbic acid.....mg	0.2		0	RA	4		0.0		
Thiamin.....mg	0.684		0		1		0.194		
Riboflavin.....mg	0.444		0	RA	4		0.126		
Niacin.....mg	1.849		0	RA	4		0.524		
Pantothenic acid.....mg	0.345		0	RA	4		0.098		
Vitamin B-6.....mg	0.085		0	RA	4		0.024		
Folate, total.....µg	6		0	RA	4		2		
Folic acid.....µg	0		0	RA	4		0		
Folate, food.....µg	6		0	RA	4		2		
Folate, DFE.....µg	6		0	NC	4		2		
Choline, total.....mg	15.2		0	RA	4		4.3		
Betaine.....mg	0.6		0	RA	4		0.2		
Vitamin B-12.....µg	0.43		0	RA	4		0.12		
Vitamin B-12, added.....µg	0.00		0	RA	4		0.00		
Vitamin A, RAE.....µg	43		0	RA	4		12		
Retinol.....µg	42		0	RA	4		12		
Carotene, beta.....µg	7		0	RA	4		2		
Carotene, alpha.....µg	1		0	RA	4		0		
Cryptoxanthin, beta.....µg	0		0	RA	4		0		
Vitamin A, IU.....IU	152		0	RA	4		43		
Lycopene.....µg	0		0	RA	4		0		
Lutein + zeaxanthin.....µg	3		0	RA	4		1		
Vitamin E (alpha-tocopherol).....mg	0.09		0	RA	4		0.03		
Vitamin E, added.....mg	0.00		0	RA	4		0.00		
Tocopherol, beta.....mg	0.00		0	RA	4		0.00		
Tocopherol, gamma.....mg	0.00		0	RA	4		0.00		
Tocopherol, delta.....mg	0.00		0	RA	4		0.00		
Tocotrienol, alpha.....mg	0.00		0	RA	4		0.00		
Tocotrienol, beta.....mg	0.00		0	RA	4		0.00		

NDB No. 03712

Babyfood, cereal, rice, with bananas, prepared with whole milk

Nutrients and Units	Amount in 100 grams of edible portion				Amount in edible portion of common measures of food				
	Mean	Std. Error	Number		Source Code	Confidence Code	Measure 1	Measure 2	Measure 3
			of Data Points	Deriv Code					
Tocotrienol, gamma.....mg	0.00		0	RA	4		0.00		
Tocotrienol, delta.....mg	0.00		0	RA	4		0.00		
Vitamin D (D2 + D3).....µg	1.2		0	RA	4		0.3		
Vitamin D2 (ergocalciferol).....µg									
Vitamin D3 (cholecalciferol).....µg	1.2		0	RA	4		0.3		
Vitamin D.....µg	47		0	RA	4		13		
Vitamin K (phylloquinone).....µg	0.5		0	RA	4		0.1		
Dihydrophyloquinone.....µg	0.0		0	RA	4		0.0		
Menaquinone-4.....µg	0.9		0	RA	4		0.2		
Lipids:									
Fatty acids, total saturated.....g	1.798		0	RA	4		0.510		
4:0.....g	0.069		0	RA	4		0.020		
6:0.....g	0.069		0	RA	4		0.020		
8:0.....g	0.069		0	RA	4		0.020		
10:0.....g	0.069		0	RA	4		0.020		
12:0.....g	0.071		0	RA	4		0.020		
13:0.....g	0.000		0	RA	4		0.000		
14:0.....g	0.276		0	RA	4		0.078		
15:0.....g	0.000		0	RA	4		0.000		
16:0.....g	0.826		0	RA	4		0.234		
17:0.....g	0.000		0	RA	4		0.000		
18:0.....g	0.345		0	RA	4		0.098		
20:0.....g	0.000		0	RA	4		0.000		
22:0.....g	0.000		0	RA	4		0.000		
24:0.....g	0.000		0	RA	4		0.000		
Fatty acids, total monounsaturated.....g	0.826		0	RA	4		0.234		
14:1.....g	0.000		0	RA	4		0.000		
15:1.....g									
16:1 undifferentiated.....g	0.002		0	RA	4		0.001		
17:1.....g									
18:1 undifferentiated.....g	0.823		0	RA	4		0.233		
20:1.....g	0.000		0	RA	4		0.000		
22:1 undifferentiated.....g	0.000		0	RA	4		0.000		
24:1 c.....g									
Fatty acids, total polyunsaturated.....g	0.294		0	RA	4		0.083		
18:2 undifferentiated.....g	0.209		0	RA	4		0.059		
18:3 undifferentiated.....g	0.085		0	RA	4		0.024		
18:4.....g	0.000		0	RA	4		0.000		
20:2 n-6 c,c.....g									
20:3 undifferentiated.....g									
20:4 undifferentiated.....g	0.000		0	RA	4		0.000		
20:5 n-3 (EPA).....g	0.000		0	RA	4		0.000		
21:5.....g									
22:4.....g									
22:5 n-3 (DPA).....g	0.000		0	RA	4		0.000		
22:6 n-3 (DHA).....g	0.000		0	RA	4		0.000		
Fatty acids, total trans.....g									
Cholesterol.....mg	10		0	RA	4		3		
Phytosterols.....mg									
Amino Acids:									
Tryptophan.....g	0.079		0	RA	4		0.022		
Threonine.....g	0.163		0	RA	4		0.046		
Isoleucine.....g	0.184		0	RA	4		0.052		
Leucine.....g	0.302		0	RA	4		0.086		
Lysine.....g	0.161		0	RA	4		0.046		
Methionine.....g	0.085		0	RA	4		0.024		
Cystine.....g	0.029		0	RA	4		0.008		
Phenylalanine.....g	0.163		0	RA	4		0.046		
Tyrosine.....g	0.165		0	RA	4		0.047		
Valine.....g	0.215		0	RA	4		0.061		
Arginine.....g	0.113		0	RA	4		0.032		
Histidine.....g	0.088		0	RA	4		0.025		
Alanine.....g	0.131		0	RA	4		0.037		

NDB No. 03712

Babyfood, cereal, rice, with bananas, prepared with whole milk

Nutrients and Units	<u>Amount in 100 grams of edible portion</u>				<u>Amount in edible portion of common measures of food</u>			
	Mean	Std. Error	Number			Measure 1	Measure 2	Measure 3
			of Data Points	Deriv Code	Source Code			
Aspartic acid.....g	0.280		0	RA	4	0.079		
Glutamic acid.....g	0.702		0	RA	4	0.199		
Glycine.....g	0.095		0	RA	4	0.027		
Proline.....g	0.341		0	RA	4	0.097		
Serine.....g	0.132		0	RA	4	0.037		
Hydroxyproline.....g								
Others:								
Alcohol, ethyl.....g	0.0		0	RA	4	0.0		
Caffeine.....mg	0		0	RA	4	0		
Theobromine.....mg	0		0	RA	4	0		

Blanks in the Mean column indicate lack of reliable data. The Number of Data Points column is the number of analyses upon which the mean is based. Number of Data Points of zero indicates the mean was either calculated (as for Energy) or estimated, usually from a recipe, another form of the same food, or similar food.

Common Measures:

Measure 1 = 28.35g: 1 oz

Calories Factors: Protein

Fat

Carbohydrate

Food Group: 03 Baby Foods

USDA National Nutrient Database for Standard Reference, Release 28 (2015)

NDB No. 03696

Babyfood, cereal, rice, with honey, prepared with whole milk

Refuse:0%

Nutrients and Units	Amount in 100 grams of edible portion				Amount in edible portion of common measures of food				
	Mean	Std. Error	Number of Data Points	Deriv Code	Source Code	Confidence Code	Measure 1	Measure 2	Measure 3
Proximates:									
Water.....g	74.40		0		1		21.09		
Energy.....kcal	115		0	NC	4		33		
Energy.....kJ	481				4		136		
Protein (N x 0).....g	3.90		0		1		1.11		
Total lipid (fat).....g	3.30		0		1		0.94		
Ash.....g	1.30		0		1		0.37		
Carbohydrate, by difference.....g	17.10		0	NC	4		4.85		
Fiber, total dietary.....g									
Sugars, total.....g									
Starch.....g									
Minerals:									
Calcium, Ca.....mg	291		0		1		82		
Iron, Fe.....mg	10.81		0		1		3.06		
Magnesium, Mg.....mg	45		0		4		13		
Phosphorus, P.....mg	181		0		1		51		
Potassium, K.....mg	141		0		1		40		
Sodium, Na.....mg	49		0		1		14		
Zinc, Zn.....mg	0.65		0		4		0.18		
Copper, Cu.....mg	0.063		0		4		0.018		
Manganese, Mn.....mg									
Selenium, Se.....µg									
Vitamins:									
Vitamin C, total ascorbic acid.....mg	0.0		0		1		0.0		
Thiamin.....mg	0.476		0		1		0.135		
Riboflavin.....mg	0.608		0		1		0.172		
Niacin.....mg	6.083		0		1		1.725		
Pantothenic acid.....mg									
Vitamin B-6.....mg	0.115		0		4		0.033		
Folate, total.....µg	8		0		4		2		
Folic acid.....µg	0		0	Z	7		0		
Folate, food.....µg	8		0		4		2		
Folate, DFE.....µg	8		0	NC	4		2		
Choline, total.....mg									
Betaine.....mg									
Vitamin B-12.....µg	0.30		0		4		0.09		
Vitamin A, RAE.....µg	21		0	NC	4		6		
Retinol.....µg	19		0	NR	4		5		
Carotene, beta.....µg	27		0	NR	4		8		
Carotene, alpha.....µg									
Cryptoxanthin, beta.....µg									
Vitamin A, IU.....IU	108		0	NC	4		31		
Lycopene.....µg									
Lutein + zeaxanthin.....µg									
Vitamin E (alpha-tocopherol).....mg									
Tocopherol, beta.....mg									
Tocopherol, gamma.....mg									
Tocopherol, delta.....mg									
Tocotrienol, alpha.....mg									
Tocotrienol, beta.....mg									
Tocotrienol, gamma.....mg									
Tocotrienol, delta.....mg									
Vitamin D (D2 + D3).....µg									
Vitamin D.....IU									
Vitamin K (phylloquinone).....µg									
Dihydrophylloquinone.....µg									
Menaquinone-4.....µg									

Blanks in the Mean column indicate lack of reliable data. The Number of Data Points column is the number of analyses upon which the mean is based.

NDB No. 03696

Babyfood, cereal, rice, with honey, prepared with whole milk

Nutrients and Units	<u>Amount in 100 grams of edible portion</u>						<u>Amount in edible portion of common</u>		
	Mean	Std. Error	Number of Data Points	Deriv Code	Source Code	Confidence Code	<u>measures of food</u>		
							Measure 1	Measure 2	Measure 3

Number of Data Points of zero indicates the mean was either calculated (as for Energy) or estimated, usually from a recipe, another form of the same food, or similar food.

Common Measures:

Measure 1 = 28.35g: 1 oz

Calories Factors: Protein

Fat

Carbohydrate

Food Group: 03 Baby Foods

USDA National Nutrient Database for Standard Reference, Release 28 (2015)

NDB No. 03184

Babyfood, cereal, whole wheat, with apples, dry fortified

Nutrients and Units	Amount in 100 grams of edible portion					Amount in edible portion of common measures of food			
	Mean	Std. Error	Number of Data Points	Deriv Code	Source Code	Confidence Code	Measure 1	Measure 2	Measure 3
Lipids:									
Fatty acids, total saturated.....g	0.639		0	FLM	4		0.096		
4:0.....g	0.000		0	FLM	4		0.000		
6:0.....g	0.000		0	FLM	4		0.000		
8:0.....g	0.016		0	FLM	4		0.002		
10:0.....g	0.000		0	FLM	4		0.000		
12:0.....g	0.000		0	FLM	4		0.000		
13:0.....g									
14:0.....g	0.005		0	FLM	4		0.001		
15:0.....g									
16:0.....g	0.497		0	FLM	4		0.075		
17:0.....g									
18:0.....g	0.087		0	FLM	4		0.013		
20:0.....g									
22:0.....g									
24:0.....g									
Fatty acids, total monounsaturated.....g	1.277		0	FLM	4		0.192		
14:1.....g									
15:1.....g									
16:1 undifferentiated.....g	0.021		0	FLM	4		0.003		
17:1.....g									
18:1 undifferentiated.....g	1.216		0	FLM	4		0.182		
20:1.....g	0.026		0	FLM	4		0.004		
22:1 undifferentiated.....g	0.009		0	FLM	4		0.001		
24:1 c.....g									
Fatty acids, total polyunsaturated.....g	1.866		0	FLM	4		0.280		
18:2 undifferentiated.....g	1.606		0	FLM	4		0.241		
18:3 undifferentiated.....g	0.257		0	FLM	4		0.039		
18:4.....g	0.000		0	FLM	4		0.000		
20:2 n-6 c,c.....g									
20:3 undifferentiated.....g									
20:4 undifferentiated.....g	0.002		0	FLM	4		0.000		
20:5 n-3 (EPA).....g	0.000		0	FLM	4		0.000		
21:5.....g									
22:4.....g									
22:5 n-3 (DPA).....g	0.000		0	FLM	4		0.000		
22:6 n-3 (DHA).....g	0.000		0	FLM	4		0.000		
Fatty acids, total trans.....g									
Cholesterol.....mg	0		0	Z	7		0		
Phytosterols.....mg									
Others:									
Alcohol, ethyl.....g	0.0		0	Z	7		0.0		
Caffeine.....mg	0		0	FLA	4		0		
Theobromine.....mg	0		0	FLA	4		0		

Blanks in the Mean column indicate lack of reliable data. The Number of Data Points column is the number of analyses upon which the mean is based. Number of Data Points of zero indicates the mean was either calculated (as for Energy) or estimated, usually from a recipe, another form of the same food, or similar food.

Common Measures:

Measure 1 = 15.0g: .5 oz

Calories Factors: Protein

Fat

Carbohydrate

Food Group: 03 Baby Foods

USDA National Nutrient Database for Standard Reference, Release 28 (2015)

NDB No. 03198

Babyfood, cereal, with egg yolks, junior

Refuse:0%

Nutrients and Units	Amount in 100 grams of edible portion					Amount in edible portion of common measures of food			
	Mean	Std. Error	Number of Data Points	Deriv Code	Source Code	Confidence Code	Measure 1	Measure 2	Measure 3
Proximates:									
Water.....g	88.70	0.100	7		1		25.15	150.79	
Energy.....kcal	52		0	NC	4		15	88	
Energy.....kJ	218				4		62	370	
Protein (N x 6.03).....g	1.90	0.000	7		1		0.54	3.23	
Total lipid (fat).....g	1.80	0.000	7		1		0.51	3.06	
Ash.....g	0.40	0.000	7		1		0.11	0.68	
Carbohydrate, by difference.....g	7.10		0	NC	4		2.01	12.07	
Fiber, total dietary.....g	0.9		0		4		0.3	1.5	
Sugars, total.....g									
Starch.....g									
Minerals:									
Calcium, Ca.....mg	24	0.000	7		1		7	41	
Iron, Fe.....mg	0.51	0.070	7		1		0.14	0.87	
Magnesium, Mg.....mg	3		1		1		1	5	
Phosphorus, P.....mg	40		1		1		11	68	
Potassium, K.....mg	35		1		1		10	60	
Sodium, Na.....mg	33		0		1		9	56	
Zinc, Zn.....mg	0.29		1		1		0.08	0.49	
Copper, Cu.....mg	0.022		0		1		0.006	0.037	
Manganese, Mn.....mg									
Selenium, Se.....µg									
Vitamins:									
Vitamin C, total ascorbic acid.....mg	0.7	0.200	7		1		0.2	1.2	
Thiamin.....mg	0.008	0.000	7		1		0.002	0.014	
Riboflavin.....mg	0.045	0.000	7		1		0.013	0.077	
Niacin.....mg	0.048	0.000	7		1		0.014	0.082	
Pantothenic acid.....mg	0.878		0		4		0.249	1.493	
Vitamin B-6.....mg	0.020	0.000	7		1		0.006	0.034	
Folate, total.....µg	3		0		1		1	6	
Folic acid.....µg	0		0	Z	7		0	0	
Folate, food.....µg	3		0		1		1	6	
Folate, DFE.....µg	3		0	NC	4		1	6	
Choline, total.....mg									
Betaine.....mg									
Vitamin B-12.....µg	0.06		1		1		0.02	0.10	
Vitamin A, RAE.....µg	41		0	NC	4		11	69	
Retinol.....µg	40		0	NC	4		11	68	
Carotene, beta.....µg									
Carotene, alpha.....µg									
Cryptoxanthin, beta.....µg									
Vitamin A, IU.....IU	144	17.000	6		1		41	245	
Lycopene.....µg									
Lutein + zeaxanthin.....µg									
Vitamin E (alpha-tocopherol).....mg									
Tocopherol, beta.....mg									
Tocopherol, gamma.....mg									
Tocopherol, delta.....mg									
Tocotrienol, alpha.....mg									
Tocotrienol, beta.....mg									
Tocotrienol, gamma.....mg									
Tocotrienol, delta.....mg									
Vitamin D (D2 + D3).....µg									
Vitamin D.....IU									
Vitamin K (phylloquinone).....µg									
Dihydrophylloquinone.....µg									
Menaquinone-4.....µg									
Lipids:									

NDB No. 03198

Babyfood, cereal, with egg yolks, junior

Nutrients and Units	<u>Amount in 100 grams of edible portion</u>						<u>Amount in edible portion of common measures of food</u>			
	Mean	Std. Error	Number			Source Code	Confidence Code	Measure 1	Measure 2	Measure 3
			of Data Points	Deriv Code						

Blanks in the Mean column indicate lack of reliable data. The Number of Data Points column is the number of analyses upon which the mean is based. Number of Data Points of zero indicates the mean was either calculated (as for Energy) or estimated, usually from a recipe, another form of the same food, or similar food.

Common Measures:

Measure 1 = 28.35g: 1 oz

Measure 2 = 170g: 1 jar

Calories Factors: Protein 4.2

Fat 8.8

Carbohydrate3.9

Food Group: 03 Baby Foods

USDA National Nutrient Database for Standard Reference, Release 28 (2015)

NDB No. 03197

Babyfood, cereal, with egg yolks, strained

Refuse:0%

Nutrients and Units	Amount in 100 grams of edible portion				Amount in edible portion of common measures of food				
	Mean	Std. Error	Number of Data Points	Deriv Code	Source Code	Confidence Code	Measure 1	Measure 2	Measure 3
Proximates:									
Water.....g	88.80	0.100	14		1		25.17	100.34	
Energy.....kcal	51		0	NC	4		14	58	
Energy.....kJ	213				4		60	241	
Protein (N x 6.03).....g	1.90	0.000	11		1		0.54	2.15	
Total lipid (fat).....g	1.80	0.000	9		1		0.51	2.03	
Ash.....g	0.50	0.000	7		1		0.14	0.57	
Carbohydrate, by difference.....g	7.00		0	NC	4		1.98	7.91	
Fiber, total dietary.....g	0.9		0		4		0.3	1.0	
Sugars, total.....g									
Starch.....g									
Minerals:									
Calcium, Ca.....mg	24	0.000	7		1		7	27	
Iron, Fe.....mg	0.47	0.050	12		1		0.13	0.53	
Magnesium, Mg.....mg	3		1		1		1	3	
Phosphorus, P.....mg	40		1		1		11	45	
Potassium, K.....mg	39		1		1		11	44	
Sodium, Na.....mg	33		1		1		9	37	
Zinc, Zn.....mg	0.29	0.014	4		1		0.08	0.32	
Copper, Cu.....mg	0.022	0.003	3		1		0.006	0.025	
Manganese, Mn.....mg									
Selenium, Se.....µg									
Vitamins:									
Vitamin C, total ascorbic acid.....mg	0.7	0.200	7		1		0.2	0.8	
Thiamin.....mg	0.009	0.000	8		1		0.003	0.010	
Riboflavin.....mg	0.044	0.000	7		1		0.012	0.050	
Niacin.....mg	0.049	0.000	7		1		0.014	0.055	
Pantothenic acid.....mg	0.878		0		4		0.249	0.992	
Vitamin B-6.....mg	0.021	0.000	7		1		0.006	0.024	
Folate, total.....µg	3	0.400	3		1		1	4	
Folic acid.....µg	0		0	Z	7		0	0	
Folate, food.....µg	3	0.400	3		1		1	4	
Folate, DFE.....µg	3		0	NC	4		1	4	
Choline, total.....mg									
Betaine.....mg									
Vitamin B-12.....µg	0.07		1		1		0.02	0.08	
Vitamin A, RAE.....µg	40		0	NC	4		11	45	
Retinol.....µg	39		0	NC	4		11	44	
Carotene, beta.....µg									
Carotene, alpha.....µg									
Cryptoxanthin, beta.....µg									
Vitamin A, IU.....IU	141	19.000	6		1		40	159	
Lycopene.....µg									
Lutein + zeaxanthin.....µg									
Vitamin E (alpha-tocopherol).....mg									
Tocopherol, beta.....mg									
Tocopherol, gamma.....mg									
Tocopherol, delta.....mg									
Tocotrienol, alpha.....mg									
Tocotrienol, beta.....mg									
Tocotrienol, gamma.....mg									
Tocotrienol, delta.....mg									
Vitamin D (D2 + D3).....µg									
Vitamin D.....IU									
Vitamin K (phylloquinone).....µg									
Dihydrophylloquinone.....µg									
Menaquinone-4.....µg									
Lipids:									

NDB No. 03197

Babyfood, cereal, with egg yolks, strained

Nutrients and Units	<u>Amount in 100 grams of edible portion</u>						<u>Amount in edible portion of common measures of food</u>			
	Mean	Std. Error	Number			Source Code	Confidence Code	Measure 1	Measure 2	Measure 3
			of Data Points	Deriv Code						

Blanks in the Mean column indicate lack of reliable data. The Number of Data Points column is the number of analyses upon which the mean is based. Number of Data Points of zero indicates the mean was either calculated (as for Energy) or estimated, usually from a recipe, another form of the same food, or similar food.

Common Measures:

Measure 1 = 28.35g: 1 oz

Measure 2 = 113g: 1 jar

Calories Factors: Protein 4.2

Fat 8.8

Carbohydrate3.9

Food Group: 03 Baby Foods

USDA National Nutrient Database for Standard Reference, Release 28 (2015)

NDB No. 03199

Babyfood, cereal, with eggs, strained

Refuse:0%

Nutrients and Units	Amount in 100 grams of edible portion				Amount in edible portion of common measures of food				
	Mean	Std. Error	Number of Data Points	Deriv Code	Source Code	Confidence Code	Measure 1	Measure 2	Measure 3
Proximates:									
Water.....g	87.20	0.100	4		1		24.72	98.54	
Energy.....kcal	58		0		4		16	66	
Energy.....kJ	243				4		69	274	
Protein (N x 6.03).....g	2.20		0		4		0.62	2.49	
Total lipid (fat).....g	1.50		1		1		0.43	1.70	
Ash.....g	0.60		0		4		0.17	0.68	
Carbohydrate, by difference.....g	8.00		0		4		2.27	9.04	
Fiber, total dietary.....g									
Sugars, total.....g									
Starch.....g									
Minerals:									
Calcium, Ca.....mg	27		0		4		8	31	
Iron, Fe.....mg	0.54		0		4		0.15	0.61	
Magnesium, Mg.....mg	3		0		4		1	3	
Phosphorus, P.....mg	46		0		4		13	52	
Potassium, K.....mg	44		0		4		12	50	
Sodium, Na.....mg	38		0		4		11	43	
Zinc, Zn.....mg	0.33		0		4		0.09	0.37	
Copper, Cu.....mg	0.025		0		4		0.007	0.028	
Manganese, Mn.....mg									
Selenium, Se.....µg									
Vitamins:									
Vitamin C, total ascorbic acid.....mg	0.8		0		4		0.2	0.9	
Thiamin.....mg	0.010		0		4		0.003	0.011	
Riboflavin.....mg	0.050		0		4		0.014	0.057	
Niacin.....mg	0.056		0		4		0.016	0.063	
Pantothenic acid.....mg	1.003		0		4		0.284	1.133	
Vitamin B-6.....mg	0.024		0		4		0.007	0.027	
Folate, total.....µg	9	0.200	3		1		3	11	
Folic acid.....µg	0		0	Z	7		0	0	
Folate, food.....µg	9	0.200	3		1		3	11	
Folate, DFE.....µg	9		0	NC	4		3	11	
Choline, total.....mg									
Betaine.....mg									
Vitamin B-12.....µg	0.08		0		4		0.02	0.09	
Vitamin A, RAE.....µg									
Retinol.....µg									
Carotene, beta.....µg									
Carotene, alpha.....µg									
Cryptoxanthin, beta.....µg									
Vitamin A, IU.....IU	161		0		4		46	182	
Lycopene.....µg									
Lutein + zeaxanthin.....µg									
Vitamin E (alpha-tocopherol).....mg									
Tocopherol, beta.....mg									
Tocopherol, gamma.....mg									
Tocopherol, delta.....mg									
Tocotrienol, alpha.....mg									
Tocotrienol, beta.....mg									
Tocotrienol, gamma.....mg									
Tocotrienol, delta.....mg									
Vitamin D (D2 + D3).....µg									
Vitamin D.....IU									
Vitamin K (phylloquinone).....µg									
Dihydrophyloquinone.....µg									
Menaquinone-4.....µg									
Lipids:									

NDB No. 03199

Babyfood, cereal, with eggs, strained

Nutrients and Units	Amount in 100 grams of edible portion				Amount in edible portion of common measures of food				
	Mean	Std. Error	Number of Data Points	Deriv Code	Source Code	Confidence Code	Measure 1	Measure 2	Measure 3
Fatty acids, total saturated.....g	0.490		1		1		0.139	0.554	
4:0.....g									
6:0.....g									
8:0.....g									
10:0.....g									
12:0.....g									
13:0.....g									
14:0.....g	0.010		1		1		0.003	0.011	
15:0.....g									
16:0.....g	0.350		1		1		0.099	0.396	
17:0.....g									
18:0.....g	0.120		1		1		0.034	0.136	
20:0.....g									
22:0.....g									
24:0.....g									
Fatty acids, total monounsaturated.....g	0.610		1		1		0.173	0.689	
14:1.....g									
15:1.....g									
16:1 undifferentiated.....g	0.040		1		1		0.011	0.045	
17:1.....g									
18:1 undifferentiated.....g	0.570		1		1		0.162	0.644	
20:1.....g	0.000		1		1		0.000	0.000	
22:1 undifferentiated.....g									
24:1 c.....g									
Fatty acids, total polyunsaturated.....g	0.330		1		1		0.094	0.373	
18:2 undifferentiated.....g	0.290		1		1		0.082	0.328	
18:3 undifferentiated.....g	0.020		1		1		0.006	0.023	
18:4.....g									
20:2 n-6 c,c.....g									
20:3 undifferentiated.....g									
20:4 undifferentiated.....g	0.020		1		1		0.006	0.023	
20:5 n-3 (EPA).....g									
21:5.....g									
22:4.....g									
22:5 n-3 (DPA).....g									
22:6 n-3 (DHA).....g									
Fatty acids, total trans.....g									
Cholesterol.....mg	51		1		1		15	58	
Phytosterols.....mg									

Blanks in the Mean column indicate lack of reliable data. The Number of Data Points column is the number of analyses upon which the mean is based. Number of Data Points of zero indicates the mean was either calculated (as for Energy) or estimated, usually from a recipe, another form of the same food, or similar food.

Common Measures:

Measure 1 = 28.35g: 1 oz

Measure 2 = 113g: 1 jar

Calories Factors: Protein 4.2

Fat 8.8

Carbohydrate 3.9

Food Group: 03 Baby Foods

USDA National Nutrient Database for Standard Reference, Release 28 (2015)

NDB No. 03222
 Babyfood, cherry cobbler, junior

Nutrients and Units	Amount in 100 grams of edible portion				Amount in edible portion of common measures of food				
	Mean	Std. Error	Number of Data Points	Deriv Code	Source Code	Confidence Code	Measure 1	Measure 2	Measure 3
Lipids:									
Fatty acids, total saturated.....g	0.020		0	FLM	4		0.006		
4:0.....g	0.000		0	FLM	4		0.000		
6:0.....g	0.000		0	FLM	4		0.000		
8:0.....g	0.000		0	FLM	4		0.000		
10:0.....g	0.000		0	FLM	4		0.000		
12:0.....g	0.000		0	FLM	4		0.000		
13:0.....g									
14:0.....g	0.001		0	FLM	4		0.000		
15:0.....g									
16:0.....g	0.014		0	FLM	4		0.004		
17:0.....g									
18:0.....g	0.005		0	FLM	4		0.001		
20:0.....g									
22:0.....g									
24:0.....g									
Fatty acids, total monounsaturated.....g	0.020		0	FLM	4		0.006		
14:1.....g									
15:1.....g									
16:1 undifferentiated.....g	0.000		0	FLM	4		0.000		
17:1.....g									
18:1 undifferentiated.....g	0.024		0	FLM	4		0.007		
20:1.....g	0.000		0	FLM	4		0.000		
22:1 undifferentiated.....g	0.000		0	FLM	4		0.000		
24:1 c.....g									
Fatty acids, total polyunsaturated.....g	0.030		0	FLM	4		0.009		
18:2 undifferentiated.....g	0.014		0	FLM	4		0.004		
18:3 undifferentiated.....g	0.013		0	FLM	4		0.004		
18:4.....g	0.000		0	FLM	4		0.000		
20:2 n-6 c,c.....g									
20:3 undifferentiated.....g									
20:4 undifferentiated.....g	0.000		0	FLM	4		0.000		
20:5 n-3 (EPA).....g	0.000		0	FLM	4		0.000		
21:5.....g									
22:4.....g									
22:5 n-3 (DPA).....g	0.000		0	FLM	4		0.000		
22:6 n-3 (DHA).....g	0.000		0	FLM	4		0.000		
Fatty acids, total trans.....g									
Cholesterol.....mg	0		0	MA	12		0		
Phytosterols.....mg									
Others:									
Alcohol, ethyl.....g	0.0		0	Z	7		0.0		
Caffeine.....mg	0		0	FLA	4		0		
Theobromine.....mg	0		0	FLA	4		0		

Blanks in the Mean column indicate lack of reliable data. The Number of Data Points column is the number of analyses upon which the mean is based. Number of Data Points of zero indicates the mean was either calculated (as for Energy) or estimated, usually from a recipe, another form of the same food, or similar food.

Common Measures:

Measure 1 = 28.35g: 1 oz

Calories Factors: Protein

Fat

Carbohydrate

Food Group: 03 Baby Foods

USDA National Nutrient Database for Standard Reference, Release 28 (2015)

Nutrients and Units	Amount in 100 grams of edible portion				Amount in edible portion of common measures of food				
	Mean	Std. Error	Number		Source Code	Confidence Code	Measure 1	Measure 2	Measure 3
			of Data Points	Deriv Code					
Lipids:									
Fatty acids, total saturated.....g	2.700		0	MA	12		0.216		
4:0.....g	0.015		0	FLM	4		0.001		
6:0.....g	0.009		0	FLM	4		0.001		
8:0.....g	0.005		0	FLM	4		0.000		
10:0.....g	0.012		0	FLM	4		0.001		
12:0.....g	0.013		0	FLM	4		0.001		
13:0.....g									
14:0.....g	0.061		0	FLM	4		0.005		
15:0.....g									
16:0.....g	1.738		0	FLM	4		0.139		
17:0.....g									
18:0.....g	0.840		0	FLM	4		0.067		
20:0.....g									
22:0.....g									
24:0.....g									
Fatty acids, total monounsaturated.....g	4.865		0	FLM	4		0.389		
14:1.....g									
15:1.....g									
16:1 undifferentiated.....g	0.051		0	FLM	4		0.004		
17:1.....g									
18:1 undifferentiated.....g	4.798		0	FLM	4		0.384		
20:1.....g	0.000		0	FLM	4		0.000		
22:1 undifferentiated.....g	0.000		0	FLM	4		0.000		
24:1 c.....g									
Fatty acids, total polyunsaturated.....g	4.334		0	FLM	4		0.347		
18:2 undifferentiated.....g	4.020		0	FLM	4		0.322		
18:3 undifferentiated.....g	0.300		0	FLM	4		0.024		
18:4.....g	0.000		0	FLM	4		0.000		
20:2 n-6 c,c.....g									
20:3 undifferentiated.....g									
20:4 undifferentiated.....g	0.000		0	FLM	4		0.000		
20:5 n-3 (EPA).....g	0.000		0	FLM	4		0.000		
21:5.....g									
22:4.....g									
22:5 n-3 (DPA).....g	0.000		0	FLM	4		0.000		
22:6 n-3 (DHA).....g	0.000		0	FLM	4		0.000		
Fatty acids, total trans.....g									
Cholesterol.....mg	4		0	FLM	4		0		
Phytosterols.....mg									
Others:									
Alcohol, ethyl.....g	0.0		0	Z	7		0.0		
Caffeine.....mg	0		0	FLA	4		0		
Theobromine.....mg	0		0	FLA	4		0		

Blanks in the Mean column indicate lack of reliable data. The Number of Data Points column is the number of analyses upon which the mean is based. Number of Data Points of zero indicates the mean was either calculated (as for Energy) or estimated, usually from a recipe, another form of the same food, or similar food.

Common Measures:

Measure 1 = 8.0g: 1 cookie

Calories Factors: Protein

Fat

Carbohydrate

Food Group: 03 Baby Foods

NDB No. 03213
Babyfood, cookies

Nutrients and Units	Amount in 100 grams of edible portion				Amount in edible portion of common measures of food				
	Mean	Std. Error	Number of Data Points	Deriv Code	Source Code	Confidence Code	Measure 1	Measure 2	Measure 3
Lipids:									
Fatty acids, total saturated.....g	2.352		0	FLA	4		0.667	0.153	
4:0.....g	0.081		0	FLA	4		0.023	0.005	
6:0.....g	0.022		0	FLA	4		0.006	0.001	
8:0.....g	0.025		0	FLA	4		0.007	0.002	
10:0.....g	0.055		0	FLA	4		0.016	0.004	
12:0.....g	0.057		0	FLA	4		0.016	0.004	
13:0.....g									
14:0.....g	0.267		0	FLA	4		0.076	0.017	
15:0.....g	0.000		0	FLA	4		0.000	0.000	
16:0.....g	1.142		0	FLA	4		0.324	0.074	
17:0.....g	0.003		0	FLA	4		0.001	0.000	
18:0.....g	0.595		0	FLA	4		0.169	0.039	
20:0.....g	0.027		0	FLA	4		0.008	0.002	
22:0.....g	0.077		0	FLA	4		0.022	0.005	
24:0.....g									
Fatty acids, total monounsaturated.....g	5.990		0	FLA	4		1.698	0.389	
14:1.....g									
15:1.....g									
16:1 undifferentiated.....g	0.119		0	FLA	4		0.034	0.008	
17:1.....g									
18:1 undifferentiated.....g	5.851		0	FLA	4		1.659	0.380	
20:1.....g	0.019		0	FLA	4		0.005	0.001	
22:1 undifferentiated.....g	0.000		0	FLA	4		0.000	0.000	
24:1 c.....g									
Fatty acids, total polyunsaturated.....g	2.878		0	FLA	4		0.816	0.187	
18:2 undifferentiated.....g	2.847		0	FLA	4		0.807	0.185	
18:3 undifferentiated.....g	0.031		0	FLA	4		0.009	0.002	
18:4.....g	0.000		0	FLA	4		0.000	0.000	
20:2 n-6 c,c.....g									
20:3 undifferentiated.....g									
20:4 undifferentiated.....g	0.000		0	FLA	4		0.000	0.000	
20:5 n-3 (EPA).....g	0.000		0	FLA	4		0.000	0.000	
21:5.....g									
22:4.....g									
22:5 n-3 (DPA).....g	0.000		0	FLA	4		0.000	0.000	
22:6 n-3 (DHA).....g	0.000		0	FLA	4		0.000	0.000	
Fatty acids, total trans.....g	0.020		0	FLA	4		0.006	0.001	
Cholesterol.....mg	12		0	FLA	4		3	1	
Phytosterols.....mg									
Others:									
Alcohol, ethyl.....g	0.0		0	FLA	4		0.0	0.0	
Caffeine.....mg	0		0	FLA	4		0	0	
Theobromine.....mg	0		0	FLA	4		0	0	

Blanks in the Mean column indicate lack of reliable data. The Number of Data Points column is the number of analyses upon which the mean is based. Number of Data Points of zero indicates the mean was either calculated (as for Energy) or estimated, usually from a recipe, another form of the same food, or similar food.

Common Measures:

Measure 1 = 28.35g: 1 oz

Measure 2 = 6.5g: 1 cookie

Calories Factors: Protein 4

Fat 8.4

Carbohydrate 4.1

Food Group: 03 Baby Foods

USDA National Nutrient Database for Standard Reference, Release 28 (2015)

NDB No. 03214
Babyfood, cookies, arrowroot

Refuse:0%

Nutrients and Units	Amount in 100 grams of edible portion				Amount in edible portion of common measures of food				
	Mean	Std. Error	Number of Data Points	Deriv Code	Source Code	Confidence Code	Measure 1	Measure 2	Measure 3
Proximates:									
Water.....g	5.60	0.900	4		1		1.59	0.28	
Energy.....kcal	424		0	NC	4		120	21	
Energy.....kJ	1772		0	NC	4		502	89	
Protein (N x 5.75).....g	7.60		1		1		2.15	0.38	
Total lipid (fat).....g	10.00		0	LC	8		2.84	0.50	
Ash.....g	1.40		1		1		0.40	0.07	
Carbohydrate, by difference.....g	75.40		0	NC	4		21.38	3.77	
Fiber, total dietary.....g	0.2		0		4		0.1	0.0	
Sugars, total.....g									
Starch.....g									
Minerals:									
Calcium, Ca.....mg	32		1		1		9	2	
Iron, Fe.....mg	3.00		1		1		0.85	0.15	
Magnesium, Mg.....mg	22		1		1		6	1	
Phosphorus, P.....mg	116		1		1		33	6	
Potassium, K.....mg	156		1		1		44	8	
Sodium, Na.....mg	319		0	LC	8		91	16	
Zinc, Zn.....mg	0.53		1		1		0.15	0.03	
Copper, Cu.....mg	0.074		0		4		0.021	0.004	
Manganese, Mn.....mg									
Selenium, Se.....µg	17.2		0	FLM	4		4.9	0.9	
Vitamins:									
Vitamin C, total ascorbic acid.....mg	5.5		1		1		1.6	0.3	
Thiamin.....mg	0.499		1		1		0.141	0.025	
Riboflavin.....mg	0.429		1		1		0.122	0.021	
Niacin.....mg	5.739		1		1		1.627	0.287	
Pantothenic acid.....mg	0.531		0		4		0.151	0.027	
Vitamin B-6.....mg	0.040		1		1		0.011	0.002	
Folate, total.....µg	35		0	FLM	4		10	2	
Folic acid.....µg	25		0	NC	4		7	1	
Folate, food.....µg	10		0		4		3	1	
Folate, DFE.....µg	53		0	NC	4		15	3	
Choline, total.....mg									
Betaine.....mg									
Vitamin B-12.....µg	0.07		1		1		0.02	0.00	
Vitamin A, RAE.....µg	0		0	FLM	4		0	0	
Retinol.....µg									
Carotene, beta.....µg									
Carotene, alpha.....µg									
Cryptoxanthin, beta.....µg									
Vitamin A, IU.....IU	0		0		4		0	0	
Lycopene.....µg	0		0	FLC	4		0	0	
Lutein + zeaxanthin.....µg	0		0	FLC	4		0	0	
Vitamin E (alpha-tocopherol).....mg	3.86		0	FLC	4		1.09	0.19	
Tocopherol, beta.....mg									
Tocopherol, gamma.....mg									
Tocopherol, delta.....mg									
Tocotrienol, alpha.....mg									
Tocotrienol, beta.....mg									
Tocotrienol, gamma.....mg									
Tocotrienol, delta.....mg									
Vitamin D (D2 + D3).....µg	0.0		0	FLC	4		0.0	0.0	
Vitamin D.....IU	0		0	FLC	4		0	0	
Vitamin K (phylloquinone).....µg	0.5		0	FLC	4		0.1	0.0	
Dihydrophyloquinone.....µg									
Menaquinone-4.....µg									
Lipids:									

Nutrients and Units	Amount in 100 grams of edible portion				Amount in edible portion of common measures of food		
	Mean	Std. Error	Number		Measure 1	Measure 2	Measure 3
			of Data Points	Deriv Code			
Fatty acids, total saturated.....g	1.048		0	FLC	4	0.297	0.052
4:0.....g	0.003		0	FLC	4	0.001	0.000
6:0.....g	0.000		0	FLC	4	0.000	0.000
8:0.....g	0.001		0	FLC	4	0.000	0.000
10:0.....g	0.001		0	FLC	4	0.000	0.000
12:0.....g	0.001		0	FLC	4	0.000	0.000
13:0.....g							
14:0.....g	0.011		0	FLC	4	0.003	0.001
15:0.....g	0.075		0	FLC	4	0.021	0.004
16:0.....g	0.447		0	FLC	4	0.127	0.022
17:0.....g							
18:0.....g	0.415		0	FLC	4	0.118	0.021
20:0.....g							
22:0.....g	0.094		0	FLC	4	0.027	0.005
24:0.....g							
Fatty acids, total monounsaturated.....g	7.922		0	FLC	4	2.246	0.396
14:1.....g							
15:1.....g							
16:1 undifferentiated.....g	0.011		0	FLC	4	0.003	0.001
17:1.....g							
18:1 undifferentiated.....g	7.821		0	FLC	4	2.217	0.391
20:1.....g	0.091		0	FLC	4	0.026	0.005
22:1 undifferentiated.....g	0.000		0	FLC	4	0.000	0.000
24:1 c.....g							
Fatty acids, total polyunsaturated.....g	0.591		0	FLC	4	0.168	0.030
18:2 undifferentiated.....g	0.560		0	FLC	4	0.159	0.028
18:3 undifferentiated.....g	0.032		0	FLC	4	0.009	0.002
18:4.....g	0.000		0	FLC	4	0.000	0.000
20:2 n-6 c.c.....g							
20:3 undifferentiated.....g							
20:4 undifferentiated.....g	0.000		0	FLC	4	0.000	0.000
20:5 n-3 (EPA).....g	0.000		0	FLC	4	0.000	0.000
21:5.....g							
22:4.....g							
22:5 n-3 (DPA).....g	0.000		0	FLC	4	0.000	0.000
22:6 n-3 (DHA).....g	0.000		0	FLC	4	0.000	0.000
Fatty acids, total trans.....g							
Cholesterol.....mg	0		0	FLC	4	0	0
Phytosterols.....mg							

Blanks in the Mean column indicate lack of reliable data. The Number of Data Points column is the number of analyses upon which the mean is based. Number of Data Points of zero indicates the mean was either calculated (as for Energy) or estimated, usually from a recipe, another form of the same food, or similar food.

Common Measures:

Measure 1 = 28.35g: 1 oz
 Measure 2 = 5.0g: 1 cookie

Calories Factors: Protein 4 Fat 8.4 Carbohydrate 4.1

Food Group: 03 Baby Foods
 USDA National Nutrient Database for Standard Reference, Release 28 (2015)

NDB No. 03934

Babyfood, corn and sweet potatoes, strained

Nutrients and Units	Amount in 100 grams of edible portion				Amount in edible portion of common measures of food				
	Mean	Std. Error	Number		Source Code	Confidence Code	Measure 1	Measure 2	Measure 3
			of Data Points	Deriv Code					
Tocotrienol, delta.....mg									
Vitamin D (D2 + D3).....µg	0.0		0	Z	7		0.0		
Vitamin D.....IU	0		0	Z	7		0		
Vitamin K (phylloquinone).....µg	0.6		0	FLC	4		0.2		
Dihydrophyloquinone.....µg									
Menaquinone-4.....µg									
Lipids:									
Fatty acids, total saturated.....g	0.053		0	FLC	4		0.015		
4:0.....g	0.001		0	FLC	4		0.000		
6:0.....g	0.000		0	FLC	4		0.000		
8:0.....g	0.000		0	FLC	4		0.000		
10:0.....g	0.001		0	FLC	4		0.000		
12:0.....g	0.000		0	FLC	4		0.000		
13:0.....g									
14:0.....g	0.002		0	FLC	4		0.001		
15:0.....g									
16:0.....g	0.045		0	FLC	4		0.013		
17:0.....g									
18:0.....g	0.005		0	FLC	4		0.001		
20:0.....g									
22:0.....g									
24:0.....g									
Fatty acids, total monounsaturated.....g	0.071		0	FLC	4		0.020		
14:1.....g									
15:1.....g									
16:1 undifferentiated.....g	0.001		0	FLC	4		0.000		
17:1.....g									
18:1 undifferentiated.....g	0.071		0	FLC	4		0.020		
20:1.....g	0.000		0	FLC	4		0.000		
22:1 undifferentiated.....g	0.000		0	FLC	4		0.000		
24:1 c.....g									
Fatty acids, total polyunsaturated.....g	0.123		0	FLC	4		0.035		
18:2 undifferentiated.....g	0.117		0	FLC	4		0.033		
18:3 undifferentiated.....g	0.006		0	FLC	4		0.002		
18:4.....g	0.000		0	FLC	4		0.000		
20:2 n-6 c,c.....g									
20:3 undifferentiated.....g									
20:4 undifferentiated.....g	0.000		0	FLC	4		0.000		
20:5 n-3 (EPA).....g	0.000		0	FLC	4		0.000		
21:5.....g									
22:4.....g									
22:5 n-3 (DPA).....g	0.000		0	FLC	4		0.000		
22:6 n-3 (DHA).....g	0.000		0	FLC	4		0.000		
Fatty acids, total trans.....g									
Cholesterol.....mg	1		0	FLC	4		0		
Phytosterols.....mg									
Amino Acids:									
Tryptophan.....g	0.017		0	FLC	4		0.005		
Threonine.....g	0.052		0	FLC	4		0.015		
Isoleucine.....g	0.059		0	FLC	4		0.017		
Leucine.....g	0.114		0	FLC	4		0.032		
Lysine.....g	0.066		0	FLC	4		0.019		
Methionine.....g	0.033		0	FLC	4		0.009		
Cystine.....g	0.017		0	FLC	4		0.005		
Phenylalanine.....g	0.053		0	FLC	4		0.015		
Tyrosine.....g	0.056		0	FLC	4		0.016		
Valine.....g	0.074		0	FLC	4		0.021		
Arginine.....g	0.057		0	FLC	4		0.016		
Histidine.....g	0.038		0	FLC	4		0.011		
Alanine.....g	0.065		0	FLC	4		0.019		
Aspartic acid.....g	0.135		0	FLC	4		0.038		
Glutamic acid.....g	0.210		0	FLC	4		0.060		
Glycine.....g	0.041		0	FLC	4		0.012		

NDB No. 03934

Babyfood, corn and sweet potatoes, strained

Nutrients and Units	Amount in 100 grams of edible portion				Amount in edible portion of common measures of food				
	Mean	Std. Error	Number of Data Points	Deriv Code	Source Code	Confidence Code	Measure 1	Measure 2	Measure 3
Proline.....g	0.118		0	FLC	4		0.033		
Serine.....g	0.057		0	FLC	4		0.016		
Hydroxyproline.....g									
Others:									
Alcohol, ethyl.....g	0.0		0	FLC	4		0.0		
Caffeine.....mg	0		0	FLC	4		0		
Theobromine.....mg	0		0	FLC	4		0		

Blanks in the Mean column indicate lack of reliable data. The Number of Data Points column is the number of analyses upon which the mean is based. Number of Data Points of zero indicates the mean was either calculated (as for Energy) or estimated, usually from a recipe, another form of the same food, or similar food.

Common Measures:

Measure 1 = 28.35g: 1 oz

Calories Factors: Protein

Fat

Carbohydrate

Food Group: 03 Baby Foods

USDA National Nutrient Database for Standard Reference, Release 28 (2015)

NDB No. 03209
 Babyfood, crackers, vegetable

Refuse:0%

Nutrients and Units	Amount in 100 grams of edible portion				Amount in edible portion of common measures of food				
	Mean	Std. Error	Number of Data Points	Deriv Code	Source Code	Confidence Code	Measure 1	Measure 2	Measure 3
Proximates:									
Water.....g	2.00		0	MA	12		0.01		
Energy.....kcal	477		0	NC	4		3		
Energy.....kJ	1997		0	NC	4		14		
Protein.....g	8.40		0	MA	12		0.06		
Total lipid (fat).....g	19.60		0	MA	12		0.14		
Ash.....g	3.15		0	MA	12		0.02		
Carbohydrate, by difference.....g	66.85		0	NC	4		0.47		
Fiber, total dietary.....g	4.0		0	MA	12		0.0		
Sugars, total.....g	13.00		0	MA	12		0.09		
Starch.....g									
Minerals:									
Calcium, Ca.....mg	41		0	MA	12		0		
Iron, Fe.....mg	4.20		0	MA	12		0.03		
Magnesium, Mg.....mg	37		0	MA	12		0		
Phosphorus, P.....mg	198		0	MA	12		1		
Potassium, K.....mg	245		0	MA	12		2		
Sodium, Na.....mg	571		0	LC	8		4		
Zinc, Zn.....mg	0.90		0	MA	12		0.01		
Copper, Cu.....mg	0.130		0	MA	12		0.001		
Manganese, Mn.....mg	0.770		0	MA	12		0.005		
Selenium, Se.....µg	13.7		0	FLM	4		0.1		
Vitamins:									
Vitamin C, total ascorbic acid.....mg	50.5		0	FLM	4		0.4		
Thiamin.....mg	0.350		0	MA	12		0.002		
Riboflavin.....mg	0.330		0	MA	12		0.002		
Niacin.....mg	4.050		0	MA	12		0.028		
Pantothenic acid.....mg	0.466		0	FLM	4		0.003		
Vitamin B-6.....mg	0.120		0	MA	12		0.001		
Folate, total.....µg	86		0	FLA	4		1		
Folic acid.....µg	70		0	FLA	4		0		
Folate, food.....µg	16		0	FLA	4		0		
Folate, DFE.....µg	135		0	NC	4		1		
Choline, total.....mg	10.4		0	FLA	4		0.1		
Betaine.....mg									
Vitamin B-12.....µg	0.00		0	FLA	4		0.00		
Vitamin B-12, added.....µg	0.00		0	FLA	4		0.00		
Vitamin A, RAE.....µg	179		0	NC	4		1		
Retinol.....µg	0		0	FLA	4		0		
Carotene, beta.....µg	1760		0	FLA	4		12		
Carotene, alpha.....µg	739		0	FLA	4		5		
Cryptoxanthin, beta.....µg	27		0	FLA	4		0		
Vitamin A, IU.....IU	3571		0	NC	4		25		
Lycopene.....µg	0		0	FLA	4		0		
Lutein + zeaxanthin.....µg	65		0	FLA	4		0		
Vitamin E (alpha-tocopherol).....mg	8.05		0	FLA	4		0.06		
Vitamin E, added.....mg	0.00		0	FLA	4		0.00		
Tocopherol, beta.....mg	0.04		0	FLA	4		0.00		
Tocopherol, gamma.....mg	0.25		0	FLA	4		0.00		
Tocopherol, delta.....mg	0.01		0	FLA	4		0.00		
Tocotrienol, alpha.....mg	0.01		0	FLA	4		0.00		
Tocotrienol, beta.....mg	0.06		0	FLA	4		0.00		
Tocotrienol, gamma.....mg	0.00		0	FLA	4		0.00		
Tocotrienol, delta.....mg	0.00		0	FLA	4		0.00		
Vitamin D (D2 + D3).....µg	0.0		0	FLA	4		0.0		
Vitamin D2 (ergocalciferol).....µg									
Vitamin D3 (cholecalciferol).....µg									
Vitamin D.....IU	0		0	FLA	4		0		
Vitamin K (phylloquinone).....µg	7.1		0	FLA	4		0.0		

NDB No. 03209
Babyfood, crackers, vegetable

Nutrients and Units	Amount in 100 grams of edible portion				Amount in edible portion of common measures of food				
	Mean	Std. Error	Number of Data Points	Deriv Code	Source Code	Confidence Code	Measure 1	Measure 2	Measure 3
Dihydrophyloquinone.....µg	0.0		0	FLA	4		0.0		
Menaquinone-4.....µg									
Lipids:									
Fatty acids, total saturated.....g	1.966		0	FLA	4		0.014		
4:0.....g	0.000		0	FLA	4		0.000		
6:0.....g	0.000		0	FLA	4		0.000		
8:0.....g	0.000		0	FLA	4		0.000		
10:0.....g	0.000		0	FLA	4		0.000		
12:0.....g	0.001		0	FLA	4		0.000		
13:0.....g									
14:0.....g	0.011		0	FLA	4		0.000		
15:0.....g	0.150		0	FLA	4		0.001		
16:0.....g	0.800		0	FLA	4		0.006		
17:0.....g									
18:0.....g	0.816		0	FLA	4		0.006		
20:0.....g									
22:0.....g	0.188		0	FLA	4		0.001		
24:0.....g									
Fatty acids, total monounsaturated.....g	15.779		0	FLA	4		0.110		
14:1.....g									
15:1.....g									
16:1 undifferentiated.....g	0.019		0	FLA	4		0.000		
17:1.....g									
18:1 undifferentiated.....g	15.579		0	FLA	4		0.109		
20:1.....g	0.181		0	FLA	4		0.001		
22:1 undifferentiated.....g	0.000		0	FLA	4		0.000		
24:1 c.....g									
Fatty acids, total polyunsaturated.....g	1.022		0	FLA	4		0.007		
18:2 undifferentiated.....g	0.966		0	FLA	4		0.007		
18:3 undifferentiated.....g	0.056		0	FLA	4		0.000		
18:4.....g	0.000		0	FLA	4		0.000		
20:2 n-6 c,c.....g									
20:3 undifferentiated.....g									
20:4 undifferentiated.....g	0.000		0	FLA	4		0.000		
20:5 n-3 (EPA).....g	0.000		0	FLA	4		0.000		
21:5.....g									
22:4.....g									
22:5 n-3 (DPA).....g	0.000		0	FLA	4		0.000		
22:6 n-3 (DHA).....g	0.000		0	FLA	4		0.000		
Fatty acids, total trans.....g									
Cholesterol.....mg	0		0	FLA	4		0		
Phytosterols.....mg									
Others:									
Alcohol, ethyl.....g	0.0		0	Z	7		0.0		
Caffeine.....mg	0		0	FLA	4		0		
Theobromine.....mg	0		0	FLA	4		0		

Blanks in the Mean column indicate lack of reliable data. The Number of Data Points column is the number of analyses upon which the mean is based. Number of Data Points of zero indicates the mean was either calculated (as for Energy) or estimated, usually from a recipe, another form of the same food, or similar food.

Common Measures:
 Measure 1 = 0.7g: 1 cracker

Calories Factors: Protein Fat Carbohydrate

NDB No. 43004

Babyfood, dessert, banana pudding, strained

Nutrients and Units	Amount in 100 grams of edible portion				Amount in edible portion of common measures of food			
	Mean	Std. Error	Number		Measure 1	Measure 2	Measure 3	
			of Data Points	Deriv Code				Source Code
Lipids:								
Fatty acids, total saturated.....g	0.264		0		4	0.040	0.298	0.298
4:0.....g	0.002		0		4	0.000	0.002	0.002
6:0.....g	0.000		0		4	0.000	0.000	0.000
8:0.....g	0.001		0		4	0.000	0.001	0.001
10:0.....g	0.001		0		4	0.000	0.001	0.001
12:0.....g	0.001		0		4	0.000	0.001	0.001
13:0.....g								
14:0.....g	0.006		0		4	0.001	0.007	0.007
15:0.....g								
16:0.....g	0.183		0		4	0.027	0.207	0.207
17:0.....g								
18:0.....g	0.058		0		4	0.009	0.066	0.066
20:0.....g								
22:0.....g								
24:0.....g								
Fatty acids, total monounsaturated.....g	0.277		0		4	0.042	0.313	0.313
14:1.....g								
15:1.....g								
16:1 undifferentiated.....g	0.024		0		4	0.004	0.027	0.027
17:1.....g								
18:1 undifferentiated.....g	0.250		0		4	0.038	0.283	0.283
20:1.....g	0.002		0		4	0.000	0.002	0.002
22:1 undifferentiated.....g	0.000		0		4	0.000	0.000	0.000
24:1 c.....g								
Fatty acids, total polyunsaturated.....g	0.111		0		4	0.017	0.125	0.125
18:2 undifferentiated.....g	0.090		0		4	0.014	0.102	0.102
18:3 undifferentiated.....g	0.008		0		4	0.001	0.009	0.009
18:4.....g	0.000		0		4	0.000	0.000	0.000
20:2 n-6 c,c.....g								
20:3 undifferentiated.....g								
20:4 undifferentiated.....g	0.010		0		4	0.002	0.011	0.011
20:5 n-3 (EPA).....g	0.000		0		4	0.000	0.000	0.000
21:5.....g								
22:4.....g								
22:5 n-3 (DPA).....g	0.000		0		4	0.000	0.000	0.000
22:6 n-3 (DHA).....g	0.003		0		4	0.000	0.003	0.003
Fatty acids, total trans.....g								
Cholesterol.....mg	29		0		4	4	33	33
Phytosterols.....mg								
Others:								
Alcohol, ethyl.....g	0.0		0		7	0.0	0.0	0.0
Caffeine.....mg	0		0	FLA	4	0	0	0
Theobromine.....mg	0		0	FLA	4	0	0	0

Blanks in the Mean column indicate lack of reliable data. The Number of Data Points column is the number of analyses upon which the mean is based. Number of Data Points of zero indicates the mean was either calculated (as for Energy) or estimated, usually from a recipe, another form of the same food, or similar food.

Common Measures:

Measure 1 = 15.0g: 1 tbsp

Measure 2 = 113g: 1 jar NFS

Measure 3 = 113g: 1 jar Beech-Nut Stage 2 (4 oz)

Calories Factors: Protein

Fat

Carbohydrate

Food Group: 03 Baby Foods

USDA National Nutrient Database for Standard Reference, Release 28 (2015)

NDB No. 43539

Babyfood, dessert, banana yogurt, strained

Nutrients and Units	Amount in 100 grams of edible portion				Amount in edible portion of common measures of food				
	Mean	Std. Error	Number of Data Points		Source Code	Confidence Code	Measure 1	Measure 2	Measure 3
			Deriv Code	Points					
Lipids:									
Fatty acids, total saturated.....g	0.370		0		5		0.056	0.418	0.418
4:0.....g	0.120		0		4		0.018	0.136	0.136
6:0.....g	0.008		0		4		0.001	0.009	0.009
8:0.....g	0.005		0		4		0.001	0.006	0.006
10:0.....g	0.010		0		4		0.002	0.011	0.011
12:0.....g	0.013		0		4		0.002	0.015	0.015
13:0.....g									
14:0.....g	0.041		0		4		0.006	0.046	0.046
15:0.....g									
16:0.....g	0.134		0		4		0.020	0.151	0.151
17:0.....g									
18:0.....g	0.039		0		4		0.006	0.044	0.044
20:0.....g									
22:0.....g									
24:0.....g									
Fatty acids, total monounsaturated.....g	0.120		0		4		0.018	0.136	0.136
14:1.....g									
15:1.....g									
16:1 undifferentiated.....g	0.010		0		4		0.002	0.011	0.011
17:1.....g									
18:1 undifferentiated.....g	0.093		0		4		0.014	0.105	0.105
20:1.....g	0.000		0		4		0.000	0.000	0.000
22:1 undifferentiated.....g	0.000		0		4		0.000	0.000	0.000
24:1 c.....g									
Fatty acids, total polyunsaturated.....g	0.030		0		4		0.005	0.034	0.034
18:2 undifferentiated.....g	0.021		0		4		0.003	0.024	0.024
18:3 undifferentiated.....g	0.010		0		4		0.002	0.011	0.011
18:4.....g	0.000		0		4		0.000	0.000	0.000
20:2 n-6 c,c.....g									
20:3 undifferentiated.....g									
20:4 undifferentiated.....g	0.000		0		4		0.000	0.000	0.000
20:5 n-3 (EPA).....g	0.000		0		4		0.000	0.000	0.000
21:5.....g									
22:4.....g									
22:5 n-3 (DPA).....g	0.000		0		4		0.000	0.000	0.000
22:6 n-3 (DHA).....g	0.000		0		4		0.000	0.000	0.000
Fatty acids, total trans.....g									
Cholesterol.....mg	1		0		4		0	1	1
Phytosterols.....mg									
Others:									
Alcohol, ethyl.....g	0.0		0		4		0.0	0.0	0.0
Caffeine.....mg	0		0	BFSN	4		0	0	0
Theobromine.....mg	0		0	BFSN	4		0	0	0

Blanks in the Mean column indicate lack of reliable data. The Number of Data Points column is the number of analyses upon which the mean is based. Number of Data Points of zero indicates the mean was either calculated (as for Energy) or estimated, usually from a recipe, another form of the same food, or similar food.

Common Measures:

Measure 1 = 15.0g: 1 tbsp

Measure 2 = 113g: 1 jar NFS

Measure 3 = 113g: 1 jar Gerber Second Food (4 oz)

Calories Factors: Protein

Fat

Carbohydrate

Food Group: 03 Baby Foods

USDA National Nutrient Database for Standard Reference, Release 28 (2015)

NDB No. 43537

Babyfood, dessert, blueberry yogurt, strained

Nutrients and Units	Amount in 100 grams of edible portion				Amount in edible portion of common measures of food			
	Mean	Std. Error	Number		Measure 1	Measure 2	Measure 3	
			of Data Points	Deriv Code				Source Code
Lipids:								
Fatty acids, total saturated.....g	0.452		0		4	0.068	0.511	0.511
4:0.....g	0.022		0		4	0.003	0.025	0.025
6:0.....g	0.015		0		4	0.002	0.017	0.017
8:0.....g	0.009		0		4	0.001	0.010	0.010
10:0.....g	0.019		0		4	0.003	0.021	0.021
12:0.....g	0.024		0		4	0.004	0.027	0.027
13:0.....g								
14:0.....g	0.073		0		4	0.011	0.082	0.082
15:0.....g								
16:0.....g	0.192		0		4	0.029	0.217	0.217
17:0.....g								
18:0.....g	0.069		0		4	0.010	0.078	0.078
20:0.....g								
22:0.....g								
24:0.....g								
Fatty acids, total monounsaturated.....g	0.192		0		4	0.029	0.217	0.217
14:1.....g								
15:1.....g								
16:1 undifferentiated.....g	0.015		0		4	0.002	0.017	0.017
17:1.....g								
18:1 undifferentiated.....g	0.159		0		4	0.024	0.180	0.180
20:1.....g	0.000		0		4	0.000	0.000	0.000
22:1 undifferentiated.....g	0.000		0		4	0.000	0.000	0.000
24:1 c.....g								
Fatty acids, total polyunsaturated.....g	0.019		0		4	0.003	0.021	0.021
18:2 undifferentiated.....g	0.013		0		4	0.002	0.015	0.015
18:3 undifferentiated.....g	0.007		0		4	0.001	0.008	0.008
18:4.....g	0.000		0		4	0.000	0.000	0.000
20:2 n-6 c,c.....g								
20:3 undifferentiated.....g								
20:4 undifferentiated.....g	0.000		0		4	0.000	0.000	0.000
20:5 n-3 (EPA).....g	0.000		0		4	0.000	0.000	0.000
21:5.....g								
22:4.....g								
22:5 n-3 (DPA).....g	0.000		0		4	0.000	0.000	0.000
22:6 n-3 (DHA).....g	0.000		0		4	0.000	0.000	0.000
Fatty acids, total trans.....g								
Cholesterol.....mg	4		0		4	1	5	5
Phytosterols.....mg								
Others:								
Alcohol, ethyl.....g	0.0		0		7	0.0	0.0	0.0
Caffeine.....mg	0		0	FLA	4	0	0	0
Theobromine.....mg	0		0	FLA	4	0	0	0

Blanks in the Mean column indicate lack of reliable data. The Number of Data Points column is the number of analyses upon which the mean is based. Number of Data Points of zero indicates the mean was either calculated (as for Energy) or estimated, usually from a recipe, another form of the same food, or similar food.

Common Measures:

Measure 1 = 15.0g: 1 tbsp

Measure 2 = 113g: 1 jar NFS

Measure 3 = 113g: 1 jar Heinz Strained-2 (4 oz)

Calories Factors: Protein

Fat

Carbohydrate

Food Group: 03 Baby Foods

USDA National Nutrient Database for Standard Reference, Release 28 (2015)

NDB No. 03225

Babyfood, dessert, cherry vanilla pudding, junior

Nutrients and Units	Amount in 100 grams of edible portion				Amount in edible portion of common measures of food				
	Mean	Std. Error	Number of Data Points	Deriv Code	Source Code	Confidence Code	Measure 1	Measure 2	Measure 3
Lipids:									
Fatty acids, total saturated.....g	0.058		0		4		0.016	0.099	
4:0.....g	0.000		0		4		0.000	0.000	
6:0.....g	0.000		0		4		0.000	0.000	
8:0.....g	0.000		0		4		0.000	0.000	
10:0.....g	0.000		0		4		0.000	0.000	
12:0.....g	0.000		0		4		0.000	0.000	
13:0.....g									
14:0.....g	0.001		0		4		0.000	0.002	
15:0.....g									
16:0.....g	0.041		0		4		0.012	0.070	
17:0.....g									
18:0.....g	0.014		0		4		0.004	0.024	
20:0.....g									
22:0.....g									
24:0.....g									
Fatty acids, total monounsaturated.....g	0.070		0		4		0.020	0.119	
14:1.....g									
15:1.....g									
16:1 undifferentiated.....g	0.004		0		4		0.001	0.007	
17:1.....g									
18:1 undifferentiated.....g	0.065		0		4		0.018	0.111	
20:1.....g	0.000		0		4		0.000	0.000	
22:1 undifferentiated.....g	0.000		0		4		0.000	0.000	
24:1 c.....g									
Fatty acids, total polyunsaturated.....g	0.036		0		4		0.010	0.061	
18:2 undifferentiated.....g	0.025		0		4		0.007	0.043	
18:3 undifferentiated.....g	0.008		0		4		0.002	0.014	
18:4.....g	0.000		0		4		0.000	0.000	
20:2 n-6 c,c.....g									
20:3 undifferentiated.....g									
20:4 undifferentiated.....g	0.002		0		4		0.001	0.003	
20:5 n-3 (EPA).....g	0.000		0		4		0.000	0.000	
21:5.....g									
22:4.....g									
22:5 n-3 (DPA).....g	0.000		0		4		0.000	0.000	
22:6 n-3 (DHA).....g	0.001		0		4		0.000	0.002	
Fatty acids, total trans.....g									
Cholesterol.....mg	10		0		4		3	17	
Phytosterols.....mg									
Others:									
Alcohol, ethyl.....g	0.0		0		7		0.0	0.0	
Caffeine.....mg	0		0	FLA	4		0	0	
Theobromine.....mg	0		0	FLA	4		0	0	

Blanks in the Mean column indicate lack of reliable data. The Number of Data Points column is the number of analyses upon which the mean is based. Number of Data Points of zero indicates the mean was either calculated (as for Energy) or estimated, usually from a recipe, another form of the same food, or similar food.

Common Measures:

Measure 1 = 28.35g: 1 oz

Measure 2 = 170g: 1 jar

Calories Factors: Protein 4.3

Fat 8.9

Carbohydrate 3.6

Food Group: 03 Baby Foods

USDA National Nutrient Database for Standard Reference, Release 28 (2015)

NDB No. 03224

Babyfood, dessert, cherry vanilla pudding, strained

Nutrients and Units	Amount in 100 grams of edible portion				Amount in edible portion of common measures of food				
	Mean	Std. Error	Number of Data Points	Deriv Code	Source Code	Confidence Code	Measure 1	Measure 2	Measure 3
Lipids:									
Fatty acids, total saturated.....g	0.087		0		4		0.025	0.098	
4:0.....g	0.000		0		4		0.000	0.000	
6:0.....g	0.000		0		4		0.000	0.000	
8:0.....g	0.000		0		4		0.000	0.000	
10:0.....g	0.000		0		4		0.000	0.000	
12:0.....g	0.000		0		4		0.000	0.000	
13:0.....g									
14:0.....g	0.002		0		4		0.001	0.002	
15:0.....g									
16:0.....g	0.062		0		4		0.018	0.070	
17:0.....g									
18:0.....g	0.021		0		4		0.006	0.024	
20:0.....g									
22:0.....g									
24:0.....g									
Fatty acids, total monounsaturated.....g	0.105		0		4		0.030	0.119	
14:1.....g									
15:1.....g									
16:1 undifferentiated.....g	0.007		0		4		0.002	0.008	
17:1.....g									
18:1 undifferentiated.....g	0.098		0		4		0.028	0.111	
20:1.....g	0.001		0		4		0.000	0.001	
22:1 undifferentiated.....g	0.000		0		4		0.000	0.000	
24:1 c.....g									
Fatty acids, total polyunsaturated.....g	0.053		0		4		0.015	0.060	
18:2 undifferentiated.....g	0.037		0		4		0.010	0.042	
18:3 undifferentiated.....g	0.012		0		4		0.003	0.014	
18:4.....g	0.000		0		4		0.000	0.000	
20:2 n-6 c,c.....g									
20:3 undifferentiated.....g									
20:4 undifferentiated.....g	0.003		0		4		0.001	0.003	
20:5 n-3 (EPA).....g	0.000		0		4		0.000	0.000	
21:5.....g									
22:4.....g									
22:5 n-3 (DPA).....g	0.000		0		4		0.000	0.000	
22:6 n-3 (DHA).....g	0.001		0		4		0.000	0.001	
Fatty acids, total trans.....g									
Cholesterol.....mg	10		0		4		3	11	
Phytosterols.....mg									
Others:									
Alcohol, ethyl.....g	0.0		0		7		0.0	0.0	
Caffeine.....mg	0		0	FLA	4		0	0	
Theobromine.....mg	0		0	FLA	4		0	0	

Blanks in the Mean column indicate lack of reliable data. The Number of Data Points column is the number of analyses upon which the mean is based. Number of Data Points of zero indicates the mean was either calculated (as for Energy) or estimated, usually from a recipe, another form of the same food, or similar food.

Common Measures:

Measure 1 = 28.35g: 1 oz

Measure 2 = 113g: 1 jar

Calories Factors: Protein 4.3

Fat 8.9

Carbohydrate 3.6

Food Group: 03 Baby Foods

USDA National Nutrient Database for Standard Reference, Release 28 (2015)

NDB No. 03246

Babyfood, dessert, custard pudding, vanilla, junior

Nutrients and Units	Amount in 100 grams of edible portion				Amount in edible portion of common measures of food				
	Mean	Std. Error	Number of Data Points	Deriv Code	Source Code	Confidence Code	Measure 1	Measure 2	Measure 3
Tocotrienol, delta.....mg									
Vitamin D (D2 + D3).....µg	0.5		0	FLA	4		1.1	0.1	0.1
Vitamin D.....IU	19		0	FLA	4		44	3	6
Vitamin K (phylloquinone).....µg	0.0		0	FLA	4		0.1	0.0	0.0
Dihydrophyloquinone.....µg									
Menaquinone-4.....µg									
Lipids:									
Fatty acids, total saturated.....g	0.325		0	FLM	4		0.744	0.046	0.092
4:0.....g	0.003		0	FLM	4		0.007	0.000	0.001
6:0.....g	0.000		0	FLM	4		0.000	0.000	0.000
8:0.....g	0.001		0	FLM	4		0.002	0.000	0.000
10:0.....g	0.002		0	FLM	4		0.005	0.000	0.001
12:0.....g	0.001		0	FLM	4		0.002	0.000	0.000
13:0.....g									
14:0.....g	0.009		0	FLM	4		0.021	0.001	0.003
15:0.....g									
16:0.....g	0.222		0	FLM	4		0.508	0.031	0.063
17:0.....g									
18:0.....g	0.078		0	FLM	4		0.179	0.011	0.022
20:0.....g									
22:0.....g									
24:0.....g									
Fatty acids, total monounsaturated.....g	0.364		0	FLM	4		0.834	0.051	0.103
14:1.....g									
15:1.....g									
16:1 undifferentiated.....g	0.030		0	FLM	4		0.069	0.004	0.009
17:1.....g									
18:1 undifferentiated.....g	0.331		0	FLM	4		0.758	0.046	0.094
20:1.....g	0.003		0	FLM	4		0.007	0.000	0.001
22:1 undifferentiated.....g	0.000		0	FLM	4		0.000	0.000	0.000
24:1 c.....g									
Fatty acids, total polyunsaturated.....g	0.128		0	FLM	4		0.293	0.018	0.036
18:2 undifferentiated.....g	0.108		0	FLM	4		0.247	0.015	0.031
18:3 undifferentiated.....g	0.004		0	FLM	4		0.009	0.001	0.001
18:4.....g	0.000		0	FLM	4		0.000	0.000	0.000
20:2 n-6 c,c.....g									
20:3 undifferentiated.....g									
20:4 undifferentiated.....g	0.013		0	FLM	4		0.030	0.002	0.004
20:5 n-3 (EPA).....g	0.000		0	FLM	4		0.000	0.000	0.000
21:5.....g									
22:4.....g									
22:5 n-3 (DPA).....g	0.000		0	FLM	4		0.000	0.000	0.000
22:6 n-3 (DHA).....g	0.003		0	FLM	4		0.007	0.000	0.001
Fatty acids, total trans.....g									
Cholesterol.....mg	38		0	FLM	4		87	5	11
Phytosterols.....mg									
Others:									
Alcohol, ethyl.....g	0.0		0	Z	7		0.0	0.0	0.0
Caffeine.....mg	0		0	FLA	4		0	0	0
Theobromine.....mg	0		0	FLA	4		0	0	0

Blanks in the Mean column indicate lack of reliable data. The Number of Data Points column is the number of analyses upon which the mean is based. Number of Data Points of zero indicates the mean was either calculated (as for Energy) or estimated, usually from a recipe, another form of the same food, or similar food.

Common Measures:

Measure 1 = 229g: 1 cup

Measure 2 = 14.0g: 1 tbsp

Measure 3 = 28.35g: 1 oz

NDB No. 03246

Babyfood, dessert, custard pudding, vanilla, junior

Calories Factors: Protein

Fat

Carbohydrate

Food Group: 03 Baby Foods

USDA National Nutrient Database for Standard Reference, Release 28 (2015)

NDB No. 03245

Babyfood, dessert, custard pudding, vanilla, strained

Nutrients and Units	Amount in 100 grams of edible portion				Amount in edible portion of common measures of food				
	Mean	Std. Error	Number	Deriv	Source Code	Confidence Code	Measure 1	Measure 2	Measure 3
			of Data Points	Code					
Lipids:									
Fatty acids, total saturated.....g	1.010		2		1		2.313	0.141	0.286
4:0.....g	0.050		2		1		0.115	0.007	0.014
6:0.....g	0.020		2		1		0.046	0.003	0.006
8:0.....g	0.010		2		1		0.023	0.001	0.003
10:0.....g	0.030		2		1		0.069	0.004	0.009
12:0.....g	0.040		2		1		0.092	0.006	0.011
13:0.....g									
14:0.....g	0.110		2		1		0.252	0.015	0.031
15:0.....g									
16:0.....g	0.520		2		1		1.191	0.073	0.147
17:0.....g									
18:0.....g	0.190		2		1		0.435	0.027	0.054
20:0.....g									
22:0.....g									
24:0.....g									
Fatty acids, total monounsaturated.....g	0.680		2		1		1.557	0.095	0.193
14:1.....g									
15:1.....g									
16:1 undifferentiated.....g	0.050		2		1		0.115	0.007	0.014
17:1.....g									
18:1 undifferentiated.....g	0.620		2		1		1.420	0.087	0.176
20:1.....g	0.000		2		1		0.000	0.000	0.000
22:1 undifferentiated.....g	0.000		0		1		0.000	0.000	0.000
24:1 c.....g									
Fatty acids, total polyunsaturated.....g	0.160		2		1		0.366	0.022	0.045
18:2 undifferentiated.....g	0.130		2		1		0.298	0.018	0.037
18:3 undifferentiated.....g	0.010		2		1		0.023	0.001	0.003
18:4.....g	0.000		0		1		0.000	0.000	0.000
20:2 n-6 c,c.....g									
20:3 undifferentiated.....g									
20:4 undifferentiated.....g	0.020		2		1		0.046	0.003	0.006
20:5 n-3 (EPA).....g	0.000		0		1		0.000	0.000	0.000
21:5.....g									
22:4.....g									
22:5 n-3 (DPA).....g	0.000		0		1		0.000	0.000	0.000
22:6 n-3 (DHA).....g	0.000		0		1		0.000	0.000	0.000
Fatty acids, total trans.....g									
Cholesterol.....mg	8		0		4		18	1	2
Phytosterols.....mg									
Amino Acids:									
Tryptophan.....g									
Threonine.....g	0.059		0		1		0.135	0.008	0.017
Isoleucine.....g	0.075		0		1		0.172	0.011	0.021
Leucine.....g	0.059		0		1		0.135	0.008	0.017
Lysine.....g	0.114		0		1		0.261	0.016	0.032
Methionine.....g	0.046		0		1		0.105	0.006	0.013
Cystine.....g									
Phenylalanine.....g	0.073		0		1		0.167	0.010	0.021
Tyrosine.....g	0.059		0		1		0.135	0.008	0.017
Valine.....g	0.088		0		1		0.202	0.012	0.025
Arginine.....g	0.062		0		1		0.142	0.009	0.018
Histidine.....g	0.041		0		1		0.094	0.006	0.012
Alanine.....g	0.050		0		1		0.115	0.007	0.014
Aspartic acid.....g	0.130		0		1		0.298	0.018	0.037
Glutamic acid.....g	0.291		0		1		0.666	0.041	0.082
Glycine.....g	0.033		0		1		0.076	0.005	0.009
Proline.....g	0.098		0		1		0.224	0.014	0.028
Serine.....g	0.082		0		1		0.188	0.011	0.023
Hydroxyproline.....g									
Others:									
Alcohol, ethyl.....g	0.0		0		7		0.0	0.0	0.0
Caffeine.....mg	0		0	FLA	4		0	0	0

NDB No. 03245

Babyfood, dessert, custard pudding, vanilla, strained

Nutrients and Units	<u>Amount in 100 grams of edible portion</u>				<u>Amount in edible portion of common measures of food</u>				
	Mean	Std. Error	Number of Data Points	Deriv Code	Source Code	Confidence Code	Measure 1	Measure 2	Measure 3
Theobromine.....mg	0		0	FLA	4		0	0	0

Blanks in the Mean column indicate lack of reliable data. The Number of Data Points column is the number of analyses upon which the mean is based. Number of Data Points of zero indicates the mean was either calculated (as for Energy) or estimated, usually from a recipe, another form of the same food, or similar food.

Common Measures:

Measure 1 = 229g: 1 cup

Measure 2 = 14.0g: 1 tbsp

Measure 3 = 28.35g: 1 oz

Calories Factors: Protein 4.3

Fat 8.9

Carbohydrate 3.8

Food Group: 03 Baby Foods

USDA National Nutrient Database for Standard Reference, Release 28 (2015)

NDB No. 03221

Babyfood, dessert, dutch apple, junior

Nutrients and Units	Amount in 100 grams of edible portion				Amount in edible portion of common measures of food				
	Mean	Std. Error	Number of Data Points	Deriv Code	Source Code	Confidence Code	Measure 1	Measure 2	Measure 3
Tocotrienol, delta.....mg									
Vitamin D (D2 + D3).....µg	0.0		0	Z	7		0.0	0.0	
Vitamin D.....IU	0		0	Z	7		0	0	
Vitamin K (phylloquinone).....µg	0.5		0	FLA	4		0.1	0.8	
Dihydrophylloquinone.....µg									
Menaquinone-4.....µg									
Lipids:									
Fatty acids, total saturated.....g	0.025		0	FLM	4		0.007	0.043	
4:0.....g	0.000		0	FLM	4		0.000	0.000	
6:0.....g	0.000		0	FLM	4		0.000	0.000	
8:0.....g	0.000		0	FLM	4		0.000	0.000	
10:0.....g	0.000		0	FLM	4		0.000	0.000	
12:0.....g	0.000		0	FLM	4		0.000	0.000	
13:0.....g									
14:0.....g	0.001		0	FLM	4		0.000	0.002	
15:0.....g									
16:0.....g	0.021		0	FLM	4		0.006	0.036	
17:0.....g									
18:0.....g	0.003		0	FLM	4		0.001	0.005	
20:0.....g									
22:0.....g									
24:0.....g									
Fatty acids, total monounsaturated.....g	0.006		0	FLM	4		0.002	0.010	
14:1.....g									
15:1.....g									
16:1 undifferentiated.....g	0.000		0	FLM	4		0.000	0.000	
17:1.....g									
18:1 undifferentiated.....g	0.006		0	FLM	4		0.002	0.010	
20:1.....g	0.000		0	FLM	4		0.000	0.000	
22:1 undifferentiated.....g	0.000		0	FLM	4		0.000	0.000	
24:1 c.....g									
Fatty acids, total polyunsaturated.....g	0.045		0	FLM	4		0.013	0.077	
18:2 undifferentiated.....g	0.038		0	FLM	4		0.011	0.065	
18:3 undifferentiated.....g	0.008		0	FLM	4		0.002	0.014	
18:4.....g	0.000		0	FLM	4		0.000	0.000	
20:2 n-6 c,c.....g									
20:3 undifferentiated.....g									
20:4 undifferentiated.....g	0.000		0	FLM	4		0.000	0.000	
20:5 n-3 (EPA).....g	0.000		0	FLM	4		0.000	0.000	
21:5.....g									
22:4.....g									
22:5 n-3 (DPA).....g	0.000		0	FLM	4		0.000	0.000	
22:6 n-3 (DHA).....g	0.000		0	FLM	4		0.000	0.000	
Fatty acids, total trans.....g									
Cholesterol.....mg	0		0	Z	7		0	0	
Phytosterols.....mg									
Amino Acids:									
Tryptophan.....g	0.002		0	FLA	4		0.001	0.004	
Threonine.....g	0.007		0	FLA	4		0.002	0.012	
Isoleucine.....g	0.008		0	FLA	4		0.002	0.013	
Leucine.....g	0.012		0	FLA	4		0.003	0.021	
Lysine.....g	0.013		0	FLA	4		0.004	0.022	
Methionine.....g	0.002		0	FLA	4		0.001	0.004	
Cystine.....g	0.003		0	FLA	4		0.001	0.005	
Phenylalanine.....g	0.006		0	FLA	4		0.002	0.010	
Tyrosine.....g	0.004		0	FLA	4		0.001	0.006	
Valine.....g	0.009		0	FLA	4		0.003	0.016	
Arginine.....g	0.006		0	FLA	4		0.002	0.011	
Histidine.....g	0.003		0	FLA	4		0.001	0.005	
Alanine.....g	0.007		0	FLA	4		0.002	0.012	
Aspartic acid.....g	0.035		0	FLA	4		0.010	0.060	
Glutamic acid.....g	0.021		0	FLA	4		0.006	0.035	
Glycine.....g	0.008		0	FLA	4		0.002	0.013	

NDB No. 03221

Babyfood, dessert, dutch apple, junior

Nutrients and Units	Amount in 100 grams of edible portion				Amount in edible portion of common measures of food				
	Mean	Std. Error	Number of Data Points	Deriv Code	Source Code	Confidence Code	Measure 1	Measure 2	Measure 3
Proline.....g	0.007		0	FLA	4		0.002	0.012	
Serine.....g	0.008		0	FLA	4		0.002	0.013	
Hydroxyproline.....g									
Others:									
Alcohol, ethyl.....g	0.0		0	Z	7		0.0	0.0	
Caffeine.....mg	0		0	FLA	4		0	0	
Theobromine.....mg	0		0	FLA	4		0	0	

Blanks in the Mean column indicate lack of reliable data. The Number of Data Points column is the number of analyses upon which the mean is based. Number of Data Points of zero indicates the mean was either calculated (as for Energy) or estimated, usually from a recipe, another form of the same food, or similar food.

Common Measures:

Measure 1 = 28.35g: 1 oz

Measure 2 = 170g: 1 jar

Calories Factors: Protein

Fat

Carbohydrate

Food Group: 03 Baby Foods

USDA National Nutrient Database for Standard Reference, Release 28 (2015)

NDB No. 03220

Babyfood, dessert, dutch apple, strained

Nutrients and Units	Amount in 100 grams of edible portion				Amount in edible portion of common measures of food				
	Mean	Std. Error	Number of Data Points	Deriv Code	Source Code	Confidence Code	Measure 1	Measure 2	Measure 3
Lipids:									
Fatty acids, total saturated.....g	0.190		0	NC	4		0.054	0.215	
4:0.....g	0.014		2		1		0.004	0.016	
6:0.....g	0.003		2		1		0.001	0.004	
8:0.....g	0.003		2		1		0.001	0.004	
10:0.....g	0.010		2		1		0.003	0.012	
12:0.....g	0.010		2		1		0.003	0.012	
13:0.....g									
14:0.....g	0.031		2		1		0.009	0.035	
15:0.....g									
16:0.....g	0.086		2		1		0.025	0.098	
17:0.....g									
18:0.....g	0.031		2		1		0.009	0.035	
20:0.....g									
22:0.....g									
24:0.....g									
Fatty acids, total monounsaturated.....g	0.080		0	NC	4		0.023	0.090	
14:1.....g									
15:1.....g									
16:1 undifferentiated.....g	0.007		2		1		0.002	0.008	
17:1.....g									
18:1 undifferentiated.....g	0.073		2		1		0.021	0.082	
20:1.....g	0.000		2		1		0.000	0.000	
22:1 undifferentiated.....g	0.000		0		1		0.000	0.000	
24:1 c.....g									
Fatty acids, total polyunsaturated.....g	0.010		0	NC	4		0.003	0.012	
18:2 undifferentiated.....g	0.007		2		1		0.002	0.008	
18:3 undifferentiated.....g	0.003		2		1		0.001	0.004	
18:4.....g	0.000		0		1		0.000	0.000	
20:2 n-6 c,c.....g									
20:3 undifferentiated.....g									
20:4 undifferentiated.....g	0.000		2		1		0.000	0.000	
20:5 n-3 (EPA).....g	0.000		0		1		0.000	0.000	
21:5.....g									
22:4.....g									
22:5 n-3 (DPA).....g	0.000		0		1		0.000	0.000	
22:6 n-3 (DHA).....g	0.000		0		1		0.000	0.000	
Fatty acids, total trans.....g									
Cholesterol.....mg	0		0		7		0	0	
Phytosterols.....mg									
Others:									
Alcohol, ethyl.....g	0.0		0		7		0.0	0.0	
Caffeine.....mg	0		0	FLA	4		0	0	
Theobromine.....mg	0		0	FLA	4		0	0	

Blanks in the Mean column indicate lack of reliable data. The Number of Data Points column is the number of analyses upon which the mean is based. Number of Data Points of zero indicates the mean was either calculated (as for Energy) or estimated, usually from a recipe, another form of the same food, or similar food.

Common Measures:

Measure 1 = 28.35g: 1 oz

Measure 2 = 113g: 1 jar

Calories Factors: Protein 3.4

Fat 8.4

Carbohydrate 3.6

Food Group: 03 Baby Foods

USDA National Nutrient Database for Standard Reference, Release 28 (2015)

NDB No. 03236

Babyfood, dessert, fruit dessert, without ascorbic acid, junior

Nutrients and Units	Amount in 100 grams of edible portion				Amount in edible portion of common measures of food				
	Mean	Std. Error	Number of Data Points		Source Code	Confidence Code	Measure 1	Measure 2	Measure 3
			Deriv Code	Points					
Lipids:									
Fatty acids, total saturated.....g	0.000		0		7		0.000	0.000	0.000
4:0.....g	0.000		0		4		0.000	0.000	0.000
6:0.....g	0.000		0		4		0.000	0.000	0.000
8:0.....g	0.000		0		4		0.000	0.000	0.000
10:0.....g	0.000		0		4		0.000	0.000	0.000
12:0.....g	0.000		0		4		0.000	0.000	0.000
13:0.....g									
14:0.....g	0.000		0		4		0.000	0.000	0.000
15:0.....g									
16:0.....g	0.000		0		4		0.000	0.000	0.000
17:0.....g									
18:0.....g	0.000		0		4		0.000	0.000	0.000
20:0.....g									
22:0.....g									
24:0.....g									
Fatty acids, total monounsaturated.....g	0.000		0		7		0.000	0.000	0.000
14:1.....g									
15:1.....g									
16:1 undifferentiated.....g	0.000		0		4		0.000	0.000	0.000
17:1.....g									
18:1 undifferentiated.....g	0.000		0		4		0.000	0.000	0.000
20:1.....g	0.000		0		4		0.000	0.000	0.000
22:1 undifferentiated.....g	0.000		0		4		0.000	0.000	0.000
24:1 c.....g									
Fatty acids, total polyunsaturated.....g	0.000		0		7		0.000	0.000	0.000
18:2 undifferentiated.....g	0.000		0		4		0.000	0.000	0.000
18:3 undifferentiated.....g	0.000		0		4		0.000	0.000	0.000
18:4.....g	0.000		0		4		0.000	0.000	0.000
20:2 n-6 c,c.....g									
20:3 undifferentiated.....g									
20:4 undifferentiated.....g	0.000		0		4		0.000	0.000	0.000
20:5 n-3 (EPA).....g	0.000		0		4		0.000	0.000	0.000
21:5.....g									
22:4.....g									
22:5 n-3 (DPA).....g	0.000		0		4		0.000	0.000	0.000
22:6 n-3 (DHA).....g	0.000		0		4		0.000	0.000	0.000
Fatty acids, total trans.....g									
Cholesterol.....mg	0		0		7		0	0	0
Phytosterols.....mg									
Others:									
Alcohol, ethyl.....g	0.0		0		7		0.0	0.0	0.0
Caffeine.....mg	0		0	FLA	4		0	0	0
Theobromine.....mg	0		0	FLA	4		0	0	0

Blanks in the Mean column indicate lack of reliable data. The Number of Data Points column is the number of analyses upon which the mean is based. Number of Data Points of zero indicates the mean was either calculated (as for Energy) or estimated, usually from a recipe, another form of the same food, or similar food.

Common Measures:

Measure 1 = 15.0g: 1 tbsp

Measure 2 = 28.35g: 1 oz

Measure 3 = 170g: 1 jar

Calories Factors: Protein 3.4

Fat 8.4

Carbohydrate 3.6

Food Group: 03 Baby Foods

USDA National Nutrient Database for Standard Reference, Release 28 (2015)

NDB No. 03235

Babyfood, dessert, fruit dessert, without ascorbic acid, strained

Refuse:0%

Nutrients and Units	Amount in 100 grams of edible portion					Amount in edible portion of common measures of food			
	Mean	Std. Error	Number of Data Points	Deriv Code	Source Code	Confidence Code	Measure 1	Measure 2	Measure 3
Proximates:									
Water.....g	83.40	0.400	17		1		12.51	23.64	94.24
Energy.....kcal	59		0	NC	4		9	17	67
Energy.....kJ	247		0		4		37	70	279
Protein (N x 6.25).....g	0.30	0.000	15		1		0.05	0.09	0.34
Total lipid (fat).....g	0.00		15		1		0.00	0.00	0.00
Ash.....g	0.30	0.000	42		1		0.05	0.09	0.34
Carbohydrate, by difference.....g	16.00		0	NC	4		2.40	4.54	18.08
Fiber, total dietary.....g	0.6		0		4		0.1	0.2	0.7
Sugars, total.....g	12.60		0	O	4		1.89	3.57	14.24
Starch.....g									
Minerals:									
Calcium, Ca.....mg	9	2.000	7		1		1	3	10
Iron, Fe.....mg	0.22	0.010	35		1		0.03	0.06	0.25
Magnesium, Mg.....mg	5		1		1		1	1	6
Phosphorus, P.....mg	7		1		1		1	2	8
Potassium, K.....mg	94		14		1		14	27	106
Sodium, Na.....mg	0		0	Z	7		0	0	0
Zinc, Zn.....mg	0.04		1		1		0.01	0.01	0.05
Copper, Cu.....mg	0.030		1		1		0.005	0.009	0.034
Manganese, Mn.....mg									
Selenium, Se.....µg	0.4		0	FLM	4		0.1	0.1	0.5
Vitamins:									
Vitamin C, total ascorbic acid.....mg	2.5	0.200	29		1		0.4	0.7	2.8
Thiamin.....mg	0.016	0.000	38		1		0.002	0.005	0.018
Riboflavin.....mg	0.009	0.000	38		1		0.001	0.003	0.010
Niacin.....mg	0.143	0.007	10		1		0.021	0.041	0.162
Pantothenic acid.....mg	0.104		0		4		0.016	0.029	0.118
Vitamin B-6.....mg	0.037	0.000	29		1		0.006	0.010	0.042
Folate, total.....µg	3	0.200	9		1		0	1	4
Folic acid.....µg	0		0	Z	7		0	0	0
Folate, food.....µg	3	0.200	9		1		0	1	4
Folate, DFE.....µg	3		0	NC	4		0	1	4
Choline, total.....mg	4.5		0	FLA	4		0.7	1.3	5.1
Betaine.....mg									
Vitamin B-12.....µg	0.00		0		4		0.00	0.00	0.00
Vitamin B-12, added.....µg	0.00		0	Z	7		0.00	0.00	0.00
Vitamin A, RAE.....µg	7		0	NC	4		1	2	7
Retinol.....µg	0		0	Z	7		0	0	0
Carotene, beta.....µg	64		0	FLA	4		10	18	73
Carotene, alpha.....µg	2		0	FLA	4		0	1	3
Cryptoxanthin, beta.....µg	27		0	FLA	4		4	8	31
Vitamin A, IU.....IU	132		0	NC	4		20	37	149
Lycopene.....µg	0		0	Z	7		0	0	0
Lutein + zeaxanthin.....µg	43		0	FLA	4		6	12	49
Vitamin E (alpha-tocopherol).....mg	0.29		0	FLA	4		0.04	0.08	0.32
Vitamin E, added.....mg	0.00		0	Z	7		0.00	0.00	0.00
Tocopherol, beta.....mg	0.00		0	FLA	4		0.00	0.00	0.00
Tocopherol, gamma.....mg	0.01		0	FLA	4		0.00	0.00	0.01
Tocopherol, delta.....mg	0.00		0	FLA	4		0.00	0.00	0.00
Tocotrienol, alpha.....mg	0.02		0	FLA	4		0.00	0.00	0.02
Tocotrienol, beta.....mg	0.00		0	FLA	4		0.00	0.00	0.00
Tocotrienol, gamma.....mg	0.00		0	FLA	4		0.00	0.00	0.00
Tocotrienol, delta.....mg	0.00		0	FLA	4		0.00	0.00	0.00
Vitamin D (D2 + D3).....µg	0.0		0	Z	7		0.0	0.0	0.0
Vitamin D2 (ergocalciferol).....µg									
Vitamin D3 (cholecalciferol).....µg									
Vitamin D.....IU	0		0	Z	7		0	0	0
Vitamin K (phylloquinone).....µg	1.5		0	FLA	4		0.2	0.4	1.7

NDB No. 03235

Babyfood, dessert, fruit dessert, without ascorbic acid, strained

Nutrients and Units	Amount in 100 grams of edible portion				Amount in edible portion of common measures of food				
	Mean	Std. Error	Number of Data Points	Deriv Code	Source Code	Confidence Code	Measure 1	Measure 2	Measure 3
Dihydrophyloquinone.....µg									
Menaquinone-4.....µg									
Lipids:									
Fatty acids, total saturated.....g	0.000		0		7		0.000	0.000	0.000
4:0.....g	0.000		0		4		0.000	0.000	0.000
6:0.....g	0.000		0		4		0.000	0.000	0.000
8:0.....g	0.000		0		4		0.000	0.000	0.000
10:0.....g	0.000		0		4		0.000	0.000	0.000
12:0.....g	0.000		0		4		0.000	0.000	0.000
13:0.....g									
14:0.....g	0.000		0		4		0.000	0.000	0.000
15:0.....g									
16:0.....g	0.000		0		4		0.000	0.000	0.000
17:0.....g									
18:0.....g	0.000		0		4		0.000	0.000	0.000
20:0.....g									
22:0.....g									
24:0.....g									
Fatty acids, total monounsaturated.....g	0.000		0		7		0.000	0.000	0.000
14:1.....g									
15:1.....g									
16:1 undifferentiated.....g	0.000		0		4		0.000	0.000	0.000
17:1.....g									
18:1 undifferentiated.....g	0.000		0		4		0.000	0.000	0.000
20:1.....g	0.000		0		4		0.000	0.000	0.000
22:1 undifferentiated.....g	0.000		0		4		0.000	0.000	0.000
24:1 c.....g									
Fatty acids, total polyunsaturated.....g	0.000		0		7		0.000	0.000	0.000
18:2 undifferentiated.....g	0.000		0		4		0.000	0.000	0.000
18:3 undifferentiated.....g	0.000		0		4		0.000	0.000	0.000
18:4.....g	0.000		0		4		0.000	0.000	0.000
20:2 n-6 c,c.....g									
20:3 undifferentiated.....g									
20:4 undifferentiated.....g	0.000		0		4		0.000	0.000	0.000
20:5 n-3 (EPA).....g	0.000		0		4		0.000	0.000	0.000
21:5.....g									
22:4.....g									
22:5 n-3 (DPA).....g	0.000		0		4		0.000	0.000	0.000
22:6 n-3 (DHA).....g	0.000		0		4		0.000	0.000	0.000
Fatty acids, total trans.....g									
Cholesterol.....mg	0		0		7		0	0	0
Phytosterols.....mg									
Others:									
Alcohol, ethyl.....g	0.0		0		7		0.0	0.0	0.0
Caffeine.....mg	0		0	FLA	4		0	0	0
Theobromine.....mg	0		0	FLA	4		0	0	0

Blanks in the Mean column indicate lack of reliable data. The Number of Data Points column is the number of analyses upon which the mean is based. Number of Data Points of zero indicates the mean was either calculated (as for Energy) or estimated, usually from a recipe, another form of the same food, or similar food.

Common Measures:

Measure 1 = 15.0g: 1 tbsp

Measure 2 = 28.35g: 1 oz

Measure 3 = 113g: 1 jar

Calories Factors: Protein 3.4

Fat 8.4

Carbohydrate 3.6

NDB No. 03235

Babyfood, dessert, fruit dessert, without ascorbic acid, strained

Food Group: 03 Baby Foods

USDA National Nutrient Database for Standard Reference, Release 28 (2015)

NDB No. 03226

Babyfood, dessert, fruit pudding, orange, strained

Refuse:0%

Nutrients and Units	Amount in 100 grams of edible portion				Amount in edible portion of common measures of food				
	Mean	Std. Error	Number of Data Points	Deriv Code	Source Code	Confidence Code	Measure 1	Measure 2	Measure 3
Proximates:									
Water.....g	79.80	0.100	4		1		22.62	90.17	
Energy.....kcal	80		0	NC	4		23	90	
Energy.....kJ	335		0		4		95	378	
Protein (N x 6.33).....g	1.10		3		1		0.31	1.24	
Total lipid (fat).....g	0.90		3		1		0.26	1.02	
Ash.....g	0.60	0.000	5		1		0.17	0.68	
Carbohydrate, by difference.....g	17.70		0	NC	4		5.02	20.00	
Fiber, total dietary.....g	0.6		0		4		0.2	0.7	
Sugars, total.....g									
Starch.....g									
Minerals:									
Calcium, Ca.....mg	32		1		1		9	36	
Iron, Fe.....mg	0.10		1		1		0.03	0.11	
Magnesium, Mg.....mg	5		1		1		1	6	
Phosphorus, P.....mg	28		1		1		8	32	
Potassium, K.....mg	86		1		1		24	97	
Sodium, Na.....mg	20		0		4		6	23	
Zinc, Zn.....mg	0.17		1		1		0.05	0.19	
Copper, Cu.....mg	0.050		0		4		0.014	0.057	
Manganese, Mn.....mg									
Selenium, Se.....µg	0.6		0	BFZN	4		0.2	0.7	
Vitamins:									
Vitamin C, total ascorbic acid.....mg	9.1		1		1		2.6	10.3	
Thiamin.....mg	0.040		1		1		0.011	0.045	
Riboflavin.....mg	0.057		1		1		0.016	0.064	
Niacin.....mg	0.119		1		1		0.034	0.134	
Pantothenic acid.....mg	0.251		0		4		0.071	0.284	
Vitamin B-6.....mg	0.027		1		1		0.008	0.031	
Folate, total.....µg	8	0.500	3		1		2	9	
Folic acid.....µg	0		0	Z	7		0	0	
Folate, food.....µg	8	0.500	3		1		2	9	
Folate, DFE.....µg	8		0	NC	4		2	9	
Choline, total.....mg									
Betaine.....mg									
Vitamin B-12.....µg	0.01		0		4		0.00	0.01	
Vitamin A, RAE.....µg	6		0	NC	4		2	6	
Retinol.....µg	0		0	Z	7		0	0	
Carotene, beta.....µg									
Carotene, alpha.....µg									
Cryptoxanthin, beta.....µg									
Vitamin A, IU.....IU	115		1		1		33	130	
Lycopene.....µg									
Lutein + zeaxanthin.....µg									
Vitamin E (alpha-tocopherol).....mg									
Tocopherol, beta.....mg									
Tocopherol, gamma.....mg									
Tocopherol, delta.....mg									
Tocotrienol, alpha.....mg									
Tocotrienol, beta.....mg									
Tocotrienol, gamma.....mg									
Tocotrienol, delta.....mg									
Vitamin D (D2 + D3).....µg									
Vitamin D.....IU									
Vitamin K (phylloquinone).....µg									
Dihydrophylloquinone.....µg									
Menaquinone-4.....µg									
Lipids:									

NDB No. 03226

Babyfood, dessert, fruit pudding, orange, strained

Nutrients and Units	<u>Amount in 100 grams of edible portion</u>				<u>Amount in edible portion of common measures of food</u>		
	Mean	Std. Error	Number	Source	Measure 1	Measure 2	Measure 3
			of Data Points	Confidence Code			

Blanks in the Mean column indicate lack of reliable data. The Number of Data Points column is the number of analyses upon which the mean is based. Number of Data Points of zero indicates the mean was either calculated (as for Energy) or estimated, usually from a recipe, another form of the same food, or similar food.

Common Measures:

Measure 1 = 28.35g: 1 oz

Measure 2 = 113g: 1 jar

Calories Factors: Protein 4.3

Fat 8.9

Carbohydrate3.8

Food Group: 03 Baby Foods

USDA National Nutrient Database for Standard Reference, Release 28 (2015)

NDB No. 03233

Babyfood, dessert, fruit pudding, pineapple, strained

Nutrients and Units	Amount in 100 grams of edible portion				Amount in edible portion of common measures of food				
	Mean	Std. Error	Number of Data Points		Source Code	Confidence Code	Measure 1	Measure 2	Measure 3
			Deriv Code	Points					
Lipids:									
Fatty acids, total saturated.....g	0.099		0		4		0.015	0.028	0.112
4:0.....g	0.001		0		4		0.000	0.000	0.001
6:0.....g	0.000		0		4		0.000	0.000	0.000
8:0.....g	0.000		0		4		0.000	0.000	0.000
10:0.....g	0.001		0		4		0.000	0.000	0.001
12:0.....g	0.001		0		4		0.000	0.000	0.001
13:0.....g									
14:0.....g	0.003		0		4		0.000	0.001	0.003
15:0.....g									
16:0.....g	0.067		0		4		0.010	0.019	0.076
17:0.....g									
18:0.....g	0.024		0		4		0.004	0.007	0.027
20:0.....g									
22:0.....g									
24:0.....g									
Fatty acids, total monounsaturated.....g	0.109		0		4		0.016	0.031	0.123
14:1.....g									
15:1.....g									
16:1 undifferentiated.....g	0.009		0		4		0.001	0.003	0.010
17:1.....g									
18:1 undifferentiated.....g	0.098		0		4		0.015	0.028	0.111
20:1.....g	0.001		0		4		0.000	0.000	0.001
22:1 undifferentiated.....g	0.000		0		4		0.000	0.000	0.000
24:1 c.....g									
Fatty acids, total polyunsaturated.....g	0.041		0		4		0.006	0.012	0.046
18:2 undifferentiated.....g	0.033		0		4		0.005	0.009	0.037
18:3 undifferentiated.....g	0.003		0		4		0.000	0.001	0.003
18:4.....g	0.000		0		4		0.000	0.000	0.000
20:2 n-6 c,c.....g									
20:3 undifferentiated.....g									
20:4 undifferentiated.....g	0.004		0		4		0.001	0.001	0.005
20:5 n-3 (EPA).....g	0.000		0		4		0.000	0.000	0.000
21:5.....g									
22:4.....g									
22:5 n-3 (DPA).....g	0.000		0		4		0.000	0.000	0.000
22:6 n-3 (DHA).....g	0.001		0		4		0.000	0.000	0.001
Fatty acids, total trans.....g									
Cholesterol.....mg	0		0		7		0	0	0
Phytosterols.....mg									
Others:									
Alcohol, ethyl.....g	0.0		0		7		0.0	0.0	0.0
Caffeine.....mg	0		0	FLA	4		0	0	0
Theobromine.....mg	0		0	FLA	4		0	0	0

Blanks in the Mean column indicate lack of reliable data. The Number of Data Points column is the number of analyses upon which the mean is based. Number of Data Points of zero indicates the mean was either calculated (as for Energy) or estimated, usually from a recipe, another form of the same food, or similar food.

Common Measures:

Measure 1 = 15.0g: 1 tbsp

Measure 2 = 28.35g: 1 oz

Measure 3 = 113g: 1 jar

Calories Factors: Protein 4.3

Fat 8.9

Carbohydrate 3.6

Food Group: 03 Baby Foods

USDA National Nutrient Database for Standard Reference, Release 28 (2015)

NDB No. 03228

Babyfood, dessert, peach cobbler, junior

Nutrients and Units	Amount in 100 grams of edible portion				Amount in edible portion of common measures of food				
	Mean	Std. Error	Number of Data Points		Source Code	Confidence Code	Measure 1	Measure 2	Measure 3
			Deriv Code	Points					
Lipids:									
Fatty acids, total saturated.....g	0.000		0		7		0.000	0.000	0.000
4:0.....g	0.000		0		4		0.000	0.000	0.000
6:0.....g	0.000		0		4		0.000	0.000	0.000
8:0.....g	0.000		0		4		0.000	0.000	0.000
10:0.....g	0.000		0		4		0.000	0.000	0.000
12:0.....g	0.000		0		4		0.000	0.000	0.000
13:0.....g									
14:0.....g	0.000		0		4		0.000	0.000	0.000
15:0.....g									
16:0.....g	0.000		0		4		0.000	0.000	0.000
17:0.....g									
18:0.....g	0.000		0		4		0.000	0.000	0.000
20:0.....g									
22:0.....g									
24:0.....g									
Fatty acids, total monounsaturated.....g	0.000		0		7		0.000	0.000	0.000
14:1.....g									
15:1.....g									
16:1 undifferentiated.....g	0.000		0		4		0.000	0.000	0.000
17:1.....g									
18:1 undifferentiated.....g	0.000		0		4		0.000	0.000	0.000
20:1.....g	0.000		0		4		0.000	0.000	0.000
22:1 undifferentiated.....g	0.000		0		4		0.000	0.000	0.000
24:1 c.....g									
Fatty acids, total polyunsaturated.....g	0.000		0		7		0.000	0.000	0.000
18:2 undifferentiated.....g	0.000		0		4		0.000	0.000	0.000
18:3 undifferentiated.....g	0.000		0		4		0.000	0.000	0.000
18:4.....g	0.000		0		4		0.000	0.000	0.000
20:2 n-6 c,c.....g									
20:3 undifferentiated.....g									
20:4 undifferentiated.....g	0.000		0		4		0.000	0.000	0.000
20:5 n-3 (EPA).....g	0.000		0		4		0.000	0.000	0.000
21:5.....g									
22:4.....g									
22:5 n-3 (DPA).....g	0.000		0		4		0.000	0.000	0.000
22:6 n-3 (DHA).....g	0.000		0		4		0.000	0.000	0.000
Fatty acids, total trans.....g									
Cholesterol.....mg	0		0		4		0	0	0
Phytosterols.....mg									
Others:									
Alcohol, ethyl.....g	0.0		0		7		0.0	0.0	0.0
Caffeine.....mg	0		0	FLA	4		0	0	0
Theobromine.....mg	0		0	FLA	4		0	0	0

Blanks in the Mean column indicate lack of reliable data. The Number of Data Points column is the number of analyses upon which the mean is based. Number of Data Points of zero indicates the mean was either calculated (as for Energy) or estimated, usually from a recipe, another form of the same food, or similar food.

Common Measures:

Measure 1 = 15.0g: 1 tbsp

Measure 2 = 28.35g: 1 oz

Measure 3 = 220g: 1 jar

Calories Factors: Protein 3.4

Fat 8.4

Carbohydrate 3.6

Food Group: 03 Baby Foods

USDA National Nutrient Database for Standard Reference, Release 28 (2015)

NDB No. 03227

Babyfood, dessert, peach cobbler, strained

Nutrients and Units	Amount in 100 grams of edible portion				Amount in edible portion of common measures of food				
	Mean	Std. Error	Number of Data Points		Source Code	Confidence Code	Measure 1	Measure 2	Measure 3
			Deriv Code	Points					
Tocotrienol, delta.....mg									
Vitamin D (D2 + D3).....µg	0.0		0	Z	7		0.0	0.0	0.0
Vitamin D.....IU	0		0	Z	7		0	0	0
Vitamin K (phylloquinone).....µg	1.1		0	FLA	4		0.2	0.3	1.2
Dihydrophylloquinone.....µg									
Menaquinone-4.....µg									
Lipids:									
Fatty acids, total saturated.....g	0.000		0		7		0.000	0.000	0.000
4:0.....g	0.000		0		4		0.000	0.000	0.000
6:0.....g	0.000		0		4		0.000	0.000	0.000
8:0.....g	0.000		0		4		0.000	0.000	0.000
10:0.....g	0.000		0		4		0.000	0.000	0.000
12:0.....g	0.000		0		4		0.000	0.000	0.000
13:0.....g									
14:0.....g	0.000		0		4		0.000	0.000	0.000
15:0.....g									
16:0.....g	0.000		0		4		0.000	0.000	0.000
17:0.....g									
18:0.....g	0.000		0		4		0.000	0.000	0.000
20:0.....g									
22:0.....g									
24:0.....g									
Fatty acids, total monounsaturated.....g	0.000		0		7		0.000	0.000	0.000
14:1.....g									
15:1.....g									
16:1 undifferentiated.....g	0.000		0		4		0.000	0.000	0.000
17:1.....g									
18:1 undifferentiated.....g	0.000		0		4		0.000	0.000	0.000
20:1.....g	0.000		0		4		0.000	0.000	0.000
22:1 undifferentiated.....g	0.000		0		4		0.000	0.000	0.000
24:1 c.....g									
Fatty acids, total polyunsaturated.....g	0.000		0		7		0.000	0.000	0.000
18:2 undifferentiated.....g	0.000		0		4		0.000	0.000	0.000
18:3 undifferentiated.....g	0.000		0		4		0.000	0.000	0.000
18:4.....g	0.000		0		4		0.000	0.000	0.000
20:2 n-6 c,c.....g									
20:3 undifferentiated.....g									
20:4 undifferentiated.....g	0.000		0		4		0.000	0.000	0.000
20:5 n-3 (EPA).....g	0.000		0		4		0.000	0.000	0.000
21:5.....g									
22:4.....g									
22:5 n-3 (DPA).....g	0.000		0		4		0.000	0.000	0.000
22:6 n-3 (DHA).....g	0.000		0		4		0.000	0.000	0.000
Fatty acids, total trans.....g									
Cholesterol.....mg	0		0		4		0	0	0
Phytosterols.....mg									
Others:									
Alcohol, ethyl.....g	0.0		0		7		0.0	0.0	0.0
Caffeine.....mg	0		0	FLA	4		0	0	0
Theobromine.....mg	0		0	FLA	4		0	0	0

Blanks in the Mean column indicate lack of reliable data. The Number of Data Points column is the number of analyses upon which the mean is based. Number of Data Points of zero indicates the mean was either calculated (as for Energy) or estimated, usually from a recipe, another form of the same food, or similar food.

Common Measures:

Measure 1 = 15.0g: 1 tbsp

Measure 2 = 28.35g: 1 oz

Measure 3 = 113g: 1 jar

NDB No. 03227

Babyfood, dessert, peach cobbler, strained

Calories Factors: Protein 3.4

Fat 8.4

Carbohydrate 3.6

Food Group: 03 Baby Foods

USDA National Nutrient Database for Standard Reference, Release 28 (2015)

NDB No. 03230

Babyfood, dessert, peach melba, junior

Refuse:0%

Nutrients and Units	Amount in 100 grams of edible portion				Amount in edible portion of common measures of food				
	Mean	Std. Error	Number of Data Points	Deriv Code	Source Code	Confidence Code	Measure 1	Measure 2	Measure 3
Proximates:									
Water.....g	83.00	0.300	13		1		23.53	182.60	
Energy.....kcal	60		0	NC	4		17	132	
Energy.....kJ	251		0		4		71	552	
Protein (N x 6.25).....g	0.30	0.000	13		1		0.09	0.66	
Total lipid (fat).....g	0.00		13		1		0.00	0.00	
Ash.....g	0.40	0.000	13		1		0.11	0.88	
Carbohydrate, by difference.....g	16.40		0	NC	4		4.65	36.08	
Fiber, total dietary.....g									
Sugars, total.....g									
Starch.....g									
Minerals:									
Calcium, Ca.....mg	11	0.000	13		1		3	24	
Iron, Fe.....mg	0.30	0.020	13		1		0.09	0.66	
Magnesium, Mg.....mg	2		0		4		1	4	
Phosphorus, P.....mg	5		0		4		1	11	
Potassium, K.....mg	93	2.000	13		1		26	205	
Sodium, Na.....mg	9	0.000	13		1		3	20	
Zinc, Zn.....mg	0.28		0		4		0.08	0.62	
Copper, Cu.....mg	0.177		0		4		0.050	0.389	
Manganese, Mn.....mg									
Selenium, Se.....µg									
Vitamins:									
Vitamin C, total ascorbic acid.....mg	26.0	2.700	13		1		7.4	57.2	
Thiamin.....mg	0.007	0.000	13		1		0.002	0.015	
Riboflavin.....mg	0.030	0.000	13		1		0.009	0.066	
Niacin.....mg	0.272	0.032	13		1		0.077	0.598	
Pantothenic acid.....mg									
Vitamin B-6.....mg	0.006		0		4		0.002	0.013	
Folate, total.....µg	2		0		1		1	4	
Folic acid.....µg									
Folate, food.....µg	2		0		1		1	4	
Folate, DFE.....µg									
Choline, total.....mg									
Betaine.....mg									
Vitamin B-12.....µg	0.00		0		4		0.00	0.00	
Vitamin A, RAE.....µg	26		0	NR	4		7	57	
Retinol.....µg									
Carotene, beta.....µg									
Carotene, alpha.....µg									
Cryptoxanthin, beta.....µg									
Vitamin A, IU.....IU	196	40.000	13		1		56	431	
Lycopene.....µg									
Lutein + zeaxanthin.....µg									
Vitamin E (alpha-tocopherol).....mg									
Tocopherol, beta.....mg									
Tocopherol, gamma.....mg									
Tocopherol, delta.....mg									
Tocotrienol, alpha.....mg									
Tocotrienol, beta.....mg									
Tocotrienol, gamma.....mg									
Tocotrienol, delta.....mg									
Vitamin D (D2 + D3).....µg									
Vitamin D.....IU									
Vitamin K (phylloquinone).....µg									
Dihydrophyloquinone.....µg									
Menaquinone-4.....µg									

Blanks in the Mean column indicate lack of reliable data. The Number of Data Points column is the number of analyses upon which the mean is based.

NDB No. 03230

Babyfood, dessert, peach melba, junior

Nutrients and Units	<u>Amount in 100 grams of edible portion</u>					<u>Amount in edible portion of common measures of food</u>		
	Mean	Std. Error	Number	Deriv	Source	Measure 1	Measure 2	Measure 3
			of Data	Code	Confidence			
			Points	Code	Code			

Number of Data Points of zero indicates the mean was either calculated (as for Energy) or estimated, usually from a recipe, another form of the same food, or similar food.

Common Measures:

Measure 1 = 28.35g: 1 oz

Measure 2 = 220g: 1 jar

Calories Factors: Protein 3.4

Fat 8.4

Carbohydrate 3.6

Food Group: 03 Baby Foods

USDA National Nutrient Database for Standard Reference, Release 28 (2015)

NDB No. 03229

Babyfood, dessert, peach melba, strained

Refuse:0%

Nutrients and Units	Amount in 100 grams of edible portion				Amount in edible portion of common measures of food				
	Mean	Std. Error	Number of Data Points	Deriv Code	Source Code	Confidence Code	Measure 1	Measure 2	Measure 3
Proximates:									
Water.....g	82.90	0.300	13		1		23.50	93.68	
Energy.....kcal	60		0	NC	4		17	68	
Energy.....kJ	251		0		4		71	284	
Protein (N x 6.25).....g	0.20	0.000	13		1		0.06	0.23	
Total lipid (fat).....g	0.00		13		1		0.00	0.00	
Ash.....g	0.30	0.000	13		1		0.09	0.34	
Carbohydrate, by difference.....g	16.50		0	NC	4		4.68	18.65	
Fiber, total dietary.....g									
Sugars, total.....g									
Starch.....g									
Minerals:									
Calcium, Ca.....mg	10	1.000	13		1		3	11	
Iron, Fe.....mg	0.33	0.030	13		1		0.09	0.37	
Magnesium, Mg.....mg	2		0		4		1	2	
Phosphorus, P.....mg	5		0		4		1	6	
Potassium, K.....mg	83	4.000	13		1		24	94	
Sodium, Na.....mg	9	1.000	13		1		3	10	
Zinc, Zn.....mg	0.28		0		4		0.08	0.32	
Copper, Cu.....mg	0.178		0		4		0.050	0.201	
Manganese, Mn.....mg									
Selenium, Se.....µg									
Vitamins:									
Vitamin C, total ascorbic acid.....mg	31.4	1.600	13		1		8.9	35.5	
Thiamin.....mg	0.006	0.000	13		1		0.002	0.007	
Riboflavin.....mg	0.036	0.000	13		1		0.010	0.041	
Niacin.....mg	0.343	0.025	13		1		0.097	0.388	
Pantothenic acid.....mg									
Vitamin B-6.....mg	0.006		0		4		0.002	0.007	
Folate, total.....µg	2	0.500	3		1		1	2	
Folic acid.....µg									
Folate, food.....µg	2	0.500	3		1		1	2	
Folate, DFE.....µg									
Choline, total.....mg									
Betaine.....mg									
Vitamin B-12.....µg	0.00		0		4		0.00	0.00	
Vitamin A, RAE.....µg	56		0	NR	4		16	63	
Retinol.....µg									
Carotene, beta.....µg									
Carotene, alpha.....µg									
Cryptoxanthin, beta.....µg									
Vitamin A, IU.....IU	184	39.000	13		1		52	208	
Lycopene.....µg									
Lutein + zeaxanthin.....µg									
Vitamin E (alpha-tocopherol).....mg									
Tocopherol, beta.....mg									
Tocopherol, gamma.....mg									
Tocopherol, delta.....mg									
Tocotrienol, alpha.....mg									
Tocotrienol, beta.....mg									
Tocotrienol, gamma.....mg									
Tocotrienol, delta.....mg									
Vitamin D (D2 + D3).....µg									
Vitamin D.....IU									
Vitamin K (phylloquinone).....µg									
Dihydrophyloquinone.....µg									
Menaquinone-4.....µg									

Blanks in the Mean column indicate lack of reliable data. The Number of Data Points column is the number of analyses upon which the mean is based.

NDB No. 03229

Babyfood, dessert, peach melba, strained

Nutrients and Units	<u>Amount in 100 grams of edible portion</u>				<u>Amount in edible portion of common measures of food</u>		
	Mean	Std. Error	Number	Source	Measure 1	Measure 2	Measure 3
			of Data Points	Confidence Code			

Number of Data Points of zero indicates the mean was either calculated (as for Energy) or estimated, usually from a recipe, another form of the same food, or similar food.

Common Measures:

Measure 1 = 28.35g: 1 oz

Measure 2 = 113g: 1 jar

Calories Factors: Protein 3.4

Fat 8.4

Carbohydrate 3.6

Food Group: 03 Baby Foods

USDA National Nutrient Database for Standard Reference, Release 28 (2015)

NDB No. 43536
Babyfood, dessert, peach yogurt

Nutrients and Units	Amount in 100 grams of edible portion				Amount in edible portion of common measures of food				
	Mean	Std. Error	Number of Data Points		Source Code	Confidence Code	Measure 1	Measure 2	Measure 3
			Deriv Code	Points					
Lipids:									
Fatty acids, total saturated.....g	0.117		0	NC	4		0.018	0.132	0.132
4:0.....g	0.006		0		4		0.001	0.007	0.007
6:0.....g	0.004		0		4		0.001	0.005	0.005
8:0.....g	0.002		0		4		0.000	0.003	0.003
10:0.....g	0.005		0		4		0.001	0.006	0.006
12:0.....g	0.007		0		4		0.001	0.008	0.008
13:0.....g									
14:0.....g	0.020		0		4		0.003	0.023	0.023
15:0.....g									
16:0.....g	0.053		0		4		0.008	0.060	0.060
17:0.....g									
18:0.....g	0.019		0		4		0.003	0.022	0.022
20:0.....g									
22:0.....g									
24:0.....g									
Fatty acids, total monounsaturated.....g	0.048		0	NC	4		0.007	0.054	0.054
14:1.....g									
15:1.....g									
16:1 undifferentiated.....g	0.004		0		4		0.001	0.005	0.005
17:1.....g									
18:1 undifferentiated.....g	0.044		0		4		0.007	0.050	0.050
20:1.....g	0.000		0		4		0.000	0.000	0.000
22:1 undifferentiated.....g	0.000		0		4		0.000	0.000	0.000
24:1 c.....g									
Fatty acids, total polyunsaturated.....g	0.005		0	NC	4		0.001	0.006	0.006
18:2 undifferentiated.....g	0.004		0		4		0.001	0.004	0.004
18:3 undifferentiated.....g	0.002		0		4		0.000	0.002	0.002
18:4.....g	0.000		0		4		0.000	0.000	0.000
20:2 n-6 c,c.....g									
20:3 undifferentiated.....g									
20:4 undifferentiated.....g	0.000		0		4		0.000	0.000	0.000
20:5 n-3 (EPA).....g	0.000		0		4		0.000	0.000	0.000
21:5.....g									
22:4.....g									
22:5 n-3 (DPA).....g	0.000		0		4		0.000	0.000	0.000
22:6 n-3 (DHA).....g	0.000		0		4		0.000	0.000	0.000
Fatty acids, total trans.....g									
Cholesterol.....mg	4		0		4		1	5	5
Phytosterols.....mg									
Others:									
Alcohol, ethyl.....g	0.0		0		7		0.0	0.0	0.0
Caffeine.....mg	0		0	FLA	4		0	0	0
Theobromine.....mg	0		0	FLA	4		0	0	0

Blanks in the Mean column indicate lack of reliable data. The Number of Data Points column is the number of analyses upon which the mean is based. Number of Data Points of zero indicates the mean was either calculated (as for Energy) or estimated, usually from a recipe, another form of the same food, or similar food.

Common Measures:

Measure 1 = 15.0g: 1 tbsp

Measure 2 = 113g: 1 jar NFS

Measure 3 = 113g: 1 jar Gerber Second Food (4 oz)

Calories Factors: Protein

Fat

Carbohydrate

Food Group: 03 Baby Foods

USDA National Nutrient Database for Standard Reference, Release 28 (2015)

NDB No. 03238

Babyfood, dessert, tropical fruit, junior

Refuse:0%

Nutrients and Units	Amount in 100 grams of edible portion					Amount in edible portion of common measures of food			
	Mean	Std. Error	Number of Data Points	Deriv Code	Source Code	Confidence Code	Measure 1	Measure 2	Measure 3
Proximates:									
Water.....g	83.20	0.300	13		1		23.59	94.02	
Energy.....kcal	60		0	NC	4		17	68	
Energy.....kJ	251				4		71	284	
Protein (N x 6.25).....g	0.20	0.000	13		1		0.06	0.23	
Total lipid (fat).....g	0.00		13		1		0.00	0.00	
Ash.....g	0.20	0.000	13		1		0.06	0.23	
Carbohydrate, by difference.....g	16.40		0	NC	4		4.65	18.53	
Fiber, total dietary.....g									
Sugars, total.....g									
Starch.....g									
Minerals:									
Calcium, Ca.....mg	10	1.000	13		1		3	11	
Iron, Fe.....mg	0.26	0.040	13		1		0.07	0.29	
Magnesium, Mg.....mg	5		0		4		1	6	
Phosphorus, P.....mg	8		0		4		2	9	
Potassium, K.....mg	58	2.000	13		1		16	66	
Sodium, Na.....mg	7	1.000	13		1		2	8	
Zinc, Zn.....mg	0.05		0		4		0.01	0.05	
Copper, Cu.....mg	0.028		0		4		0.008	0.032	
Manganese, Mn.....mg									
Selenium, Se.....µg	0.4		0	FLM	4		0.1	0.5	
Vitamins:									
Vitamin C, total ascorbic acid.....mg	18.8	2.900	13		1		5.3	21.2	
Thiamin.....mg	0.011	0.000	13		1		0.003	0.012	
Riboflavin.....mg	0.031	0.003	13		1		0.009	0.035	
Niacin.....mg	0.080	0.000	13		1		0.023	0.090	
Pantothenic acid.....mg	0.094		0		4		0.027	0.106	
Vitamin B-6.....mg	0.031		0		4		0.009	0.035	
Folate, total.....µg	3		0		4		1	4	
Folic acid.....µg	0		0	Z	7		0	0	
Folate, food.....µg	3		0		4		1	4	
Folate, DFE.....µg	3		0	NC	4		1	4	
Choline, total.....mg									
Betaine.....mg									
Vitamin B-12.....µg	0.00		0		4		0.00	0.00	
Vitamin A, RAE.....µg	1		0	NC	4		0	1	
Retinol.....µg	0		0	Z	7		0	0	
Carotene, beta.....µg									
Carotene, alpha.....µg									
Cryptoxanthin, beta.....µg									
Vitamin A, IU.....IU	20	2.000	13		1		6	23	
Lycopene.....µg									
Lutein + zeaxanthin.....µg									
Vitamin E (alpha-tocopherol).....mg									
Tocopherol, beta.....mg									
Tocopherol, gamma.....mg									
Tocopherol, delta.....mg									
Tocotrienol, alpha.....mg									
Tocotrienol, beta.....mg									
Tocotrienol, gamma.....mg									
Tocotrienol, delta.....mg									
Vitamin D (D2 + D3).....µg									
Vitamin D.....IU									
Vitamin K (phylloquinone).....µg									
Dihydrophylloquinone.....µg									
Menaquinone-4.....µg									

Blanks in the Mean column indicate lack of reliable data. The Number of Data Points column is the number of analyses upon which the mean is based.

NDB No. 03238

Babyfood, dessert, tropical fruit, junior

Nutrients and Units	<u>Amount in 100 grams of edible portion</u>				<u>Amount in edible portion of common measures of food</u>		
	Mean	Std. Error	Number	Source	Measure 1	Measure 2	Measure 3
			of Data Points	Confidence Code			

Number of Data Points of zero indicates the mean was either calculated (as for Energy) or estimated, usually from a recipe, another form of the same food, or similar food.

Common Measures:

Measure 1 = 28.35g: 1 oz

Measure 2 = 113g: 1 jar

Calories Factors: Protein 3.4

Fat 8.4

Carbohydrate 3.6

Food Group: 03 Baby Foods

USDA National Nutrient Database for Standard Reference, Release 28 (2015)

NDB No. 03297

Babyfood, dinner, apples and chicken, strained

Nutrients and Units	Amount in 100 grams of edible portion				Amount in edible portion of common measures of food				
	Mean	Std. Error	Number of Data Points	Deriv Code	Source Code	Confidence Code	Measure 1	Measure 2	Measure 3
Tocotrienol, delta.....mg									
Vitamin D (D2 + D3).....µg	0.0		0	AS	1		0.0	0.0	0.0
Vitamin D.....IU	1		0	O	4		0	1	1
Vitamin K (phylloquinone).....µg	0.6		0	FLA	4		0.2	0.7	0.7
Dihydrophyloquinone.....µg									
Menaquinone-4.....µg									
Lipids:									
Fatty acids, total saturated.....g	0.347		0	FLM	4		0.098	0.392	0.392
4:0.....g	0.000		0	FLM	4		0.000	0.000	0.000
6:0.....g	0.000		0	FLM	4		0.000	0.000	0.000
8:0.....g	0.000		0	FLM	4		0.000	0.000	0.000
10:0.....g	0.000		0	FLM	4		0.000	0.000	0.000
12:0.....g	0.001		0	FLM	4		0.000	0.001	0.001
13:0.....g									
14:0.....g	0.012		0	FLM	4		0.003	0.014	0.014
15:0.....g									
16:0.....g	0.226		0	FLM	4		0.064	0.255	0.255
17:0.....g									
18:0.....g	0.078		0	FLM	4		0.022	0.088	0.088
20:0.....g									
22:0.....g									
24:0.....g									
Fatty acids, total monounsaturated.....g	0.411		0	FLM	4		0.117	0.464	0.464
14:1.....g									
15:1.....g									
16:1 undifferentiated.....g	0.047		0	FLM	4		0.013	0.053	0.053
17:1.....g									
18:1 undifferentiated.....g	0.350		0	FLM	4		0.099	0.396	0.396
20:1.....g	0.003		0	FLM	4		0.001	0.003	0.003
22:1 undifferentiated.....g	0.000		0	FLM	4		0.000	0.000	0.000
24:1 c.....g									
Fatty acids, total polyunsaturated.....g	0.350		0	FLM	4		0.099	0.396	0.396
18:2 undifferentiated.....g	0.304		0	FLM	4		0.086	0.344	0.344
18:3 undifferentiated.....g	0.027		0	FLM	4		0.008	0.031	0.031
18:4.....g	0.000		0	FLM	4		0.000	0.000	0.000
20:2 n-6 c,c.....g									
20:3 undifferentiated.....g									
20:4 undifferentiated.....g	0.010		0	FLM	4		0.003	0.011	0.011
20:5 n-3 (EPA).....g	0.000		0	FLM	4		0.000	0.000	0.000
21:5.....g									
22:4.....g									
22:5 n-3 (DPA).....g	0.002		0	FLM	4		0.001	0.002	0.002
22:6 n-3 (DHA).....g	0.002		0	FLM	4		0.001	0.002	0.002
Fatty acids, total trans.....g									
Cholesterol.....mg	5		0	FLM	4		1	6	6
Phytosterols.....mg									
Others:									
Alcohol, ethyl.....g	0.0		0	Z	7		0.0	0.0	0.0
Caffeine.....mg	0		0	FLA	4		0	0	0
Theobromine.....mg	0		0	FLA	4		0	0	0

Blanks in the Mean column indicate lack of reliable data. The Number of Data Points column is the number of analyses upon which the mean is based. Number of Data Points of zero indicates the mean was either calculated (as for Energy) or estimated, usually from a recipe, another form of the same food, or similar food.

Common Measures:

Measure 1 = 28.35g: 1 oz

Measure 2 = 113g: 1 jar

Measure 3 = 113g: 1 jar Gerber Second Food (4 oz)

NDB No. 03297

Babyfood, dinner, apples and chicken, strained

Calories Factors: Protein

Fat

Carbohydrate

Food Group: 03 Baby Foods

USDA National Nutrient Database for Standard Reference, Release 28 (2015)

NDB No. 03049

Babyfood, dinner, beef and rice, toddler

Nutrients and Units	Amount in 100 grams of edible portion				Amount in edible portion of common measures of food				
	Mean	Std. Error	Number of Data Points	Deriv Code	Source Code	Confidence Code	Measure 1	Measure 2	Measure 3
Amino Acids:									
Tryptophan.....g	0.046		0		1		0.013	0.078	
Threonine.....g	0.200		0		1		0.057	0.340	
Isoleucine.....g	0.245		0		1		0.069	0.417	
Leucine.....g	0.392		0		1		0.111	0.666	
Lysine.....g	0.376		0		1		0.107	0.639	
Methionine.....g	0.123		0		1		0.035	0.209	
Cystine.....g	0.054		0		1		0.015	0.092	
Phenylalanine.....g	0.197		0		1		0.056	0.335	
Tyrosine.....g	0.161		0		1		0.046	0.274	
Valine.....g	0.275		0		1		0.078	0.468	
Arginine.....g	0.338		0		1		0.096	0.575	
Histidine.....g	0.128		0		1		0.036	0.218	
Alanine.....g	0.339		0		1		0.096	0.576	
Aspartic acid.....g	0.464		0		1		0.132	0.789	
Glutamic acid.....g	0.870		0		1		0.247	1.479	
Glycine.....g	0.364		0		1		0.103	0.619	
Proline.....g	0.306		0		1		0.087	0.520	
Serine.....g	0.179		0		1		0.051	0.304	
Hydroxyproline.....g									

Blanks in the Mean column indicate lack of reliable data. The Number of Data Points column is the number of analyses upon which the mean is based. Number of Data Points of zero indicates the mean was either calculated (as for Energy) or estimated, usually from a recipe, another form of the same food, or similar food.

Common Measures:

Measure 1 = 28.35g: 1 oz

Measure 2 = 170g: 1 jar

Calories Factors: Protein 4.1

Fat 8.9

Carbohydrate 4.1

Food Group: 03 Baby Foods

USDA National Nutrient Database for Standard Reference, Release 28 (2015)

NDB No. 03043

Babyfood, dinner, beef lasagna, toddler

Nutrients and Units	<u>Amount in 100 grams of edible portion</u>				<u>Amount in edible portion of common measures of food</u>				
	Mean	Std. Error	Number of Data Points	Deriv Code	Source Code	Confidence Code	Measure 1	Measure 2	Measure 3
Amino Acids:									
Tryptophan.....g	0.047		0		1		0.013	0.080	
Threonine.....g	0.163		0		1		0.046	0.277	
Isoleucine.....g	0.206		0		1		0.058	0.350	
Leucine.....g	0.324		0		1		0.092	0.551	
Lysine.....g	0.297		0		1		0.084	0.505	
Methionine.....g	0.082		0		1		0.023	0.139	
Cystine.....g	0.048		0		1		0.014	0.082	
Phenylalanine.....g	0.182		0		1		0.052	0.309	
Tyrosine.....g	0.132		0		1		0.037	0.224	
Valine.....g	0.231		0		1		0.065	0.393	
Arginine.....g	0.253		0		1		0.072	0.430	
Histidine.....g	0.102		0		1		0.029	0.173	
Alanine.....g	0.265		0		1		0.075	0.451	
Aspartic acid.....g	0.353		0		1		0.100	0.600	
Glutamic acid.....g	0.889		0		1		0.252	1.511	
Glycine.....g	0.279		0		1		0.079	0.474	
Proline.....g	0.326		0		1		0.092	0.554	
Serine.....g	0.120		0		1		0.034	0.204	
Hydroxyproline.....g									

Blanks in the Mean column indicate lack of reliable data. The Number of Data Points column is the number of analyses upon which the mean is based. Number of Data Points of zero indicates the mean was either calculated (as for Energy) or estimated, usually from a recipe, another form of the same food, or similar food.

Common Measures:

Measure 1 = 28.35g: 1 oz

Measure 2 = 170g: 1 jar

Calories Factors: Protein 4.1

Fat 8.9

Carbohydrate 4.1

Food Group: 03 Baby Foods

USDA National Nutrient Database for Standard Reference, Release 28 (2015)

Nutrients and Units	Amount in 100 grams of edible portion				Amount in edible portion of common				
	Mean	Std. Error	Number of Data Points	Deriv Code	Source Code	measures of food			
						Confidence Code	Measure 1	Measure 2	Measure 3
Lipids:									
Fatty acids, total saturated.....g	0.766		0		4		0.123	0.217	1.302
4:0.....g	0.000		0		4		0.000	0.000	0.000
6:0.....g	0.000		0		4		0.000	0.000	0.000
8:0.....g	0.000		0		4		0.000	0.000	0.000
10:0.....g	0.006		0		4		0.001	0.002	0.010
12:0.....g	0.005		0		4		0.001	0.001	0.009
13:0.....g									
14:0.....g	0.058		0		4		0.009	0.016	0.099
15:0.....g									
16:0.....g	0.455		0		4		0.073	0.129	0.774
17:0.....g									
18:0.....g	0.211		0		4		0.034	0.060	0.359
20:0.....g									
22:0.....g									
24:0.....g									
Fatty acids, total monounsaturated.....g	0.838		0		4		0.134	0.238	1.425
14:1.....g									
15:1.....g									
16:1 undifferentiated.....g	0.079		0		4		0.013	0.022	0.134
17:1.....g									
18:1 undifferentiated.....g	0.720		0		4		0.115	0.204	1.224
20:1.....g	0.004		0		4		0.001	0.001	0.007
22:1 undifferentiated.....g	0.000		0		4		0.000	0.000	0.000
24:1 c.....g									
Fatty acids, total polyunsaturated.....g	0.094		0		4		0.015	0.027	0.160
18:2 undifferentiated.....g	0.066		0		4		0.011	0.019	0.112
18:3 undifferentiated.....g	0.023		0		4		0.004	0.007	0.039
18:4.....g	0.000		0		4		0.000	0.000	0.000
20:2 n-6 c,c.....g									
20:3 undifferentiated.....g									
20:4 undifferentiated.....g	0.003		0		4		0.000	0.001	0.005
20:5 n-3 (EPA).....g	0.000		0		4		0.000	0.000	0.000
21:5.....g									
22:4.....g									
22:5 n-3 (DPA).....g	0.000		0		4		0.000	0.000	0.000
22:6 n-3 (DHA).....g	0.000		0		4		0.000	0.000	0.000
Fatty acids, total trans.....g									
Cholesterol.....mg	8		0		4		1	2	14
Phytosterols.....mg									
Amino Acids:									
Tryptophan.....g	0.027		0		1		0.004	0.008	0.046
Threonine.....g	0.099		0		1		0.016	0.028	0.168
Isoleucine.....g	0.138		0		1		0.022	0.039	0.235
Leucine.....g	0.208		0		1		0.033	0.059	0.354
Lysine.....g	0.185		0		1		0.030	0.052	0.315
Methionine.....g	0.053		0		1		0.008	0.015	0.090
Cystine.....g	0.029		0		1		0.005	0.008	0.049
Phenylalanine.....g	0.117		0		1		0.019	0.033	0.199
Tyrosine.....g	0.093		0		1		0.015	0.026	0.158
Valine.....g	0.132		0		1		0.021	0.037	0.224
Arginine.....g	0.157		0		1		0.025	0.045	0.267
Histidine.....g	0.074		0		1		0.012	0.021	0.126
Alanine.....g	0.149		0		1		0.024	0.042	0.253
Aspartic acid.....g	0.220		0		1		0.035	0.062	0.374
Glutamic acid.....g	0.517		0		1		0.083	0.147	0.879
Glycine.....g	0.153		0		1		0.024	0.043	0.260
Proline.....g	0.186		0		1		0.030	0.053	0.316
Serine.....g	0.098		0		1		0.016	0.028	0.167
Hydroxyproline.....g									
Others:									
Alcohol, ethyl.....g	0.0		0		7		0.0	0.0	0.0
Caffeine.....mg	0		0	FLA	4		0	0	0

NDB No. 03287

Babyfood, dinner, beef noodle, junior

Nutrients and Units	<u>Amount in 100 grams of edible portion</u>				<u>Amount in edible portion of common measures of food</u>				
	Mean	Std. Error	Number		Source Code	Confidence Code	Measure 1	Measure 2	Measure 3
			of Data Points	Deriv Code					
Theobromine.....mg	0		0	FLA	4		0	0	0

Blanks in the Mean column indicate lack of reliable data. The Number of Data Points column is the number of analyses upon which the mean is based. Number of Data Points of zero indicates the mean was either calculated (as for Energy) or estimated, usually from a recipe, another form of the same food, or similar food.

Common Measures:

- Measure 1 = 16g: 1 tbsp
- Measure 2 = 28.35g: 1 oz
- Measure 3 = 170g: 1 jar

Calories Factors: Protein 4.1 Fat 8.9 Carbohydrate 4.1

Food Group: 03 Baby Foods

USDA National Nutrient Database for Standard Reference, Release 28 (2015)

NDB No. 03047

Babyfood, dinner, beef noodle, strained

Nutrients and Units	Amount in 100 grams of edible portion				Amount in edible portion of common measures of food				
	Mean	Std. Error	Number of Data Points		Source Code	Confidence Code	Measure 1	Measure 2	Measure 3
			Deriv Code	Points					
Tocotrienol, delta.....mg									
Vitamin D (D2 + D3).....µg	0.0		0	AS	1		0.0	0.0	0.0
Vitamin D.....IU	0		0	FLA	4		0	0	0
Vitamin K (phylloquinone).....µg	1.6		0	FLA	4		0.3	0.5	1.8
Dihydrophylloquinone.....µg									
Menaquinone-4.....µg									
Lipids:									
Fatty acids, total saturated.....g	0.937		0	FLM	4		0.150	0.266	1.059
4:0.....g	0.000		0	FLM	4		0.000	0.000	0.000
6:0.....g	0.000		0	FLM	4		0.000	0.000	0.000
8:0.....g	0.000		0	FLM	4		0.000	0.000	0.000
10:0.....g	0.001		0	FLM	4		0.000	0.000	0.001
12:0.....g	0.008		0	FLM	4		0.001	0.002	0.009
13:0.....g									
14:0.....g	0.066		0	FLM	4		0.011	0.019	0.075
15:0.....g									
16:0.....g	0.522		0	FLM	4		0.084	0.148	0.590
17:0.....g									
18:0.....g	0.303		0	FLM	4		0.048	0.086	0.342
20:0.....g									
22:0.....g									
24:0.....g									
Fatty acids, total monounsaturated.....g	0.941		0	FLM	4		0.151	0.267	1.063
14:1.....g									
15:1.....g									
16:1 undifferentiated.....g	0.083		0	FLM	4		0.013	0.024	0.094
17:1.....g									
18:1 undifferentiated.....g	0.822		0	FLM	4		0.132	0.233	0.929
20:1.....g	0.004		0	FLM	4		0.001	0.001	0.005
22:1 undifferentiated.....g	0.000		0	FLM	4		0.000	0.000	0.000
24:1 c.....g									
Fatty acids, total polyunsaturated.....g	0.141		0	FLM	4		0.023	0.040	0.159
18:2 undifferentiated.....g	0.112		0	FLM	4		0.018	0.032	0.127
18:3 undifferentiated.....g	0.017		0	FLM	4		0.003	0.005	0.019
18:4.....g	0.000		0	FLM	4		0.000	0.000	0.000
20:2 n-6 c,c.....g									
20:3 undifferentiated.....g									
20:4 undifferentiated.....g	0.005		0	FLM	4		0.001	0.001	0.006
20:5 n-3 (EPA).....g	0.000		0	FLM	4		0.000	0.000	0.000
21:5.....g									
22:4.....g									
22:5 n-3 (DPA).....g	0.000		0	FLM	4		0.000	0.000	0.000
22:6 n-3 (DHA).....g	0.000		0	FLM	4		0.000	0.000	0.000
Fatty acids, total trans.....g									
Cholesterol.....mg	8		0	MA	12		1	2	9
Phytosterols.....mg									
Others:									
Alcohol, ethyl.....g	0.0		0	Z	7		0.0	0.0	0.0
Caffeine.....mg	0		0	FLA	4		0	0	0
Theobromine.....mg	0		0	FLA	4		0	0	0

Blanks in the Mean column indicate lack of reliable data. The Number of Data Points column is the number of analyses upon which the mean is based. Number of Data Points of zero indicates the mean was either calculated (as for Energy) or estimated, usually from a recipe, another form of the same food, or similar food.

Common Measures:

Measure 1 = 16g: 1 tbsp

Measure 2 = 28.35g: 1 oz

Measure 3 = 113g: 1 jar

NDB No. 03047

Babyfood, dinner, beef noodle, strained

Calories Factors: Protein

Fat

Carbohydrate

Food Group: 03 Baby Foods

USDA National Nutrient Database for Standard Reference, Release 28 (2015)

NDB No. 03052

Babyfood, dinner, beef stew, toddler

Nutrients and Units	Amount in 100 grams of edible portion				Amount in edible portion of common				
	Mean	Std. Error	Number of Data Points	Deriv Code	Source Code	measures of food			
						Confidence Code	Measure 1	Measure 2	Measure 3
Lipids:									
Fatty acids, total saturated.....g	0.580	0.050	4		1		0.164	0.986	0.986
4:0.....g	0.000		0		1		0.000	0.000	0.000
6:0.....g	0.000		0		1		0.000	0.000	0.000
8:0.....g	0.000		0		1		0.000	0.000	0.000
10:0.....g	0.000		3		1		0.000	0.000	0.000
12:0.....g	0.000		4		1		0.000	0.000	0.000
13:0.....g									
14:0.....g	0.030	0.000	4		1		0.009	0.051	0.051
15:0.....g									
16:0.....g	0.280	0.020	4		1		0.079	0.476	0.476
17:0.....g									
18:0.....g	0.220	0.020	4		1		0.062	0.374	0.374
20:0.....g									
22:0.....g									
24:0.....g									
Fatty acids, total monounsaturated.....g	0.440	0.050	4		1		0.125	0.748	0.748
14:1.....g									
15:1.....g									
16:1 undifferentiated.....g	0.030	0.000	4		1		0.009	0.051	0.051
17:1.....g									
18:1 undifferentiated.....g	0.400	0.020	4		1		0.113	0.680	0.680
20:1.....g	0.000		4		1		0.000	0.000	0.000
22:1 undifferentiated.....g	0.000		0		1		0.000	0.000	0.000
24:1 c.....g									
Fatty acids, total polyunsaturated.....g	0.100		4		1		0.028	0.170	0.170
18:2 undifferentiated.....g	0.090	0.000	4		1		0.026	0.153	0.153
18:3 undifferentiated.....g	0.010	0.000	4		1		0.003	0.017	0.017
18:4.....g	0.000		0		1		0.000	0.000	0.000
20:2 n-6 c,c.....g									
20:3 undifferentiated.....g									
20:4 undifferentiated.....g	0.010		4		1		0.003	0.017	0.017
20:5 n-3 (EPA).....g	0.000		0		1		0.000	0.000	0.000
21:5.....g									
22:4.....g									
22:5 n-3 (DPA).....g	0.000		0		1		0.000	0.000	0.000
22:6 n-3 (DHA).....g	0.000		0		1		0.000	0.000	0.000
Fatty acids, total trans.....g									
Cholesterol.....mg	13	0.840	3		1		4	21	21
Phytosterols.....mg									
Amino Acids:									
Tryptophan.....g	0.053		0		1		0.015	0.090	0.090
Threonine.....g	0.210		0		1		0.060	0.357	0.357
Isoleucine.....g	0.246		0		1		0.070	0.418	0.418
Leucine.....g	0.388		0		1		0.110	0.660	0.660
Lysine.....g	0.394		0		1		0.112	0.670	0.670
Methionine.....g	0.142		0		1		0.040	0.241	0.241
Cystine.....g	0.053		0		1		0.015	0.090	0.090
Phenylalanine.....g	0.201		0		1		0.057	0.342	0.342
Tyrosine.....g	0.159		0		1		0.045	0.270	0.270
Valine.....g	0.272		0		1		0.077	0.462	0.462
Arginine.....g	0.353		0		1		0.100	0.600	0.600
Histidine.....g	0.128		0		1		0.036	0.218	0.218
Alanine.....g	0.332		0		1		0.094	0.564	0.564
Aspartic acid.....g	0.485		0		1		0.137	0.825	0.825
Glutamic acid.....g	0.823		0		1		0.233	1.399	1.399
Glycine.....g	0.351		0		1		0.100	0.597	0.597
Proline.....g	0.321		0		1		0.091	0.546	0.546
Serine.....g	0.192		0		1		0.054	0.326	0.326
Hydroxyproline.....g									
Others:									
Alcohol, ethyl.....g	0.0		0		7		0.0	0.0	0.0
Caffeine.....mg	0		0	FLA	4		0	0	0

NDB No. 03052

Babyfood, dinner, beef stew, toddler

Nutrients and Units	<u>Amount in 100 grams of edible portion</u>				<u>Amount in edible portion of common measures of food</u>				
	Mean	Std. Error	Number		Source Code	Confidence Code	Measure 1	Measure 2	Measure 3
			of Data Points	Deriv Code					
Theobromine.....mg	0		0	FLA	4		0	0	0

Blanks in the Mean column indicate lack of reliable data. The Number of Data Points column is the number of analyses upon which the mean is based. Number of Data Points of zero indicates the mean was either calculated (as for Energy) or estimated, usually from a recipe, another form of the same food, or similar food.

Common Measures:

Measure 1 = 28.35g: 1 oz

Measure 2 = 170g: 1 jar

Measure 3 = 170g: 1 jar Beech-Nut Table Time (6 oz)

Calories Factors: Protein 3.7

Fat 8.9

Carbohydrate 3.9

Food Group: 03 Baby Foods

USDA National Nutrient Database for Standard Reference, Release 28 (2015)

NDB No. 03055

Babyfood, dinner, beef with vegetables

Nutrients and Units	Amount in 100 grams of edible portion				Amount in edible portion of common measures of food				
	Mean	Std. Error	Number of Data Points		Source Code	Confidence Code	Measure 1	Measure 2	Measure 3
			Deriv Code	Points					
Tocotrienol, delta.....mg									
Vitamin D (D2 + D3).....µg	0.0		0	FLA	4		0.0		
Vitamin D.....IU	1		0	FLA	4		1		
Vitamin K (phylloquinone).....µg	11.6		0	FLA	4		13.1		
Dihydrophyloquinone.....µg									
Menaquinone-4.....µg									
Lipids:									
Fatty acids, total saturated.....g	2.840		1	MA	12		3.209		
4:0.....g	0.000		0	FLM	4		0.000		
6:0.....g	0.000		0	FLM	4		0.000		
8:0.....g	0.000		0	FLM	4		0.000		
10:0.....g	0.000		0	FLM	4		0.000		
12:0.....g	0.051		0	FLM	4		0.058		
13:0.....g									
14:0.....g	0.214		0	FLM	4		0.242		
15:0.....g									
16:0.....g	1.463		0	FLM	4		1.653		
17:0.....g									
18:0.....g	1.112		0	FLM	4		1.257		
20:0.....g									
22:0.....g									
24:0.....g									
Fatty acids, total monounsaturated.....g	3.120		0	MA	12		3.526		
14:1.....g									
15:1.....g									
16:1 undifferentiated.....g	0.321		0	FLM	4		0.363		
17:1.....g									
18:1 undifferentiated.....g	2.778		0	FLM	4		3.139		
20:1.....g	0.022		0	FLM	4		0.025		
22:1 undifferentiated.....g	0.000		0	FLM	4		0.000		
24:1 c.....g									
Fatty acids, total polyunsaturated.....g	0.900		0	MA	12		1.017		
18:2 undifferentiated.....g	0.747		0	FLM	4		0.844		
18:3 undifferentiated.....g	0.149		0	FLM	4		0.168		
18:4.....g	0.000		0	FLM	4		0.000		
20:2 n-6 c,c.....g									
20:3 undifferentiated.....g									
20:4 undifferentiated.....g	0.004		0	FLM	4		0.005		
20:5 n-3 (EPA).....g	0.000		0	FLM	4		0.000		
21:5.....g									
22:4.....g									
22:5 n-3 (DPA).....g	0.000		0	FLM	4		0.000		
22:6 n-3 (DHA).....g	0.000		0	FLM	4		0.000		
Fatty acids, total trans.....g									
Cholesterol.....mg	12		1	MA	12		14		
Phytosterols.....mg									
Others:									
Alcohol, ethyl.....g	0.0		0	Z	7		0.0		
Caffeine.....mg	0		0	FLA	4		0		
Theobromine.....mg	0		0	FLA	4		0		

Blanks in the Mean column indicate lack of reliable data. The Number of Data Points column is the number of analyses upon which the mean is based. Number of Data Points of zero indicates the mean was either calculated (as for Energy) or estimated, usually from a recipe, another form of the same food, or similar food.

Common Measures:

Measure 1 = 113g: 1 jar Beech-Nut Stage 2 (4 oz)

Calories Factors: Protein

Fat

Carbohydrate

NDB No. 03055

Babyfood, dinner, beef with vegetables

Food Group: 03 Baby Foods

USDA National Nutrient Database for Standard Reference, Release 28 (2015)

NDB No. 03298

Babyfood, dinner, broccoli and chicken, junior

Refuse:0%

Nutrients and Units	Amount in 100 grams of edible portion					Amount in edible portion of common measures of food			
	Mean	Std. Error	Number of Data Points	Deriv Code	Source Code	Confidence Code	Measure 1	Measure 2	Measure 3
Proximates:									
Water.....g	86.92	2.050	4	A	1		25.21	140.81	
Energy.....kcal	62		0	NC	4		18	100	
Energy.....kJ	259		0	NC	4		75	420	
Protein.....g	3.59	0.448	4	A	1		1.04	5.82	
Total lipid (fat).....g	2.48	0.623	4	A	1		0.72	4.01	
Ash.....g	0.67	0.198	4	A	1		0.19	1.09	
Carbohydrate, by difference.....g	6.34		0	NC	4		1.84	10.27	
Fiber, total dietary.....g	1.4		1	A	1		0.4	2.3	
Sugars, total.....g	1.43		2	A	1		0.41	2.32	
Sucrose.....g	0.07		2	A	1		0.02	0.11	
Glucose (dextrose).....g	0.68		2	A	1		0.20	1.10	
Fructose.....g	0.61		2	A	1		0.18	0.99	
Lactose.....g	0.00		2	A	1		0.00	0.00	
Maltose.....g	0.07		2	A	1		0.02	0.12	
Galactose.....g	0.00		2	A	1		0.00	0.00	
Starch.....g									
Minerals:									
Calcium, Ca.....mg	37		1	A	1		11	60	
Iron, Fe.....mg	0.52		1	A	1		0.15	0.84	
Magnesium, Mg.....mg	12		1	A	1		3	19	
Phosphorus, P.....mg	58		1	A	1		17	94	
Potassium, K.....mg	170		1	A	1		49	275	
Sodium, Na.....mg	17		1	A	1		5	28	
Zinc, Zn.....mg	0.39		1	A	1		0.11	0.63	
Copper, Cu.....mg	0.030		1	A	1		0.009	0.048	
Manganese, Mn.....mg	0.120		1	A	1		0.035	0.194	
Selenium, Se.....µg	2.2		1	A	1		0.6	3.6	
Vitamins:									
Vitamin C, total ascorbic acid.....mg	17.7		0	MA	12		5.1	28.7	
Thiamin.....mg	0.019		2	A	1		0.006	0.031	
Riboflavin.....mg	0.098		2	A	1		0.029	0.159	
Niacin.....mg	0.964		2	A	1		0.280	1.562	
Pantothenic acid.....mg	0.273		2	A	1		0.079	0.442	
Vitamin B-6.....mg	0.052		2	A	1		0.015	0.084	
Folate, total.....µg	69		2	A	1		20	112	
Folic acid.....µg	10		2	A	1		3	16	
Folate, food.....µg	59		0	AS	1		17	96	
Folate, DFE.....µg	76		0	NC	4		22	123	
Choline, total.....mg	31.1	1.191	14	AS	1		9.0	50.3	
Betaine.....mg	2.3	0.208	14	A	1		0.7	3.7	
Vitamin B-12.....µg	0.33		2	A	1		0.09	0.53	
Vitamin B-12, added.....µg	0.00		0	Z	7		0.00	0.00	
Vitamin A, RAE.....µg	24		0	NC	4		7	39	
Retinol.....µg	1		0	O	4		0	1	
Carotene, beta.....µg	278		0	O	4		81	451	
Carotene, alpha.....µg	9		0	O	4		3	15	
Cryptoxanthin, beta.....µg	0		0	O	4		0	1	
Vitamin A, IU.....IU	474		0	NC	4		137	768	
Lycopene.....µg	0		1	A	1		0	0	
Lutein + zeaxanthin.....µg	511		0	O	4		148	827	
Vitamin E (alpha-tocopherol).....mg	0.60		2	A	1		0.17	0.97	
Vitamin E, added.....mg	0.00		0	Z	7		0.00	0.00	
Tocopherol, beta.....mg	0.00		2	A	1		0.00	0.00	
Tocopherol, gamma.....mg	0.04		2	A	1		0.01	0.06	
Tocopherol, delta.....mg	0.00		2	A	1		0.00	0.00	
Tocotrienol, alpha.....mg	0.02		2	A	1		0.01	0.03	
Tocotrienol, beta.....mg	0.00		2	A	1		0.00	0.00	

NDB No. 03298

Babyfood, dinner, broccoli and chicken, junior

Nutrients and Units	Amount in 100 grams of edible portion				Amount in edible portion of common				
	Mean	Std. Error	Number			measures of food			
			of Data Points	Deriv Code	Source Code	Confidence Code	Measure 1	Measure 2	Measure 3
Tocotrienol, gamma.....mg	0.00		2	A	1		0.00	0.00	
Tocotrienol, delta.....mg	0.00		2	A	1		0.00	0.00	
Vitamin D (D2 + D3).....µg	0.0		0	FLC	4		0.0	0.0	
Vitamin D2 (ergocalciferol).....µg									
Vitamin D3 (cholecalciferol).....µg									
Vitamin D.....IU	1		0	FLC	4		0	1	
Vitamin K (phylloquinone).....µg	73.5		1	A	1		21.3	119.1	
Dihydrophyloquinone.....µg	0.0		1	A	1		0.0	0.0	
Menaquinone-4.....µg	4.1		1	A	1		1.2	6.6	
Lipids:									
Fatty acids, total saturated.....g	0.510		0	NC	4		0.148	0.826	
4:0.....g	0.000		0	O	4		0.000	0.000	
6:0.....g	0.000		0	Z	7		0.000	0.000	
8:0.....g	0.000		1	A	1		0.000	0.000	
10:0.....g	0.000		1	A	1		0.000	0.000	
12:0.....g	0.000		1	A	1		0.000	0.000	
13:0.....g									
14:0.....g	0.010		1	A	1		0.003	0.016	
15:0.....g	0.000		1	A	1		0.000	0.000	
16:0.....g	0.410		1	A	1		0.119	0.664	
17:0.....g	0.000		1	A	1		0.000	0.000	
18:0.....g	0.090		1	A	1		0.026	0.146	
20:0.....g	0.000		1	A	1		0.000	0.000	
22:0.....g	0.000		1	A	1		0.000	0.000	
24:0.....g	0.000		1	A	1		0.000	0.000	
Fatty acids, total monounsaturated.....g	0.770		0	NC	4		0.223	1.247	
14:1.....g	0.000		1	A	1		0.000	0.000	
15:1.....g	0.000		1	A	1		0.000	0.000	
16:1 undifferentiated.....g	0.120		1	A	1		0.035	0.194	
17:1.....g	0.000		1	A	1		0.000	0.000	
18:1 undifferentiated.....g	0.650		1	A	1		0.188	1.053	
20:1.....g	0.000		1	A	1		0.000	0.000	
22:1 undifferentiated.....g	0.000		1	A	1		0.000	0.000	
24:1 c.....g	0.000		1	A	1		0.000	0.000	
Fatty acids, total polyunsaturated.....g	0.430		0	NC	4		0.125	0.696	
18:2 undifferentiated.....g	0.320		1	A	1		0.093	0.518	
18:3 undifferentiated.....g	0.100		1	A	1		0.029	0.162	
18:4.....g	0.000		1	A	1		0.000	0.000	
20:2 n-6 c,c.....g	0.000		1	A	1		0.000	0.000	
20:3 undifferentiated.....g	0.000		1	A	1		0.000	0.000	
20:4 undifferentiated.....g	0.000		1	A	1		0.000	0.000	
20:5 n-3 (EPA).....g	0.000		1	A	1		0.000	0.000	
21:5.....g	0.000		1	A	1		0.000	0.000	
22:4.....g	0.000		1	A	1		0.000	0.000	
22:5 n-3 (DPA).....g	0.000		1	A	1		0.000	0.000	
22:6 n-3 (DHA).....g	0.000		1	A	1		0.000	0.000	
Fatty acids, total trans.....g									
Cholesterol.....mg	13		1	A	1		4	21	
Phytosterols.....mg									
Others:									
Alcohol, ethyl.....g	0.0		0	Z	7		0.0	0.0	
Caffeine.....mg	0		0	Z	7		0	0	
Theobromine.....mg	0		0	O	4		0	0	

Blanks in the Mean column indicate lack of reliable data. The Number of Data Points column is the number of analyses upon which the mean is based. Number of Data Points of zero indicates the mean was either calculated (as for Energy) or estimated, usually from a recipe, another form of the same food, or similar food.

Common Measures:

Measure 1 = 29g: 1 tbsp

Measure 2 = 162g: 1 container

NDB No. 03298

Babyfood, dinner, broccoli and chicken, junior

Calories Factors: Protein

Fat

Carbohydrate

Food Group: 03 Baby Foods

USDA National Nutrient Database for Standard Reference, Release 28 (2015)

NDB No. 43373

Babyfood, dinner, chicken and noodle with vegetables, toddler

Nutrients and Units	Amount in 100 grams of edible portion				Amount in edible portion of common measures of food				
	Mean	Std. Error	Number of Data Points	Deriv Code	Source Code	Confidence Code	Measure 1	Measure 2	Measure 3
Lipids:									
Fatty acids, total saturated.....g	0.461		0		4		0.074	0.784	
4:0.....g	0.000		0		4		0.000	0.000	
6:0.....g	0.000		0		4		0.000	0.000	
8:0.....g	0.000		0		4		0.000	0.000	
10:0.....g	0.000		0		4		0.000	0.000	
12:0.....g	0.002		0		4		0.000	0.003	
13:0.....g									
14:0.....g	0.012		0		4		0.002	0.020	
15:0.....g									
16:0.....g	0.343		0		4		0.055	0.583	
17:0.....g									
18:0.....g	0.091		0		4		0.015	0.155	
20:0.....g									
22:0.....g									
24:0.....g									
Fatty acids, total monounsaturated.....g	0.632		0		4		0.101	1.074	
14:1.....g									
15:1.....g									
16:1 undifferentiated.....g	0.081		0		4		0.013	0.138	
17:1.....g									
18:1 undifferentiated.....g	0.529		0		4		0.085	0.899	
20:1.....g	0.014		0		4		0.002	0.024	
22:1 undifferentiated.....g	0.000		0		4		0.000	0.000	
24:1 c.....g									
Fatty acids, total polyunsaturated.....g	0.392		0		4		0.063	0.666	
18:2 undifferentiated.....g	0.340		0		4		0.054	0.578	
18:3 undifferentiated.....g	0.020		0		4		0.003	0.034	
18:4.....g	0.000		0		4		0.000	0.000	
20:2 n-6 c,c.....g									
20:3 undifferentiated.....g									
20:4 undifferentiated.....g	0.013		0		4		0.002	0.022	
20:5 n-3 (EPA).....g	0.001		0		4		0.000	0.002	
21:5.....g									
22:4.....g									
22:5 n-3 (DPA).....g	0.002		0		4		0.000	0.003	
22:6 n-3 (DHA).....g	0.004		0		4		0.001	0.007	
Fatty acids, total trans.....g									
Cholesterol.....mg	28		0		4		4	48	
Phytosterols.....mg									
Others:									
Alcohol, ethyl.....g	0.0		0		7		0.0	0.0	
Caffeine.....mg	0		0	FLA	4		0	0	
Theobromine.....mg	0		0	FLA	4		0	0	

Blanks in the Mean column indicate lack of reliable data. The Number of Data Points column is the number of analyses upon which the mean is based. Number of Data Points of zero indicates the mean was either calculated (as for Energy) or estimated, usually from a recipe, another form of the same food, or similar food.

Common Measures:

Measure 1 = 16g: 1 tbsp

Measure 2 = 170g: 1 jar NFS

Calories Factors: Protein

Fat

Carbohydrate

Food Group: 03 Baby Foods

USDA National Nutrient Database for Standard Reference, Release 28 (2015)

NDB No. 43008
Babyfood, dinner, chicken and rice

Nutrients and Units	Amount in 100 grams of edible portion				Amount in edible portion of common measures of food				
	Mean	Std. Error	Number of Data Points		Source Code	Confidence Code	Measure 1	Measure 2	Measure 3
			Deriv Code	Points					
Lipids:									
Fatty acids, total saturated.....g	0.211		0		4		0.034	0.238	0.238
4:0.....g	0.000		0		4		0.000	0.000	0.000
6:0.....g	0.000		0		4		0.000	0.000	0.000
8:0.....g	0.000		0		4		0.000	0.000	0.000
10:0.....g	0.000		0		4		0.000	0.000	0.000
12:0.....g	0.001		0		4		0.000	0.001	0.001
13:0.....g									
14:0.....g	0.006		0		4		0.001	0.007	0.007
15:0.....g									
16:0.....g	0.152		0		4		0.024	0.172	0.172
17:0.....g									
18:0.....g	0.043		0		4		0.007	0.049	0.049
20:0.....g									
22:0.....g									
24:0.....g									
Fatty acids, total monounsaturated.....g	0.392		0		4		0.063	0.443	0.443
14:1.....g									
15:1.....g									
16:1 undifferentiated.....g	0.038		0		4		0.006	0.043	0.043
17:1.....g									
18:1 undifferentiated.....g	0.342		0		4		0.055	0.386	0.386
20:1.....g	0.008		0		4		0.001	0.009	0.009
22:1 undifferentiated.....g	0.000		0		4		0.000	0.000	0.000
24:1 c.....g									
Fatty acids, total polyunsaturated.....g	0.188		0		4		0.030	0.212	0.212
18:2 undifferentiated.....g	0.165		0		4		0.026	0.186	0.186
18:3 undifferentiated.....g	0.008		0		4		0.001	0.009	0.009
18:4.....g	0.000		0		4		0.000	0.000	0.000
20:2 n-6 c,c.....g									
20:3 undifferentiated.....g									
20:4 undifferentiated.....g	0.006		0		4		0.001	0.007	0.007
20:5 n-3 (EPA).....g	0.001		0		4		0.000	0.001	0.001
21:5.....g									
22:4.....g									
22:5 n-3 (DPA).....g	0.001		0		4		0.000	0.001	0.001
22:6 n-3 (DHA).....g	0.002		0		4		0.000	0.002	0.002
Fatty acids, total trans.....g									
Cholesterol.....mg	10		0		4		2	11	11
Phytosterols.....mg									
Others:									
Alcohol, ethyl.....g	0.0		0		7		0.0	0.0	0.0
Caffeine.....mg	0		0	FLA	4		0	0	0
Theobromine.....mg	0		0	FLA	4		0	0	0

Blanks in the Mean column indicate lack of reliable data. The Number of Data Points column is the number of analyses upon which the mean is based. Number of Data Points of zero indicates the mean was either calculated (as for Energy) or estimated, usually from a recipe, another form of the same food, or similar food.

Common Measures:

- Measure 1 = 16g: 1 tbsp
- Measure 2 = 113g: 1 jar, Gerber (4 oz)
- Measure 3 = 113g: 1 jar NFS

Calories Factors: Protein

Fat

Carbohydrate

Food Group: 03 Baby Foods

USDA National Nutrient Database for Standard Reference, Release 28 (2015)

NDB No. 03069

Babyfood, dinner, chicken noodle, junior

Nutrients and Units	Amount in 100 grams of edible portion				Amount in edible portion of common measures of food				
	Mean	Std. Error	Number	Deriv	Source Code	Confidence Code	Measure 1	Measure 2	Measure 3
			of Data Points	Code					
Tocotrienol, delta.....mg									
Vitamin D (D2 + D3).....µg	0.0		0	FLA	4		0.0	0.0	0.1
Vitamin D.....IU	2		0	FLA	4		0	1	3
Vitamin K (phylloquinone).....µg	1.6		0	FLA	4		0.3	0.4	2.7
Dihydrophyloquinone.....µg									
Menaquinone-4.....µg									
Lipids:									
Fatty acids, total saturated.....g	0.338		0	FLM	4		0.054	0.096	0.575
4:0.....g	0.000		0	FLM	4		0.000	0.000	0.000
6:0.....g	0.000		0	FLM	4		0.000	0.000	0.000
8:0.....g	0.000		0	FLM	4		0.000	0.000	0.000
10:0.....g	0.000		0	FLM	4		0.000	0.000	0.000
12:0.....g	0.002		0	FLM	4		0.000	0.001	0.003
13:0.....g									
14:0.....g	0.010		0	FLM	4		0.002	0.003	0.017
15:0.....g									
16:0.....g	0.247		0	FLM	4		0.040	0.070	0.420
17:0.....g									
18:0.....g	0.066		0	FLM	4		0.011	0.019	0.112
20:0.....g									
22:0.....g									
24:0.....g									
Fatty acids, total monounsaturated.....g	0.467		0	FLM	4		0.075	0.132	0.794
14:1.....g									
15:1.....g									
16:1 undifferentiated.....g	0.056		0	FLM	4		0.009	0.016	0.095
17:1.....g									
18:1 undifferentiated.....g	0.394		0	FLM	4		0.063	0.112	0.670
20:1.....g	0.011		0	FLM	4		0.002	0.003	0.019
22:1 undifferentiated.....g	0.000		0	FLM	4		0.000	0.000	0.000
24:1 c.....g									
Fatty acids, total polyunsaturated.....g	0.272		0	FLM	4		0.044	0.077	0.462
18:2 undifferentiated.....g	0.241		0	FLM	4		0.039	0.068	0.410
18:3 undifferentiated.....g	0.017		0	FLM	4		0.003	0.005	0.029
18:4.....g	0.000		0	FLM	4		0.000	0.000	0.000
20:2 n-6 c,c.....g									
20:3 undifferentiated.....g									
20:4 undifferentiated.....g	0.005		0	FLM	4		0.001	0.001	0.009
20:5 n-3 (EPA).....g	0.001		0	FLM	4		0.000	0.000	0.002
21:5.....g									
22:4.....g									
22:5 n-3 (DPA).....g	0.001		0	FLM	4		0.000	0.000	0.002
22:6 n-3 (DHA).....g	0.002		0	FLM	4		0.000	0.001	0.003
Fatty acids, total trans.....g									
Cholesterol.....mg	9		0	MA	12		1	3	15
Phytosterols.....mg									
Others:									
Alcohol, ethyl.....g	0.0		0	Z	7		0.0	0.0	0.0
Caffeine.....mg	0		0	FLA	4		0	0	0
Theobromine.....mg	0		0	FLA	4		0	0	0

Blanks in the Mean column indicate lack of reliable data. The Number of Data Points column is the number of analyses upon which the mean is based. Number of Data Points of zero indicates the mean was either calculated (as for Energy) or estimated, usually from a recipe, another form of the same food, or similar food.

Common Measures:

Measure 1 = 16g: 1 tbsp

Measure 2 = 28.35g: 1 oz

Measure 3 = 170g: 1 jar

NDB No. 03069

Babyfood, dinner, chicken noodle, junior

Footnotes:

- 1 Vitamin A values range widely due to differences in cultivar and proportion of carrots.
- 2 Vitamin A values range widely due to differences in cultivar and proportion of carrots.

Calories Factors: Protein

Fat

Carbohydrate

Food Group: 03 Baby Foods

USDA National Nutrient Database for Standard Reference, Release 28 (2015)

NDB No. 03068

Babyfood, dinner, chicken noodle, strained

Nutrients and Units	Amount in 100 grams of edible portion				Amount in edible portion of common measures of food				
	Mean	Std. Error	Number of Data Points	Deriv Code	Source Code	Confidence Code	Measure 1	Measure 2	Measure 3
Tocotrienol, delta.....mg									
Vitamin D (D2 + D3).....µg	0.1		0	AS	1		0.0	0.0	0.1
Vitamin D.....IU	3		0	FLA	4		1	1	4
Vitamin K (phylloquinone).....µg	1.9		0	FLA	4		0.3	0.5	2.1
Dihydrophylloquinone.....µg									
Menaquinone-4.....µg									
Lipids:									
Fatty acids, total saturated.....g	0.595		0	FLM	4		0.095	0.169	0.672
4:0.....g	0.000		0	FLM	4		0.000	0.000	0.000
6:0.....g	0.000		0	FLM	4		0.000	0.000	0.000
8:0.....g	0.000		0	FLM	4		0.000	0.000	0.000
10:0.....g	0.000		0	FLM	4		0.000	0.000	0.000
12:0.....g	0.003		0	FLM	4		0.000	0.001	0.003
13:0.....g									
14:0.....g	0.017		0	FLM	4		0.003	0.005	0.019
15:0.....g									
16:0.....g	0.434		0	FLM	4		0.069	0.123	0.490
17:0.....g									
18:0.....g	0.118		0	FLM	4		0.019	0.033	0.133
20:0.....g									
22:0.....g									
24:0.....g									
Fatty acids, total monounsaturated.....g	0.854		0	FLM	4		0.137	0.242	0.965
14:1.....g									
15:1.....g									
16:1 undifferentiated.....g	0.105		0	FLM	4		0.017	0.030	0.119
17:1.....g									
18:1 undifferentiated.....g	0.718		0	FLM	4		0.115	0.204	0.811
20:1.....g	0.020		0	FLM	4		0.003	0.006	0.023
22:1 undifferentiated.....g	0.000		0	FLM	4		0.000	0.000	0.000
24:1 c.....g									
Fatty acids, total polyunsaturated.....g	0.461		0	FLM	4		0.074	0.131	0.521
18:2 undifferentiated.....g	0.418		0	FLM	4		0.067	0.119	0.472
18:3 undifferentiated.....g	0.027		0	FLM	4		0.004	0.008	0.031
18:4.....g	0.000		0	FLM	4		0.000	0.000	0.000
20:2 n-6 c,c.....g									
20:3 undifferentiated.....g									
20:4 undifferentiated.....g	0.005		0	FLM	4		0.001	0.001	0.006
20:5 n-3 (EPA).....g	0.001		0	FLM	4		0.000	0.000	0.001
21:5.....g									
22:4.....g									
22:5 n-3 (DPA).....g	0.001		0	FLM	4		0.000	0.000	0.001
22:6 n-3 (DHA).....g	0.002		0	FLM	4		0.000	0.001	0.002
Fatty acids, total trans.....g									
Cholesterol.....mg	16		0	MA	12		3	5	18
Phytosterols.....mg									
Others:									
Alcohol, ethyl.....g	0.0		0	Z	7		0.0	0.0	0.0
Caffeine.....mg	0		0	FLA	4		0	0	0
Theobromine.....mg	0		0	FLA	4		0	0	0

Blanks in the Mean column indicate lack of reliable data. The Number of Data Points column is the number of analyses upon which the mean is based. Number of Data Points of zero indicates the mean was either calculated (as for Energy) or estimated, usually from a recipe, another form of the same food, or similar food.

Common Measures:

Measure 1 = 16g: 1 tbsp

Measure 2 = 28.35g: 1 oz

Measure 3 = 113g: 1 jar

NDB No. 03068

Babyfood, dinner, chicken noodle, strained

Calories Factors: Protein

Fat

Carbohydrate

Food Group: 03 Baby Foods

USDA National Nutrient Database for Standard Reference, Release 28 (2015)

NDB No. 03070

Babyfood, dinner, chicken soup, strained

Nutrients and Units	Amount in 100 grams of edible portion				Amount in edible portion of common measures of food				
	Mean	Std. Error	Number of Data Points		Source Code	Confidence Code	Measure 1	Measure 2	Measure 3
			Deriv Code	Points					
Lipids:									
Fatty acids, total saturated.....g	0.278		0		4		0.314	0.044	0.079
4:0.....g	0.000		0		4		0.000	0.000	0.000
6:0.....g	0.000		0		4		0.000	0.000	0.000
8:0.....g	0.000		0		4		0.000	0.000	0.000
10:0.....g	0.000		0		4		0.000	0.000	0.000
12:0.....g	0.001		0		4		0.001	0.000	0.000
13:0.....g									
14:0.....g	0.004		0		4		0.005	0.001	0.001
15:0.....g									
16:0.....g	0.200		0		4		0.226	0.032	0.057
17:0.....g									
18:0.....g	0.068		0		4		0.077	0.011	0.019
20:0.....g									
22:0.....g									
24:0.....g									
Fatty acids, total monounsaturated.....g	0.425		0		4		0.480	0.068	0.120
14:1.....g									
15:1.....g									
16:1 undifferentiated.....g	0.014		0		4		0.016	0.002	0.004
17:1.....g									
18:1 undifferentiated.....g	0.404		0		4		0.457	0.065	0.115
20:1.....g	0.005		0		4		0.006	0.001	0.001
22:1 undifferentiated.....g	0.000		0		4		0.000	0.000	0.000
24:1 c.....g									
Fatty acids, total polyunsaturated.....g	0.900		0		4		1.017	0.144	0.255
18:2 undifferentiated.....g	0.792		0		4		0.895	0.127	0.225
18:3 undifferentiated.....g	0.103		0		4		0.116	0.016	0.029
18:4.....g	0.000		0		4		0.000	0.000	0.000
20:2 n-6 c,c.....g									
20:3 undifferentiated.....g									
20:4 undifferentiated.....g	0.002		0		4		0.002	0.000	0.001
20:5 n-3 (EPA).....g	0.000		0		4		0.000	0.000	0.000
21:5.....g									
22:4.....g									
22:5 n-3 (DPA).....g	0.000		0		4		0.000	0.000	0.000
22:6 n-3 (DHA).....g	0.001		0		4		0.001	0.000	0.000
Fatty acids, total trans.....g									
Cholesterol.....mg	4		0		4		5	1	1
Phytosterols.....mg									
Others:									
Alcohol, ethyl.....g	0.0		0		7		0.0	0.0	0.0
Caffeine.....mg	0		0	FLA	4		0	0	0
Theobromine.....mg	0		0	FLA	4		0	0	0

Blanks in the Mean column indicate lack of reliable data. The Number of Data Points column is the number of analyses upon which the mean is based. Number of Data Points of zero indicates the mean was either calculated (as for Energy) or estimated, usually from a recipe, another form of the same food, or similar food.

Common Measures:

Measure 1 = 113g: 1 jar Beech-Nut Stage 2 (4 oz)

Measure 2 = 16g: 1 tbsp

Measure 3 = 28.35g: 1 oz

Calories Factors: Protein 4.27

Fat 9.02

Carbohydrate 3.84

Food Group: 03 Baby Foods

USDA National Nutrient Database for Standard Reference, Release 28 (2015)

NDB No. 03072

Babyfood, dinner, chicken stew, toddler

Nutrients and Units	Amount in 100 grams of edible portion				Amount in edible portion of common measures of food				
	Mean	Std. Error	Number of Data Points	Deriv Code	Source Code	Confidence Code	Measure 1	Measure 2	Measure 3
Lipids:									
Fatty acids, total saturated.....g	1.100	0.090	11		1		0.176	0.312	1.870
4:0.....g	0.000		0		1		0.000	0.000	0.000
6:0.....g	0.000		0		1		0.000	0.000	0.000
8:0.....g	0.000		11		1		0.000	0.000	0.000
10:0.....g	0.010		11		1		0.002	0.003	0.017
12:0.....g	0.010		11		1		0.002	0.003	0.017
13:0.....g									
14:0.....g	0.050	0.000	11		1		0.008	0.014	0.085
15:0.....g									
16:0.....g	0.740	0.060	11		1		0.118	0.210	1.258
17:0.....g									
18:0.....g	0.220	0.020	11		1		0.035	0.062	0.374
20:0.....g									
22:0.....g									
24:0.....g									
Fatty acids, total monounsaturated.....g	1.700	0.160	11		1		0.272	0.482	2.890
14:1.....g									
15:1.....g									
16:1 undifferentiated.....g	0.140	0.020	11		1		0.022	0.040	0.238
17:1.....g									
18:1 undifferentiated.....g	1.540	0.140	11		1		0.246	0.437	2.618
20:1.....g	0.010	0.000	11		1		0.002	0.003	0.017
22:1 undifferentiated.....g	0.000		0		1		0.000	0.000	0.000
24:1 c.....g									
Fatty acids, total polyunsaturated.....g	0.770	0.070	11		1		0.123	0.218	1.309
18:2 undifferentiated.....g	0.730	0.070	11		1		0.117	0.207	1.241
18:3 undifferentiated.....g	0.030	0.000	11		1		0.005	0.009	0.051
18:4.....g	0.000		0		1		0.000	0.000	0.000
20:2 n-6 c,c.....g									
20:3 undifferentiated.....g									
20:4 undifferentiated.....g	0.020	0.000	11		1		0.003	0.006	0.034
20:5 n-3 (EPA).....g	0.000		0		1		0.000	0.000	0.000
21:5.....g									
22:4.....g									
22:5 n-3 (DPA).....g	0.000		0		1		0.000	0.000	0.000
22:6 n-3 (DHA).....g	0.000		0		1		0.000	0.000	0.000
Fatty acids, total trans.....g									
Cholesterol.....mg	29	1.500	11		1		5	8	49
Phytosterols.....mg									
Amino Acids:									
Tryptophan.....g	0.057		0		1		0.009	0.016	0.097
Threonine.....g	0.221		0		1		0.035	0.063	0.376
Isoleucine.....g	0.257		0		1		0.041	0.073	0.437
Leucine.....g	0.405		0		1		0.065	0.115	0.689
Lysine.....g	0.410		0		1		0.066	0.116	0.697
Methionine.....g	0.112		0		1		0.018	0.032	0.190
Cystine.....g	0.052		0		1		0.008	0.015	0.088
Phenylalanine.....g	0.213		0		1		0.034	0.060	0.362
Tyrosine.....g	0.172		0		1		0.028	0.049	0.292
Valine.....g	0.292		0		1		0.047	0.083	0.496
Arginine.....g	0.331		0		1		0.053	0.094	0.563
Histidine.....g	0.128		0		1		0.020	0.036	0.218
Alanine.....g	0.298		0		1		0.048	0.084	0.507
Aspartic acid.....g	0.471		0		1		0.075	0.134	0.801
Glutamic acid.....g	0.898		0		1		0.144	0.255	1.527
Glycine.....g	0.295		0		1		0.047	0.084	0.502
Proline.....g	0.354		0		1		0.057	0.100	0.602
Serine.....g	0.209		0		1		0.033	0.059	0.355
Hydroxyproline.....g									
Others:									
Alcohol, ethyl.....g	0.0		0		7		0.0	0.0	0.0
Caffeine.....mg	0		0	Z	7		0	0	0

NDB No. 03072

Babyfood, dinner, chicken stew, toddler

Nutrients and Units	<u>Amount in 100 grams of edible portion</u>				<u>Amount in edible portion of common measures of food</u>				
	Mean	Std. Error	Number		Source Code	Confidence Code	Measure 1	Measure 2	Measure 3
			of Data Points	Deriv Code					
Theobromine.....mg	0		0	Z	7		0	0	0

Blanks in the Mean column indicate lack of reliable data. The Number of Data Points column is the number of analyses upon which the mean is based. Number of Data Points of zero indicates the mean was either calculated (as for Energy) or estimated, usually from a recipe, another form of the same food, or similar food.

Common Measures:

Measure 1 = 16g: 1 tbsp

Measure 2 = 28.35g: 1 oz

Measure 3 = 170g: 1 jar

Calories Factors: Protein 3.7

Fat 8.9

Carbohydrate 3.9

Food Group: 03 Baby Foods

USDA National Nutrient Database for Standard Reference, Release 28 (2015)

NDB No. 03090

Babyfood, dinner, macaroni and cheese, junior

Nutrients and Units	Amount in 100 grams of edible portion				Amount in edible portion of common measures of food				
	Mean	Std. Error	Number of Data Points	Deriv Code	Source Code	Confidence Code	Measure 1	Measure 2	Measure 3
Lipids:									
Fatty acids, total saturated.....g	1.175		0		4		0.333	1.998	
4:0.....g	0.057		0		4		0.016	0.097	
6:0.....g	0.029		0		4		0.008	0.049	
8:0.....g	0.015		0		4		0.004	0.026	
10:0.....g	0.033		0		4		0.009	0.056	
12:0.....g	0.029		0		4		0.008	0.049	
13:0.....g									
14:0.....g	0.181		0		4		0.051	0.308	
15:0.....g									
16:0.....g	0.557		0		4		0.158	0.947	
17:0.....g									
18:0.....g	0.221		0		4		0.063	0.376	
20:0.....g									
22:0.....g									
24:0.....g									
Fatty acids, total monounsaturated.....g	0.534		0		4		0.151	0.908	
14:1.....g									
15:1.....g									
16:1 undifferentiated.....g	0.055		0		4		0.016	0.094	
17:1.....g									
18:1 undifferentiated.....g	0.453		0		4		0.128	0.770	
20:1.....g	0.000		0		4		0.000	0.000	
22:1 undifferentiated.....g	0.000		0		4		0.000	0.000	
24:1 c.....g									
Fatty acids, total polyunsaturated.....g	0.132		0		4		0.037	0.224	
18:2 undifferentiated.....g	0.105		0		4		0.030	0.179	
18:3 undifferentiated.....g	0.027		0		4		0.008	0.046	
18:4.....g	0.000		0		4		0.000	0.000	
20:2 n-6 c,c.....g									
20:3 undifferentiated.....g									
20:4 undifferentiated.....g	0.000		0		4		0.000	0.000	
20:5 n-3 (EPA).....g	0.000		0		4		0.000	0.000	
21:5.....g									
22:4.....g									
22:5 n-3 (DPA).....g	0.000		0		4		0.000	0.000	
22:6 n-3 (DHA).....g	0.000		0		4		0.000	0.000	
Fatty acids, total trans.....g									
Cholesterol.....mg	6		0		4		2	10	
Phytosterols.....mg									
Amino Acids:									
Tryptophan.....g	0.032		0		1		0.009	0.054	
Threonine.....g	0.078		0		1		0.022	0.133	
Isoleucine.....g	0.130		0		1		0.037	0.221	
Leucine.....g	0.234		0		1		0.066	0.398	
Lysine.....g	0.148		0		1		0.042	0.252	
Methionine.....g	0.090		0		1		0.026	0.153	
Cystine.....g	0.032		0		1		0.009	0.054	
Phenylalanine.....g	0.132		0		1		0.037	0.224	
Tyrosine.....g	0.123		0		1		0.035	0.209	
Valine.....g	0.147		0		1		0.042	0.250	
Arginine.....g	0.102		0		1		0.029	0.173	
Histidine.....g	0.062		0		1		0.018	0.105	
Alanine.....g	0.085		0		1		0.024	0.145	
Aspartic acid.....g	0.167		0		1		0.047	0.284	
Glutamic acid.....g	0.665		0		1		0.189	1.131	
Glycine.....g	0.058		0		1		0.016	0.099	
Proline.....g	0.293		0		1		0.083	0.498	
Serine.....g	0.104		0		1		0.029	0.177	
Hydroxyproline.....g									
Others:									
Alcohol, ethyl.....g	0.0		0		7		0.0	0.0	
Caffeine.....mg	0		0	FLA	4		0	0	

NDB No. 03090

Babyfood, dinner, macaroni and cheese, junior

Nutrients and Units	<u>Amount in 100 grams of edible portion</u>				<u>Amount in edible portion of common measures of food</u>				
	Mean	Std. Error	Number	Deriv	Source	Confidence	Measure 1	Measure 2	Measure 3
			of Data	Code	Code				
Theobromine.....mg	0		0	FLA	4		0		0

Blanks in the Mean column indicate lack of reliable data. The Number of Data Points column is the number of analyses upon which the mean is based. Number of Data Points of zero indicates the mean was either calculated (as for Energy) or estimated, usually from a recipe, another form of the same food, or similar food.

Common Measures:

Measure 1 = 28.35g: 1 oz

Measure 2 = 170g: 1 jar

Calories Factors: Protein 4.2

Fat 8.7

Carbohydrate 4

Food Group: 03 Baby Foods

USDA National Nutrient Database for Standard Reference, Release 28 (2015)

Babyfood, dinner, macaroni and cheese, strained

Nutrients and Units	Amount in 100 grams of edible portion						Amount in edible portion of common		
	Mean	Std. Error	Number of Data Points	Deriv Code	Source Code	Confidence Code	measures of food		
							Measure 1	Measure 2	Measure 3
Tocotrienol, gamma.....mg									
Tocotrienol, delta.....mg									
Vitamin D (D2 + D3).....µg	0.0		0	O	4	0.0	0.0		
Vitamin D.....µg	2		0	O	4	1	2		
Vitamin K (phylloquinone).....µg	0.2		0	FLA	4	0.0	0.2		
Dihydrophyloquinone.....µg									
Menaquinone-4.....µg									
Lipids:									
Fatty acids, total saturated.....g	1.291		0	FLM	4	0.366	1.459		
4:0.....g	0.063		0	FLM	4	0.018	0.071		
6:0.....g	0.031		0	FLM	4	0.009	0.035		
8:0.....g	0.017		0	FLM	4	0.005	0.019		
10:0.....g	0.036		0	FLM	4	0.010	0.041		
12:0.....g	0.033		0	FLM	4	0.009	0.037		
13:0.....g	0.000		0	FLA	4	0.000	0.000		
14:0.....g	0.200		0	FLM	4	0.057	0.226		
15:0.....g	0.000		0	FLA	4	0.000	0.000		
16:0.....g	0.609		0	FLM	4	0.173	0.688		
17:0.....g	0.000		0	FLA	4	0.000	0.000		
18:0.....g	0.242		0	FLM	4	0.069	0.273		
20:0.....g	0.000		0	FLA	4	0.000	0.000		
22:0.....g	0.000		0	FLA	4	0.000	0.000		
24:0.....g	0.000		0	FLA	4	0.000	0.000		
Fatty acids, total monounsaturated.....g	0.581		0	FLM	4	0.165	0.657		
14:1.....g	0.000		0	FLA	4	0.000	0.000		
15:1.....g	0.000		0	FLA	4	0.000	0.000		
16:1 undifferentiated.....g	0.061		0	FLM	4	0.017	0.069		
17:1.....g	0.000		0	FLA	4	0.000	0.000		
18:1 undifferentiated.....g	0.491		0	FLM	4	0.139	0.555		
20:1.....g	0.000		0	FLM	4	0.000	0.000		
22:1 undifferentiated.....g	0.000		0	FLM	4	0.000	0.000		
24:1 c.....g	0.000		0	FLA	4	0.000	0.000		
Fatty acids, total polyunsaturated.....g	0.103		0	FLM	4	0.029	0.116		
18:2 undifferentiated.....g	0.075		0	FLM	4	0.021	0.085		
18:3 undifferentiated.....g	0.028		0	FLM	4	0.008	0.032		
18:4.....g	0.000		0	FLM	4	0.000	0.000		
20:2 n-6 c,c.....g	0.000		0	FLA	4	0.000	0.000		
20:3 undifferentiated.....g	0.000		0	FLA	4	0.000	0.000		
20:4 undifferentiated.....g	0.000		0	FLM	4	0.000	0.000		
20:5 n-3 (EPA).....g	0.000		0	FLM	4	0.000	0.000		
21:5.....g									
22:4.....g									
22:5 n-3 (DPA).....g	0.000		0	FLM	4	0.000	0.000		
22:6 n-3 (DHA).....g	0.000		0	FLM	4	0.000	0.000		
Fatty acids, total trans.....g	0.000		0	FLA	4	0.000	0.000		
Cholesterol.....mg	7		0	FLM	4	2	8		
Phytosterols.....mg									
Others:									
Alcohol, ethyl.....g	0.0		0	Z	7	0.0	0.0		
Caffeine.....mg	0		0	FLA	4	0	0		
Theobromine.....mg	0		0	FLA	4	0	0		

Blanks in the Mean column indicate lack of reliable data. The Number of Data Points column is the number of analyses upon which the mean is based. Number of Data Points of zero indicates the mean was either calculated (as for Energy) or estimated, usually from a recipe, another form of the same food, or similar food.

Common Measures:

Measure 1 = 28.35g: 1 oz

Measure 2 = 113g: 1 jar

NDB No. 03089

Babyfood, dinner, macaroni and cheese, strained

Calories Factors: Protein

Fat

Carbohydrate

Food Group: 03 Baby Foods

USDA National Nutrient Database for Standard Reference, Release 28 (2015)

NDB No. 03045

Babyfood, dinner, macaroni and tomato and beef, junior

Nutrients and Units	Amount in 100 grams of edible portion				Amount in edible portion of common				
	Mean	Std. Error	Number of Data Points	Deriv Code	Source Code	measures of food			
						Confidence Code	Measure 1	Measure 2	Measure 3
Lipids:									
Fatty acids, total saturated.....g	0.411		0		4		0.066	0.117	0.699
4:0.....g	0.001		0		4		0.000	0.000	0.002
6:0.....g	0.000		0		4		0.000	0.000	0.000
8:0.....g	0.000		0		4		0.000	0.000	0.000
10:0.....g	0.001		0		4		0.000	0.000	0.002
12:0.....g	0.001		0		4		0.000	0.000	0.002
13:0.....g									
14:0.....g	0.029		0		4		0.005	0.008	0.049
15:0.....g									
16:0.....g	0.241		0		4		0.039	0.068	0.410
17:0.....g									
18:0.....g	0.119		0		4		0.019	0.034	0.202
20:0.....g									
22:0.....g									
24:0.....g									
Fatty acids, total monounsaturated.....g	0.447		0		4		0.072	0.127	0.760
14:1.....g									
15:1.....g									
16:1 undifferentiated.....g	0.038		0		4		0.006	0.011	0.065
17:1.....g									
18:1 undifferentiated.....g	0.392		0		4		0.063	0.111	0.666
20:1.....g	0.001		0		4		0.000	0.000	0.002
22:1 undifferentiated.....g	0.000		0		4		0.000	0.000	0.000
24:1 c.....g									
Fatty acids, total polyunsaturated.....g	0.079		0		4		0.013	0.022	0.134
18:2 undifferentiated.....g	0.066		0		4		0.011	0.019	0.112
18:3 undifferentiated.....g	0.007		0		4		0.001	0.002	0.012
18:4.....g	0.000		0		4		0.000	0.000	0.000
20:2 n-6 c,c.....g									
20:3 undifferentiated.....g									
20:4 undifferentiated.....g	0.004		0		4		0.001	0.001	0.007
20:5 n-3 (EPA).....g	0.000		0		4		0.000	0.000	0.000
21:5.....g									
22:4.....g									
22:5 n-3 (DPA).....g	0.000		0		4		0.000	0.000	0.000
22:6 n-3 (DHA).....g	0.000		0		4		0.000	0.000	0.000
Fatty acids, total trans.....g									
Cholesterol.....mg	4		0		4		1	1	7
Phytosterols.....mg									
Amino Acids:									
Tryptophan.....g	0.028		0		1		0.004	0.008	0.048
Threonine.....g	0.090		0		1		0.014	0.026	0.153
Isoleucine.....g	0.118		0		1		0.019	0.033	0.201
Leucine.....g	0.198		0		1		0.032	0.056	0.337
Lysine.....g	0.149		0		1		0.024	0.042	0.253
Methionine.....g	0.039		0		1		0.006	0.011	0.066
Cystine.....g	0.034		0		1		0.005	0.010	0.058
Phenylalanine.....g	0.112		0		1		0.018	0.032	0.190
Tyrosine.....g	0.082		0		1		0.013	0.023	0.139
Valine.....g	0.127		0		1		0.020	0.036	0.216
Arginine.....g	0.133		0		1		0.021	0.038	0.226
Histidine.....g	0.064		0		1		0.010	0.018	0.109
Alanine.....g	0.128		0		1		0.020	0.036	0.218
Aspartic acid.....g	0.198		0		1		0.032	0.056	0.337
Glutamic acid.....g	0.619		0		1		0.099	0.175	1.052
Glycine.....g	0.126		0		1		0.020	0.036	0.214
Proline.....g	0.201		0		1		0.032	0.057	0.342
Serine.....g	0.104		0		1		0.017	0.029	0.177
Hydroxyproline.....g									
Others:									
Alcohol, ethyl.....g	0.0		0		7		0.0	0.0	0.0
Caffeine.....mg	0		0	FLA	4		0	0	0

NDB No. 03045

Babyfood, dinner, macaroni and tomato and beef, junior

Nutrients and Units	<u>Amount in 100 grams of edible portion</u>				<u>Amount in edible portion of common measures of food</u>				
	Mean	Std. Error	Number of Data Points	Deriv Code	Source Code	Confidence Code	Measure 1	Measure 2	Measure 3
Theobromine.....mg	0		0	FLA	4		0	0	0

Blanks in the Mean column indicate lack of reliable data. The Number of Data Points column is the number of analyses upon which the mean is based. Number of Data Points of zero indicates the mean was either calculated (as for Energy) or estimated, usually from a recipe, another form of the same food, or similar food.

Common Measures:

Measure 1 = 16g: 1 tbsp

Measure 2 = 28.35g: 1 oz

Measure 3 = 170g: 1 jar

Calories Factors: Protein 4.1

Fat 8.9

Carbohydrate 4.1

Food Group: 03 Baby Foods

USDA National Nutrient Database for Standard Reference, Release 28 (2015)

NDB No. 03044

Babyfood, dinner, macaroni and tomato and beef, strained

Refuse:0%

Nutrients and Units	Amount in 100 grams of edible portion				Amount in edible portion of common measures of food				
	Mean	Std. Error	Number	Deriv Code	Source Code	Confidence Code	Measure 1	Measure 2	Measure 3
			of Data Points						
Proximates:									
Water.....g	86.34		0	MA	12		13.81	24.48	97.56
Energy.....kcal	61		0	MC	9		10	17	69
Energy.....kJ	255		0	MC	9		41	72	288
Protein.....g	2.36		0	MA	12		0.38	0.67	2.67
Total lipid (fat).....g	1.47		0	MA	12		0.24	0.42	1.66
Ash.....g	0.37		0	MA	12		0.06	0.10	0.42
Carbohydrate, by difference.....g	9.45		0	MC	9		1.51	2.68	10.68
Fiber, total dietary.....g	1.2		0	MA	12		0.2	0.3	1.4
Sugars, total.....g	2.09		0	NC	4		0.33	0.59	2.36
Sucrose.....g	0.47		0	MA	12		0.08	0.13	0.53
Glucose (dextrose).....g	0.52		0	MA	12		0.08	0.15	0.59
Fructose.....g	0.57		0	MA	12		0.09	0.16	0.65
Lactose.....g	0.00		0	MA	12		0.00	0.00	0.00
Maltose.....g	0.52		0	MA	12		0.08	0.15	0.59
Galactose.....g	0.00		0	FLA	4		0.00	0.00	0.00
Starch.....g	0.03		0	FLA	4		0.00	0.01	0.03
Minerals:									
Calcium, Ca.....mg	17		0	MA	12		3	5	19
Iron, Fe.....mg	0.46		0	MA	12		0.07	0.13	0.52
Magnesium, Mg.....mg	12		0	MA	12		2	3	14
Phosphorus, P.....mg	39		0	MA	12		6	11	44
Potassium, K.....mg	112		0	MA	12		18	32	127
Sodium, Na.....mg	38		0	MA	12		6	11	43
Zinc, Zn.....mg	0.54		0	MA	12		0.09	0.15	0.61
Copper, Cu.....mg	0.050		0	MA	12		0.008	0.014	0.057
Manganese, Mn.....mg	0.130		0	MA	12		0.021	0.037	0.147
Selenium, Se.....µg	8.4		0	BFZN	4		1.3	2.4	9.5
Vitamins:									
Vitamin C, total ascorbic acid.....mg	0.3		0	MA	12		0.0	0.1	0.3
Thiamin.....mg	0.038		0	MA	12		0.006	0.011	0.043
Riboflavin.....mg	0.043		0	MA	12		0.007	0.012	0.049
Niacin.....mg	0.715		0	MA	12		0.114	0.203	0.808
Pantothenic acid.....mg	0.140		0	FLM	4		0.022	0.040	0.158
Vitamin B-6.....mg	0.056		0	MA	12		0.009	0.016	0.063
Folate, total.....µg	9		0	FLM	4		1	3	10
Folic acid.....µg	4		0	NC	4		1	1	5
Folate, food.....µg	5		0	NC	4		1	1	6
Folate, DFE.....µg	12		0	NC	4		2	3	13
Choline, total.....mg	10.4		0	FLA	4		1.7	2.9	11.7
Betaine.....mg									
Vitamin B-12.....µg	0.15		0	FLM	4		0.02	0.04	0.17
Vitamin B-12, added.....µg	0.00		0	Z	7		0.00	0.00	0.00
Vitamin A, RAE (2).....µg	44		0	NC	4		7	12	50
Retinol.....µg	0		0	FLA	4		0	0	0
Carotene, beta.....µg	420		0	BNA	4		67	119	475
Carotene, alpha.....µg	213		0	BNA	4		34	60	241
Cryptoxanthin, beta.....µg	0		0	BNA	4		0	0	0
Vitamin A, IU (1).....IU	878		0	MA	12		140	249	992
Lycopene.....µg	42		0	O	4		7	12	47
Lutein + zeaxanthin.....µg	0		0	FLA	4		0	0	0
Vitamin E (alpha-tocopherol).....mg	2.62		0	FLA	4		0.42	0.74	2.96
Vitamin E, added.....mg	0.00		0	Z	7		0.00	0.00	0.00
Tocopherol, beta.....mg	0.00		0	FLA	4		0.00	0.00	0.00
Tocopherol, gamma.....mg	0.08		0	FLA	4		0.01	0.02	0.09
Tocopherol, delta.....mg	0.00		0	FLA	4		0.00	0.00	0.00
Tocotrienol, alpha.....mg	0.00		0	FLA	4		0.00	0.00	0.00
Tocotrienol, beta.....mg	0.00		0	FLA	4		0.00	0.00	0.00

NDB No. 03044

Babyfood, dinner, macaroni and tomato and beef, strained

Nutrients and Units	Amount in 100 grams of edible portion						Amount in edible portion of common measures of food		
	Mean	Std. Error	Number of Data Points	Deriv Code	Source Code	Confidence Code	Measure 1	Measure 2	Measure 3
Tocotrienol, gamma.....mg	0.00		0	FLA	4		0.00	0.00	0.00
Tocotrienol, delta.....mg	0.00		0	FLA	4		0.00	0.00	0.00
Vitamin D (D2 + D3).....µg	0.0		0	AS	1		0.0	0.0	0.0
Vitamin D2 (ergocalciferol).....µg									
Vitamin D3 (cholecalciferol).....µg	0.0		0	FLA	4		0.0	0.0	0.0
Vitamin D.....IU	2		0	FLA	4		0	0	2
Vitamin K (phylloquinone).....µg	29.3		0	FLA	4		4.7	8.3	33.1
Dihydrophyloquinone.....µg									
Menaquinone-4.....µg									
Lipids:									
Fatty acids, total saturated.....g	0.486		0	FLM	4		0.078	0.138	0.549
4:0.....g	0.000		0	FLM	4		0.000	0.000	0.000
6:0.....g	0.000		0	FLM	4		0.000	0.000	0.000
8:0.....g	0.000		0	FLM	4		0.000	0.000	0.000
10:0.....g	0.001		0	FLM	4		0.000	0.000	0.001
12:0.....g	0.001		0	FLM	4		0.000	0.000	0.001
13:0.....g									
14:0.....g	0.031		0	FLM	4		0.005	0.009	0.035
15:0.....g									
16:0.....g	0.292		0	FLM	4		0.047	0.083	0.330
17:0.....g									
18:0.....g	0.140		0	FLM	4		0.022	0.040	0.158
20:0.....g									
22:0.....g									
24:0.....g									
Fatty acids, total monounsaturated.....g	0.594		0	FLM	4		0.095	0.168	0.671
14:1.....g									
15:1.....g									
16:1 undifferentiated.....g	0.041		0	FLM	4		0.007	0.012	0.046
17:1.....g									
18:1 undifferentiated.....g	0.533		0	FLM	4		0.085	0.151	0.602
20:1.....g	0.001		0	FLM	4		0.000	0.000	0.001
22:1 undifferentiated.....g	0.000		0	FLM	4		0.000	0.000	0.000
24:1 c.....g									
Fatty acids, total polyunsaturated.....g	0.193		0	FLM	4		0.031	0.055	0.218
18:2 undifferentiated.....g	0.170		0	FLM	4		0.027	0.048	0.192
18:3 undifferentiated.....g	0.017		0	FLM	4		0.003	0.005	0.019
18:4.....g	0.000		0	FLM	4		0.000	0.000	0.000
20:2 n-6 c,c.....g									
20:3 undifferentiated.....g									
20:4 undifferentiated.....g	0.004		0	FLM	4		0.001	0.001	0.005
20:5 n-3 (EPA).....g	0.000		0	FLM	4		0.000	0.000	0.000
21:5.....g									
22:4.....g									
22:5 n-3 (DPA).....g	0.000		0	FLM	4		0.000	0.000	0.000
22:6 n-3 (DHA).....g	0.000		0	FLM	4		0.000	0.000	0.000
Fatty acids, total trans.....g									
Cholesterol.....mg	7		0	MA	12		1	2	8
Phytosterols.....mg									
Others:									
Alcohol, ethyl.....g	0.0		0	Z	7		0.0	0.0	0.0
Caffeine.....mg	0		0	FLA	4		0	0	0
Theobromine.....mg	0		0	FLA	4		0	0	0

Blanks in the Mean column indicate lack of reliable data. The Number of Data Points column is the number of analyses upon which the mean is based. Number of Data Points of zero indicates the mean was either calculated (as for Energy) or estimated, usually from a recipe, another form of the same food, or similar food.

Common Measures:

Measure 1 = 16g: 1 tbsp

Measure 2 = 28.35g: 1 oz

NDB No. 03044

Babyfood, dinner, macaroni and tomato and beef, strained

Measure 3 = 113g: 1 jar

Footnotes:

- 1 Vitamin A values range widely due to differences in cultivar and proportion of carrots.
- 2 Vitamin A values range widely due to differences in cultivar and proportion of carrots.

Calories Factors: Protein

Fat

Carbohydrate

Food Group: 03 Baby Foods

USDA National Nutrient Database for Standard Reference, Release 28 (2015)

NDB No. 43432

Babyfood, dinner, macaroni, beef and tomato sauce, toddler

Nutrients and Units	Amount in 100 grams of edible portion				Amount in edible portion of common measures of food				
	Mean	Std. Error	Number of Data Points	Deriv Code	Source Code	Confidence Code	Measure 1	Measure 2	Measure 3
Lipids:									
Fatty acids, total saturated.....g	0.705		0		4		0.113		
4:0.....g	0.000		0		4		0.000		
6:0.....g	0.000		0		4		0.000		
8:0.....g	0.000		0		4		0.000		
10:0.....g	0.002		0		4		0.000		
12:0.....g	0.002		0		4		0.000		
13:0.....g									
14:0.....g	0.048		0		4		0.008		
15:0.....g									
16:0.....g	0.417		0		4		0.067		
17:0.....g									
18:0.....g	0.204		0		4		0.033		
20:0.....g									
22:0.....g									
24:0.....g									
Fatty acids, total monounsaturated.....g	0.782		0		4		0.125		
14:1.....g									
15:1.....g									
16:1 undifferentiated.....g	0.064		0		4		0.010		
17:1.....g									
18:1 undifferentiated.....g	0.689		0		4		0.110		
20:1.....g	0.002		0		4		0.000		
22:1 undifferentiated.....g	0.000		0		4		0.000		
24:1 c.....g									
Fatty acids, total polyunsaturated.....g	0.140		0		4		0.022		
18:2 undifferentiated.....g	0.115		0		4		0.018		
18:3 undifferentiated.....g	0.015		0		4		0.002		
18:4.....g	0.000		0		4		0.000		
20:2 n-6 c,c.....g									
20:3 undifferentiated.....g									
20:4 undifferentiated.....g	0.007		0		4		0.001		
20:5 n-3 (EPA).....g	0.000		0		4		0.000		
21:5.....g									
22:4.....g									
22:5 n-3 (DPA).....g	0.000		0		4		0.000		
22:6 n-3 (DHA).....g	0.000		0		4		0.000		
Fatty acids, total trans.....g									
Cholesterol.....mg	7		0		4		1		
Phytosterols.....mg									
Others:									
Alcohol, ethyl.....g	0.0		0		7		0.0		
Caffeine.....mg	0		0	FLA	4		0		
Theobromine.....mg	0		0	FLA	4		0		

Blanks in the Mean column indicate lack of reliable data. The Number of Data Points column is the number of analyses upon which the mean is based. Number of Data Points of zero indicates the mean was either calculated (as for Energy) or estimated, usually from a recipe, another form of the same food, or similar food.

Common Measures:

Measure 1 = 16g: 1 tbsp

Calories Factors: Protein

Fat

Carbohydrate

Food Group: 03 Baby Foods

USDA National Nutrient Database for Standard Reference, Release 28 (2015)

NDB No. 03279

Babyfood, dinner, mixed vegetable, junior

Refuse:0%

Nutrients and Units	Amount in 100 grams of edible portion					Amount in edible portion of common measures of food			
	Mean	Std. Error	Number of Data Points	Deriv Code	Source Code	Confidence Code	Measure 1	Measure 2	Measure 3
Proximates:									
Water.....g	90.60	0.100	13		1		89.69		
Energy.....kcal	34		0	NC	4		34		
Energy.....kJ	142		0	NC	4		141		
Protein (N x 6.07).....g	1.01		0	FLC	4		1.00		
Total lipid (fat).....g	0.11		0	FLC	4		0.11		
Ash.....g	0.40	0.000	13		1		0.40		
Carbohydrate, by difference.....g	7.88		0	NC	4		7.80		
Fiber, total dietary.....g	1.0		0	NR	4		1.0		
Sugars, total.....g	3.08		0	FLC	4		3.05		
Starch.....g									
Minerals:									
Calcium, Ca.....mg	17	1.000	13		1		17		
Iron, Fe.....mg	0.31	0.030	13		1		0.31		
Magnesium, Mg.....mg	13		0	FLC	4		13		
Phosphorus, P.....mg	30		0	FLC	4		29		
Potassium, K.....mg	112	3.000	13		1		111		
Sodium, Na.....mg	40		0	FLC	4		40		
Zinc, Zn.....mg	0.24		0		4		0.24		
Copper, Cu.....mg	0.036		0		4		0.036		
Manganese, Mn.....mg	0.144		0	FLC	4		0.143		
Selenium, Se.....µg	0.3		0	FLC	4		0.3		
Vitamins:									
Vitamin C, total ascorbic acid.....mg	3.3	0.600	13		1		3.3		
Thiamin.....mg	0.014	0.000	13		1		0.014		
Riboflavin.....mg	0.042		0	FLC	4		0.042		
Niacin.....mg	0.566		0	FLC	4		0.560		
Pantothenic acid.....mg	0.348		0	FLC	4		0.344		
Vitamin B-6.....mg	0.114		0	FLC	4		0.113		
Folate, total.....µg	11		0	FLC	4		11		
Folic acid.....µg	0		0	FLC	4		0		
Folate, food.....µg	11		0	FLC	4		11		
Folate, DFE.....µg	11		0	NC	4		11		
Choline, total.....mg	7.9		0	FLC	4		7.8		
Betaine.....mg									
Vitamin B-12.....µg	0.00		0		4		0.00		
Vitamin B-12, added.....µg	0.00		0	NR	4		0.00		
Vitamin A, RAE.....µg	462		0	NC	4		458		
Retinol.....µg	0		0	FLC	4		0		
Carotene, beta.....µg	4989		0	FLC	4		4939		
Carotene, alpha.....µg	1117		0	FLC	4		1106		
Cryptoxanthin, beta.....µg	0		0	FLC	4		0		
Vitamin A, IU.....IU	9246		0	NC	4		9153		
Lycopene.....µg	0		0	FLC	4		0		
Lutein + zeaxanthin.....µg	178		0	FLC	4		177		
Vitamin E (alpha-tocopherol).....mg	0.30		0	FLC	4		0.30		
Vitamin E, added.....mg	0.00		0	NR	4		0.00		
Tocopherol, beta.....mg	0.01		0	FLC	4		0.01		
Tocopherol, gamma.....mg	0.04		0	FLC	4		0.04		
Tocopherol, delta.....mg	0.00		0	FLC	4		0.00		
Tocotrienol, alpha.....mg	0.01		0	FLC	4		0.01		
Tocotrienol, beta.....mg	0.00		0	FLC	4		0.00		
Tocotrienol, gamma.....mg	0.00		0	FLC	4		0.00		
Tocotrienol, delta.....mg	0.00		0	FLC	4		0.00		
Vitamin D (D2 + D3).....µg	0.0		0	FLC	4		0.0		
Vitamin D2 (ergocalciferol).....µg									
Vitamin D3 (cholecalciferol).....µg									
Vitamin D.....IU	0		0	FLC	4		0		
Vitamin K (phylloquinone).....µg	5.7		0	FLC	4		5.7		

NDB No. 03279

Babyfood, dinner, mixed vegetable, junior

Nutrients and Units	Amount in 100 grams of edible portion				Amount in edible portion of common measures of food				
	Mean	Std. Error	Number of Data Points		Source Code	Confidence Code	Measure 1	Measure 2	Measure 3
			Deriv Code	Points					
Dihydrophyloquinone.....µg	0.0		0	FLC	4		0.0		
Menaquinone-4.....µg									
Lipids:									
Fatty acids, total saturated.....g	0.000		0	FLC	4		0.000		
4:0.....g	0.000		0	FLC	4		0.000		
6:0.....g	0.000		0	FLC	4		0.000		
8:0.....g	0.000		0	FLC	4		0.000		
10:0.....g	0.000		0	FLC	4		0.000		
12:0.....g	0.000		0	FLC	4		0.000		
13:0.....g									
14:0.....g	0.000		0	FLC	4		0.000		
15:0.....g	0.000		0	FLC	4		0.000		
16:0.....g	0.000		0	FLC	4		0.000		
17:0.....g	0.000		0	FLC	4		0.000		
18:0.....g	0.000		0	FLC	4		0.000		
20:0.....g	0.000		0	FLC	4		0.000		
22:0.....g	0.000		0	FLC	4		0.000		
24:0.....g	0.000		0	FLC	4		0.000		
Fatty acids, total monounsaturated.....g	0.000		0	FLC	4		0.000		
14:1.....g	0.000		0	FLC	4		0.000		
15:1.....g	0.000		0	FLC	4		0.000		
16:1 undifferentiated.....g	0.000		0	FLC	4		0.000		
17:1.....g	0.000		0	FLC	4		0.000		
18:1 undifferentiated.....g	0.000		0	FLC	4		0.000		
20:1.....g	0.000		0	FLC	4		0.000		
22:1 undifferentiated.....g	0.000		0	FLC	4		0.000		
24:1 c.....g									
Fatty acids, total polyunsaturated.....g	0.000		0	FLC	4		0.000		
18:2 undifferentiated.....g	0.000		0	FLC	4		0.000		
18:3 undifferentiated.....g	0.000		0	FLC	4		0.000		
18:4.....g	0.000		0	FLC	4		0.000		
20:2 n-6 c,c.....g	0.000		0	FLC	4		0.000		
20:3 undifferentiated.....g	0.000		0	FLC	4		0.000		
20:4 undifferentiated.....g	0.000		0	FLC	4		0.000		
20:5 n-3 (EPA).....g	0.000		0	FLC	4		0.000		
21:5.....g									
22:4.....g									
22:5 n-3 (DPA).....g	0.000		0	FLC	4		0.000		
22:6 n-3 (DHA).....g	0.000		0	FLC	4		0.000		
Fatty acids, total trans.....g	0.000		0	FLC	4		0.000		
Cholesterol.....mg	0		0	FLC	4		0		
Phytosterols.....mg									
Others:									
Alcohol, ethyl.....g	0.0		0	NR	4		0.0		
Caffeine.....mg	0		0	FLC	4		0		
Theobromine.....mg	0		0	FLC	4		0		

Blanks in the Mean column indicate lack of reliable data. The Number of Data Points column is the number of analyses upon which the mean is based. Number of Data Points of zero indicates the mean was either calculated (as for Energy) or estimated, usually from a recipe, another form of the same food, or similar food.

Common Measures:

Measure 1 = 99g: 1 serving

Calories Factors: Protein 3

Fat 8.4

Carbohydrate 3.8

Food Group: 03 Baby Foods

USDA National Nutrient Database for Standard Reference, Release 28 (2015)

NDB No. 03278

Babyfood, dinner, mixed vegetable, strained

Refuse:0%

Nutrients and Units	Amount in 100 grams of edible portion						Amount in edible portion of common measures of food		
	Mean	Std. Error	Number of Data Points	Deriv Code	Source Code	Confidence Code	Measure 1	Measure 2	Measure 3
Proximates:									
Water.....g	88.70	0.200	16		1		25.15	100.23	
Energy.....kcal	41		0	NC	4		12	46	
Energy.....kJ	172		0		4		49	194	
Protein (N x 6.07).....g	1.20	0.000	13		1		0.34	1.36	
Total lipid (fat).....g	0.10	0.000	13		1		0.03	0.11	
Ash.....g	0.50	0.000	13		1		0.14	0.57	
Carbohydrate, by difference.....g	9.50		0	NC	4		2.69	10.74	
Fiber, total dietary.....g									
Sugars, total.....g									
Starch.....g									
Minerals:									
Calcium, Ca.....mg	22	2.000	13		1		6	25	
Iron, Fe.....mg	0.33	0.030	13		1		0.09	0.37	
Magnesium, Mg.....mg	11		0		4		3	12	
Phosphorus, P.....mg	24		0		4		7	27	
Potassium, K.....mg	121	4.000	13		1		34	137	
Sodium, Na.....mg	38		0	LC	8		11	43	
Zinc, Zn.....mg	0.16		0		4		0.05	0.18	
Copper, Cu.....mg	0.044		0		4		0.012	0.050	
Manganese, Mn.....mg									
Selenium, Se.....µg	0.7		1	A	1		0.2	0.8	
Vitamins:									
Vitamin C, total ascorbic acid.....mg	2.8	0.200	13		1		0.8	3.2	
Thiamin.....mg	0.015	0.000	13		1		0.004	0.017	
Riboflavin.....mg	0.031	0.000	13		1		0.009	0.035	
Niacin.....mg	0.502	0.035	13		1		0.142	0.567	
Pantothenic acid.....mg	0.277		0		4		0.079	0.313	
Vitamin B-6.....mg	0.075		0		4		0.021	0.085	
Folate, total.....µg	8	1.400	3		1		2	9	
Folic acid.....µg	0		0	Z	7		0	0	
Folate, food.....µg	8	1.400	3		1		2	9	
Folate, DFE.....µg	8		0	NC	4		2	9	
Choline, total.....mg									
Betaine.....mg									
Vitamin B-12.....µg	0.00		0		4		0.00	0.00	
Vitamin A, RAE.....µg	136		0	NC	4		39	154	
Retinol.....µg	0		0	Z	7		0	0	
Carotene, beta.....µg									
Carotene, alpha.....µg									
Cryptoxanthin, beta.....µg									
Vitamin A, IU.....IU	2728	274.000	13		1		773	3083	
Lycopene.....µg									
Lutein + zeaxanthin.....µg									
Vitamin E (alpha-tocopherol).....mg									
Tocopherol, beta.....mg									
Tocopherol, gamma.....mg									
Tocopherol, delta.....mg									
Tocotrienol, alpha.....mg									
Tocotrienol, beta.....mg									
Tocotrienol, gamma.....mg									
Tocotrienol, delta.....mg									
Vitamin D (D2 + D3).....µg									
Vitamin D.....IU									
Vitamin K (phylloquinone).....µg									
Dihydrophylloquinone.....µg									
Menaquinone-4.....µg									

Blanks in the Mean column indicate lack of reliable data. The Number of Data Points column is the number of analyses upon which the mean is based.

NDB No. 03278

Babyfood, dinner, mixed vegetable, strained

Nutrients and Units	<u>Amount in 100 grams of edible portion</u>				<u>Amount in edible portion of common measures of food</u>		
	Mean	Std. Error	Number	Source	Measure 1	Measure 2	Measure 3
			of Data Points	Confidence Code			

Number of Data Points of zero indicates the mean was either calculated (as for Energy) or estimated, usually from a recipe, another form of the same food, or similar food.

Common Measures:

Measure 1 = 28.35g: 1 oz

Measure 2 = 113g: 1 jar

Calories Factors: Protein 3

Fat 8.4

Carbohydrate 3.8

Food Group: 03 Baby Foods

USDA National Nutrient Database for Standard Reference, Release 28 (2015)

NDB No. 03077

Babyfood, dinner, pasta with vegetables

Nutrients and Units	Amount in 100 grams of edible portion				Amount in edible portion of common measures of food				
	Mean	Std. Error	Number of Data Points	Deriv Code	Source Code	Confidence Code	Measure 1	Measure 2	Measure 3
Lipids:									
Fatty acids, total saturated.....g	1.230		0	FLM	4		1.390		
4:0.....g	0.062		0	FLM	4		0.070		
6:0.....g	0.037		0	FLM	4		0.042		
8:0.....g	0.021		0	FLM	4		0.024		
10:0.....g	0.048		0	FLM	4		0.054		
12:0.....g	0.054		0	FLM	4		0.061		
13:0.....g									
14:0.....g	0.194		0	FLM	4		0.219		
15:0.....g									
16:0.....g	0.534		0	FLM	4		0.603		
17:0.....g									
18:0.....g	0.235		0	FLM	4		0.266		
20:0.....g									
22:0.....g									
24:0.....g									
Fatty acids, total monounsaturated.....g	0.580		0	FLM	4		0.655		
14:1.....g									
15:1.....g									
16:1 undifferentiated.....g	0.044		0	FLM	4		0.050		
17:1.....g									
18:1 undifferentiated.....g	0.507		0	FLM	4		0.573		
20:1.....g	0.000		0	FLM	4		0.000		
22:1 undifferentiated.....g	0.000		0	FLM	4		0.000		
24:1 c.....g									
Fatty acids, total polyunsaturated.....g	0.144		0	FLM	4		0.163		
18:2 undifferentiated.....g	0.110		0	FLM	4		0.124		
18:3 undifferentiated.....g	0.034		0	FLM	4		0.038		
18:4.....g	0.000		0	FLM	4		0.000		
20:2 n-6 c,c.....g									
20:3 undifferentiated.....g									
20:4 undifferentiated.....g	0.000		0	FLM	4		0.000		
20:5 n-3 (EPA).....g	0.000		0	FLM	4		0.000		
21:5.....g									
22:4.....g									
22:5 n-3 (DPA).....g	0.000		0	FLM	4		0.000		
22:6 n-3 (DHA).....g	0.000		0	FLM	4		0.000		
Fatty acids, total trans.....g									
Cholesterol.....mg	5		0	FLM	4		6		
Phytosterols.....mg									
Others:									
Alcohol, ethyl.....g	0.0		0	FLM	4		0.0		
Caffeine.....mg	0		0	FLA	4		0		
Theobromine.....mg	0		0	FLA	4		0		

Blanks in the Mean column indicate lack of reliable data. The Number of Data Points column is the number of analyses upon which the mean is based. Number of Data Points of zero indicates the mean was either calculated (as for Energy) or estimated, usually from a recipe, another form of the same food, or similar food.

Common Measures:

Measure 1 = 113g: 1 jar, Gerber (4 oz)

Calories Factors: Protein

Fat

Carbohydrate

Food Group: 03 Baby Foods

USDA National Nutrient Database for Standard Reference, Release 28 (2015)

Nutrients and Units	Amount in 100 grams of edible portion				Amount in edible portion of common measures of food			
	Mean	Std. Error	Number	Source	Confidence	Measure 1	Measure 2	Measure 3
			of Data Points					
Lipids:								
Fatty acids, total saturated.....g	1.100		1	MA	12		0.312	
4:0.....g	0.031		0	FLM	4		0.009	
6:0.....g	0.015		0	FLM	4		0.004	
8:0.....g	0.008		0	FLM	4		0.002	
10:0.....g	0.020		0	FLM	4		0.006	
12:0.....g	0.020		0	FLM	4		0.006	
13:0.....g								
14:0.....g	0.112		0	FLM	4		0.032	
15:0.....g								
16:0.....g	0.493		0	FLM	4		0.140	
17:0.....g								
18:0.....g	0.219		0	FLM	4		0.062	
20:0.....g								
22:0.....g								
24:0.....g								
Fatty acids, total monounsaturated.....g	0.733		0	FLM	4		0.208	
14:1.....g								
15:1.....g								
16:1 undifferentiated.....g	0.070		0	FLM	4		0.020	
17:1.....g								
18:1 undifferentiated.....g	0.650		0	FLM	4		0.184	
20:1.....g	0.000		0	FLM	4		0.000	
22:1 undifferentiated.....g	0.000		0	FLM	4		0.000	
24:1 c.....g								
Fatty acids, total polyunsaturated.....g	0.163		0	FLM	4		0.046	
18:2 undifferentiated.....g	0.131		0	FLM	4		0.037	
18:3 undifferentiated.....g	0.032		0	FLM	4		0.009	
18:4.....g	0.000		0	FLM	4		0.000	
20:2 n-6 c,c.....g								
20:3 undifferentiated.....g								
20:4 undifferentiated.....g	0.000		0	FLM	4		0.000	
20:5 n-3 (EPA).....g	0.000		0	FLM	4		0.000	
21:5.....g								
22:4.....g								
22:5 n-3 (DPA).....g	0.000		0	FLM	4		0.000	
22:6 n-3 (DHA).....g	0.000		0	FLM	4		0.000	
Fatty acids, total trans.....g								
Cholesterol.....mg	6		1	MA	12		2	
Phytosterols.....mg	0		0	FLA	4		0	
Amino Acids:								
Tryptophan.....g	0.036		0	FLA	4		0.010	
Threonine.....g	0.118		0	FLA	4		0.033	
Isoleucine.....g	0.143		0	FLA	4		0.041	
Leucine.....g	0.231		0	FLA	4		0.065	
Lysine.....g	0.235		0	FLA	4		0.067	
Methionine.....g	0.069		0	FLA	4		0.020	
Cystine.....g	0.034		0	FLA	4		0.010	
Phenylalanine.....g	0.158		0	FLA	4		0.045	
Tyrosine.....g	0.111		0	FLA	4		0.032	
Valine.....g	0.177		0	FLA	4		0.050	
Arginine.....g	0.167		0	FLA	4		0.047	
Histidine.....g	0.094		0	FLA	4		0.027	
Alanine.....g	0.129		0	FLA	4		0.037	
Aspartic acid.....g	0.414		0	FLA	4		0.117	
Glutamic acid.....g	0.583		0	FLA	4		0.165	
Glycine.....g	0.109		0	FLA	4		0.031	
Proline.....g	0.186		0	FLA	4		0.053	
Serine.....g	0.142		0	FLA	4		0.040	
Hydroxyproline.....g	0.000		0	FLA	4		0.000	
Others:								
Alcohol, ethyl.....g	0.0		0	FLA	4		0.0	
Caffeine.....mg	0		0	FLA	4		0	

NDB No. 03304

Babyfood, dinner, potatoes with cheese and ham, toddler

Nutrients and Units	<u>Amount in 100 grams of edible portion</u>				<u>Amount in edible portion of common measures of food</u>				
	Mean	Std. Error	Number of Data Points	Deriv Code	Source Code	Confidence Code	Measure 1	Measure 2	Measure 3
Theobromine.....mg	0		0	FLA	4		0		

Blanks in the Mean column indicate lack of reliable data. The Number of Data Points column is the number of analyses upon which the mean is based. Number of Data Points of zero indicates the mean was either calculated (as for Energy) or estimated, usually from a recipe, another form of the same food, or similar food.

Common Measures:

Measure 1 = 28.35g: 1 oz

Calories Factors: Protein

Fat

Carbohydrate

Food Group: 03 Baby Foods

USDA National Nutrient Database for Standard Reference, Release 28 (2015)

NDB No. 03050

Babyfood, dinner, spaghetti and tomato and meat, junior

Nutrients and Units	Amount in 100 grams of edible portion				Amount in edible portion of common measures of food			
	Mean	Std. Error	Number of Data Deriv Source Confidence			Measure 1	Measure 2	Measure 3
			Points	Code	Code			
Tocotrienol, delta.....mg								
Vitamin D (D2 + D3).....µg	0.0		0	AS	1	0.0	0.0	0.0
Vitamin D.....IU	1		0	FLA	4	0	0	1
Vitamin K (phylloquinone).....µg	0.8		0	O	4	0.1	0.2	1.4
Dihydrophylloquinone.....µg								
Menaquinone-4.....µg								
Lipids:								
Fatty acids, total saturated.....g	0.543		0	FLM	4	0.087	0.154	0.923
4:0.....g	0.013		0	FLM	4	0.002	0.004	0.022
6:0.....g	0.005		0	FLM	4	0.001	0.001	0.009
8:0.....g	0.003		0	FLM	4	0.000	0.001	0.005
10:0.....g	0.007		0	FLM	4	0.001	0.002	0.012
12:0.....g	0.010		0	FLM	4	0.002	0.003	0.017
13:0.....g								
14:0.....g	0.044		0	FLM	4	0.007	0.012	0.075
15:0.....g								
16:0.....g	0.306		0	FLM	4	0.049	0.087	0.520
17:0.....g								
18:0.....g	0.142		0	FLM	4	0.023	0.040	0.241
20:0.....g								
22:0.....g								
24:0.....g								
Fatty acids, total monounsaturated.....g	0.497		0	FLM	4	0.080	0.141	0.845
14:1.....g								
15:1.....g								
16:1 undifferentiated.....g	0.030		0	FLM	4	0.005	0.009	0.051
17:1.....g								
18:1 undifferentiated.....g	0.451		0	FLM	4	0.072	0.128	0.767
20:1.....g	0.007		0	FLM	4	0.001	0.002	0.012
22:1 undifferentiated.....g	0.000		0	FLM	4	0.000	0.000	0.000
24:1 c.....g								
Fatty acids, total polyunsaturated.....g	0.185		0	FLM	4	0.030	0.052	0.315
18:2 undifferentiated.....g	0.165		0	FLM	4	0.026	0.047	0.281
18:3 undifferentiated.....g	0.019		0	FLM	4	0.003	0.005	0.032
18:4.....g	0.000		0	FLM	4	0.000	0.000	0.000
20:2 n-6 c,c.....g								
20:3 undifferentiated.....g								
20:4 undifferentiated.....g	0.001		0	FLM	4	0.000	0.000	0.002
20:5 n-3 (EPA).....g	0.000		0	FLM	4	0.000	0.000	0.000
21:5.....g								
22:4.....g								
22:5 n-3 (DPA).....g	0.000		0	FLM	4	0.000	0.000	0.000
22:6 n-3 (DHA).....g	0.000		0	FLM	4	0.000	0.000	0.000
Fatty acids, total trans.....g								
Cholesterol.....mg	5		0	FLM	4	1	1	9
Phytosterols.....mg								
Others:								
Alcohol, ethyl.....g	0.0		0	Z	7	0.0	0.0	0.0
Caffeine.....mg	0		0	Z	7	0	0	0
Theobromine.....mg	0		0	Z	7	0	0	0

Blanks in the Mean column indicate lack of reliable data. The Number of Data Points column is the number of analyses upon which the mean is based. Number of Data Points of zero indicates the mean was either calculated (as for Energy) or estimated, usually from a recipe, another form of the same food, or similar food.

Common Measures:

Measure 1 = 16g: 1 tbsp

Measure 2 = 28.35g: 1 oz

Measure 3 = 170g: 1 jar

NDB No. 03050

Babyfood, dinner, spaghetti and tomato and meat, junior

Footnotes:

- 1 Vitamin A values range widely due to differences in cultivar and proportion of carrots.
- 2 Vitamin A values range widely due to differences in cultivar and proportion of carrots.

Calories Factors: Protein

Fat

Carbohydrate

Food Group: 03 Baby Foods

USDA National Nutrient Database for Standard Reference, Release 28 (2015)

NDB No. 03051

Babyfood, dinner, spaghetti and tomato and meat, toddler

Refuse:0%

Nutrients and Units	Amount in 100 grams of edible portion				Amount in edible portion of common measures of food				
	Mean	Std. Error	Number of Data Points	Deriv Code	Source Code	Confidence Code	Measure 1	Measure 2	Measure 3
Proximates:									
Water.....g	81.60		1		1		23.13	138.72	
Energy.....kcal	75		0	NC	4		21	128	
Energy.....kJ	314		0		4		89	533	
Protein (N x 5.98).....g	5.30		6		1		1.50	9.01	
Total lipid (fat).....g	1.00		6		1		0.28	1.70	
Ash.....g	1.30		1		1		0.37	2.21	
Carbohydrate, by difference.....g	10.80		0	NC	4		3.06	18.36	
Fiber, total dietary.....g									
Sugars, total.....g									
Starch.....g									
Minerals:									
Calcium, Ca.....mg	22		6		1		6	37	
Iron, Fe.....mg	0.90		6		1		0.26	1.53	
Magnesium, Mg.....mg	15		1		1		4	26	
Phosphorus, P.....mg	45		1		1		13	77	
Potassium, K.....mg	163		1		1		46	277	
Sodium, Na.....mg	239		0	NR	4		68	406	
Zinc, Zn.....mg	0.48		1		1		0.14	0.82	
Copper, Cu.....mg	0.020		1		1		0.006	0.034	
Manganese, Mn.....mg									
Selenium, Se.....µg	8.4		0	BFZN	4		2.4	14.3	
Vitamins:									
Vitamin C, total ascorbic acid.....mg	4.1		6		1		1.2	7.0	
Thiamin.....mg	0.062		6		1		0.018	0.105	
Riboflavin.....mg	0.101		6		1		0.029	0.172	
Niacin.....mg	1.558		6		1		0.442	2.649	
Pantothenic acid.....mg									
Vitamin B-6.....mg	0.083		6		1		0.024	0.141	
Folate, total.....µg	32		0	FLM	4		9	54	
Folic acid.....µg	26		0	NC	4		7	44	
Folate, food.....µg	6		0		4		2	10	
Folate, DFE.....µg	50		0	NC	4		14	85	
Choline, total.....mg									
Betaine.....mg									
Vitamin B-12.....µg	0.23		0		4		0.07	0.39	
Vitamin A, RAE.....µg	22		0	NC	4		6	38	
Retinol.....µg	0		0	Z	7		0	0	
Carotene, beta.....µg									
Carotene, alpha.....µg									
Cryptoxanthin, beta.....µg									
Vitamin A, IU.....IU	443	116.000	6		1		126	753	
Lycopene.....µg									
Lutein + zeaxanthin.....µg									
Vitamin E (alpha-tocopherol).....mg									
Tocopherol, beta.....mg									
Tocopherol, gamma.....mg									
Tocopherol, delta.....mg									
Tocotrienol, alpha.....mg									
Tocotrienol, beta.....mg									
Tocotrienol, gamma.....mg									
Tocotrienol, delta.....mg									
Vitamin D (D2 + D3).....µg									
Vitamin D.....IU									
Vitamin K (phylloquinone).....µg									
Dihydrophylloquinone.....µg									
Menaquinone-4.....µg									
Amino Acids:									

NDB No. 03051

Babyfood, dinner, spaghetti and tomato and meat, toddler

Nutrients and Units	Amount in 100 grams of edible portion				Amount in edible portion of common measures of food				
	Mean	Std. Error	Number of Data Points	Deriv Code	Source Code	Confidence Code	Measure 1	Measure 2	Measure 3
Tryptophan.....g	0.065		0		1		0.018	0.111	
Threonine.....g	0.197		0		1		0.056	0.335	
Isoleucine.....g	0.268		0		1		0.076	0.456	
Leucine.....g	0.413		0		1		0.117	0.702	
Lysine.....g	0.313		0		1		0.089	0.532	
Methionine.....g	0.104		0		1		0.029	0.177	
Cystine.....g	0.066		0		1		0.019	0.112	
Phenylalanine.....g	0.241		0		1		0.068	0.410	
Tyrosine.....g	0.184		0		1		0.052	0.313	
Valine.....g	0.286		0		1		0.081	0.486	
Arginine.....g	0.284		0		1		0.081	0.483	
Histidine.....g	0.141		0		1		0.040	0.240	
Alanine.....g	0.269		0		1		0.076	0.457	
Aspartic acid.....g	0.470		0		1		0.133	0.799	
Glutamic acid.....g	1.297		0		1		0.368	2.205	
Glycine.....g	0.254		0		1		0.072	0.432	
Proline.....g	0.442		0		1		0.125	0.751	
Serine.....g	0.202		0		1		0.057	0.343	
Hydroxyproline.....g									

Blanks in the Mean column indicate lack of reliable data. The Number of Data Points column is the number of analyses upon which the mean is based. Number of Data Points of zero indicates the mean was either calculated (as for Energy) or estimated, usually from a recipe, another form of the same food, or similar food.

Common Measures:

Measure 1 = 28.35g: 1 oz

Measure 2 = 170g: 1 jar

Calories Factors: Protein 4.1

Fat 8.9

Carbohydrate 4.1

Food Group: 03 Baby Foods

USDA National Nutrient Database for Standard Reference, Release 28 (2015)

NDB No. 03303

Babyfood, dinner, sweet potatoes and chicken, strained

Nutrients and Units	Amount in 100 grams of edible portion				Amount in edible portion of common measures of food				
	Mean	Std. Error	Number of Data Points	Deriv Code	Source Code	Confidence Code	Measure 1	Measure 2	Measure 3
Lipids:									
Fatty acids, total saturated.....g	0.572		0	FLM	4		0.092	0.646	
4:0.....g	0.000		0	FLM	4		0.000	0.000	
6:0.....g	0.000		0	FLM	4		0.000	0.000	
8:0.....g	0.000		0	FLM	4		0.000	0.000	
10:0.....g	0.000		0	FLM	4		0.000	0.000	
12:0.....g	0.001		0	FLM	4		0.000	0.001	
13:0.....g									
14:0.....g	0.016		0	FLM	4		0.003	0.018	
15:0.....g									
16:0.....g	0.437		0	FLM	4		0.070	0.494	
17:0.....g									
18:0.....g	0.118		0	FLM	4		0.019	0.133	
20:0.....g									
22:0.....g									
24:0.....g									
Fatty acids, total monounsaturated.....g	0.980		1	MA	12		0.157	1.107	
14:1.....g									
15:1.....g									
16:1 undifferentiated.....g	0.095		0	FLM	4		0.015	0.107	
17:1.....g									
18:1 undifferentiated.....g	0.803		0	FLM	4		0.128	0.907	
20:1.....g	0.014		0	FLM	4		0.002	0.016	
22:1 undifferentiated.....g	0.000		0	FLM	4		0.000	0.000	
24:1 c.....g									
Fatty acids, total polyunsaturated.....g	0.480		1	MA	12		0.077	0.542	
18:2 undifferentiated.....g	0.487		0	FLM	4		0.078	0.550	
18:3 undifferentiated.....g	0.024		0	FLM	4		0.004	0.027	
18:4.....g	0.000		0	FLM	4		0.000	0.000	
20:2 n-6 c,c.....g									
20:3 undifferentiated.....g									
20:4 undifferentiated.....g	0.005		0	FLM	4		0.001	0.006	
20:5 n-3 (EPA).....g	0.000		0	FLM	4		0.000	0.000	
21:5.....g									
22:4.....g									
22:5 n-3 (DPA).....g	0.000		0	FLM	4		0.000	0.000	
22:6 n-3 (DHA).....g	0.000		0	FLM	4		0.000	0.000	
Fatty acids, total trans.....g									
Cholesterol.....mg	11		1	MA	12		2	12	
Phytosterols.....mg	0		0	FLM	4		0	0	
Others:									
Alcohol, ethyl.....g	0.0		0	Z	7		0.0	0.0	
Caffeine.....mg	0		0	Z	7		0	0	
Theobromine.....mg	0		0	Z	7		0	0	

Blanks in the Mean column indicate lack of reliable data. The Number of Data Points column is the number of analyses upon which the mean is based. Number of Data Points of zero indicates the mean was either calculated (as for Energy) or estimated, usually from a recipe, another form of the same food, or similar food.

Common Measures:

Measure 1 = 16g: 1 tbsp

Measure 2 = 113g: 1 jar Beech-Nut Stage 2 (4 oz)

Calories Factors: Protein

Fat

Carbohydrate

Food Group: 03 Baby Foods

USDA National Nutrient Database for Standard Reference, Release 28 (2015)

NDB No. 03083

Babyfood, dinner, turkey and rice, junior

Nutrients and Units	Amount in 100 grams of edible portion				Amount in edible portion of common measures of food				
	Mean	Std. Error	Number of Data Points		Source Code	Confidence Code	Measure 1	Measure 2	Measure 3
			Deriv Code	Points					
Tocotrienol, delta.....mg									
Vitamin D (D2 + D3).....µg	0.0		0	AS	1		0.0	0.0	0.0
Vitamin D.....IU	0		0	O	4		0	0	0
Vitamin K (phylloquinone).....µg	3.0		0	FLA	4		0.5	0.8	5.1
Dihydrophyloquinone.....µg									
Menaquinone-4.....µg									
Lipids:									
Fatty acids, total saturated.....g	0.239		0	FLM	4		0.038	0.068	0.406
4:0.....g	0.000		0	FLM	4		0.000	0.000	0.000
6:0.....g	0.000		0	FLM	4		0.000	0.000	0.000
8:0.....g	0.000		0	FLM	4		0.000	0.000	0.000
10:0.....g	0.000		0	FLM	4		0.000	0.000	0.000
12:0.....g	0.001		0	FLM	4		0.000	0.000	0.002
13:0.....g									
14:0.....g	0.008		0	FLM	4		0.001	0.002	0.014
15:0.....g									
16:0.....g	0.157		0	FLM	4		0.025	0.045	0.267
17:0.....g									
18:0.....g	0.052		0	FLM	4		0.008	0.015	0.088
20:0.....g									
22:0.....g									
24:0.....g									
Fatty acids, total monounsaturated.....g	0.304		0	FLM	4		0.049	0.086	0.517
14:1.....g									
15:1.....g									
16:1 undifferentiated.....g	0.032		0	FLM	4		0.005	0.009	0.054
17:1.....g									
18:1 undifferentiated.....g	0.261		0	FLM	4		0.042	0.074	0.444
20:1.....g	0.002		0	FLM	4		0.000	0.001	0.003
22:1 undifferentiated.....g	0.000		0	FLM	4		0.000	0.000	0.000
24:1 c.....g									
Fatty acids, total polyunsaturated.....g	0.233		0	FLM	4		0.037	0.066	0.396
18:2 undifferentiated.....g	0.203		0	FLM	4		0.032	0.058	0.345
18:3 undifferentiated.....g	0.016		0	FLM	4		0.003	0.005	0.027
18:4.....g	0.000		0	FLM	4		0.000	0.000	0.000
20:2 n-6 c,c.....g									
20:3 undifferentiated.....g									
20:4 undifferentiated.....g	0.007		0	FLM	4		0.001	0.002	0.012
20:5 n-3 (EPA).....g	0.000		0	FLM	4		0.000	0.000	0.000
21:5.....g									
22:4.....g									
22:5 n-3 (DPA).....g	0.001		0	FLM	4		0.000	0.000	0.002
22:6 n-3 (DHA).....g	0.002		0	FLM	4		0.000	0.001	0.003
Fatty acids, total trans.....g									
Cholesterol.....mg	4		0	FLM	4		1	1	7
Phytosterols.....mg									
Others:									
Alcohol, ethyl.....g	0.0		0	Z	7		0.0	0.0	0.0
Caffeine.....mg	0		0	FLA	4		0	0	0
Theobromine.....mg	0		0	FLA	4		0	0	0

Blanks in the Mean column indicate lack of reliable data. The Number of Data Points column is the number of analyses upon which the mean is based. Number of Data Points of zero indicates the mean was either calculated (as for Energy) or estimated, usually from a recipe, another form of the same food, or similar food.

Common Measures:

Measure 1 = 16g: 1 tbsp

Measure 2 = 28.35g: 1 oz

Measure 3 = 170g: 1 jar

NDB No. 03083

Babyfood, dinner, turkey and rice, junior

Footnotes:

- 1 Vitamin A values range widely due to differences in cultivar and proportion of carrots.
- 2 Vitamin A values range widely due to differences in cultivar and proportion of carrots.

Calories Factors: Protein

Fat

Carbohydrate

Food Group: 03 Baby Foods

USDA National Nutrient Database for Standard Reference, Release 28 (2015)

NDB No. 03082

Babyfood, dinner, turkey and rice, strained

Nutrients and Units	Amount in 100 grams of edible portion				Amount in edible portion of common measures of food				
	Mean	Std. Error	Number of Data Points	Deriv Code	Source Code	Confidence Code	Measure 1	Measure 2	Measure 3
Tocotrienol, delta.....mg									
Vitamin D (D2 + D3).....µg	0.0		0	AS	1		0.0	0.0	0.0
Vitamin D.....IU	0		0	FLA	4		0	0	0
Vitamin K (phylloquinone).....µg	1.5		0	FLA	4		0.2	0.4	1.7
Dihydrophyloquinone.....µg									
Menaquinone-4.....µg									
Lipids:									
Fatty acids, total saturated.....g	0.338		0	FLM	4		0.054	0.096	0.382
4:0.....g	0.000		0	FLM	4		0.000	0.000	0.000
6:0.....g	0.000		0	FLM	4		0.000	0.000	0.000
8:0.....g	0.000		0	FLM	4		0.000	0.000	0.000
10:0.....g	0.000		0	FLM	4		0.000	0.000	0.000
12:0.....g	0.000		0	FLM	4		0.000	0.000	0.000
13:0.....g									
14:0.....g	0.011		0	FLM	4		0.002	0.003	0.012
15:0.....g									
16:0.....g	0.223		0	FLM	4		0.036	0.063	0.252
17:0.....g									
18:0.....g	0.074		0	FLM	4		0.012	0.021	0.084
20:0.....g									
22:0.....g									
24:0.....g									
Fatty acids, total monounsaturated.....g	0.446		0	FLM	4		0.071	0.126	0.504
14:1.....g									
15:1.....g									
16:1 undifferentiated.....g	0.051		0	FLM	4		0.008	0.014	0.058
17:1.....g									
18:1 undifferentiated.....g	0.380		0	FLM	4		0.061	0.108	0.429
20:1.....g	0.003		0	FLM	4		0.000	0.001	0.003
22:1 undifferentiated.....g	0.000		0	FLM	4		0.000	0.000	0.000
24:1 c.....g									
Fatty acids, total polyunsaturated.....g	0.308		0	FLM	4		0.049	0.087	0.348
18:2 undifferentiated.....g	0.272		0	FLM	4		0.044	0.077	0.307
18:3 undifferentiated.....g	0.020		0	FLM	4		0.003	0.006	0.023
18:4.....g	0.000		0	FLM	4		0.000	0.000	0.000
20:2 n-6 c,c.....g									
20:3 undifferentiated.....g									
20:4 undifferentiated.....g	0.008		0	FLM	4		0.001	0.002	0.009
20:5 n-3 (EPA).....g	0.000		0	FLM	4		0.000	0.000	0.000
21:5.....g									
22:4.....g									
22:5 n-3 (DPA).....g	0.001		0	FLM	4		0.000	0.000	0.001
22:6 n-3 (DHA).....g	0.002		0	FLM	4		0.000	0.001	0.002
Fatty acids, total trans.....g									
Cholesterol.....mg	5		0	FLM	4		1	1	6
Phytosterols.....mg									
Others:									
Alcohol, ethyl.....g	0.0		0	Z	7		0.0	0.0	0.0
Caffeine.....mg	0		0	FLA	4		0	0	0
Theobromine.....mg	0		0	FLA	4		0	0	0

Blanks in the Mean column indicate lack of reliable data. The Number of Data Points column is the number of analyses upon which the mean is based. Number of Data Points of zero indicates the mean was either calculated (as for Energy) or estimated, usually from a recipe, another form of the same food, or similar food.

Common Measures:

Measure 1 = 16g: 1 tbsp

Measure 2 = 28.35g: 1 oz

Measure 3 = 113g: 1 jar

NDB No. 03082

Babyfood, dinner, turkey and rice, strained

Footnotes:

- 1 Vitamin A values range widely due to differences in cultivar and proportion of carrots.
- 2 Vitamin A values range widely due to differences in cultivar and proportion of carrots.

Calories Factors: Protein

Fat

Carbohydrate

Food Group: 03 Baby Foods

USDA National Nutrient Database for Standard Reference, Release 28 (2015)

Babyfood, dinner, turkey, rice, and vegetables, toddler

Nutrients and Units	Amount in 100 grams of edible portion				Amount in edible portion of common measures of food		
	Mean	Std. Error	Number		Measure 1	Measure 2	Measure 3
			of Data Points	Deriv Code			
Lipids:							
Fatty acids, total saturated.....g	0.500		0	MA	12	0.142	0.850
4:0.....g	0.000		0	BFFN	4	0.000	0.000
6:0.....g	0.000		0	BFFN	4	0.000	0.000
8:0.....g	0.000		0	BFFN	4	0.000	0.000
10:0.....g	0.000		0	BFFN	4	0.000	0.000
12:0.....g	0.000		0	BFFN	4	0.000	0.000
13:0.....g							
14:0.....g	0.007		0	BFFN	4	0.002	0.012
15:0.....g							
16:0.....g	0.310		0	MC	9	0.088	0.527
17:0.....g							
18:0.....g	0.078		0	MC	9	0.022	0.133
20:0.....g							
22:0.....g							
24:0.....g							
Fatty acids, total monounsaturated.....g	0.555		0	BFFN	4	0.157	0.944
14:1.....g							
15:1.....g							
16:1 undifferentiated.....g	0.058		0	MC	9	0.016	0.099
17:1.....g							
18:1 undifferentiated.....g	0.497		0	MC	9	0.141	0.845
20:1.....g	0.000		0	BFFN	4	0.000	0.000
22:1 undifferentiated.....g	0.000		0	BFFN	4	0.000	0.000
24:1 c.....g							
Fatty acids, total polyunsaturated.....g	0.309		0	BFFN	4	0.088	0.525
18:2 undifferentiated.....g	0.299		0	MC	9	0.085	0.508
18:3 undifferentiated.....g	0.010		0	MC	9	0.003	0.017
18:4.....g	0.000		0	BFFN	4	0.000	0.000
20:2 n-6 c,c.....g							
20:3 undifferentiated.....g							
20:4 undifferentiated.....g	0.000		0	BFFN	4	0.000	0.000
20:5 n-3 (EPA).....g	0.000		0	BFFN	4	0.000	0.000
21:5.....g							
22:4.....g							
22:5 n-3 (DPA).....g	0.000		0	BFFN	4	0.000	0.000
22:6 n-3 (DHA).....g	0.000		0	BFFN	4	0.000	0.000
Fatty acids, total trans.....g							
Cholesterol.....mg	7		0	MA	12	2	13
Phytosterols.....mg							
Others:							
Alcohol, ethyl.....g	0.0		0	Z	7	0.0	0.0
Caffeine.....mg	0		0	NR	4	0	0
Theobromine.....mg	0		0	NR	4	0	0

Blanks in the Mean column indicate lack of reliable data. The Number of Data Points column is the number of analyses upon which the mean is based. Number of Data Points of zero indicates the mean was either calculated (as for Energy) or estimated, usually from a recipe, another form of the same food, or similar food.

Common Measures:

Measure 1 = 28.35g: 1 oz

Measure 2 = 170g: 1 jar Beech nut

Calories Factors: Protein

Fat

Carbohydrate

Food Group: 03 Baby Foods

NDB No. 03059

Babyfood, dinner, vegetables and bacon, strained

Nutrients and Units	Amount in 100 grams of edible portion				Amount in edible portion of common measures of food				
	Mean	Std. Error	Number of Data Points	Deriv Code	Source Code	Confidence Code	Measure 1	Measure 2	Measure 3
Tocotrienol, delta.....mg									
Vitamin D (D2 + D3).....µg	0.0		0	AS	1		0.1	0.0	0.0
Vitamin D.....IU	1		0	FLA	4		4	0	0
Vitamin K (phylloquinone).....µg	9.1		0	BFSN	4		23.3	1.5	2.6
Dihydrophylloquinone.....µg									
Menaquinone-4.....µg									
Lipids:									
Fatty acids, total saturated.....g	1.063		0	FLM	4		2.721	0.170	0.301
4:0.....g	0.000		0	FLM	4		0.000	0.000	0.000
6:0.....g	0.000		0	FLM	4		0.000	0.000	0.000
8:0.....g	0.000		0	FLM	4		0.000	0.000	0.000
10:0.....g	0.004		0	FLM	4		0.010	0.001	0.001
12:0.....g	0.005		0	FLM	4		0.013	0.001	0.001
13:0.....g									
14:0.....g	0.036		0	FLM	4		0.092	0.006	0.010
15:0.....g									
16:0.....g	0.670		0	FLM	4		1.715	0.107	0.190
17:0.....g									
18:0.....g	0.345		0	FLM	4		0.883	0.055	0.098
20:0.....g									
22:0.....g									
24:0.....g									
Fatty acids, total monounsaturated.....g	1.347		0	FLM	4		3.448	0.216	0.382
14:1.....g									
15:1.....g									
16:1 undifferentiated.....g	0.090		0	FLM	4		0.230	0.014	0.026
17:1.....g									
18:1 undifferentiated.....g	1.244		0	FLM	4		3.185	0.199	0.353
20:1.....g	0.011		0	FLM	4		0.028	0.002	0.003
22:1 undifferentiated.....g	0.000		0	FLM	4		0.000	0.000	0.000
24:1 c.....g									
Fatty acids, total polyunsaturated.....g	0.377		0	FLM	4		0.965	0.060	0.107
18:2 undifferentiated.....g	0.327		0	FLM	4		0.837	0.052	0.093
18:3 undifferentiated.....g	0.045		0	FLM	4		0.115	0.007	0.013
18:4.....g	0.000		0	FLM	4		0.000	0.000	0.000
20:2 n-6 c,c.....g									
20:3 undifferentiated.....g									
20:4 undifferentiated.....g	0.005		0	FLM	4		0.013	0.001	0.001
20:5 n-3 (EPA).....g	0.000		0	FLM	4		0.000	0.000	0.000
21:5.....g									
22:4.....g									
22:5 n-3 (DPA).....g	0.000		0	FLM	4		0.000	0.000	0.000
22:6 n-3 (DHA).....g	0.000		0	FLM	4		0.000	0.000	0.000
Fatty acids, total trans.....g									
Cholesterol.....mg	4		0	FLM	4		10	1	1
Phytosterols.....mg									
Others:									
Alcohol, ethyl.....g	0.0		0	Z	7		0.0	0.0	0.0
Caffeine.....mg	0		0	BFSN	4		0	0	0
Theobromine.....mg	0		0	BFSN	4		0	0	0

Blanks in the Mean column indicate lack of reliable data. The Number of Data Points column is the number of analyses upon which the mean is based. Number of Data Points of zero indicates the mean was either calculated (as for Energy) or estimated, usually from a recipe, another form of the same food, or similar food.

Common Measures:

Measure 1 = 256g: 1 cup

Measure 2 = 16g: 1 tbsp

Measure 3 = 28.35g: 1 oz

NDB No. 03059

Babyfood, dinner, vegetables and bacon, strained

Calories Factors: Protein

Fat

Carbohydrate

Food Group: 03 Baby Foods

USDA National Nutrient Database for Standard Reference, Release 28 (2015)

NDB No. 03054

Babyfood, dinner, vegetables and beef, junior

Refuse:0%

Nutrients and Units	Amount in 100 grams of edible portion					Amount in edible portion of common measures of food			
	Mean	Std. Error	Number of Data Points	Deriv Code	Source Code	Confidence Code	Measure 1	Measure 2	Measure 3
Proximates:									
Water.....g	84.94	0.539	3	A	1		217.44	13.59	24.08
Energy.....kcal	77		0	NC	4		196	12	22
Energy.....kJ	321		0	NC	4		821	51	91
Protein.....g	2.21	0.335	3	A	1		5.65	0.35	0.63
Total lipid (fat).....g	3.60	1.383	3	A	1		9.22	0.58	1.02
Ash.....g	0.41	0.038	3	A	1		1.06	0.07	0.12
Carbohydrate, by difference.....g	8.84		0	NC	4		22.63	1.41	2.51
Fiber, total dietary.....g	1.3		2	A	1		3.2	0.2	0.4
Sugars, total.....g	2.34		2	A	1		5.99	0.37	0.66
Sucrose.....g	1.01		2	A	1		2.59	0.16	0.29
Glucose (dextrose).....g	0.63		2	A	1		1.60	0.10	0.18
Fructose.....g	0.58		2	A	1		1.49	0.09	0.17
Lactose.....g	0.00		2	A	1		0.00	0.00	0.00
Maltose.....g	0.12		2	A	1		0.30	0.02	0.03
Galactose.....g	0.00		2	A	1		0.00	0.00	0.00
Starch.....g									
Minerals:									
Calcium, Ca.....mg	17		2	A	1		42	3	5
Iron, Fe.....mg	0.35		2	A	1		0.91	0.06	0.10
Magnesium, Mg.....mg	10		2	A	1		25	2	3
Phosphorus, P.....mg	33		2	A	1		83	5	9
Potassium, K.....mg	145		2	A	1		371	23	41
Sodium, Na.....mg	31		0	LC	8		79	5	9
Zinc, Zn.....mg	0.38		2	A	1		0.99	0.06	0.11
Copper, Cu.....mg	0.030		2	A	1		0.077	0.005	0.008
Manganese, Mn.....mg	0.106		2	A	1		0.273	0.017	0.030
Selenium, Se.....µg	2.2		2	A	1		5.7	0.4	0.6
Vitamins:									
Vitamin C, total ascorbic acid.....mg	0.2		0	MA	12		0.5	0.0	0.1
Thiamin.....mg	0.008		1	A	1		0.021	0.001	0.002
Riboflavin.....mg	0.048		1	JA	6		0.124	0.008	0.014
Niacin.....mg	0.789		1	JA	6		2.020	0.126	0.224
Pantothenic acid.....mg	0.099		1	A	1		0.253	0.016	0.028
Vitamin B-6.....mg	0.063		1	JA	6		0.160	0.010	0.018
Folate, total.....µg	6		2	A	1		14	1	2
Folic acid.....µg	3		2	A	1		6	0	1
Folate, food.....µg	3		0	AS	1		8	0	1
Folate, DFE.....µg	7		0	NC	4		19	1	2
Choline, total.....mg	16.5	2.544	3	AS	1		42.2	2.6	4.7
Betaine.....mg	1.1	0.254	3	A	1		2.7	0.2	0.3
Vitamin B-12.....µg	0.33		1	A	1		0.83	0.05	0.09
Vitamin B-12, added.....µg	0.00		0	Z	7		0.00	0.00	0.00
Vitamin A, RAE (2).....µg	246		0	NC	4		631	39	70
Retinol.....µg	0		0	FLA	4		0	0	0
Carotene, beta.....µg	2545		2	A	1		6515	407	722
Carotene, alpha.....µg	810		2	A	1		2074	130	230
Cryptoxanthin, beta.....µg	11		2	A	1		28	2	3
Vitamin A, IU (1).....IU	4926		0	NC	4		12610	788	1396
Lycopene.....µg	627		2	A	1		1604	100	178
Lutein + zeaxanthin.....µg	51		0	FLA	4		130	8	14
Vitamin E (alpha-tocopherol).....mg	0.49		2	A	1		1.25	0.08	0.14
Vitamin E, added.....mg	0.00		0	Z	7		0.00	0.00	0.00
Tocopherol, beta.....mg	0.00		2	A	1		0.00	0.00	0.00
Tocopherol, gamma.....mg	0.17		2	A	1		0.44	0.03	0.05
Tocopherol, delta.....mg	0.00		2	A	1		0.00	0.00	0.00
Tocotrienol, alpha.....mg	0.03		2	A	1		0.08	0.00	0.01
Tocotrienol, beta.....mg	0.00		2	A	1		0.00	0.00	0.00

Nutrients and Units	Amount in 100 grams of edible portion				Amount in edible portion of common measures of food				
	Mean	Std. Error	Number of Data Points	Deriv Code	Source Code	Confidence Code	Measure 1	Measure 2	Measure 3
Tocotrienol, gamma.....mg	0.01		2	A	1		0.04	0.00	0.00
Tocotrienol, delta.....mg	0.00		2	A	1		0.00	0.00	0.00
Vitamin D (D2 + D3).....µg	0.0		0	NR	4		0.0	0.0	0.0
Vitamin D2 (ergocalciferol).....µg									
Vitamin D3 (cholecalciferol).....µg									
Vitamin D.....IU	1		0	FLA	4		2	0	0
Vitamin K (phylloquinone).....µg	5.2		2	A	1		13.3	0.8	1.5
Dihydrophyloquinone.....µg	0.0		2	A	1		0.0	0.0	0.0
Menaquinone-4.....µg	0.4		2	A	1		1.2	0.1	0.1
Lipids:									
Fatty acids, total saturated.....g	1.367		0	NC	4		3.501	0.219	0.388
4:0.....g	0.000		0	FLM	4		0.000	0.000	0.000
6:0.....g	0.000		0	FLM	4		0.000	0.000	0.000
8:0.....g	0.000		1	A	1		0.000	0.000	0.000
10:0.....g	0.000		1	A	1		0.000	0.000	0.000
12:0.....g	0.000		1	A	1		0.000	0.000	0.000
13:0.....g									
14:0.....g	0.070		1	A	1		0.179	0.011	0.020
15:0.....g	0.010		1	A	1		0.025	0.002	0.003
16:0.....g	0.470		1	A	1		1.203	0.075	0.133
17:0.....g	0.020		1	A	1		0.051	0.003	0.006
18:0.....g	0.300		1	A	1		0.768	0.048	0.085
20:0.....g	0.000		1	A	1		0.000	0.000	0.000
22:0.....g	0.000		1	A	1		0.000	0.000	0.000
24:0.....g	0.000		1	A	1		0.000	0.000	0.000
Fatty acids, total monounsaturated.....g	1.289		0	NC	4		3.299	0.206	0.365
14:1.....g	0.020		1	A	1		0.051	0.003	0.006
15:1.....g	0.000		1	A	1		0.000	0.000	0.000
16:1 undifferentiated.....g	0.070		1	A	1		0.179	0.011	0.020
17:1.....g	0.020		1	A	1		0.051	0.003	0.006
18:1 undifferentiated.....g	0.710		1	A	1		1.818	0.114	0.201
20:1.....g	0.000		1	A	1		0.000	0.000	0.000
22:1 undifferentiated.....g	0.000		1	A	1		0.000	0.000	0.000
24:1 c.....g	0.000		1	A	1		0.000	0.000	0.000
Fatty acids, total polyunsaturated.....g	0.298		0	NC	4		0.764	0.048	0.085
18:2 undifferentiated.....g	0.140		1	A	1		0.358	0.022	0.040
18:3 undifferentiated.....g	0.030		1	A	1		0.077	0.005	0.008
18:4.....g	0.020		1	A	1		0.051	0.003	0.006
20:2 n-6 c,c.....g	0.000		1	A	1		0.000	0.000	0.000
20:3 undifferentiated.....g	0.000		1	A	1		0.000	0.000	0.000
20:4 undifferentiated.....g	0.000		1	A	1		0.000	0.000	0.000
20:5 n-3 (EPA).....g	0.000		1	A	1		0.000	0.000	0.000
21:5.....g	0.000		1	A	1		0.000	0.000	0.000
22:4.....g	0.000		1	A	1		0.000	0.000	0.000
22:5 n-3 (DPA).....g	0.000		1	A	1		0.000	0.000	0.000
22:6 n-3 (DHA).....g	0.000		1	A	1		0.000	0.000	0.000
Fatty acids, total trans.....g									
Cholesterol.....mg	7		2	A	1		19	1	2
Phytosterols.....mg	0		0	FLA	4		0	0	0
Amino Acids:									
Tryptophan.....g	0.020		0	FLA	4		0.051	0.003	0.006
Threonine.....g	0.089		0	FLA	4		0.229	0.014	0.025
Isoleucine.....g	0.099		0	FLA	4		0.254	0.016	0.028
Leucine.....g	0.170		0	FLA	4		0.436	0.027	0.048
Lysine.....g	0.164		0	FLA	4		0.420	0.026	0.047
Methionine.....g	0.052		0	FLA	4		0.134	0.008	0.015
Cystine.....g	0.030		0	FLA	4		0.077	0.005	0.009
Phenylalanine.....g	0.097		0	FLA	4		0.247	0.015	0.027
Tyrosine.....g	0.078		0	FLA	4		0.200	0.012	0.022
Valine.....g	0.115		0	FLA	4		0.295	0.018	0.033
Arginine.....g	0.144		0	FLA	4		0.368	0.023	0.041
Histidine.....g	0.066		0	FLA	4		0.169	0.011	0.019

NDB No. 03054

Babyfood, dinner, vegetables and beef, junior

Nutrients and Units	Amount in 100 grams of edible portion				Amount in edible portion of common measures of food				
	Mean	Std. Error	Number of Data Points	Deriv Code	Source Code	Confidence Code	Measure 1	Measure 2	Measure 3
Alanine.....g	0.133		0	FLA	4		0.339	0.021	0.038
Aspartic acid.....g	0.277		0	FLA	4		0.709	0.044	0.079
Glutamic acid.....g	0.442		0	FLA	4		1.133	0.071	0.125
Glycine.....g	0.119		0	FLA	4		0.305	0.019	0.034
Proline.....g	0.102		0	FLA	4		0.262	0.016	0.029
Serine.....g	0.095		0	FLA	4		0.244	0.015	0.027
Hydroxyproline.....g	0.016		0	FLA	4		0.041	0.003	0.004
Others:									
Alcohol, ethyl.....g	0.0		0	FLA	4		0.0	0.0	0.0
Caffeine.....mg	0		0	FLA	4		0	0	0
Theobromine.....mg	0		0	FLA	4		0	0	0

Blanks in the Mean column indicate lack of reliable data. The Number of Data Points column is the number of analyses upon which the mean is based. Number of Data Points of zero indicates the mean was either calculated (as for Energy) or estimated, usually from a recipe, another form of the same food, or similar food.

Common Measures:

- Measure 1 = 256g: 1 cup
- Measure 2 = 16g: 1 tbsp
- Measure 3 = 28.35g: 1 oz

Footnotes:

- 1 Vitamin A values range widely due to differences in cultivar and proportion of carrots.
- 2 Vitamin A values range widely due to differences in cultivar and proportion of carrots.

Calories Factors: Protein

Fat

Carbohydrate

Food Group: 03 Baby Foods

USDA National Nutrient Database for Standard Reference, Release 28 (2015)

NDB No. 03053

Babyfood, dinner, vegetables and beef, strained

Refuse:0%

Nutrients and Units	Amount in 100 grams of edible portion					Amount in edible portion of common measures of food			
	Mean	Std. Error	Number of Data Points	Deriv Code	Source Code	Confidence Code	Measure 1	Measure 2	Measure 3
Proximates:									
Water.....g	84.94	0.539	3	A	1		217.44	13.59	24.08
Energy.....kcal	77		0	NC	4		196	12	22
Energy.....kJ	321		0	NC	4		821	51	91
Protein.....g	2.21	0.335	3	A	1		5.65	0.35	0.63
Total lipid (fat).....g	3.60	1.383	3	A	1		9.22	0.58	1.02
Ash.....g	0.41	0.038	3	A	1		1.06	0.07	0.12
Carbohydrate, by difference.....g	8.84		0	NC	4		22.63	1.41	2.51
Fiber, total dietary.....g	1.3		2	A	1		3.2	0.2	0.4
Sugars, total.....g	2.34		2	A	1		5.99	0.37	0.66
Sucrose.....g	1.01		2	A	1		2.59	0.16	0.29
Glucose (dextrose).....g	0.63		2	A	1		1.60	0.10	0.18
Fructose.....g	0.58		2	A	1		1.49	0.09	0.17
Lactose.....g	0.00		2	A	1		0.00	0.00	0.00
Maltose.....g	0.12		2	A	1		0.30	0.02	0.03
Galactose.....g	0.00		2	A	1		0.00	0.00	0.00
Starch.....g	0.03		0	FLA	4		0.07	0.00	0.01
Minerals:									
Calcium, Ca.....mg	17		2	A	1		42	3	5
Iron, Fe.....mg	0.35		2	A	1		0.91	0.06	0.10
Magnesium, Mg.....mg	10		2	A	1		25	2	3
Phosphorus, P.....mg	33		2	A	1		83	5	9
Potassium, K.....mg	145		2	A	1		371	23	41
Sodium, Na.....mg	31		0	LC	8		79	5	9
Zinc, Zn.....mg	0.38		2	A	1		0.99	0.06	0.11
Copper, Cu.....mg	0.030		2	A	1		0.077	0.005	0.008
Manganese, Mn.....mg	0.180		0	MA	12		0.461	0.029	0.051
Selenium, Se.....µg	2.2		2	A	1		5.7	0.4	0.6
Vitamins:									
Vitamin C, total ascorbic acid.....mg	0.2		0	MA	12		0.5	0.0	0.1
Thiamin.....mg	0.008		1	A	1		0.021	0.001	0.002
Riboflavin.....mg	0.048		1	JA	6		0.124	0.008	0.014
Niacin.....mg	0.789		1	JA	6		2.020	0.126	0.224
Pantothenic acid.....mg	0.099		1	A	1		0.253	0.016	0.028
Vitamin B-6.....mg	0.063		1	JA	6		0.160	0.010	0.018
Folate, total.....µg	6		2	A	1		14	1	2
Folic acid.....µg	3		2	A	1		6	0	1
Folate, food.....µg	3		0	AS	1		8	0	1
Folate, DFE.....µg	7		0	NC	4		19	1	2
Choline, total.....mg	16.5	2.544	3	AS	1		42.2	2.6	4.7
Betaine.....mg	1.1	0.254	3	A	1		2.7	0.2	0.3
Vitamin B-12.....µg	0.18		0	FLM	4		0.46	0.03	0.05
Vitamin B-12, added.....µg	0.00		0	Z	7		0.00	0.00	0.00
Vitamin A, RAE (2).....µg	246		0	NC	4		631	39	70
Retinol.....µg	0		0	FLA	4		0	0	0
Carotene, beta.....µg	2545		2	A	1		6515	407	722
Carotene, alpha.....µg	810		2	A	1		2074	130	230
Cryptoxanthin, beta.....µg	11		2	A	1		28	2	3
Vitamin A, IU (1).....IU	4926		0	NC	4		12610	788	1396
Lycopene.....µg	627		2	A	1		1604	100	178
Lutein + zeaxanthin.....µg	51		0	FLA	4		130	8	14
Vitamin E (alpha-tocopherol).....mg	0.49		2	A	1		1.25	0.08	0.14
Vitamin E, added.....mg	0.00		0	Z	7		0.00	0.00	0.00
Tocopherol, beta.....mg	0.00		2	A	1		0.00	0.00	0.00
Tocopherol, gamma.....mg	0.17		2	A	1		0.44	0.03	0.05
Tocopherol, delta.....mg	0.00		2	A	1		0.00	0.00	0.00
Tocotrienol, alpha.....mg	0.03		2	A	1		0.08	0.00	0.01
Tocotrienol, beta.....mg	0.00		2	A	1		0.00	0.00	0.00

NDB No. 03053

Babyfood, dinner, vegetables and beef, strained

Nutrients and Units	Amount in 100 grams of edible portion				Amount in edible portion of common				
	Mean	Std. Error	Number		measures of food				
			of Data Points	Deriv Code	Source Code	Confidence Code	Measure 1	Measure 2	Measure 3
Tocotrienol, gamma.....mg	0.01		2	A	1		0.04	0.00	0.00
Tocotrienol, delta.....mg	0.00		0	FLA	4		0.00	0.00	0.00
Vitamin D (D2 + D3).....µg	0.0		0	NR	4		0.1	0.0	0.0
Vitamin D2 (ergocalciferol).....µg									
Vitamin D3 (cholecalciferol).....µg									
Vitamin D.....IU	1		0	NR	4		2	0	0
Vitamin K (phylloquinone).....µg	5.2		2	A	1		13.3	0.8	1.5
Dihydrophyloquinone.....µg	0.0		2	A	1		0.0	0.0	0.0
Menaquinone-4.....µg	0.4		2	A	1		1.2	0.1	0.1
Lipids:									
Fatty acids, total saturated.....g	0.870		0	NC	4		2.226	0.139	0.247
4:0.....g	0.000		0	FLM	4		0.000	0.000	0.000
6:0.....g	0.000		0	FLM	4		0.000	0.000	0.000
8:0.....g	0.000		1	A	1		0.000	0.000	0.000
10:0.....g	0.000		1	A	1		0.000	0.000	0.000
12:0.....g	0.000		1	A	1		0.000	0.000	0.000
13:0.....g									
14:0.....g	0.070		1	A	1		0.179	0.011	0.020
15:0.....g	0.010		1	A	1		0.025	0.002	0.003
16:0.....g	0.470		1	A	1		1.203	0.075	0.133
17:0.....g	0.020		1	A	1		0.051	0.003	0.006
18:0.....g	0.300		1	A	1		0.768	0.048	0.085
20:0.....g	0.000		1	A	1		0.000	0.000	0.000
22:0.....g	0.000		1	A	1		0.000	0.000	0.000
24:0.....g	0.000		1	A	1		0.000	0.000	0.000
Fatty acids, total monounsaturated.....g	0.820		0	NC	4		2.098	0.131	0.232
14:1.....g	0.020		1	A	1		0.051	0.003	0.006
15:1.....g	0.000		1	A	1		0.000	0.000	0.000
16:1 undifferentiated.....g	0.070		1	A	1		0.179	0.011	0.020
17:1.....g	0.020		1	A	1		0.051	0.003	0.006
18:1 undifferentiated.....g	0.710		1	A	1		1.817	0.114	0.201
20:1.....g	0.000		1	A	1		0.000	0.000	0.000
22:1 undifferentiated.....g	0.000		1	A	1		0.000	0.000	0.000
24:1 c.....g	0.000		1	A	1		0.000	0.000	0.000
Fatty acids, total polyunsaturated.....g	0.190		0	NC	4		0.486	0.030	0.054
18:2 undifferentiated.....g	0.140		1	A	1		0.358	0.022	0.040
18:3 undifferentiated.....g	0.030		1	A	1		0.077	0.005	0.008
18:4.....g	0.020		1	A	1		0.051	0.003	0.006
20:2 n-6 c,c.....g	0.000		1	A	1		0.000	0.000	0.000
20:3 undifferentiated.....g	0.000		1	A	1		0.000	0.000	0.000
20:4 undifferentiated.....g	0.000		1	A	1		0.000	0.000	0.000
20:5 n-3 (EPA).....g	0.000		1	A	1		0.000	0.000	0.000
21:5.....g	0.000		1	A	1		0.000	0.000	0.000
22:4.....g	0.000		1	A	1		0.000	0.000	0.000
22:5 n-3 (DPA).....g	0.000		1	A	1		0.000	0.000	0.000
22:6 n-3 (DHA).....g	0.000		1	A	1		0.000	0.000	0.000
Fatty acids, total trans.....g									
Cholesterol.....mg	7		2	A	1		19	1	2
Phytosterols.....mg	0		0	FLA	4		0	0	0
Amino Acids:									
Tryptophan.....g	0.020		0	FLA	4		0.051	0.003	0.006
Threonine.....g	0.097		0	FLA	4		0.249	0.016	0.028
Isoleucine.....g	0.111		0	FLA	4		0.283	0.018	0.031
Leucine.....g	0.193		0	FLA	4		0.493	0.031	0.055
Lysine.....g	0.184		0	FLA	4		0.472	0.029	0.052
Methionine.....g	0.061		0	FLA	4		0.155	0.010	0.017
Cystine.....g	0.033		0	FLA	4		0.086	0.005	0.009
Phenylalanine.....g	0.103		0	FLA	4		0.264	0.017	0.029
Tyrosine.....g	0.086		0	FLA	4		0.221	0.014	0.024
Valine.....g	0.127		0	FLA	4		0.325	0.020	0.036
Arginine.....g	0.164		0	FLA	4		0.421	0.026	0.047
Histidine.....g	0.074		0	FLA	4		0.189	0.012	0.021

NDB No. 03053

Babyfood, dinner, vegetables and beef, strained

Nutrients and Units	Amount in 100 grams of edible portion				Amount in edible portion of common measures of food				
	Mean	Std. Error	Number of Data Points	Deriv Code	Source Code	Confidence Code	Measure 1	Measure 2	Measure 3
Alanine.....g	0.146		0	FLA	4		0.374	0.023	0.041
Aspartic acid.....g	0.252		0	FLA	4		0.645	0.040	0.071
Glutamic acid.....g	0.396		0	FLA	4		1.014	0.063	0.112
Glycine.....g	0.138		0	FLA	4		0.354	0.022	0.039
Proline.....g	0.115		0	FLA	4		0.294	0.018	0.033
Serine.....g	0.103		0	FLA	4		0.263	0.016	0.029
Hydroxyproline.....g	0.020		0	FLA	4		0.051	0.003	0.006
Others:									
Alcohol, ethyl.....g	0.0		0	FLA	4		0.0	0.0	0.0
Caffeine.....mg	0		0	FLA	4		0	0	0
Theobromine.....mg	0		0	FLA	4		0	0	0

Blanks in the Mean column indicate lack of reliable data. The Number of Data Points column is the number of analyses upon which the mean is based. Number of Data Points of zero indicates the mean was either calculated (as for Energy) or estimated, usually from a recipe, another form of the same food, or similar food.

Common Measures:

- Measure 1 = 256g: 1 cup
- Measure 2 = 16g: 1 tbsp
- Measure 3 = 28.35g: 1 oz

Footnotes:

- 1 Vitamin A values range widely due to differences in cultivar and proportion of carrots.
- 2 Vitamin A values range widely due to differences in cultivar and proportion of carrots.

Calories Factors: Protein

Fat

Carbohydrate

Food Group: 03 Baby Foods

USDA National Nutrient Database for Standard Reference, Release 28 (2015)

NDB No. 03274

Babyfood, dinner, vegetables and chicken, junior

Nutrients and Units	Amount in 100 grams of edible portion				Amount in edible portion of common measures of food				
	Mean	Std. Error	Number of Data Points	Deriv Code	Source Code	Confidence Code	Measure 1	Measure 2	Measure 3
Tocotrienol, delta.....mg									
Vitamin D (D2 + D3).....µg	0.0		0	AS	1		0.1	0.0	0.0
Vitamin D.....IU	2		0	FLA	4		5	0	1
Vitamin K (phylloquinone).....µg	2.1		0	FLA	4		5.4	0.3	0.6
Dihydrophyloquinone.....µg									
Menaquinone-4.....µg									
Lipids:									
Fatty acids, total saturated.....g	0.302		0	MA	12		0.773	0.048	0.086
4:0.....g	0.000		0	FLM	4		0.000	0.000	0.000
6:0.....g	0.000		0	FLM	4		0.000	0.000	0.000
8:0.....g	0.000		0	FLM	4		0.000	0.000	0.000
10:0.....g	0.000		0	FLM	4		0.000	0.000	0.000
12:0.....g	0.000		0	FLM	4		0.000	0.000	0.000
13:0.....g									
14:0.....g	0.010		0	FLM	4		0.026	0.002	0.003
15:0.....g									
16:0.....g	0.191		0	FLM	4		0.489	0.031	0.054
17:0.....g									
18:0.....g	0.071		0	FLM	4		0.182	0.011	0.020
20:0.....g									
22:0.....g									
24:0.....g									
Fatty acids, total monounsaturated.....g	0.402		0	FLM	4		1.029	0.064	0.114
14:1.....g									
15:1.....g									
16:1 undifferentiated.....g	0.047		0	FLM	4		0.120	0.008	0.013
17:1.....g									
18:1 undifferentiated.....g	0.340		0	FLM	4		0.870	0.054	0.096
20:1.....g	0.004		0	FLM	4		0.010	0.001	0.001
22:1 undifferentiated.....g	0.000		0	FLM	4		0.000	0.000	0.000
24:1 c.....g									
Fatty acids, total polyunsaturated.....g	0.269		0	FLM	4		0.689	0.043	0.076
18:2 undifferentiated.....g	0.238		0	FLM	4		0.609	0.038	0.067
18:3 undifferentiated.....g	0.013		0	FLM	4		0.033	0.002	0.004
18:4.....g	0.000		0	FLM	4		0.000	0.000	0.000
20:2 n-6 c,c.....g									
20:3 undifferentiated.....g									
20:4 undifferentiated.....g	0.009		0	FLM	4		0.023	0.001	0.003
20:5 n-3 (EPA).....g	0.000		0	FLM	4		0.000	0.000	0.000
21:5.....g									
22:4.....g									
22:5 n-3 (DPA).....g	0.000		0	FLM	4		0.000	0.000	0.000
22:6 n-3 (DHA).....g	0.002		0	FLM	4		0.005	0.000	0.001
Fatty acids, total trans.....g									
Cholesterol.....mg	7		0	MA	12		18	1	2
Phytosterols.....mg									
Others:									
Alcohol, ethyl.....g	0.0		0	Z	7		0.0	0.0	0.0
Caffeine.....mg	0		0	FLA	4		0	0	0
Theobromine.....mg	0		0	FLA	4		0	0	0

Blanks in the Mean column indicate lack of reliable data. The Number of Data Points column is the number of analyses upon which the mean is based. Number of Data Points of zero indicates the mean was either calculated (as for Energy) or estimated, usually from a recipe, another form of the same food, or similar food.

Common Measures:

Measure 1 = 256g: 1 cup

Measure 2 = 16g: 1 tbsp

Measure 3 = 28.35g: 1 oz

NDB No. 03274

Babyfood, dinner, vegetables and chicken, junior

Calories Factors: Protein

Fat

Carbohydrate

Food Group: 03 Baby Foods

USDA National Nutrient Database for Standard Reference, Release 28 (2015)

NDB No. 03042

Babyfood, dinner, vegetables and dumplings and beef, junior

Nutrients and Units	<u>Amount in 100 grams of edible portion</u>						<u>Amount in edible portion of common measures of food</u>		
	Mean	Std. Error	Number of Data Points	Deriv Code	Source Code	Confidence Code	Measure 1	Measure 2	Measure 3

Blanks in the Mean column indicate lack of reliable data. The Number of Data Points column is the number of analyses upon which the mean is based. Number of Data Points of zero indicates the mean was either calculated (as for Energy) or estimated, usually from a recipe, another form of the same food, or similar food.

Common Measures:

Measure 1 = 28.35g: 1 oz

Measure 2 = 170g: 1 jar

Calories Factors: Protein 4.1

Fat 8.9

Carbohydrate4.1

Food Group: 03 Baby Foods

USDA National Nutrient Database for Standard Reference, Release 28 (2015)

NDB No. 03041

Babyfood, dinner, vegetables and dumplings and beef, strained

Nutrients and Units	<u>Amount in 100 grams of edible portion</u>						<u>Amount in edible portion of common measures of food</u>			
	Mean	Std. Error	Number			Source Code	Confidence Code	Measure 1	Measure 2	Measure 3
			of Data Points	Deriv Code						

Blanks in the Mean column indicate lack of reliable data. The Number of Data Points column is the number of analyses upon which the mean is based. Number of Data Points of zero indicates the mean was either calculated (as for Energy) or estimated, usually from a recipe, another form of the same food, or similar food.

Common Measures:

Measure 1 = 28.35g: 1 oz

Measure 2 = 113g: 1 jar

Calories Factors: Protein 4.1

Fat 8.9

Carbohydrate4.1

Food Group: 03 Baby Foods

USDA National Nutrient Database for Standard Reference, Release 28 (2015)

NDB No. 03062

Babyfood, dinner, vegetables and ham, junior

Nutrients and Units	Amount in 100 grams of edible portion				Amount in edible portion of common measures of food				
	Mean	Std. Error	Number of Data Points		Source Code	Confidence Code	Measure 1	Measure 2	Measure 3
			Deriv Code	Points					
Tocotrienol, delta.....mg									
Vitamin D (D2 + D3).....µg	0.0		0	FLA	4		0.1	0.0	0.0
Vitamin D.....IU	1		0	FLA	4		3	0	0
Vitamin K (phylloquinone).....µg	2.7		0	FLA	4		6.9	0.4	0.8
Dihydrophylloquinone.....µg									
Menaquinone-4.....µg									
Lipids:									
Fatty acids, total saturated.....g	0.483		0	FLM	4		1.236	0.077	0.137
4:0.....g	0.000		0	FLM	4		0.000	0.000	0.000
6:0.....g	0.000		0	FLM	4		0.000	0.000	0.000
8:0.....g	0.000		0	FLM	4		0.000	0.000	0.000
10:0.....g	0.001		0	FLM	4		0.003	0.000	0.000
12:0.....g	0.003		0	FLM	4		0.008	0.000	0.001
13:0.....g									
14:0.....g	0.013		0	FLM	4		0.033	0.002	0.004
15:0.....g									
16:0.....g	0.314		0	FLM	4		0.804	0.050	0.089
17:0.....g									
18:0.....g	0.151		0	FLM	4		0.387	0.024	0.043
20:0.....g									
22:0.....g									
24:0.....g									
Fatty acids, total monounsaturated.....g	0.811		0	FLM	4		2.076	0.130	0.230
14:1.....g									
15:1.....g									
16:1 undifferentiated.....g	0.033		0	FLM	4		0.084	0.005	0.009
17:1.....g									
18:1 undifferentiated.....g	0.777		0	FLM	4		1.989	0.124	0.220
20:1.....g	0.000		0	FLM	4		0.000	0.000	0.000
22:1 undifferentiated.....g	0.000		0	FLM	4		0.000	0.000	0.000
24:1 c.....g									
Fatty acids, total polyunsaturated.....g	0.448		0	FLM	4		1.147	0.072	0.127
18:2 undifferentiated.....g	0.403		0	FLM	4		1.032	0.064	0.114
18:3 undifferentiated.....g	0.039		0	FLM	4		0.100	0.006	0.011
18:4.....g	0.000		0	FLM	4		0.000	0.000	0.000
20:2 n-6 c,c.....g									
20:3 undifferentiated.....g									
20:4 undifferentiated.....g	0.004		0	FLM	4		0.010	0.001	0.001
20:5 n-3 (EPA).....g	0.000		0	FLM	4		0.000	0.000	0.000
21:5.....g									
22:4.....g									
22:5 n-3 (DPA).....g	0.000		0	FLM	4		0.000	0.000	0.000
22:6 n-3 (DHA).....g	0.000		0	FLM	4		0.000	0.000	0.000
Fatty acids, total trans.....g									
Cholesterol.....mg	3		0	FLM	4		8	0	1
Phytosterols.....mg									
Others:									
Alcohol, ethyl.....g	0.0		0	Z	7		0.0	0.0	0.0
Caffeine.....mg	0		0	FLA	4		0	0	0
Theobromine.....mg	0		0	FLA	4		0	0	0

Blanks in the Mean column indicate lack of reliable data. The Number of Data Points column is the number of analyses upon which the mean is based. Number of Data Points of zero indicates the mean was either calculated (as for Energy) or estimated, usually from a recipe, another form of the same food, or similar food.

Common Measures:

Measure 1 = 256g: 1 cup

Measure 2 = 16g: 1 tbsp

Measure 3 = 28.35g: 1 oz

NDB No. 03062

Babyfood, dinner, vegetables and ham, junior

Calories Factors: Protein

Fat

Carbohydrate

Food Group: 03 Baby Foods

USDA National Nutrient Database for Standard Reference, Release 28 (2015)

NDB No. 03061

Babyfood, dinner, vegetables and ham, strained

Nutrients and Units	Amount in 100 grams of edible portion				Amount in edible portion of common measures of food				
	Mean	Std. Error	Number of Data Points	Deriv Code	Source Code	Confidence Code	Measure 1	Measure 2	Measure 3
Tocotrienol, delta.....mg									
Vitamin D (D2 + D3).....µg	0.1		0	FLA	4		0.2	0.0	0.0
Vitamin D.....IU	4		0	FLA	4		9	1	1
Vitamin K (phylloquinone).....µg	2.7		0	FLA	4		6.9	0.4	0.8
Dihydrophyloquinone.....µg									
Menaquinone-4.....µg									
Lipids:									
Fatty acids, total saturated.....g	0.764		0	FLM	4		1.956	0.122	0.217
4:0.....g	0.000		0	FLM	4		0.000	0.000	0.000
6:0.....g	0.000		0	FLM	4		0.000	0.000	0.000
8:0.....g	0.000		0	FLM	4		0.000	0.000	0.000
10:0.....g	0.002		0	FLM	4		0.005	0.000	0.001
12:0.....g	0.004		0	FLM	4		0.010	0.001	0.001
13:0.....g									
14:0.....g	0.027		0	FLM	4		0.069	0.004	0.008
15:0.....g									
16:0.....g	0.482		0	FLM	4		1.234	0.077	0.137
17:0.....g									
18:0.....g	0.245		0	FLM	4		0.627	0.039	0.069
20:0.....g									
22:0.....g									
24:0.....g									
Fatty acids, total monounsaturated.....g	0.963		0	FLM	4		2.465	0.154	0.273
14:1.....g									
15:1.....g									
16:1 undifferentiated.....g	0.061		0	FLM	4		0.156	0.010	0.017
17:1.....g									
18:1 undifferentiated.....g	0.895		0	FLM	4		2.291	0.143	0.254
20:1.....g	0.005		0	FLM	4		0.013	0.001	0.001
22:1 undifferentiated.....g	0.000		0	FLM	4		0.000	0.000	0.000
24:1 c.....g									
Fatty acids, total polyunsaturated.....g	0.234		0	FLM	4		0.599	0.037	0.066
18:2 undifferentiated.....g	0.198		0	FLM	4		0.507	0.032	0.056
18:3 undifferentiated.....g	0.026		0	FLM	4		0.067	0.004	0.007
18:4.....g	0.000		0	FLM	4		0.000	0.000	0.000
20:2 n-6 c,c.....g									
20:3 undifferentiated.....g									
20:4 undifferentiated.....g	0.007		0	FLM	4		0.018	0.001	0.002
20:5 n-3 (EPA).....g	0.000		0	FLM	4		0.000	0.000	0.000
21:5.....g									
22:4.....g									
22:5 n-3 (DPA).....g	0.000		0	FLM	4		0.000	0.000	0.000
22:6 n-3 (DHA).....g	0.000		0	FLM	4		0.000	0.000	0.000
Fatty acids, total trans.....g									
Cholesterol.....mg	5		0	MA	12		13	1	1
Phytosterols.....mg									
Others:									
Alcohol, ethyl.....g	0.0		0	Z	7		0.0	0.0	0.0
Caffeine.....mg	0		0	FLA	4		0	0	0
Theobromine.....mg	0		0	FLA	4		0	0	0

Blanks in the Mean column indicate lack of reliable data. The Number of Data Points column is the number of analyses upon which the mean is based. Number of Data Points of zero indicates the mean was either calculated (as for Energy) or estimated, usually from a recipe, another form of the same food, or similar food.

Common Measures:

Measure 1 = 256g: 1 cup

Measure 2 = 16g: 1 tbsp

Measure 3 = 28.35g: 1 oz

NDB No. 03061

Babyfood, dinner, vegetables and ham, strained

Calories Factors: Protein

Fat

Carbohydrate

Food Group: 03 Baby Foods

USDA National Nutrient Database for Standard Reference, Release 28 (2015)

NDB No. 03067

Babyfood, dinner, vegetables and lamb, junior

Nutrients and Units	Amount in 100 grams of edible portion				Amount in edible portion of common		
	Mean	Std. Error	Number		Measure 1	Measure 2	Measure 3
			of Data Points	Deriv Code			
Lipids:							
Fatty acids, total saturated.....g	0.696		0		4	0.197	1.183
4:0.....g	0.000		0		4	0.000	0.000
6:0.....g	0.000		0		4	0.000	0.000
8:0.....g	0.000		0		4	0.000	0.000
10:0.....g	0.004		0		4	0.001	0.007
12:0.....g	0.007		0		4	0.002	0.012
13:0.....g							
14:0.....g	0.064		0		4	0.018	0.109
15:0.....g							
16:0.....g	0.358		0		4	0.101	0.609
17:0.....g							
18:0.....g	0.221		0		4	0.063	0.376
20:0.....g							
22:0.....g							
24:0.....g							
Fatty acids, total monounsaturated.....g	0.690		0		4	0.196	1.173
14:1.....g							
15:1.....g							
16:1 undifferentiated.....g	0.047		0		4	0.013	0.080
17:1.....g							
18:1 undifferentiated.....g	0.626		0		4	0.177	1.064
20:1.....g	0.000		0		4	0.000	0.000
22:1 undifferentiated.....g	0.000		0		4	0.000	0.000
24:1 c.....g							
Fatty acids, total polyunsaturated.....g	0.154		0		4	0.044	0.262
18:2 undifferentiated.....g	0.122		0		4	0.035	0.207
18:3 undifferentiated.....g	0.026		0		4	0.007	0.044
18:4.....g	0.000		0		4	0.000	0.000
20:2 n-6 c,c.....g							
20:3 undifferentiated.....g							
20:4 undifferentiated.....g	0.005		0		4	0.001	0.009
20:5 n-3 (EPA).....g	0.000		0		4	0.000	0.000
21:5.....g							
22:4.....g							
22:5 n-3 (DPA).....g	0.000		0		4	0.000	0.000
22:6 n-3 (DHA).....g	0.000		0		4	0.000	0.000
Fatty acids, total trans.....g							
Cholesterol.....mg	5		0		4	1	9
Phytosterols.....mg							
Amino Acids:							
Tryptophan.....g	0.024		0		1	0.007	0.041
Threonine.....g	0.077		0		1	0.022	0.131
Isoleucine.....g	0.095		0		1	0.027	0.162
Leucine.....g	0.155		0		1	0.044	0.264
Lysine.....g	0.154		0		1	0.044	0.262
Methionine.....g	0.031		0		1	0.009	0.053
Cystine.....g	0.018		0		1	0.005	0.031
Phenylalanine.....g	0.083		0		1	0.024	0.141
Tyrosine.....g	0.066		0		1	0.019	0.112
Valine.....g	0.102		0		1	0.029	0.173
Arginine.....g	0.141		0		1	0.040	0.240
Histidine.....g	0.048		0		1	0.014	0.082
Alanine.....g	0.120		0		1	0.034	0.204
Aspartic acid.....g	0.209		0		1	0.059	0.355
Glutamic acid.....g	0.418		0		1	0.119	0.711
Glycine.....g	0.105		0		1	0.030	0.179
Proline.....g	0.115		0		1	0.033	0.196
Serine.....g	0.077		0		1	0.022	0.131
Hydroxyproline.....g							
Others:							
Alcohol, ethyl.....g	0.0		0		7	0.0	0.0
Caffeine.....mg							

NDB No. 03067

Babyfood, dinner, vegetables and lamb, junior

Nutrients and Units	<u>Amount in 100 grams of edible portion</u>				<u>Amount in edible portion of common measures of food</u>			
	Mean	Std. Error	Number of Data Points	Deriv Code	Source Code	Confidence Code	Measure 1	Measure 2

Theobromine.....mg

Blanks in the Mean column indicate lack of reliable data. The Number of Data Points column is the number of analyses upon which the mean is based. Number of Data Points of zero indicates the mean was either calculated (as for Energy) or estimated, usually from a recipe, another form of the same food, or similar food.

Common Measures:

Measure 1 = 28.35g: 1 oz

Measure 2 = 170g: 1 jar

Calories Factors: Protein 3.7

Fat 8.9

Carbohydrate 3.9

Food Group: 03 Baby Foods

USDA National Nutrient Database for Standard Reference, Release 28 (2015)

NDB No. 03066

Babyfood, dinner, vegetables and lamb, strained

Nutrients and Units	Amount in 100 grams of edible portion				Amount in edible portion of common measures of food				
	Mean	Std. Error	Number	Deriv	Source Code	Confidence Code	Measure 1	Measure 2	Measure 3
			of Data Points	Code					
Lipids:									
Fatty acids, total saturated.....g	0.828		0		4		2.120	0.132	0.235
4:0.....g	0.000		0		4		0.000	0.000	0.000
6:0.....g	0.000		0		4		0.000	0.000	0.000
8:0.....g	0.000		0		4		0.000	0.000	0.000
10:0.....g	0.005		0		4		0.013	0.001	0.001
12:0.....g	0.009		0		4		0.023	0.001	0.003
13:0.....g									
14:0.....g	0.076		0		4		0.195	0.012	0.022
15:0.....g									
16:0.....g	0.423		0		4		1.083	0.068	0.120
17:0.....g									
18:0.....g	0.264		0		4		0.676	0.042	0.075
20:0.....g									
22:0.....g									
24:0.....g									
Fatty acids, total monounsaturated.....g	0.822		0		4		2.104	0.132	0.233
14:1.....g									
15:1.....g									
16:1 undifferentiated.....g	0.057		0		4		0.146	0.009	0.016
17:1.....g									
18:1 undifferentiated.....g	0.746		0		4		1.910	0.119	0.211
20:1.....g	0.000		0		4		0.000	0.000	0.000
22:1 undifferentiated.....g	0.000		0		4		0.000	0.000	0.000
24:1 c.....g									
Fatty acids, total polyunsaturated.....g	0.167		0		4		0.428	0.027	0.047
18:2 undifferentiated.....g	0.130		0		4		0.333	0.021	0.037
18:3 undifferentiated.....g	0.031		0		4		0.079	0.005	0.009
18:4.....g	0.000		0		4		0.000	0.000	0.000
20:2 n-6 c,c.....g									
20:3 undifferentiated.....g									
20:4 undifferentiated.....g	0.006		0		4		0.015	0.001	0.002
20:5 n-3 (EPA).....g	0.000		0		4		0.000	0.000	0.000
21:5.....g									
22:4.....g									
22:5 n-3 (DPA).....g	0.000		0		4		0.000	0.000	0.000
22:6 n-3 (DHA).....g	0.000		0		4		0.000	0.000	0.000
Fatty acids, total trans.....g									
Cholesterol.....mg	6		0		4		15	1	2
Phytosterols.....mg									
Amino Acids:									
Tryptophan.....g	0.023		0		1		0.059	0.004	0.007
Threonine.....g									
Isoleucine.....g									
Leucine.....g									
Lysine.....g									
Methionine.....g	0.044		0	FLA	4		0.114	0.007	0.013
Cystine.....g	0.023		0	FLA	4		0.060	0.004	0.007
Phenylalanine.....g	0.083		0	FLA	4		0.211	0.013	0.023
Tyrosine.....g	0.067		0	FLA	4		0.171	0.011	0.019
Valine.....g	0.102		0	FLA	4		0.262	0.016	0.029
Arginine.....g	0.116		0	FLA	4		0.296	0.019	0.033
Histidine.....g	0.057		0	FLA	4		0.145	0.009	0.016
Alanine.....g	0.114		0	FLA	4		0.292	0.018	0.032
Aspartic acid.....g	0.209		0	FLA	4		0.535	0.033	0.059
Glutamic acid.....g	0.341		0	FLA	4		0.872	0.055	0.097
Glycine.....g	0.088		0	FLA	4		0.225	0.014	0.025
Proline.....g	0.080		0	FLA	4		0.204	0.013	0.023
Serine.....g	0.075		0	FLA	4		0.191	0.012	0.021
Hydroxyproline.....g									
Others:									
Alcohol, ethyl.....g	0.0		0		7		0.0	0.0	0.0
Caffeine.....mg	0		0	FLA	4		0	0	0

NDB No. 03066

Babyfood, dinner, vegetables and lamb, strained

Nutrients and Units	<u>Amount in 100 grams of edible portion</u>				<u>Amount in edible portion of common measures of food</u>				
	Mean	Std. Error	Number		Source Code	Confidence Code	Measure 1	Measure 2	Measure 3
			of Data Points	Deriv Code					
Theobromine.....mg	0		0	FLA	4		0	0	0

Blanks in the Mean column indicate lack of reliable data. The Number of Data Points column is the number of analyses upon which the mean is based. Number of Data Points of zero indicates the mean was either calculated (as for Energy) or estimated, usually from a recipe, another form of the same food, or similar food.

Common Measures:

- Measure 1 = 256g: 1 cup
- Measure 2 = 16g: 1 tbsp
- Measure 3 = 28.35g: 1 oz

Calories Factors: Protein 3.7

Fat 8.9

Carbohydrate 3.9

Food Group: 03 Baby Foods

USDA National Nutrient Database for Standard Reference, Release 28 (2015)

NDB No. 03081

Babyfood, dinner, vegetables and noodles and turkey, junior

Nutrients and Units	<u>Amount in 100 grams of edible portion</u>				<u>Amount in edible portion of common measures of food</u>		
	Mean	Std. Error	Number	Source	Measure 1	Measure 2	Measure 3
			of Data Points	Confidence Code			

Blanks in the Mean column indicate lack of reliable data. The Number of Data Points column is the number of analyses upon which the mean is based. Number of Data Points of zero indicates the mean was either calculated (as for Energy) or estimated, usually from a recipe, another form of the same food, or similar food.

Common Measures:

Measure 1 = 28.35g: 1 oz

Measure 2 = 170g: 1 jar

Calories Factors: Protein 4.1

Fat 8.9

Carbohydrate4.1

Food Group: 03 Baby Foods

USDA National Nutrient Database for Standard Reference, Release 28 (2015)

NDB No. 03079

Babyfood, dinner, vegetables and noodles and turkey, strained

Nutrients and Units	<u>Amount in 100 grams of edible portion</u>						<u>Amount in edible portion of common measures of food</u>		
	Mean	Std. Error	Number of Data Points	Deriv Code	Source Code	Confidence Code	Measure 1	Measure 2	Measure 3

Blanks in the Mean column indicate lack of reliable data. The Number of Data Points column is the number of analyses upon which the mean is based. Number of Data Points of zero indicates the mean was either calculated (as for Energy) or estimated, usually from a recipe, another form of the same food, or similar food.

Common Measures:

Measure 1 = 28.35g: 1 oz

Measure 2 = 113g: 1 jar

Calories Factors: Protein 4.1

Fat 8.9

Carbohydrate 4.1

Food Group: 03 Baby Foods

USDA National Nutrient Database for Standard Reference, Release 28 (2015)

Nutrients and Units	Amount in 100 grams of edible portion				Amount in edible portion of common measures of food				
	Mean	Std. Error	Number	Deriv	Source Code	Confidence Code	Measure 1	Measure 2	Measure 3
			of Data Points	Code					
Tocotrienol, delta.....mg									
Vitamin D (D2 + D3).....µg	0.0		0	FLA	4		0.0	0.0	0.0
Vitamin D.....IU	0		0	FLA	4		0	0	0
Vitamin K (phylloquinone).....µg	4.8		0	FLA	4		12.2	0.8	1.4
Dihydrophylloquinone.....µg									
Menaquinone-4.....µg									
Lipids:									
Fatty acids, total saturated.....g	0.485		0	FLM	4		1.242	0.078	0.137
4:0.....g	0.000		0	FLM	4		0.000	0.000	0.000
6:0.....g	0.000		0	FLM	4		0.000	0.000	0.000
8:0.....g	0.000		0	FLM	4		0.000	0.000	0.000
10:0.....g	0.000		0	FLM	4		0.000	0.000	0.000
12:0.....g	0.002		0	FLM	4		0.005	0.000	0.001
13:0.....g									
14:0.....g	0.015		0	FLM	4		0.038	0.002	0.004
15:0.....g									
16:0.....g	0.336		0	FLM	4		0.860	0.054	0.095
17:0.....g									
18:0.....g	0.102		0	FLM	4		0.261	0.016	0.029
20:0.....g									
22:0.....g									
24:0.....g									
Fatty acids, total monounsaturated.....g	0.687		0	FLM	4		1.759	0.110	0.195
14:1.....g									
15:1.....g									
16:1 undifferentiated.....g	0.085		0	FLM	4		0.218	0.014	0.024
17:1.....g									
18:1 undifferentiated.....g	0.576		0	FLM	4		1.475	0.092	0.163
20:1.....g	0.013		0	FLM	4		0.033	0.002	0.004
22:1 undifferentiated.....g	0.000		0	FLM	4		0.000	0.000	0.000
24:1 c.....g									
Fatty acids, total polyunsaturated.....g	0.391		0	FLM	4		1.001	0.063	0.111
18:2 undifferentiated.....g	0.355		0	FLM	4		0.909	0.057	0.101
18:3 undifferentiated.....g	0.021		0	FLM	4		0.054	0.003	0.006
18:4.....g	0.000		0	FLM	4		0.000	0.000	0.000
20:2 n-6 c,c.....g									
20:3 undifferentiated.....g									
20:4 undifferentiated.....g	0.006		0	FLM	4		0.015	0.001	0.002
20:5 n-3 (EPA).....g	0.000		0	FLM	4		0.000	0.000	0.000
21:5.....g									
22:4.....g									
22:5 n-3 (DPA).....g	0.001		0	FLM	4		0.003	0.000	0.000
22:6 n-3 (DHA).....g	0.001		0	FLM	4		0.003	0.000	0.000
Fatty acids, total trans.....g									
Cholesterol.....mg	4		0	FLM	4		10	1	1
Phytosterols.....mg									
Others:									
Alcohol, ethyl.....g	0.0		0	Z	7		0.0	0.0	0.0
Caffeine.....mg	0		0	FLA	4		0	0	0
Theobromine.....mg	0		0	FLA	4		0	0	0

Blanks in the Mean column indicate lack of reliable data. The Number of Data Points column is the number of analyses upon which the mean is based. Number of Data Points of zero indicates the mean was either calculated (as for Energy) or estimated, usually from a recipe, another form of the same food, or similar food.

Common Measures:

Measure 1 = 256g: 1 cup

Measure 2 = 16g: 1 tbsp

Measure 3 = 28.35g: 1 oz

NDB No. 03085

Babyfood, dinner, vegetables and turkey, junior

Footnotes:

- 1 Vitamin A values range widely due to differences in cultivar and proportion of carrots.
- 2 Vitamin A values range widely due to differences in cultivar and proportion of carrots.

Calories Factors: Protein

Fat

Carbohydrate

Food Group: 03 Baby Foods

USDA National Nutrient Database for Standard Reference, Release 28 (2015)

NDB No. 03084

Babyfood, dinner, vegetables and turkey, strained

Nutrients and Units	Amount in 100 grams of edible portion				Amount in edible portion of common measures of food			
	Mean	Std. Error	Number	Source	Confidence	Measure 1	Measure 2	Measure 3
			of Data Points	Code				
Tocotrienol, delta.....mg								
Vitamin D (D2 + D3).....µg	0.0		0	FLA	4	0.1	0.0	0.0
Vitamin D.....IU	1		0	FLA	4	2	0	0
Vitamin K (phylloquinone).....µg	3.9		0	FLA	4	10.0	0.6	1.1
Dihydrophyloquinone.....µg								
Menaquinone-4.....µg								
Lipids:								
Fatty acids, total saturated.....g	0.236		0	FLM	4	0.604	0.038	0.067
4:0.....g	0.000		0	FLM	4	0.000	0.000	0.000
6:0.....g	0.000		0	FLM	4	0.000	0.000	0.000
8:0.....g	0.000		0	FLM	4	0.000	0.000	0.000
10:0.....g	0.000		0	FLM	4	0.000	0.000	0.000
12:0.....g	0.001		0	FLM	4	0.003	0.000	0.000
13:0.....g								
14:0.....g	0.008		0	FLM	4	0.020	0.001	0.002
15:0.....g								
16:0.....g	0.149		0	FLM	4	0.381	0.024	0.042
17:0.....g								
18:0.....g	0.053		0	FLM	4	0.136	0.008	0.015
20:0.....g								
22:0.....g								
24:0.....g								
Fatty acids, total monounsaturated.....g	0.294		0	FLM	4	0.753	0.047	0.083
14:1.....g								
15:1.....g								
16:1 undifferentiated.....g	0.034		0	FLM	4	0.087	0.005	0.010
17:1.....g								
18:1 undifferentiated.....g	0.247		0	FLM	4	0.632	0.040	0.070
20:1.....g	0.002		0	FLM	4	0.005	0.000	0.001
22:1 undifferentiated.....g	0.000		0	FLM	4	0.000	0.000	0.000
24:1 c.....g								
Fatty acids, total polyunsaturated.....g	0.241		0	FLM	4	0.617	0.039	0.068
18:2 undifferentiated.....g	0.207		0	FLM	4	0.530	0.033	0.059
18:3 undifferentiated.....g	0.015		0	FLM	4	0.038	0.002	0.004
18:4.....g	0.000		0	FLM	4	0.000	0.000	0.000
20:2 n-6 c,c.....g								
20:3 undifferentiated.....g								
20:4 undifferentiated.....g	0.007		0	FLM	4	0.018	0.001	0.002
20:5 n-3 (EPA).....g	0.000		0	FLM	4	0.000	0.000	0.000
21:5.....g								
22:4.....g								
22:5 n-3 (DPA).....g	0.001		0	FLM	4	0.003	0.000	0.000
22:6 n-3 (DHA).....g	0.002		0	FLM	4	0.005	0.000	0.001
Fatty acids, total trans.....g								
Cholesterol.....mg	4		0	FLM	4	10	1	1
Phytosterols.....mg								
Others:								
Alcohol, ethyl.....g	0.0		0	Z	7	0.0	0.0	0.0
Caffeine.....mg	0		0	FLA	4	0	0	0
Theobromine.....mg	0		0	FLA	4	0	0	0

Blanks in the Mean column indicate lack of reliable data. The Number of Data Points column is the number of analyses upon which the mean is based. Number of Data Points of zero indicates the mean was either calculated (as for Energy) or estimated, usually from a recipe, another form of the same food, or similar food.

Common Measures:

Measure 1 = 256g: 1 cup

Measure 2 = 16g: 1 tbsp

Measure 3 = 28.35g: 1 oz

NDB No. 03084

Babyfood, dinner, vegetables and turkey, strained

Footnotes:

- 1 Vitamin A values range widely due to differences in cultivar and proportion of carrots.
- 2 Vitamin A values range widely due to differences in cultivar and proportion of carrots.

Calories Factors: Protein

Fat

Carbohydrate

Food Group: 03 Baby Foods

USDA National Nutrient Database for Standard Reference, Release 28 (2015)

NDB No. 03073

Babyfood, dinner, vegetables chicken, strained

Nutrients and Units	Amount in 100 grams of edible portion				Amount in edible portion of common measures of food				
	Mean	Std. Error	Number of Data Points	Deriv Code	Source Code	Confidence Code	Measure 1	Measure 2	Measure 3
Tocotrienol, delta.....mg									
Vitamin D (D2 + D3).....µg	0.1		0	FLA	4		0.2	0.0	0.0
Vitamin D.....IU	3		0	FLA	4		7	0	1
Vitamin K (phylloquinone).....µg	3.4		0	FLA	4		8.8	0.5	1.0
Dihydrophylloquinone.....µg									
Menaquinone-4.....µg									
Lipids:									
Fatty acids, total saturated.....g	0.496		0	FLM	4		1.270	0.079	0.141
4:0.....g	0.000		0	FLM	4		0.000	0.000	0.000
6:0.....g	0.000		0	FLM	4		0.000	0.000	0.000
8:0.....g	0.000		0	FLM	4		0.000	0.000	0.000
10:0.....g	0.000		0	FLM	4		0.000	0.000	0.000
12:0.....g	0.002		0	FLM	4		0.005	0.000	0.001
13:0.....g									
14:0.....g	0.014		0	FLM	4		0.036	0.002	0.004
15:0.....g									
16:0.....g	0.359		0	FLM	4		0.919	0.057	0.102
17:0.....g									
18:0.....g	0.098		0	FLM	4		0.251	0.016	0.028
20:0.....g									
22:0.....g									
24:0.....g									
Fatty acids, total monounsaturated.....g	0.712		0	FLM	4		1.823	0.114	0.202
14:1.....g									
15:1.....g									
16:1 undifferentiated.....g	0.088		0	FLM	4		0.225	0.014	0.025
17:1.....g									
18:1 undifferentiated.....g	0.596		0	FLM	4		1.526	0.095	0.169
20:1.....g	0.017		0	FLM	4		0.044	0.003	0.005
22:1 undifferentiated.....g	0.000		0	FLM	4		0.000	0.000	0.000
24:1 c.....g									
Fatty acids, total polyunsaturated.....g	0.374		0	FLM	4		0.957	0.060	0.106
18:2 undifferentiated.....g	0.334		0	FLM	4		0.855	0.053	0.095
18:3 undifferentiated.....g	0.021		0	FLM	4		0.054	0.003	0.006
18:4.....g	0.000		0	FLM	4		0.000	0.000	0.000
20:2 n-6 c,c.....g									
20:3 undifferentiated.....g									
20:4 undifferentiated.....g	0.004		0	FLM	4		0.010	0.001	0.001
20:5 n-3 (EPA).....g	0.000		0	FLM	4		0.000	0.000	0.000
21:5.....g									
22:4.....g									
22:5 n-3 (DPA).....g	0.001		0	FLM	4		0.003	0.000	0.000
22:6 n-3 (DHA).....g	0.001		0	FLM	4		0.003	0.000	0.000
Fatty acids, total trans.....g									
Cholesterol.....mg	11		0	MA	12		28	2	3
Phytosterols.....mg									
Others:									
Alcohol, ethyl.....g	0.0		0	Z	7		0.0	0.0	0.0
Caffeine.....mg	0		0	FLA	4		0	0	0
Theobromine.....mg	0		0	FLA	4		0	0	0

Blanks in the Mean column indicate lack of reliable data. The Number of Data Points column is the number of analyses upon which the mean is based. Number of Data Points of zero indicates the mean was either calculated (as for Energy) or estimated, usually from a recipe, another form of the same food, or similar food.

Common Measures:

Measure 1 = 256g: 1 cup

Measure 2 = 16g: 1 tbsp

Measure 3 = 28.35g: 1 oz

NDB No. 03073

Babyfood, dinner, vegetables chicken, strained

Footnotes:

- 1 Vitamin A values range widely due to differences in cultivar and proportion of carrots.
- 2 Vitamin A values range widely due to differences in cultivar and proportion of carrots.

Calories Factors: Protein

Fat

Carbohydrate

Food Group: 03 Baby Foods

USDA National Nutrient Database for Standard Reference, Release 28 (2015)

NDB No. 03076

Babyfood, dinner, vegetables, noodles and chicken, junior

Nutrients and Units	<u>Amount in 100 grams of edible portion</u>				<u>Amount in edible portion of common measures of food</u>		
	Mean	Std. Error	Number	Source	Measure 1	Measure 2	Measure 3
			of Data Points	Confidence Code			

Blanks in the Mean column indicate lack of reliable data. The Number of Data Points column is the number of analyses upon which the mean is based. Number of Data Points of zero indicates the mean was either calculated (as for Energy) or estimated, usually from a recipe, another form of the same food, or similar food.

Common Measures:

Measure 1 = 28.35g: 1 oz

Measure 2 = 170g: 1 jar

Calories Factors: Protein 4.1

Fat 8.9

Carbohydrate4.1

Food Group: 03 Baby Foods

USDA National Nutrient Database for Standard Reference, Release 28 (2015)

NDB No. 03075

Babyfood, dinner, vegetables, noodles and chicken, strained

Nutrients and Units	<u>Amount in 100 grams of edible portion</u>						<u>Amount in edible portion of common measures of food</u>		
	Mean	Std. Error	Number of Data Points	Deriv Code	Source Code	Confidence Code	Measure 1	Measure 2	Measure 3

Blanks in the Mean column indicate lack of reliable data. The Number of Data Points column is the number of analyses upon which the mean is based. Number of Data Points of zero indicates the mean was either calculated (as for Energy) or estimated, usually from a recipe, another form of the same food, or similar food.

Common Measures:

Measure 1 = 28.35g: 1 oz

Measure 2 = 113g: 1 jar

Calories Factors: Protein 4.1

Fat 8.9

Carbohydrate4.1

Food Group: 03 Baby Foods

USDA National Nutrient Database for Standard Reference, Release 28 (2015)

NDB No. 03964

Babyfood, fortified cereal bar, fruit filling

Refuse:0%

Nutrients and Units	Amount in 100 grams of edible portion				Amount in edible portion of common measures of food				
	Mean	Std. Error	Number of Data Points	Deriv Code	Source Code	Confidence Code	Measure 1	Measure 2	Measure 3
Proximates:									
Water.....g	14.00		0	FLC	4		2.66		
Energy.....kcal	344		0	NC	4		65		
Energy.....kJ	1439		0	NC	4		273		
Protein.....g	5.43		0	FLC	4		1.03		
Total lipid (fat).....g	5.30		0	FLC	4		1.01		
Ash.....g	6.64		0	FLC	4		1.26		
Carbohydrate, by difference.....g	68.63		0	FLC	4		13.04		
Fiber, total dietary.....g	1.7		0	FLC	4		0.3		
Sugars, total.....g	42.00		0	FLC	4		7.98		
Starch.....g									
Minerals:									
Calcium, Ca.....mg	1053		0	MC	9		200		
Iron, Fe.....mg	13.16		0	MC	9		2.50		
Magnesium, Mg.....mg	19		0	FLC	4		4		
Phosphorus, P.....mg	247		0	FLC	4		47		
Potassium, K.....mg	180		0	FLC	4		34		
Sodium, Na.....mg	157		0	LC	8		30		
Zinc, Zn.....mg	0.59		0	FLC	4		0.11		
Copper, Cu.....mg	0.082		0	FLC	4		0.016		
Manganese, Mn.....mg	0.461		0	FLC	4		0.088		
Selenium, Se.....µg	14.1		0	FLC	4		2.7		
Vitamins:									
Vitamin C, total ascorbic acid.....mg	2.4		0	FLC	4		0.5		
Thiamin.....mg	0.921		0	MC	9		0.175		
Riboflavin.....mg	1.053		0	MC	9		0.200		
Niacin.....mg	11.842		0	MC	9		2.250		
Pantothenic acid.....mg	0.345		0	FLC	4		0.065		
Vitamin B-6.....mg	1.105		0	MC	9		0.210		
Folate, total.....µg	65		0	FLC	4		12		
Folic acid.....µg	48		0	FLC	4		9		
Folate, food.....µg	17		0	FLC	4		3		
Folate, DFE.....µg	98		0	NC	4		19		
Choline, total.....mg	13.9		0	FLC	4		2.6		
Betaine.....mg	0.1		0	FLC	4		0.0		
Vitamin B-12.....µg	0.19		0	FLC	4		0.04		
Vitamin B-12, added.....µg	0.00		0	FLC	4		0.00		
Vitamin A, RAE.....µg	14		0	NC	4		3		
Retinol.....µg	0		0	FLC	4		0		
Carotene, beta.....µg	166		0	FLC	4		31		
Carotene, alpha.....µg	0		0	FLC	4		0		
Cryptoxanthin, beta.....µg	0		0	FLC	4		0		
Vitamin A, IU.....IU	277		0	NC	4		53		
Lycopene.....µg	0		0	FLC	4		0		
Lutein + zeaxanthin.....µg	33		0	FLC	4		6		
Vitamin E (alpha-tocopherol).....mg	0.90		0	FLC	4		0.17		
Vitamin E, added.....mg	0.00		0	FLC	4		0.00		
Tocopherol, beta.....mg	0.01		0	FLC	4		0.00		
Tocopherol, gamma.....mg	1.40		0	FLC	4		0.27		
Tocopherol, delta.....mg	0.05		0	FLC	4		0.01		
Tocotrienol, alpha.....mg	0.01		0	FLC	4		0.00		
Tocotrienol, beta.....mg	0.00		0	FLC	4		0.00		
Tocotrienol, gamma.....mg	0.00		0	FLC	4		0.00		
Tocotrienol, delta.....mg	0.00		0	FLC	4		0.00		
Vitamin D (D2 + D3).....µg	0.0		0	AS	1		0.0		
Vitamin D2 (ergocalciferol).....µg									
Vitamin D3 (cholecalciferol).....µg	0.0		0	FLC	4		0.0		
Vitamin D.....IU	0		0	FLC	4		0		
Vitamin K (phylloquinone).....µg	4.1		0	FLC	4		0.8		

NDB No. 03964

Babyfood, fortified cereal bar, fruit filling

Nutrients and Units	Amount in 100 grams of edible portion				Amount in edible portion of common measures of food				
	Mean	Std. Error	Number of Data Points	Deriv Code	Source Code	Confidence Code	Measure 1	Measure 2	Measure 3
Dihydrophyloquinone.....µg	0.0		0	FLC	4		0.0		
Menaquinone-4.....µg									
Lipids:									
Fatty acids, total saturated.....g	0.453		0	FLC	4		0.086		
4:0.....g	0.001		0	FLC	4		0.000		
6:0.....g	0.000		0	FLC	4		0.000		
8:0.....g	0.000		0	FLC	4		0.000		
10:0.....g	0.001		0	FLC	4		0.000		
12:0.....g	0.001		0	FLC	4		0.000		
13:0.....g									
14:0.....g	0.004		0	FLC	4		0.001		
15:0.....g	0.000		0	FLC	4		0.000		
16:0.....g	0.288		0	FLC	4		0.055		
17:0.....g	0.000		0	FLC	4		0.000		
18:0.....g	0.110		0	FLC	4		0.021		
20:0.....g	0.031		0	FLC	4		0.006		
22:0.....g	0.016		0	FLC	4		0.003		
24:0.....g									
Fatty acids, total monounsaturated.....g	3.107		0	FLC	4		0.590		
14:1.....g	0.000		0	FLC	4		0.000		
15:1.....g	0.000		0	FLC	4		0.000		
16:1 undifferentiated.....g	0.012		0	FLC	4		0.002		
17:1.....g	0.000		0	FLC	4		0.000		
18:1 undifferentiated.....g	3.032		0	FLC	4		0.576		
20:1.....g	0.063		0	FLC	4		0.012		
22:1 undifferentiated.....g	0.000		0	FLC	4		0.000		
24:1 c.....g									
Fatty acids, total polyunsaturated.....g	1.541		0	FLC	4		0.293		
18:2 undifferentiated.....g	1.083		0	FLC	4		0.206		
18:3 undifferentiated.....g	0.458		0	FLC	4		0.087		
18:4.....g	0.000		0	FLC	4		0.000		
20:2 n-6 c,c.....g	0.000		0	FLC	4		0.000		
20:3 undifferentiated.....g	0.000		0	FLC	4		0.000		
20:4 undifferentiated.....g	0.000		0	FLC	4		0.000		
20:5 n-3 (EPA).....g	0.000		0	FLC	4		0.000		
21:5.....g									
22:4.....g									
22:5 n-3 (DPA).....g	0.000		0	FLC	4		0.000		
22:6 n-3 (DHA).....g	0.000		0	FLC	4		0.000		
Fatty acids, total trans.....g	0.019		0	FLC	4		0.004		
Cholesterol.....mg	1		0	FLC	4		0		
Phytosterols.....mg									
Others:									
Alcohol, ethyl.....g	0.0		0	FLC	4		0.0		
Caffeine.....mg	0		0	FLC	4		0		
Theobromine.....mg	0		0	FLC	4		0		

Blanks in the Mean column indicate lack of reliable data. The Number of Data Points column is the number of analyses upon which the mean is based. Number of Data Points of zero indicates the mean was either calculated (as for Energy) or estimated, usually from a recipe, another form of the same food, or similar food.

Common Measures:

Measure 1 = 19g: 1 bar

Calories Factors: Protein

Fat

Carbohydrate

Food Group: 03 Baby Foods

USDA National Nutrient Database for Standard Reference, Release 28 (2015)

NDB No. 03154

Babyfood, fruit and vegetable, apple and sweet potato

Nutrients and Units	Amount in 100 grams of edible portion				Amount in edible portion of common measures of food				
	Mean	Std. Error	Number of Data Points	Deriv Code	Source Code	Confidence Code	Measure 1	Measure 2	Measure 3
Tocotrienol, delta.....mg									
Vitamin D (D2 + D3).....µg	0.0		0	Z	7		0.0		
Vitamin D.....IU	0		0	Z	7		0		
Vitamin K (phylloquinone).....µg	0.8		0	FLA	4		0.9		
Dihydrophylloquinone.....µg									
Menaquinone-4.....µg									
Lipids:									
Fatty acids, total saturated.....g	0.041		0	FLM	4		0.046		
4:0.....g	0.000		0	FLM	4		0.000		
6:0.....g	0.000		0	FLM	4		0.000		
8:0.....g	0.000		0	FLM	4		0.000		
10:0.....g	0.000		0	FLM	4		0.000		
12:0.....g	0.001		0	FLM	4		0.001		
13:0.....g									
14:0.....g	0.001		0	FLM	4		0.001		
15:0.....g									
16:0.....g	0.035		0	FLM	4		0.040		
17:0.....g									
18:0.....g	0.004		0	FLM	4		0.005		
20:0.....g									
22:0.....g									
24:0.....g									
Fatty acids, total monounsaturated.....g	0.008		0	FLM	4		0.009		
14:1.....g									
15:1.....g									
16:1 undifferentiated.....g	0.000		0	FLM	4		0.000		
17:1.....g									
18:1 undifferentiated.....g	0.008		0	FLM	4		0.009		
20:1.....g	0.000		0	FLM	4		0.000		
22:1 undifferentiated.....g	0.000		0	FLM	4		0.000		
24:1 c.....g									
Fatty acids, total polyunsaturated.....g	0.079		0	FLM	4		0.089		
18:2 undifferentiated.....g	0.066		0	FLM	4		0.075		
18:3 undifferentiated.....g	0.013		0	FLM	4		0.015		
18:4.....g	0.000		0	FLM	4		0.000		
20:2 n-6 c,c.....g									
20:3 undifferentiated.....g									
20:4 undifferentiated.....g	0.000		0	FLM	4		0.000		
20:5 n-3 (EPA).....g	0.000		0	FLM	4		0.000		
21:5.....g									
22:4.....g									
22:5 n-3 (DPA).....g	0.000		0	FLM	4		0.000		
22:6 n-3 (DHA).....g	0.000		0	FLM	4		0.000		
Fatty acids, total trans.....g									
Cholesterol.....mg	0		0	FLM	4		0		
Phytosterols.....mg									
Others:									
Alcohol, ethyl.....g	0.0		0	FLM	4		0.0		
Caffeine.....mg	0		0	FLA	4		0		
Theobromine.....mg	0		0	FLA	4		0		

Blanks in the Mean column indicate lack of reliable data. The Number of Data Points column is the number of analyses upon which the mean is based. Number of Data Points of zero indicates the mean was either calculated (as for Energy) or estimated, usually from a recipe, another form of the same food, or similar food.

Common Measures:

Measure 1 = 113g: 1 jar, Gerber (4 oz)

Calories Factors: Protein

Fat

Carbohydrate

NDB No. 03154

Babyfood, fruit and vegetable, apple and sweet potato

Food Group: 03 Baby Foods

USDA National Nutrient Database for Standard Reference, Release 28 (2015)

NDB No. 03140

Babyfood, fruit dessert, mango with tapioca

Nutrients and Units	Amount in 100 grams of edible portion				Amount in edible portion of common measures of food				
	Mean	Std. Error	Number of Data Points		Source Code	Confidence Code	Measure 1	Measure 2	Measure 3
			Deriv Code	Points					
Lipids:									
Fatty acids, total saturated.....g	0.039		0	O	4		0.006	0.011	0.044
4:0.....g	0.000		0	Z	7		0.000	0.000	0.000
6:0.....g	0.000		0	Z	7		0.000	0.000	0.000
8:0.....g	0.000		0	Z	7		0.000	0.000	0.000
10:0.....g	0.000		0	Z	7		0.000	0.000	0.000
12:0.....g	0.001		0	FLM	4		0.000	0.000	0.001
13:0.....g									
14:0.....g	0.005		0	FLM	4		0.001	0.002	0.006
15:0.....g									
16:0.....g	0.031		0	FLM	4		0.005	0.009	0.035
17:0.....g									
18:0.....g	0.002		0	FLM	4		0.000	0.001	0.002
20:0.....g									
22:0.....g									
24:0.....g									
Fatty acids, total monounsaturated.....g	0.060		0	FLM	4		0.009	0.017	0.068
14:1.....g									
15:1.....g									
16:1 undifferentiated.....g	0.028		0	FLM	4		0.004	0.008	0.032
17:1.....g									
18:1 undifferentiated.....g	0.032		0	FLM	4		0.005	0.009	0.036
20:1.....g	0.000		0	Z	7		0.000	0.000	0.000
22:1 undifferentiated.....g	0.000		0	Z	7		0.000	0.000	0.000
24:1 c.....g									
Fatty acids, total polyunsaturated.....g	0.030		0	FLM	4		0.005	0.009	0.034
18:2 undifferentiated.....g	0.008		0	FLM	4		0.001	0.002	0.009
18:3 undifferentiated.....g	0.022		0	FLM	4		0.003	0.006	0.025
18:4.....g	0.000		0	Z	7		0.000	0.000	0.000
20:2 n-6 c,c.....g									
20:3 undifferentiated.....g									
20:4 undifferentiated.....g	0.000		0	Z	7		0.000	0.000	0.000
20:5 n-3 (EPA).....g	0.000		0	Z	7		0.000	0.000	0.000
21:5.....g									
22:4.....g									
22:5 n-3 (DPA).....g	0.000		0	Z	7		0.000	0.000	0.000
22:6 n-3 (DHA).....g	0.000		0	Z	7		0.000	0.000	0.000
Fatty acids, total trans.....g									
Cholesterol.....mg	0		0	Z	7		0	0	0
Phytosterols.....mg									
Others:									
Alcohol, ethyl.....g	0.0		0	Z	7		0.0	0.0	0.0
Caffeine.....mg	0		0	FLA	4		0	0	0
Theobromine.....mg	0		0	FLA	4		0	0	0

Blanks in the Mean column indicate lack of reliable data. The Number of Data Points column is the number of analyses upon which the mean is based. Number of Data Points of zero indicates the mean was either calculated (as for Energy) or estimated, usually from a recipe, another form of the same food, or similar food.

Common Measures:

- Measure 1 = 15.0g: 1 tbsp
- Measure 2 = 28.35g: 1 oz
- Measure 3 = 113g: 1 jar, Gerber (4 oz)

Calories Factors: Protein 3.36

Fat 8.37

Carbohydrate 3.6

Food Group: 03 Baby Foods

USDA National Nutrient Database for Standard Reference, Release 28 (2015)

NDB No. 43585
 Babyfood, fruit supreme dessert

Nutrients and Units	Amount in 100 grams of edible portion				Amount in edible portion of common measures of food		
	Mean	Std. Error	Number		Measure 1	Measure 2	Measure 3
			of Data Points	Deriv Code			
Lipids:							
Fatty acids, total saturated.....g	0.030		0		4		0.005
4:0.....g	0.000		0		4		0.000
6:0.....g	0.000		0		4		0.000
8:0.....g	0.000		0		4		0.000
10:0.....g	0.000		0		4		0.000
12:0.....g	0.000		0		4		0.000
13:0.....g							
14:0.....g	0.001		0		4		0.000
15:0.....g							
16:0.....g	0.023		0		4		0.003
17:0.....g							
18:0.....g	0.003		0		4		0.000
20:0.....g							
22:0.....g							
24:0.....g							
Fatty acids, total monounsaturated.....g	0.025		0		4		0.004
14:1.....g							
15:1.....g							
16:1 undifferentiated.....g	0.002		0		4		0.000
17:1.....g							
18:1 undifferentiated.....g	0.023		0		4		0.003
20:1.....g	0.000		0		4		0.000
22:1 undifferentiated.....g	0.000		0		4		0.000
24:1 c.....g							
Fatty acids, total polyunsaturated.....g	0.068		0		4		0.010
18:2 undifferentiated.....g	0.050		0		4		0.008
18:3 undifferentiated.....g	0.018		0		4		0.003
18:4.....g	0.000		0		4		0.000
20:2 n-6 c,c.....g							
20:3 undifferentiated.....g							
20:4 undifferentiated.....g	0.000		0		4		0.000
20:5 n-3 (EPA).....g	0.000		0		4		0.000
21:5.....g							
22:4.....g							
22:5 n-3 (DPA).....g	0.000		0		4		0.000
22:6 n-3 (DHA).....g	0.000		0		4		0.000
Fatty acids, total trans.....g							
Cholesterol.....mg	0		0		7		0
Phytosterols.....mg							
Others:							
Alcohol, ethyl.....g	0.0		0		7		0.0
Caffeine.....mg	0		0	BFNN	4		0
Theobromine.....mg	0		0	BFNN	4		0

Blanks in the Mean column indicate lack of reliable data. The Number of Data Points column is the number of analyses upon which the mean is based. Number of Data Points of zero indicates the mean was either calculated (as for Energy) or estimated, usually from a recipe, another form of the same food, or similar food.

Common Measures:

Measure 1 = 15.0g: 1 tbsp

Calories Factors: Protein

Fat

Carbohydrate

Food Group: 03 Baby Foods

USDA National Nutrient Database for Standard Reference, Release 28 (2015)

NDB No. 03165

Babyfood, fruit, apple and blueberry, junior

Nutrients and Units	Amount in 100 grams of edible portion				Amount in edible portion of common measures of food				
	Mean	Std. Error	Number of Data Points	Deriv Code	Source Code	Confidence Code	Measure 1	Measure 2	Measure 3
Tocotrienol, delta.....mg									
Vitamin D (D2 + D3).....µg	0.0		0	Z	7		0.0	0.0	
Vitamin D.....IU	0		0	Z	7		0	0	
Vitamin K (phylloquinone).....µg	8.8		0	FLA	4		2.5	14.9	
Dihydrophyloquinone.....µg									
Menaquinone-4.....µg									
Lipids:									
Fatty acids, total saturated.....g	0.024		0		4		0.007	0.041	
4:0.....g	0.000		0		4		0.000	0.000	
6:0.....g	0.000		0		4		0.000	0.000	
8:0.....g	0.000		0		4		0.000	0.000	
10:0.....g	0.000		0		4		0.000	0.000	
12:0.....g	0.000		0		4		0.000	0.000	
13:0.....g									
14:0.....g	0.001		0		4		0.000	0.002	
15:0.....g									
16:0.....g	0.018		0		4		0.005	0.031	
17:0.....g									
18:0.....g	0.004		0		4		0.001	0.007	
20:0.....g									
22:0.....g									
24:0.....g									
Fatty acids, total monounsaturated.....g	0.019		0		4		0.005	0.032	
14:1.....g									
15:1.....g									
16:1 undifferentiated.....g	0.001		0		4		0.000	0.002	
17:1.....g									
18:1 undifferentiated.....g	0.018		0		4		0.005	0.031	
20:1.....g	0.000		0		4		0.000	0.000	
22:1 undifferentiated.....g	0.000		0		4		0.000	0.000	
24:1 c.....g									
Fatty acids, total polyunsaturated.....g	0.073		0		4		0.021	0.124	
18:2 undifferentiated.....g	0.050		0		4		0.014	0.085	
18:3 undifferentiated.....g	0.023		0		4		0.007	0.039	
18:4.....g	0.000		0		4		0.000	0.000	
20:2 n-6 c,c.....g									
20:3 undifferentiated.....g									
20:4 undifferentiated.....g	0.000		0		4		0.000	0.000	
20:5 n-3 (EPA).....g	0.000		0		4		0.000	0.000	
21:5.....g									
22:4.....g									
22:5 n-3 (DPA).....g	0.000		0		4		0.000	0.000	
22:6 n-3 (DHA).....g	0.000		0		4		0.000	0.000	
Fatty acids, total trans.....g									
Cholesterol.....mg	0		0		4		0	0	
Phytosterols.....mg									
Others:									
Alcohol, ethyl.....g	0.0		0		7		0.0	0.0	
Caffeine.....mg	0		0	FLA	4		0	0	
Theobromine.....mg	0		0	FLA	4		0	0	

Blanks in the Mean column indicate lack of reliable data. The Number of Data Points column is the number of analyses upon which the mean is based. Number of Data Points of zero indicates the mean was either calculated (as for Energy) or estimated, usually from a recipe, another form of the same food, or similar food.

Common Measures:

Measure 1 = 28.35g: 1 oz

Measure 2 = 170g: 1 jar

Calories Factors: Protein 3.36

Fat 8.37

Carbohydrate 3.6

NDB No. 03165

Babyfood, fruit, apple and blueberry, junior

Food Group: 03 Baby Foods

USDA National Nutrient Database for Standard Reference, Release 28 (2015)

NDB No. 03164

Babyfood, fruit, apple and blueberry, strained

Nutrients and Units	Amount in 100 grams of edible portion				Amount in edible portion of common measures of food		
	Mean	Std. Error	Number		Measure 1	Measure 2	Measure 3
			of Data Points	Deriv Code			
Lipids:							
Fatty acids, total saturated.....g	0.024		0		4	0.007	0.027
4:0.....g	0.000		0		4	0.000	0.000
6:0.....g	0.000		0		4	0.000	0.000
8:0.....g	0.000		0		4	0.000	0.000
10:0.....g	0.000		0		4	0.000	0.000
12:0.....g	0.000		0		4	0.000	0.000
13:0.....g							
14:0.....g	0.001		0		4	0.000	0.001
15:0.....g							
16:0.....g	0.018		0		4	0.005	0.020
17:0.....g							
18:0.....g	0.004		0		4	0.001	0.005
20:0.....g							
22:0.....g							
24:0.....g							
Fatty acids, total monounsaturated.....g	0.019		0		4	0.005	0.021
14:1.....g							
15:1.....g							
16:1 undifferentiated.....g	0.001		0		4	0.000	0.001
17:1.....g							
18:1 undifferentiated.....g	0.018		0		4	0.005	0.020
20:1.....g	0.000		0		4	0.000	0.000
22:1 undifferentiated.....g	0.000		0		4	0.000	0.000
24:1 c.....g							
Fatty acids, total polyunsaturated.....g	0.073		0		4	0.021	0.082
18:2 undifferentiated.....g	0.050		0		4	0.014	0.057
18:3 undifferentiated.....g	0.023		0		4	0.007	0.026
18:4.....g	0.000		0		4	0.000	0.000
20:2 n-6 c,c.....g							
20:3 undifferentiated.....g							
20:4 undifferentiated.....g	0.000		0		4	0.000	0.000
20:5 n-3 (EPA).....g	0.000		0		4	0.000	0.000
21:5.....g							
22:4.....g							
22:5 n-3 (DPA).....g	0.000		0		4	0.000	0.000
22:6 n-3 (DHA).....g	0.000		0		4	0.000	0.000
Fatty acids, total trans.....g							
Cholesterol.....mg	0		0		4	0	0
Phytosterols.....mg							
Others:							
Alcohol, ethyl.....g	0.0		0		7	0.0	0.0
Caffeine.....mg	0		0	FLA	4	0	0
Theobromine.....mg	0		0	FLA	4	0	0

Blanks in the Mean column indicate lack of reliable data. The Number of Data Points column is the number of analyses upon which the mean is based. Number of Data Points of zero indicates the mean was either calculated (as for Energy) or estimated, usually from a recipe, another form of the same food, or similar food.

Common Measures:

Measure 1 = 28.35g: 1 oz

Measure 2 = 113g: 1 jar

Calories Factors: Protein 3.36

Fat 8.37

Carbohydrate 3.6

Food Group: 03 Baby Foods

USDA National Nutrient Database for Standard Reference, Release 28 (2015)

NDB No. 03153

Babyfood, fruit, apple and raspberry, junior

Nutrients and Units	Amount in 100 grams of edible portion				Amount in edible portion of common measures of food				
	Mean	Std. Error	Number		Source Code	Confidence Code	Measure 1	Measure 2	Measure 3
			of Data Points	Deriv Code					
Lipids:									
Fatty acids, total saturated.....g	0.032		0		4		0.009	0.054	
4:0.....g	0.000		0		4		0.000	0.000	
6:0.....g	0.000		0		4		0.000	0.000	
8:0.....g	0.000		0		4		0.000	0.000	
10:0.....g	0.000		0		4		0.000	0.000	
12:0.....g	0.001		0		4		0.000	0.002	
13:0.....g									
14:0.....g	0.001		0		4		0.000	0.002	
15:0.....g									
16:0.....g	0.027		0		4		0.008	0.046	
17:0.....g									
18:0.....g	0.004		0		4		0.001	0.007	
20:0.....g									
22:0.....g									
24:0.....g									
Fatty acids, total monounsaturated.....g	0.008		0		4		0.002	0.014	
14:1.....g									
15:1.....g									
16:1 undifferentiated.....g	0.000		0		4		0.000	0.000	
17:1.....g									
18:1 undifferentiated.....g	0.008		0		4		0.002	0.014	
20:1.....g	0.000		0		4		0.000	0.000	
22:1 undifferentiated.....g	0.000		0		4		0.000	0.000	
24:1 c.....g									
Fatty acids, total polyunsaturated.....g	0.063		0		4		0.018	0.107	
18:2 undifferentiated.....g	0.051		0		4		0.014	0.087	
18:3 undifferentiated.....g	0.011		0		4		0.003	0.019	
18:4.....g	0.000		0		4		0.000	0.000	
20:2 n-6 c,c.....g									
20:3 undifferentiated.....g									
20:4 undifferentiated.....g	0.000		0		4		0.000	0.000	
20:5 n-3 (EPA).....g	0.000		0		4		0.000	0.000	
21:5.....g									
22:4.....g									
22:5 n-3 (DPA).....g	0.000		0		4		0.000	0.000	
22:6 n-3 (DHA).....g	0.000		0		4		0.000	0.000	
Fatty acids, total trans.....g									
Cholesterol.....mg	0		0		7		0	0	
Phytosterols.....mg									
Others:									
Alcohol, ethyl.....g	0.0		0		7		0.0	0.0	
Caffeine.....mg	0		0	FLA	4		0	0	
Theobromine.....mg	0		0	FLA	4		0	0	

Blanks in the Mean column indicate lack of reliable data. The Number of Data Points column is the number of analyses upon which the mean is based. Number of Data Points of zero indicates the mean was either calculated (as for Energy) or estimated, usually from a recipe, another form of the same food, or similar food.

Common Measures:

Measure 1 = 28.35g: 1 oz

Measure 2 = 170g: 1 jar

Calories Factors: Protein 3.36

Fat 8.37

Carbohydrate 3.6

Food Group: 03 Baby Foods

USDA National Nutrient Database for Standard Reference, Release 28 (2015)

NDB No. 03152

Babyfood, fruit, apple and raspberry, strained

Nutrients and Units	Amount in 100 grams of edible portion				Amount in edible portion of common measures of food				
	Mean	Std. Error	Number of Data Points	Deriv Code	Source Code	Confidence Code	Measure 1	Measure 2	Measure 3
Tocotrienol, delta.....mg									
Vitamin D (D2 + D3).....µg	0.0		0	Z	7		0.0	0.0	
Vitamin D.....IU	0		0	Z	7		0	0	
Vitamin K (phylloquinone).....µg	0.8		0	FLA	4		0.2	0.9	
Dihydrophyloquinone.....µg									
Menaquinone-4.....µg									
Lipids:									
Fatty acids, total saturated.....g	0.033		0		4		0.009	0.037	
4:0.....g	0.000		0		4		0.000	0.000	
6:0.....g	0.000		0		4		0.000	0.000	
8:0.....g	0.000		0		4		0.000	0.000	
10:0.....g	0.000		0		4		0.000	0.000	
12:0.....g	0.001		0		4		0.000	0.001	
13:0.....g									
14:0.....g	0.001		0		4		0.000	0.001	
15:0.....g									
16:0.....g	0.027		0		4		0.008	0.031	
17:0.....g									
18:0.....g	0.004		0		4		0.001	0.005	
20:0.....g									
22:0.....g									
24:0.....g									
Fatty acids, total monounsaturated.....g	0.008		0		4		0.002	0.009	
14:1.....g									
15:1.....g									
16:1 undifferentiated.....g	0.000		0		4		0.000	0.000	
17:1.....g									
18:1 undifferentiated.....g	0.008		0		4		0.002	0.009	
20:1.....g	0.000		0		4		0.000	0.000	
22:1 undifferentiated.....g	0.000		0		4		0.000	0.000	
24:1 c.....g									
Fatty acids, total polyunsaturated.....g	0.062		0		4		0.018	0.070	
18:2 undifferentiated.....g	0.051		0		4		0.014	0.058	
18:3 undifferentiated.....g	0.011		0		4		0.003	0.012	
18:4.....g	0.000		0		4		0.000	0.000	
20:2 n-6 c,c.....g									
20:3 undifferentiated.....g									
20:4 undifferentiated.....g	0.000		0		4		0.000	0.000	
20:5 n-3 (EPA).....g	0.000		0		4		0.000	0.000	
21:5.....g									
22:4.....g									
22:5 n-3 (DPA).....g	0.000		0		4		0.000	0.000	
22:6 n-3 (DHA).....g	0.000		0		4		0.000	0.000	
Fatty acids, total trans.....g									
Cholesterol.....mg	0		0		4		0	0	
Phytosterols.....mg									
Others:									
Alcohol, ethyl.....g	0.0		0		7		0.0	0.0	
Caffeine.....mg	0		0	FLA	4		0	0	
Theobromine.....mg	0		0	FLA	4		0	0	

Blanks in the Mean column indicate lack of reliable data. The Number of Data Points column is the number of analyses upon which the mean is based. Number of Data Points of zero indicates the mean was either calculated (as for Energy) or estimated, usually from a recipe, another form of the same food, or similar food.

Common Measures:

Measure 1 = 28.35g: 1 oz

Measure 2 = 113g: 1 jar

Calories Factors: Protein 3.36

Fat 8.37

Carbohydrate 3.6

NDB No. 03152

Babyfood, fruit, apple and raspberry, strained

Food Group: 03 Baby Foods

USDA National Nutrient Database for Standard Reference, Release 28 (2015)

Nutrients and Units	Amount in 100 grams of edible portion				Amount in edible portion of common measures of food				
	Mean	Std. Error	Number of Data Points	Deriv Code	Source Code	Confidence Code	Measure 1	Measure 2	Measure 3
Tocotrienol, delta.....mg									
Vitamin D (D2 + D3).....µg	0.0		0	Z	7		0.0	0.0	0.0
Vitamin D.....IU	0		0	Z	7		0	0	0
Vitamin K (phylloquinone).....µg	0.5		0	FLA	4		0.1	0.1	0.9
Dihydrophyloquinone.....µg									
Menaquinone-4.....µg									
Lipids:									
Fatty acids, total saturated.....g	0.028		0		4		0.004	0.008	0.048
4:0.....g	0.000		0		4		0.000	0.000	0.000
6:0.....g	0.000		0		4		0.000	0.000	0.000
8:0.....g	0.000		0		4		0.000	0.000	0.000
10:0.....g	0.000		0		4		0.000	0.000	0.000
12:0.....g	0.000		0		4		0.000	0.000	0.000
13:0.....g									
14:0.....g	0.000		0		4		0.000	0.000	0.000
15:0.....g									
16:0.....g	0.023		0		4		0.004	0.007	0.039
17:0.....g									
18:0.....g	0.003		0		4		0.000	0.001	0.005
20:0.....g									
22:0.....g									
24:0.....g									
Fatty acids, total monounsaturated.....g	0.030		0		4		0.005	0.009	0.051
14:1.....g									
15:1.....g									
16:1 undifferentiated.....g	0.000		0		4		0.000	0.000	0.000
17:1.....g									
18:1 undifferentiated.....g	0.030		0		4		0.005	0.009	0.051
20:1.....g	0.000		0		4		0.000	0.000	0.000
22:1 undifferentiated.....g	0.000		0		4		0.000	0.000	0.000
24:1 c.....g									
Fatty acids, total polyunsaturated.....g	0.051		0		4		0.008	0.014	0.087
18:2 undifferentiated.....g	0.044		0		4		0.007	0.012	0.075
18:3 undifferentiated.....g	0.009		0		4		0.001	0.003	0.015
18:4.....g	0.000		0		4		0.000	0.000	0.000
20:2 n-6 c,c.....g									
20:3 undifferentiated.....g									
20:4 undifferentiated.....g	0.000		0		4		0.000	0.000	0.000
20:5 n-3 (EPA).....g	0.000		0		4		0.000	0.000	0.000
21:5.....g									
22:4.....g									
22:5 n-3 (DPA).....g	0.000		0		4		0.000	0.000	0.000
22:6 n-3 (DHA).....g	0.000		0		4		0.000	0.000	0.000
Fatty acids, total trans.....g									
Cholesterol.....mg	0		0		7		0	0	0
Phytosterols.....mg									
Others:									
Alcohol, ethyl.....g	0.0		0		7		0.0	0.0	0.0
Caffeine.....mg	0		0	FLA	4		0	0	0
Theobromine.....mg	0		0	FLA	4		0	0	0

Blanks in the Mean column indicate lack of reliable data. The Number of Data Points column is the number of analyses upon which the mean is based. Number of Data Points of zero indicates the mean was either calculated (as for Energy) or estimated, usually from a recipe, another form of the same food, or similar food.

Common Measures:

Measure 1 = 16g: 1 tbsp

Measure 2 = 28.35g: 1 oz

Measure 3 = 170g: 1 jar

NDB No. 03143

Babyfood, fruit, applesauce and apricots, junior

Calories Factors: Protein 3.36

Fat 8.37

Carbohydrate 3.6

Food Group: 03 Baby Foods

USDA National Nutrient Database for Standard Reference, Release 28 (2015)

NDB No. 03142

Babyfood, fruit, applesauce and apricots, strained

Nutrients and Units	Amount in 100 grams of edible portion				Amount in edible portion of common measures of food				
	Mean	Std. Error	Number of Data Points	Deriv Code	Source Code	Confidence Code	Measure 1	Measure 2	Measure 3
Tocotrienol, delta.....mg									
Vitamin D (D2 + D3).....µg	0.0		0	Z	7		0.0	0.0	0.0
Vitamin D.....IU	0		0	Z	7		0	0	0
Vitamin K (phylloquinone).....µg	1.0		0	FLA	4		0.2	0.3	1.1
Dihydrophylloquinone.....µg									
Menaquinone-4.....µg									
Lipids:									
Fatty acids, total saturated.....g	0.024		0		4		0.004	0.007	0.027
4:0.....g	0.000		0		4		0.000	0.000	0.000
6:0.....g	0.000		0		4		0.000	0.000	0.000
8:0.....g	0.000		0		4		0.000	0.000	0.000
10:0.....g	0.000		0		4		0.000	0.000	0.000
12:0.....g	0.000		0		4		0.000	0.000	0.000
13:0.....g									
14:0.....g	0.000		0		4		0.000	0.000	0.000
15:0.....g									
16:0.....g	0.020		0		4		0.003	0.006	0.023
17:0.....g									
18:0.....g	0.003		0		4		0.000	0.001	0.003
20:0.....g									
22:0.....g									
24:0.....g									
Fatty acids, total monounsaturated.....g	0.037		0		4		0.006	0.010	0.042
14:1.....g									
15:1.....g									
16:1 undifferentiated.....g	0.000		0		4		0.000	0.000	0.000
17:1.....g									
18:1 undifferentiated.....g	0.037		0		4		0.006	0.010	0.042
20:1.....g	0.000		0		4		0.000	0.000	0.000
22:1 undifferentiated.....g	0.000		0		4		0.000	0.000	0.000
24:1 c.....g									
Fatty acids, total polyunsaturated.....g	0.045		0		4		0.007	0.013	0.051
18:2 undifferentiated.....g	0.041		0		4		0.007	0.012	0.046
18:3 undifferentiated.....g	0.007		0		4		0.001	0.002	0.008
18:4.....g	0.000		0		4		0.000	0.000	0.000
20:2 n-6 c,c.....g									
20:3 undifferentiated.....g									
20:4 undifferentiated.....g	0.000		0		4		0.000	0.000	0.000
20:5 n-3 (EPA).....g	0.000		0		4		0.000	0.000	0.000
21:5.....g									
22:4.....g									
22:5 n-3 (DPA).....g	0.000		0		4		0.000	0.000	0.000
22:6 n-3 (DHA).....g	0.000		0		4		0.000	0.000	0.000
Fatty acids, total trans.....g									
Cholesterol.....mg	0		0		7		0	0	0
Phytosterols.....mg									
Others:									
Alcohol, ethyl.....g	0.0		0		7		0.0	0.0	0.0
Caffeine.....mg	0		0	FLA	4		0	0	0
Theobromine.....mg	0		0	FLA	4		0	0	0

Blanks in the Mean column indicate lack of reliable data. The Number of Data Points column is the number of analyses upon which the mean is based. Number of Data Points of zero indicates the mean was either calculated (as for Energy) or estimated, usually from a recipe, another form of the same food, or similar food.

Common Measures:

Measure 1 = 16g: 1 tbsp

Measure 2 = 28.35g: 1 oz

Measure 3 = 113g: 1 jar

NDB No. 03142

Babyfood, fruit, applesauce and apricots, strained

Calories Factors: Protein 3.36

Fat 8.37

Carbohydrate 3.6

Food Group: 03 Baby Foods

USDA National Nutrient Database for Standard Reference, Release 28 (2015)

NDB No. 03145

Babyfood, fruit, applesauce and cherries, junior

Nutrients and Units	Amount in 100 grams of edible portion				Amount in edible portion of common measures of food				
	Mean	Std. Error	Number of Data Points		Source Code	Confidence Code	Measure 1	Measure 2	Measure 3
			Deriv Code	Points					
Lipids:									
Fatty acids, total saturated.....g	0.000		0		4		0.000	0.000	
4:0.....g	0.000		0		4		0.000	0.000	
6:0.....g	0.000		0		4		0.000	0.000	
8:0.....g	0.000		0		4		0.000	0.000	
10:0.....g	0.000		0		4		0.000	0.000	
12:0.....g	0.000		0		4		0.000	0.000	
13:0.....g									
14:0.....g	0.000		0		4		0.000	0.000	
15:0.....g									
16:0.....g	0.000		0		4		0.000	0.000	
17:0.....g									
18:0.....g	0.000		0		4		0.000	0.000	
20:0.....g									
22:0.....g									
24:0.....g									
Fatty acids, total monounsaturated.....g	0.000		0		4		0.000	0.000	
14:1.....g									
15:1.....g									
16:1 undifferentiated.....g	0.000		0		4		0.000	0.000	
17:1.....g									
18:1 undifferentiated.....g	0.000		0		4		0.000	0.000	
20:1.....g	0.000		0		4		0.000	0.000	
22:1 undifferentiated.....g	0.000		0		4		0.000	0.000	
24:1 c.....g									
Fatty acids, total polyunsaturated.....g	0.000		0		4		0.000	0.000	
18:2 undifferentiated.....g	0.000		0		4		0.000	0.000	
18:3 undifferentiated.....g	0.000		0		4		0.000	0.000	
18:4.....g	0.000		0		4		0.000	0.000	
20:2 n-6 c,c.....g									
20:3 undifferentiated.....g									
20:4 undifferentiated.....g	0.000		0		4		0.000	0.000	
20:5 n-3 (EPA).....g	0.000		0		4		0.000	0.000	
21:5.....g									
22:4.....g									
22:5 n-3 (DPA).....g	0.000		0		4		0.000	0.000	
22:6 n-3 (DHA).....g	0.000		0		4		0.000	0.000	
Fatty acids, total trans.....g									
Cholesterol.....mg	0		0		4		0	0	
Phytosterols.....mg									
Others:									
Alcohol, ethyl.....g	0.0		0		7		0.0	0.0	
Caffeine.....mg	0		0	BFSN	4		0	0	
Theobromine.....mg	0		0	BFSN	4		0	0	

Blanks in the Mean column indicate lack of reliable data. The Number of Data Points column is the number of analyses upon which the mean is based. Number of Data Points of zero indicates the mean was either calculated (as for Energy) or estimated, usually from a recipe, another form of the same food, or similar food.

Common Measures:

Measure 1 = 28.35g: 1 oz

Measure 2 = 170g: 1 jar

Calories Factors: Protein 3.36

Fat 8.37

Carbohydrate 3.6

Food Group: 03 Baby Foods

USDA National Nutrient Database for Standard Reference, Release 28 (2015)

NDB No. 03144
 Babyfood, fruit, applesauce and cherries, strained

Nutrients and Units	Amount in 100 grams of edible portion				Amount in edible portion of common measures of food				
	Mean	Std. Error	Number		Source Code	Confidence Code	Measure 1	Measure 2	Measure 3
			of Data Points	Deriv Code					
Lipids:									
Fatty acids, total saturated.....g	0.000		0		7		0.000	0.000	
4:0.....g	0.000		0		4		0.000	0.000	
6:0.....g	0.000		0		4		0.000	0.000	
8:0.....g	0.000		0		4		0.000	0.000	
10:0.....g	0.000		0		4		0.000	0.000	
12:0.....g	0.000		0		4		0.000	0.000	
13:0.....g									
14:0.....g	0.000		0		4		0.000	0.000	
15:0.....g									
16:0.....g	0.000		0		4		0.000	0.000	
17:0.....g									
18:0.....g	0.000		0		4		0.000	0.000	
20:0.....g									
22:0.....g									
24:0.....g									
Fatty acids, total monounsaturated.....g	0.000		0		7		0.000	0.000	
14:1.....g									
15:1.....g									
16:1 undifferentiated.....g	0.000		0		4		0.000	0.000	
17:1.....g									
18:1 undifferentiated.....g	0.000		0		4		0.000	0.000	
20:1.....g	0.000		0		4		0.000	0.000	
22:1 undifferentiated.....g	0.000		0		4		0.000	0.000	
24:1 c.....g									
Fatty acids, total polyunsaturated.....g	0.000		0		7		0.000	0.000	
18:2 undifferentiated.....g	0.000		0		4		0.000	0.000	
18:3 undifferentiated.....g	0.000		0		4		0.000	0.000	
18:4.....g	0.000		0		4		0.000	0.000	
20:2 n-6 c,c.....g									
20:3 undifferentiated.....g									
20:4 undifferentiated.....g	0.000		0		4		0.000	0.000	
20:5 n-3 (EPA).....g	0.000		0		4		0.000	0.000	
21:5.....g									
22:4.....g									
22:5 n-3 (DPA).....g	0.000		0		4		0.000	0.000	
22:6 n-3 (DHA).....g	0.000		0		4		0.000	0.000	
Fatty acids, total trans.....g									
Cholesterol.....mg	0		0		7		0	0	
Phytosterols.....mg									
Others:									
Alcohol, ethyl.....g	0.0		0		7		0.0	0.0	
Caffeine.....mg	0		0	FLA	4		0	0	
Theobromine.....mg	0		0	FLA	4		0	0	

Blanks in the Mean column indicate lack of reliable data. The Number of Data Points column is the number of analyses upon which the mean is based. Number of Data Points of zero indicates the mean was either calculated (as for Energy) or estimated, usually from a recipe, another form of the same food, or similar food.

Common Measures:

Measure 1 = 28.35g: 1 oz

Measure 2 = 113g: 1 jar

Calories Factors: Protein 3.36

Fat 8.37

Carbohydrate 3.6

Food Group: 03 Baby Foods

USDA National Nutrient Database for Standard Reference, Release 28 (2015)

NDB No. 03151
Babyfood, fruit, applesauce and pineapple, junior

Nutrients and Units	Amount in 100 grams of edible portion				Amount in edible portion of common measures of food				
	Mean	Std. Error	Number of Data Points	Deriv Code	Source Code	Confidence Code	Measure 1	Measure 2	Measure 3
Lipids:									
Fatty acids, total saturated.....g	0.011		0		4		0.003	0.019	
4:0.....g	0.000		0		4		0.000	0.000	
6:0.....g	0.000		0		4		0.000	0.000	
8:0.....g	0.000		0		4		0.000	0.000	
10:0.....g	0.000		0		4		0.000	0.000	
12:0.....g	0.000		0		4		0.000	0.000	
13:0.....g									
14:0.....g	0.000		0		4		0.000	0.000	
15:0.....g									
16:0.....g	0.008		0		4		0.002	0.014	
17:0.....g									
18:0.....g	0.002		0		4		0.001	0.003	
20:0.....g									
22:0.....g									
24:0.....g									
Fatty acids, total monounsaturated.....g	0.009		0		4		0.003	0.015	
14:1.....g									
15:1.....g									
16:1 undifferentiated.....g	0.000		0		4		0.000	0.000	
17:1.....g									
18:1 undifferentiated.....g	0.008		0		4		0.002	0.014	
20:1.....g	0.000		0		4		0.000	0.000	
22:1 undifferentiated.....g	0.000		0		4		0.000	0.000	
24:1 c.....g									
Fatty acids, total polyunsaturated.....g	0.032		0		4		0.009	0.054	
18:2 undifferentiated.....g	0.021		0		4		0.006	0.036	
18:3 undifferentiated.....g	0.011		0		4		0.003	0.019	
18:4.....g	0.000		0		4		0.000	0.000	
20:2 n-6 c,c.....g									
20:3 undifferentiated.....g									
20:4 undifferentiated.....g	0.000		0		4		0.000	0.000	
20:5 n-3 (EPA).....g	0.000		0		4		0.000	0.000	
21:5.....g									
22:4.....g									
22:5 n-3 (DPA).....g	0.000		0		4		0.000	0.000	
22:6 n-3 (DHA).....g	0.000		0		4		0.000	0.000	
Fatty acids, total trans.....g									
Cholesterol.....mg	0		0		4		0	0	
Phytosterols.....mg									
Others:									
Alcohol, ethyl.....g	0.0		0		7		0.0	0.0	
Caffeine.....mg									
Theobromine.....mg									

Blanks in the Mean column indicate lack of reliable data. The Number of Data Points column is the number of analyses upon which the mean is based. Number of Data Points of zero indicates the mean was either calculated (as for Energy) or estimated, usually from a recipe, another form of the same food, or similar food.

Common Measures:

Measure 1 = 28.35g: 1 oz

Measure 2 = 170g: 1 jar

Calories Factors: Protein 3.36

Fat 8.37

Carbohydrate 3.6

Food Group: 03 Baby Foods

USDA National Nutrient Database for Standard Reference, Release 28 (2015)

NDB No. 03150
 Babyfood, fruit, applesauce and pineapple, strained

Nutrients and Units	Amount in 100 grams of edible portion				Amount in edible portion of common measures of food				
	Mean	Std. Error	Number of Data Points	Deriv Code	Source Code	Confidence Code	Measure 1	Measure 2	Measure 3
Lipids:									
Fatty acids, total saturated.....g	0.010		0		4		0.003	0.011	
4:0.....g	0.000		0		4		0.000	0.000	
6:0.....g	0.000		0		4		0.000	0.000	
8:0.....g	0.000		0		4		0.000	0.000	
10:0.....g	0.000		0		4		0.000	0.000	
12:0.....g	0.000		0		4		0.000	0.000	
13:0.....g									
14:0.....g	0.000		0		4		0.000	0.000	
15:0.....g									
16:0.....g	0.008		0		4		0.002	0.009	
17:0.....g									
18:0.....g	0.002		0		4		0.001	0.002	
20:0.....g									
22:0.....g									
24:0.....g									
Fatty acids, total monounsaturated.....g	0.009		0		4		0.003	0.010	
14:1.....g									
15:1.....g									
16:1 undifferentiated.....g	0.001		0		4		0.000	0.001	
17:1.....g									
18:1 undifferentiated.....g	0.008		0		4		0.002	0.009	
20:1.....g	0.000		0		4		0.000	0.000	
22:1 undifferentiated.....g	0.000		0		4		0.000	0.000	
24:1 c.....g									
Fatty acids, total polyunsaturated.....g	0.032		0		4		0.009	0.036	
18:2 undifferentiated.....g	0.021		0		4		0.006	0.024	
18:3 undifferentiated.....g	0.012		0		4		0.003	0.014	
18:4.....g	0.000		0		4		0.000	0.000	
20:2 n-6 c,c.....g									
20:3 undifferentiated.....g									
20:4 undifferentiated.....g	0.000		0		4		0.000	0.000	
20:5 n-3 (EPA).....g	0.000		0		4		0.000	0.000	
21:5.....g									
22:4.....g									
22:5 n-3 (DPA).....g	0.000		0		4		0.000	0.000	
22:6 n-3 (DHA).....g	0.000		0		4		0.000	0.000	
Fatty acids, total trans.....g									
Cholesterol.....mg	0		0		4		0	0	
Phytosterols.....mg									
Others:									
Alcohol, ethyl.....g	0.0		0		7		0.0	0.0	
Caffeine.....mg									
Theobromine.....mg									

Blanks in the Mean column indicate lack of reliable data. The Number of Data Points column is the number of analyses upon which the mean is based. Number of Data Points of zero indicates the mean was either calculated (as for Energy) or estimated, usually from a recipe, another form of the same food, or similar food.

Common Measures:

Measure 1 = 28.35g: 1 oz

Measure 2 = 113g: 1 jar

Calories Factors: Protein 3.36

Fat 8.37

Carbohydrate 3.6

Food Group: 03 Baby Foods

USDA National Nutrient Database for Standard Reference, Release 28 (2015)

NDB No. 03147

Babyfood, fruit, applesauce with banana, junior

Nutrients and Units	Amount in 100 grams of edible portion				Amount in edible portion of common measures of food				
	Mean	Std. Error	Number of Data Points	Deriv Code	Source Code	Confidence Code	Measure 1	Measure 2	Measure 3
Lipids:									
Fatty acids, total saturated.....g	0.040		0	FLM	4		0.006	0.068	0.068
4:0.....g	0.000		0	FLM	4		0.000	0.000	0.000
6:0.....g	0.000		0	FLM	4		0.000	0.000	0.000
8:0.....g	0.000		0	FLM	4		0.000	0.000	0.000
10:0.....g	0.000		0	FLM	4		0.000	0.000	0.000
12:0.....g	0.001		0	FLM	4		0.000	0.002	0.002
13:0.....g									
14:0.....g	0.001		0	FLM	4		0.000	0.002	0.002
15:0.....g									
16:0.....g	0.034		0	FLM	4		0.005	0.058	0.058
17:0.....g									
18:0.....g	0.003		0	FLM	4		0.000	0.005	0.005
20:0.....g									
22:0.....g									
24:0.....g									
Fatty acids, total monounsaturated.....g	0.010		0	FLM	4		0.002	0.017	0.017
14:1.....g									
15:1.....g									
16:1 undifferentiated.....g	0.002		0	FLM	4		0.000	0.003	0.003
17:1.....g									
18:1 undifferentiated.....g	0.009		0	FLM	4		0.001	0.015	0.015
20:1.....g	0.000		0	FLM	4		0.000	0.000	0.000
22:1 undifferentiated.....g	0.000		0	FLM	4		0.000	0.000	0.000
24:1 c.....g									
Fatty acids, total polyunsaturated.....g	0.050		0	FLM	4		0.008	0.085	0.085
18:2 undifferentiated.....g	0.040		0	FLM	4		0.006	0.068	0.068
18:3 undifferentiated.....g	0.011		0	FLM	4		0.002	0.019	0.019
18:4.....g	0.000		0	FLM	4		0.000	0.000	0.000
20:2 n-6 c,c.....g									
20:3 undifferentiated.....g									
20:4 undifferentiated.....g	0.000		0	FLM	4		0.000	0.000	0.000
20:5 n-3 (EPA).....g	0.000		0	FLM	4		0.000	0.000	0.000
21:5.....g									
22:4.....g									
22:5 n-3 (DPA).....g	0.000		0	FLM	4		0.000	0.000	0.000
22:6 n-3 (DHA).....g	0.000		0	FLM	4		0.000	0.000	0.000
Fatty acids, total trans.....g									
Cholesterol.....mg	0		0	Z	7		0	0	0
Phytosterols.....mg									
Others:									
Alcohol, ethyl.....g	0.0		0	Z	7		0.0	0.0	0.0
Caffeine.....mg	0		0	Z	7		0	0	0
Theobromine.....mg	0		0	Z	7		0	0	0

Blanks in the Mean column indicate lack of reliable data. The Number of Data Points column is the number of analyses upon which the mean is based. Number of Data Points of zero indicates the mean was either calculated (as for Energy) or estimated, usually from a recipe, another form of the same food, or similar food.

Common Measures:

Measure 1 = 16g: 1 tbsp

Measure 2 = 170g: 1 jar NFS

Measure 3 = 170g: 1 jar Beech-Nut Stage 3 (6 oz)

Calories Factors: Protein

Fat

Carbohydrate

Food Group: 03 Baby Foods

USDA National Nutrient Database for Standard Reference, Release 28 (2015)

NDB No. 03117
 Babyfood, fruit, applesauce, junior

Nutrients and Units	Amount in 100 grams of edible portion				Amount in edible portion of common measures of food				
	Mean	Std. Error	Number of Data Points		Source Code	Confidence Code	Measure 1	Measure 2	Measure 3
			Deriv Code	Points					
Lipids:									
Fatty acids, total saturated.....g	0.000		0		7		0.000	0.000	0.000
4:0.....g	0.000		0		4		0.000	0.000	0.000
6:0.....g	0.000		0		4		0.000	0.000	0.000
8:0.....g	0.000		0		4		0.000	0.000	0.000
10:0.....g	0.000		0		4		0.000	0.000	0.000
12:0.....g	0.000		0		4		0.000	0.000	0.000
13:0.....g									
14:0.....g	0.000		0		4		0.000	0.000	0.000
15:0.....g									
16:0.....g	0.000		0		4		0.000	0.000	0.000
17:0.....g									
18:0.....g	0.000		0		4		0.000	0.000	0.000
20:0.....g									
22:0.....g									
24:0.....g									
Fatty acids, total monounsaturated.....g	0.000		0		7		0.000	0.000	0.000
14:1.....g									
15:1.....g									
16:1 undifferentiated.....g	0.000		0		4		0.000	0.000	0.000
17:1.....g									
18:1 undifferentiated.....g	0.000		0		4		0.000	0.000	0.000
20:1.....g	0.000		0		4		0.000	0.000	0.000
22:1 undifferentiated.....g	0.000		0		4		0.000	0.000	0.000
24:1 c.....g									
Fatty acids, total polyunsaturated.....g	0.000		0		7		0.000	0.000	0.000
18:2 undifferentiated.....g	0.000		0		4		0.000	0.000	0.000
18:3 undifferentiated.....g	0.000		0		4		0.000	0.000	0.000
18:4.....g	0.000		0		4		0.000	0.000	0.000
20:2 n-6 c,c.....g									
20:3 undifferentiated.....g									
20:4 undifferentiated.....g	0.000		0		4		0.000	0.000	0.000
20:5 n-3 (EPA).....g	0.000		0		4		0.000	0.000	0.000
21:5.....g									
22:4.....g									
22:5 n-3 (DPA).....g	0.000		0		4		0.000	0.000	0.000
22:6 n-3 (DHA).....g	0.000		0		4		0.000	0.000	0.000
Fatty acids, total trans.....g									
Cholesterol.....mg	0		0		7		0	0	0
Phytosterols.....mg									
Others:									
Alcohol, ethyl.....g	0.0		0		7		0.0	0.0	0.0
Caffeine.....mg	0		0	BFSN	4		0	0	0
Theobromine.....mg	0		0	BFSN	4		0	0	0

Blanks in the Mean column indicate lack of reliable data. The Number of Data Points column is the number of analyses upon which the mean is based. Number of Data Points of zero indicates the mean was either calculated (as for Energy) or estimated, usually from a recipe, another form of the same food, or similar food.

Common Measures:

- Measure 1 = 16g: 1 tbsp
- Measure 2 = 28.35g: 1 oz
- Measure 3 = 170g: 1 jar

Calories Factors: Protein 3.36

Fat 8.37

Carbohydrate 3.6

Food Group: 03 Baby Foods

USDA National Nutrient Database for Standard Reference, Release 28 (2015)

NDB No. 03116
 Babyfood, fruit, applesauce, strained

Nutrients and Units	Amount in 100 grams of edible portion				Amount in edible portion of common measures of food				
	Mean	Std. Error	Number of Data Points		Source Code	Confidence Code	Measure 1	Measure 2	Measure 3
			Deriv Code	Points					
Lipids:									
Fatty acids, total saturated.....g	0.032		0		4		0.005	0.009	0.036
4:0.....g	0.000		0		4		0.000	0.000	0.000
6:0.....g	0.000		0		4		0.000	0.000	0.000
8:0.....g	0.000		0		4		0.000	0.000	0.000
10:0.....g	0.000		0		4		0.000	0.000	0.000
12:0.....g	0.000		0		4		0.000	0.000	0.000
13:0.....g									
14:0.....g	0.000		0		4		0.000	0.000	0.000
15:0.....g									
16:0.....g	0.028		0		4		0.004	0.008	0.032
17:0.....g									
18:0.....g	0.004		0		4		0.001	0.001	0.005
20:0.....g									
22:0.....g									
24:0.....g									
Fatty acids, total monounsaturated.....g	0.008		0		4		0.001	0.002	0.009
14:1.....g									
15:1.....g									
16:1 undifferentiated.....g	0.000		0		4		0.000	0.000	0.000
17:1.....g									
18:1 undifferentiated.....g	0.008		0		4		0.001	0.002	0.009
20:1.....g	0.000		0		4		0.000	0.000	0.000
22:1 undifferentiated.....g	0.000		0		4		0.000	0.000	0.000
24:1 c.....g									
Fatty acids, total polyunsaturated.....g	0.056		0		4		0.009	0.016	0.063
18:2 undifferentiated.....g	0.048		0		4		0.008	0.014	0.054
18:3 undifferentiated.....g	0.012		0		4		0.002	0.003	0.014
18:4.....g	0.000		0		4		0.000	0.000	0.000
20:2 n-6 c,c.....g									
20:3 undifferentiated.....g									
20:4 undifferentiated.....g	0.000		0		4		0.000	0.000	0.000
20:5 n-3 (EPA).....g	0.000		0		4		0.000	0.000	0.000
21:5.....g									
22:4.....g									
22:5 n-3 (DPA).....g	0.000		0		4		0.000	0.000	0.000
22:6 n-3 (DHA).....g	0.000		0		4		0.000	0.000	0.000
Fatty acids, total trans.....g									
Cholesterol.....mg	0		0		7		0	0	0
Phytosterols.....mg									
Others:									
Alcohol, ethyl.....g	0.0		0		7		0.0	0.0	0.0
Caffeine.....mg	0		0	BFSN	4		0	0	0
Theobromine.....mg	0		0	BFSN	4		0	0	0

Blanks in the Mean column indicate lack of reliable data. The Number of Data Points column is the number of analyses upon which the mean is based. Number of Data Points of zero indicates the mean was either calculated (as for Energy) or estimated, usually from a recipe, another form of the same food, or similar food.

Common Measures:

- Measure 1 = 16g: 1 tbsp
- Measure 2 = 28.35g: 1 oz
- Measure 3 = 113g: 1 jar

Calories Factors: Protein 3.36

Fat 8.37

Carbohydrate 3.6

Food Group: 03 Baby Foods

USDA National Nutrient Database for Standard Reference, Release 28 (2015)

Nutrients and Units	Amount in 100 grams of edible portion				Amount in edible portion of common measures of food				
	Mean	Std. Error	Number of Data Points		Source Code	Confidence Code	Measure 1	Measure 2	Measure 3
			Deriv Code	Points					
Lipids:									
Fatty acids, total saturated.....g	0.000		0		7		0.000	0.000	0.000
4:0.....g	0.000		0		4		0.000	0.000	0.000
6:0.....g	0.000		0		4		0.000	0.000	0.000
8:0.....g	0.000		0		4		0.000	0.000	0.000
10:0.....g	0.000		0		4		0.000	0.000	0.000
12:0.....g	0.000		0		4		0.000	0.000	0.000
13:0.....g									
14:0.....g	0.000		0		4		0.000	0.000	0.000
15:0.....g									
16:0.....g	0.000		0		4		0.000	0.000	0.000
17:0.....g									
18:0.....g	0.000		0		4		0.000	0.000	0.000
20:0.....g									
22:0.....g									
24:0.....g									
Fatty acids, total monounsaturated.....g	0.000		0		7		0.000	0.000	0.000
14:1.....g									
15:1.....g									
16:1 undifferentiated.....g	0.000		0		4		0.000	0.000	0.000
17:1.....g									
18:1 undifferentiated.....g	0.000		0		4		0.000	0.000	0.000
20:1.....g	0.000		0		4		0.000	0.000	0.000
22:1 undifferentiated.....g	0.000		0		4		0.000	0.000	0.000
24:1 c.....g									
Fatty acids, total polyunsaturated.....g	0.000		0		7		0.000	0.000	0.000
18:2 undifferentiated.....g	0.000		0		4		0.000	0.000	0.000
18:3 undifferentiated.....g	0.000		0		4		0.000	0.000	0.000
18:4.....g	0.000		0		4		0.000	0.000	0.000
20:2 n-6 c,c.....g									
20:3 undifferentiated.....g									
20:4 undifferentiated.....g	0.000		0		4		0.000	0.000	0.000
20:5 n-3 (EPA).....g	0.000		0		4		0.000	0.000	0.000
21:5.....g									
22:4.....g									
22:5 n-3 (DPA).....g	0.000		0		4		0.000	0.000	0.000
22:6 n-3 (DHA).....g	0.000		0		4		0.000	0.000	0.000
Fatty acids, total trans.....g									
Cholesterol.....mg	0		0		7		0	0	0
Phytosterols.....mg									
Others:									
Alcohol, ethyl.....g	0.0		0		7		0.0	0.0	0.0
Caffeine.....mg	0		0	BFSN	4		0	0	0
Theobromine.....mg	0		0	BFSN	4		0	0	0

Blanks in the Mean column indicate lack of reliable data. The Number of Data Points column is the number of analyses upon which the mean is based. Number of Data Points of zero indicates the mean was either calculated (as for Energy) or estimated, usually from a recipe, another form of the same food, or similar food.

Common Measures:

Measure 1 = 15.0g: 1 tbsp

Measure 2 = 28.35g: 1 oz

Measure 3 = 170g: 1 jar

Calories Factors: Protein 2.44

Fat 8.37

Carbohydrate 3.57

Food Group: 03 Baby Foods

USDA National Nutrient Database for Standard Reference, Release 28 (2015)

NDB No. 03118

Babyfood, fruit, apricot with tapioca, strained

Nutrients and Units	Amount in 100 grams of edible portion				Amount in edible portion of common measures of food				
	Mean	Std. Error	Number of Data Points		Source Code	Confidence Code	Measure 1	Measure 2	Measure 3
			Deriv Code	Code					
Lipids:									
Fatty acids, total saturated.....g	0.000		0	NC	4		0.000	0.000	0.000
4:0.....g	0.000		0		4		0.000	0.000	0.000
6:0.....g	0.000		0		4		0.000	0.000	0.000
8:0.....g	0.000		0		4		0.000	0.000	0.000
10:0.....g	0.000		0		4		0.000	0.000	0.000
12:0.....g	0.000		0		4		0.000	0.000	0.000
13:0.....g									
14:0.....g	0.000		0		4		0.000	0.000	0.000
15:0.....g									
16:0.....g	0.000		0		4		0.000	0.000	0.000
17:0.....g									
18:0.....g	0.000		0		4		0.000	0.000	0.000
20:0.....g									
22:0.....g									
24:0.....g									
Fatty acids, total monounsaturated.....g	0.000		0	NC	4		0.000	0.000	0.000
14:1.....g									
15:1.....g									
16:1 undifferentiated.....g	0.000		0		4		0.000	0.000	0.000
17:1.....g									
18:1 undifferentiated.....g	0.000		0		4		0.000	0.000	0.000
20:1.....g	0.000		0		4		0.000	0.000	0.000
22:1 undifferentiated.....g	0.000		0		4		0.000	0.000	0.000
24:1 c.....g									
Fatty acids, total polyunsaturated.....g	0.000		0	FLM	4		0.000	0.000	0.000
18:2 undifferentiated.....g	0.000		0		4		0.000	0.000	0.000
18:3 undifferentiated.....g	0.000		0		4		0.000	0.000	0.000
18:4.....g	0.000		0		4		0.000	0.000	0.000
20:2 n-6 c,c.....g									
20:3 undifferentiated.....g									
20:4 undifferentiated.....g	0.000		0		4		0.000	0.000	0.000
20:5 n-3 (EPA).....g	0.000		0		4		0.000	0.000	0.000
21:5.....g									
22:4.....g									
22:5 n-3 (DPA).....g	0.000		0		4		0.000	0.000	0.000
22:6 n-3 (DHA).....g	0.000		0		4		0.000	0.000	0.000
Fatty acids, total trans.....g									
Cholesterol.....mg	0		0		7		0	0	0
Phytosterols.....mg									
Others:									
Alcohol, ethyl.....g	0.0		0		7		0.0	0.0	0.0
Caffeine.....mg	0		0	BFSN	4		0	0	0
Theobromine.....mg	0		0	BFSN	4		0	0	0

Blanks in the Mean column indicate lack of reliable data. The Number of Data Points column is the number of analyses upon which the mean is based. Number of Data Points of zero indicates the mean was either calculated (as for Energy) or estimated, usually from a recipe, another form of the same food, or similar food.

Common Measures:

Measure 1 = 15.0g: 1 tbsp

Measure 2 = 28.35g: 1 oz

Measure 3 = 113g: 1 jar

Calories Factors: Protein 3.36

Fat 8.37

Carbohydrate 3.6

Food Group: 03 Baby Foods

USDA National Nutrient Database for Standard Reference, Release 28 (2015)

NDB No. 03994

Babyfood, fruit, banana and straw berry, junior

Refuse:0%

Nutrients and Units	Amount in 100 grams of edible portion				Amount in edible portion of common measures of food				
	Mean	Std. Error	Number of Data Points	Deriv Code	Source Code	Confidence Code	Measure 1	Measure 2	Measure 3
Proximates:									
Water.....g	72.23		0	FLC	4		101.13		
Energy.....kcal	109		0	NC	4		153		
Energy.....kJ	457		0	NC	4		640		
Protein.....g	0.71		0	MC	9		1.00		
Total lipid (fat).....g	0.37		0	FLC	4		0.51		
Ash.....g	0.91		0	FLC	4		1.27		
Carbohydrate, by difference.....g	25.78		0	NC	4		36.09		
Fiber, total dietary.....g	1.4		0	MC	9		2.0		
Sugars, total.....g	19.29		0	MC	9		27.00		
Starch.....g									
Minerals:									
Calcium, Ca.....mg	0		0	MC	9		0		
Iron, Fe.....mg	0.14		0	MC	9		0.20		
Magnesium, Mg.....mg	30		0	FLC	4		42		
Phosphorus, P.....mg	24		0	FLC	4		34		
Potassium, K.....mg	395		0	FLC	4		553		
Sodium, Na.....mg	1		0	FLC	4		2		
Zinc, Zn.....mg	0.23		0	MC	9		0.32		
Copper, Cu.....mg	0.087		0	FLC	4		0.121		
Manganese, Mn.....mg	0.300		0	FLC	4		0.420		
Selenium, Se.....µg	1.1		0	FLC	4		1.5		
Vitamins:									
Vitamin C, total ascorbic acid.....mg	12.9		0	MC	9		18.0		
Thiamin.....mg	0.035		0	FLC	4		0.049		
Riboflavin.....mg	0.080		0	FLC	4		0.111		
Niacin.....mg	0.728		0	FLC	4		1.020		
Pantothenic acid.....mg	0.368		0	FLC	4		0.516		
Vitamin B-6.....mg	0.395		0	FLC	4		0.553		
Folate, total.....µg	22		0	FLC	4		31		
Folic acid.....µg	0		0	FLC	4		0		
Folate, food.....µg	22		0	FLC	4		31		
Folate, DFE.....µg	22		0	NC	4		31		
Choline, total.....mg	10.8		0	FLC	4		15.1		
Betaine.....mg	0.1		0	FLC	4		0.1		
Vitamin B-12.....µg	0.00		0	FLC	4		0.00		
Vitamin B-12, added.....µg	0.00		0	FLC	4		0.00		
Vitamin A, RAE.....µg	3		0	NC	4		5		
Retinol.....µg	0		0	FLC	4		0		
Carotene, beta.....µg	28		0	FLC	4		39		
Carotene, alpha.....µg	27		0	FLC	4		37		
Cryptoxanthin, beta.....µg	0		0	FLC	4		0		
Vitamin A, IU.....IU	69		0	NC	4		97		
Lycopene.....µg	0		0	FLC	4		0		
Lutein + zeaxanthin.....µg	24		0	FLC	4		34		
Vitamin E (alpha-tocopherol).....mg	0.12		0	FLC	4		0.16		
Vitamin E, added.....mg	0.00		0	FLC	4		0.00		
Tocopherol, beta.....mg	0.00		0	FLC	4		0.00		
Tocopherol, gamma.....mg	0.02		0	FLC	4		0.03		
Tocopherol, delta.....mg	0.01		0	FLC	4		0.02		
Tocotrienol, alpha.....mg	0.07		0	FLC	4		0.09		
Tocotrienol, beta.....mg	0.00		0	FLC	4		0.00		
Tocotrienol, gamma.....mg	0.00		0	FLC	4		0.00		
Tocotrienol, delta.....mg	0.00		0	FLC	4		0.00		
Vitamin D (D2 + D3).....µg	0.0		0	FLC	4		0.0		
Vitamin D2 (ergocalciferol).....µg									
Vitamin D3 (cholecalciferol).....µg									
Vitamin D.....IU	0		0	FLC	4		0		
Vitamin K (phylloquinone).....µg	0.6		0	FLC	4		0.9		

NDB No. 03994

Babyfood, fruit, banana and strawberry, junior

Nutrients and Units	<u>Amount in 100 grams of edible portion</u>				<u>Amount in edible portion of common measures of food</u>				
	Mean	Std. Error	Number	Deriv	Source Code	Confidence Code	Measure 1	Measure 2	Measure 3
			of Data Points	Code					
Others:									
Alcohol, ethyl.....g	0.0		0	FLC	4		0.0		
Caffeine.....mg	0		0	FLC	4		0		
Theobromine.....mg	0		0	FLC	4		0		

Blanks in the Mean column indicate lack of reliable data. The Number of Data Points column is the number of analyses upon which the mean is based. Number of Data Points of zero indicates the mean was either calculated (as for Energy) or estimated, usually from a recipe, another form of the same food, or similar food.

Common Measures:

Measure 1 = 140g: 1 bottle

Calories Factors: Protein

Fat

Carbohydrate

Food Group: 03 Baby Foods

USDA National Nutrient Database for Standard Reference, Release 28 (2015)

NDB No. 03156

Babyfood, fruit, bananas and pineapple with tapioca, junior

Nutrients and Units	Amount in 100 grams of edible portion				Amount in edible portion of common measures of food				
	Mean	Std. Error	Number of Data Points		Source Code	Confidence Code	Measure 1	Measure 2	Measure 3
			Deriv Code	Points					
Lipids:									
Fatty acids, total saturated.....g	0.036		0		4		0.005	0.010	0.061
4:0.....g	0.000		0		4		0.000	0.000	0.000
6:0.....g	0.000		0		4		0.000	0.000	0.000
8:0.....g	0.000		0		4		0.000	0.000	0.000
10:0.....g	0.000		0		4		0.000	0.000	0.000
12:0.....g	0.000		0		4		0.000	0.000	0.000
13:0.....g									
14:0.....g	0.001		0		4		0.000	0.000	0.002
15:0.....g									
16:0.....g	0.024		0		4		0.004	0.007	0.041
17:0.....g									
18:0.....g	0.001		0		4		0.000	0.000	0.002
20:0.....g									
22:0.....g									
24:0.....g									
Fatty acids, total monounsaturated.....g	0.009		0		4		0.001	0.003	0.015
14:1.....g									
15:1.....g									
16:1 undifferentiated.....g	0.002		0		4		0.000	0.001	0.003
17:1.....g									
18:1 undifferentiated.....g	0.006		0		4		0.001	0.002	0.010
20:1.....g	0.000		0		4		0.000	0.000	0.000
22:1 undifferentiated.....g	0.000		0		4		0.000	0.000	0.000
24:1 c.....g									
Fatty acids, total polyunsaturated.....g	0.020		0		4		0.003	0.006	0.034
18:2 undifferentiated.....g	0.012		0		4		0.002	0.003	0.020
18:3 undifferentiated.....g	0.008		0		4		0.001	0.002	0.014
18:4.....g	0.000		0		4		0.000	0.000	0.000
20:2 n-6 c,c.....g									
20:3 undifferentiated.....g									
20:4 undifferentiated.....g	0.000		0		4		0.000	0.000	0.000
20:5 n-3 (EPA).....g	0.000		0		4		0.000	0.000	0.000
21:5.....g									
22:4.....g									
22:5 n-3 (DPA).....g	0.000		0		4		0.000	0.000	0.000
22:6 n-3 (DHA).....g	0.000		0		4		0.000	0.000	0.000
Fatty acids, total trans.....g									
Cholesterol.....mg	0		0		7		0	0	0
Phytosterols.....mg									
Others:									
Alcohol, ethyl.....g	0.0		0		7		0.0	0.0	0.0
Caffeine.....mg	0		0	FLA	4		0	0	0
Theobromine.....mg	0		0	FLA	4		0	0	0

Blanks in the Mean column indicate lack of reliable data. The Number of Data Points column is the number of analyses upon which the mean is based. Number of Data Points of zero indicates the mean was either calculated (as for Energy) or estimated, usually from a recipe, another form of the same food, or similar food.

Common Measures:

Measure 1 = 15.0g: 1 tbsp

Measure 2 = 28.35g: 1 oz

Measure 3 = 170g: 1 jar

Calories Factors: Protein 3.36

Fat 8.37

Carbohydrate 3.6

Food Group: 03 Baby Foods

USDA National Nutrient Database for Standard Reference, Release 28 (2015)

NDB No. 03157

Babyfood, fruit, bananas and pineapple with tapioca, strained

Nutrients and Units	Amount in 100 grams of edible portion				Amount in edible portion of common measures of food				
	Mean	Std. Error	Number of Data Points	Deriv Code	Source Code	Confidence Code	Measure 1	Measure 2	Measure 3
Tocotrienol, delta.....mg									
Vitamin D (D2 + D3).....µg	0.0		0	Z	7		0.0	0.0	0.0
Vitamin D.....IU	0		0	Z	7		0	0	0
Vitamin K (phylloquinone).....µg	0.6		0	FLA	4		0.1	0.2	0.7
Dihydrophyloquinone.....µg									
Menaquinone-4.....µg									
Lipids:									
Fatty acids, total saturated.....g	0.000		0		7		0.000	0.000	0.000
4:0.....g	0.000		0		4		0.000	0.000	0.000
6:0.....g	0.000		0		4		0.000	0.000	0.000
8:0.....g	0.000		0		4		0.000	0.000	0.000
10:0.....g	0.000		0		4		0.000	0.000	0.000
12:0.....g	0.000		0		4		0.000	0.000	0.000
13:0.....g									
14:0.....g	0.000		0		4		0.000	0.000	0.000
15:0.....g									
16:0.....g	0.000		0		4		0.000	0.000	0.000
17:0.....g									
18:0.....g	0.000		0		4		0.000	0.000	0.000
20:0.....g									
22:0.....g									
24:0.....g									
Fatty acids, total monounsaturated.....g	0.000		0		7		0.000	0.000	0.000
14:1.....g									
15:1.....g									
16:1 undifferentiated.....g	0.000		0		4		0.000	0.000	0.000
17:1.....g									
18:1 undifferentiated.....g	0.000		0		4		0.000	0.000	0.000
20:1.....g	0.000		0		4		0.000	0.000	0.000
22:1 undifferentiated.....g	0.000		0		4		0.000	0.000	0.000
24:1 c.....g									
Fatty acids, total polyunsaturated.....g	0.000		0	FLA	4		0.000	0.000	0.000
18:2 undifferentiated.....g	0.000		0		4		0.000	0.000	0.000
18:3 undifferentiated.....g	0.000		0		4		0.000	0.000	0.000
18:4.....g	0.000		0		4		0.000	0.000	0.000
20:2 n-6 c,c.....g									
20:3 undifferentiated.....g									
20:4 undifferentiated.....g	0.000		0		4		0.000	0.000	0.000
20:5 n-3 (EPA).....g	0.000		0		4		0.000	0.000	0.000
21:5.....g									
22:4.....g									
22:5 n-3 (DPA).....g	0.000		0		4		0.000	0.000	0.000
22:6 n-3 (DHA).....g	0.000		0		4		0.000	0.000	0.000
Fatty acids, total trans.....g									
Cholesterol.....mg	0		0		7		0	0	0
Phytosterols.....mg									
Others:									
Alcohol, ethyl.....g	0.0		0		7		0.0	0.0	0.0
Caffeine.....mg	0		0	FLA	4		0	0	0
Theobromine.....mg	0		0	FLA	4		0	0	0

Blanks in the Mean column indicate lack of reliable data. The Number of Data Points column is the number of analyses upon which the mean is based. Number of Data Points of zero indicates the mean was either calculated (as for Energy) or estimated, usually from a recipe, another form of the same food, or similar food.

Common Measures:

Measure 1 = 15.0g: 1 tbsp

Measure 2 = 28.35g: 1 oz

Measure 3 = 113g: 1 jar

NDB No. 03157

Babyfood, fruit, bananas and pineapple with tapioca, strained

Calories Factors: Protein 3.36

Fat 8.37

Carbohydrate 3.6

Food Group: 03 Baby Foods

USDA National Nutrient Database for Standard Reference, Release 28 (2015)

NDB No. 03163

Babyfood, fruit, bananas with apples and pears, strained

Nutrients and Units	Amount in 100 grams of edible portion				Amount in edible portion of common measures of food				
	Mean	Std. Error	Number of Data Points	Deriv Code	Source Code	Confidence Code	Measure 1	Measure 2	Measure 3
Lipids:									
Fatty acids, total saturated.....g	0.106		0	FLM	4		0.016	0.120	0.120
4:0.....g	0.000		0	FLM	4		0.000	0.000	0.000
6:0.....g	0.000		0	FLM	4		0.000	0.000	0.000
8:0.....g	0.000		0	FLM	4		0.000	0.000	0.000
10:0.....g	0.000		0	FLM	4		0.000	0.000	0.000
12:0.....g	0.001		0	FLM	4		0.000	0.001	0.001
13:0.....g									
14:0.....g	0.002		0	FLM	4		0.000	0.002	0.002
15:0.....g									
16:0.....g	0.075		0	FLM	4		0.011	0.085	0.085
17:0.....g									
18:0.....g	0.005		0	FLM	4		0.001	0.006	0.006
20:0.....g									
22:0.....g									
24:0.....g									
Fatty acids, total monounsaturated.....g	0.028		0	FLM	4		0.004	0.032	0.032
14:1.....g									
15:1.....g									
16:1 undifferentiated.....g	0.006		0	FLM	4		0.001	0.007	0.007
17:1.....g									
18:1 undifferentiated.....g	0.021		0	FLM	4		0.003	0.024	0.024
20:1.....g	0.000		0	FLM	4		0.000	0.000	0.000
22:1 undifferentiated.....g	0.000		0	FLM	4		0.000	0.000	0.000
24:1 c.....g									
Fatty acids, total polyunsaturated.....g	0.085		0	FLM	4		0.013	0.096	0.096
18:2 undifferentiated.....g	0.063		0	FLM	4		0.009	0.071	0.071
18:3 undifferentiated.....g	0.022		0	FLM	4		0.003	0.025	0.025
18:4.....g	0.000		0	FLM	4		0.000	0.000	0.000
20:2 n-6 c,c.....g									
20:3 undifferentiated.....g									
20:4 undifferentiated.....g	0.000		0	FLM	4		0.000	0.000	0.000
20:5 n-3 (EPA).....g	0.000		0	FLM	4		0.000	0.000	0.000
21:5.....g									
22:4.....g									
22:5 n-3 (DPA).....g	0.000		0	FLM	4		0.000	0.000	0.000
22:6 n-3 (DHA).....g	0.000		0	FLM	4		0.000	0.000	0.000
Fatty acids, total trans.....g									
Cholesterol.....mg	0		0	Z	7		0	0	0
Phytosterols.....mg									
Others:									
Alcohol, ethyl.....g	0.0		0	Z	7		0.0	0.0	0.0
Caffeine.....mg	0		0	Z	7		0	0	0
Theobromine.....mg	0		0	Z	7		0	0	0

Blanks in the Mean column indicate lack of reliable data. The Number of Data Points column is the number of analyses upon which the mean is based. Number of Data Points of zero indicates the mean was either calculated (as for Energy) or estimated, usually from a recipe, another form of the same food, or similar food.

Common Measures:

Measure 1 = 15.0g: 1 tbsp

Measure 2 = 113g: 1 jar NFS

Measure 3 = 113g: 1 jar Gerber Second Food (4 oz)

Calories Factors: Protein

Fat

Carbohydrate

Food Group: 03 Baby Foods

USDA National Nutrient Database for Standard Reference, Release 28 (2015)

NDB No. 03280

Babyfood, fruit, bananas with tapioca, junior

Nutrients and Units	Amount in 100 grams of edible portion				Amount in edible portion of common measures of food				
	Mean	Std. Error	Number of Data Points		Source Code	Confidence Code	Measure 1	Measure 2	Measure 3
			Deriv Code	Points					
Lipids:									
Fatty acids, total saturated.....g	0.076		0		4		0.011	0.022	0.129
4:0.....g	0.000		0		4		0.000	0.000	0.000
6:0.....g	0.000		0		4		0.000	0.000	0.000
8:0.....g	0.000		0		4		0.000	0.000	0.000
10:0.....g	0.000		0		4		0.000	0.000	0.000
12:0.....g	0.001		0		4		0.000	0.000	0.002
13:0.....g									
14:0.....g	0.001		0		4		0.000	0.000	0.002
15:0.....g									
16:0.....g	0.052		0		4		0.008	0.015	0.088
17:0.....g									
18:0.....g	0.003		0		4		0.000	0.001	0.005
20:0.....g									
22:0.....g									
24:0.....g									
Fatty acids, total monounsaturated.....g	0.018		0		4		0.003	0.005	0.031
14:1.....g									
15:1.....g									
16:1 undifferentiated.....g	0.005		0		4		0.001	0.001	0.009
17:1.....g									
18:1 undifferentiated.....g	0.012		0		4		0.002	0.003	0.020
20:1.....g	0.000		0		4		0.000	0.000	0.000
22:1 undifferentiated.....g	0.000		0		4		0.000	0.000	0.000
24:1 c.....g									
Fatty acids, total polyunsaturated.....g	0.037		0		4		0.006	0.010	0.063
18:2 undifferentiated.....g	0.024		0		4		0.004	0.007	0.041
18:3 undifferentiated.....g	0.014		0		4		0.002	0.004	0.024
18:4.....g	0.000		0		4		0.000	0.000	0.000
20:2 n-6 c,c.....g									
20:3 undifferentiated.....g									
20:4 undifferentiated.....g	0.000		0		4		0.000	0.000	0.000
20:5 n-3 (EPA).....g	0.000		0		4		0.000	0.000	0.000
21:5.....g									
22:4.....g									
22:5 n-3 (DPA).....g	0.000		0		4		0.000	0.000	0.000
22:6 n-3 (DHA).....g	0.000		0		4		0.000	0.000	0.000
Fatty acids, total trans.....g									
Cholesterol.....mg	0		0		4		0	0	0
Phytosterols.....mg									
Others:									
Alcohol, ethyl.....g	0.0		0		7		0.0	0.0	0.0
Caffeine.....mg	0		0	FLA	4		0	0	0
Theobromine.....mg	0		0	FLA	4		0	0	0

Blanks in the Mean column indicate lack of reliable data. The Number of Data Points column is the number of analyses upon which the mean is based. Number of Data Points of zero indicates the mean was either calculated (as for Energy) or estimated, usually from a recipe, another form of the same food, or similar food.

Common Measures:

Measure 1 = 15.0g: 1 tbsp

Measure 2 = 28.35g: 1 oz

Measure 3 = 170g: 1 jar

Calories Factors: Protein 3.36

Fat 8.37

Carbohydrate 3.6

Food Group: 03 Baby Foods

USDA National Nutrient Database for Standard Reference, Release 28 (2015)

NDB No. 03129

Babyfood, fruit, bananas with tapioca, strained

Nutrients and Units	Amount in 100 grams of edible portion				Amount in edible portion of common measures of food				
	Mean	Std. Error	Number of Data Points		Source Code	Confidence Code	Measure 1	Measure 2	Measure 3
			Deriv Code	Points					
Lipids:									
Fatty acids, total saturated.....g	0.035		0		4		0.005	0.010	0.040
4:0.....g	0.000		0		4		0.000	0.000	0.000
6:0.....g	0.000		0		4		0.000	0.000	0.000
8:0.....g	0.000		0		4		0.000	0.000	0.000
10:0.....g	0.000		0		4		0.000	0.000	0.000
12:0.....g	0.000		0		4		0.000	0.000	0.000
13:0.....g									
14:0.....g	0.001		0		4		0.000	0.000	0.001
15:0.....g									
16:0.....g	0.025		0		4		0.004	0.007	0.028
17:0.....g									
18:0.....g	0.001		0		4		0.000	0.000	0.001
20:0.....g									
22:0.....g									
24:0.....g									
Fatty acids, total monounsaturated.....g	0.010		0		4		0.002	0.003	0.011
14:1.....g									
15:1.....g									
16:1 undifferentiated.....g	0.002		0		4		0.000	0.001	0.002
17:1.....g									
18:1 undifferentiated.....g	0.007		0		4		0.001	0.002	0.008
20:1.....g	0.000		0		4		0.000	0.000	0.000
22:1 undifferentiated.....g	0.000		0		4		0.000	0.000	0.000
24:1 c.....g									
Fatty acids, total polyunsaturated.....g	0.019		0		4		0.003	0.005	0.021
18:2 undifferentiated.....g	0.012		0		4		0.002	0.003	0.014
18:3 undifferentiated.....g	0.007		0		4		0.001	0.002	0.008
18:4.....g	0.000		0		4		0.000	0.000	0.000
20:2 n-6 c,c.....g									
20:3 undifferentiated.....g									
20:4 undifferentiated.....g	0.000		0		4		0.000	0.000	0.000
20:5 n-3 (EPA).....g	0.000		0		4		0.000	0.000	0.000
21:5.....g									
22:4.....g									
22:5 n-3 (DPA).....g	0.000		0		4		0.000	0.000	0.000
22:6 n-3 (DHA).....g	0.000		0		4		0.000	0.000	0.000
Fatty acids, total trans.....g									
Cholesterol.....mg	0		0		7		0	0	0
Phytosterols.....mg									
Others:									
Alcohol, ethyl.....g	0.0		0		7		0.0	0.0	0.0
Caffeine.....mg	0		0	BFSN	4		0	0	0
Theobromine.....mg	0		0	BFSN	4		0	0	0

Blanks in the Mean column indicate lack of reliable data. The Number of Data Points column is the number of analyses upon which the mean is based. Number of Data Points of zero indicates the mean was either calculated (as for Energy) or estimated, usually from a recipe, another form of the same food, or similar food.

Common Measures:

Measure 1 = 15.0g: 1 tbsp

Measure 2 = 28.35g: 1 oz

Measure 3 = 113g: 1 jar

Calories Factors: Protein 2.44

Fat 8.37

Carbohydrate 3.57

Food Group: 03 Baby Foods

USDA National Nutrient Database for Standard Reference, Release 28 (2015)

NDB No. 03160

Babyfood, fruit, guava and papaya with tapioca, strained

Nutrients and Units	<u>Amount in 100 grams of edible portion</u>				<u>Amount in edible portion of common measures of food</u>			
	Mean	Std. Error	Number			Measure 1	Measure 2	Measure 3
			of Data Points	Deriv Code	Source Confidence Code			

Blanks in the Mean column indicate lack of reliable data. The Number of Data Points column is the number of analyses upon which the mean is based. Number of Data Points of zero indicates the mean was either calculated (as for Energy) or estimated, usually from a recipe, another form of the same food, or similar food.

Common Measures:

Measure 1 = 28.35g: 1 oz

Measure 2 = 113g: 1 jar

Calories Factors: Protein 3.36

Fat 8.37

Carbohydrate3.6

Food Group: 03 Baby Foods

USDA National Nutrient Database for Standard Reference, Release 28 (2015)

NDB No. 03162

Babyfood, fruit, papaya and applesauce with tapioca, strained

Refuse:0%

Nutrients and Units	Amount in 100 grams of edible portion				Amount in edible portion of common measures of food				
	Mean	Std. Error	Number of Data Points	Deriv Code	Source Code	Confidence Code	Measure 1	Measure 2	Measure 3
Proximates:									
Water.....g	80.60		1		1		22.85	91.08	
Energy.....kcal	70		0	NC	4		20	79	
Energy.....kJ	293		0		4		83	331	
Protein (N x 6.25).....g	0.20		1		1		0.06	0.23	
Total lipid (fat).....g	0.10		1		1		0.03	0.11	
Ash.....g	0.20		1		1		0.06	0.23	
Carbohydrate, by difference.....g	18.90		0	NC	4		5.36	21.36	
Fiber, total dietary.....g	1.4		0		4		0.4	1.6	
Sugars, total.....g									
Starch.....g									
Minerals:									
Calcium, Ca.....mg	7		2		1		2	8	
Iron, Fe.....mg	0.44		0		4		0.12	0.50	
Magnesium, Mg.....mg	5		2		1		1	6	
Phosphorus, P.....mg	5		2		1		1	6	
Potassium, K.....mg	79		2		1		22	89	
Sodium, Na.....mg	5		2		1		1	6	
Zinc, Zn.....mg	0.03		2		1		0.01	0.03	
Copper, Cu.....mg	0.044		0		4		0.012	0.050	
Manganese, Mn.....mg									
Selenium, Se.....µg	0.4		0	BFZN	4		0.1	0.5	
Vitamins:									
Vitamin C, total ascorbic acid.....mg	113.1		2		1		32.1	127.8	
Thiamin.....mg	0.010		2		1		0.003	0.011	
Riboflavin.....mg	0.028		2		1		0.008	0.032	
Niacin.....mg	0.108		2		1		0.031	0.122	
Pantothenic acid.....mg	0.280		0		4		0.079	0.316	
Vitamin B-6.....mg	0.023		2		1		0.007	0.026	
Folate, total.....µg	2		0		4		1	2	
Folic acid.....µg	0		0	Z	7		0	0	
Folate, food.....µg	2		0		4		1	2	
Folate, DFE.....µg	2		0	NC	4		1	2	
Choline, total.....mg									
Betaine.....mg									
Vitamin B-12.....µg	0.00		0		4		0.00	0.00	
Vitamin A, RAE.....µg	4		0	NC	4		1	4	
Retinol.....µg	0		0	Z	7		0	0	
Carotene, beta.....µg									
Carotene, alpha.....µg									
Cryptoxanthin, beta.....µg									
Vitamin A, IU.....IU	76		2		1		22	86	
Lycopene.....µg									
Lutein + zeaxanthin.....µg									
Vitamin E (alpha-tocopherol).....mg									
Tocopherol, beta.....mg									
Tocopherol, gamma.....mg									
Tocopherol, delta.....mg									
Tocotrienol, alpha.....mg									
Tocotrienol, beta.....mg									
Tocotrienol, gamma.....mg									
Tocotrienol, delta.....mg									
Vitamin D (D2 + D3).....µg									
Vitamin D.....IU									
Vitamin K (phylloquinone).....µg									
Dihydrophylloquinone.....µg									
Menaquinone-4.....µg									

Blanks in the Mean column indicate lack of reliable data. The Number of Data Points column is the number of analyses upon which the mean is based.

NDB No. 03162

Babyfood, fruit, papaya and applesauce with tapioca, strained

Nutrients and Units	<u>Amount in 100 grams of edible portion</u>				<u>Amount in edible portion of common measures of food</u>		
	Mean	Std. Error	Number	Source	Measure 1	Measure 2	Measure 3
			of Data Points	Confidence Code			

Number of Data Points of zero indicates the mean was either calculated (as for Energy) or estimated, usually from a recipe, another form of the same food, or similar food.

Common Measures:

Measure 1 = 28.35g: 1 oz

Measure 2 = 113g: 1 jar

Calories Factors: Protein 3.36

Fat 8.37

Carbohydrate3.6

Food Group: 03 Baby Foods

USDA National Nutrient Database for Standard Reference, Release 28 (2015)

NDB No. 03131
 Babyfood, fruit, peaches, junior

Refuse:0%

Nutrients and Units	Amount in 100 grams of edible portion				Amount in edible portion of common measures of food				
	Mean	Std. Error	Number of Data Points	Deriv Code	Source Code	Confidence Code	Measure 1	Measure 2	Measure 3
Proximates:									
Water.....g	83.65	1.323	3	A	1		14.22	23.72	79.47
Energy.....kcal	65		0	NC	4		11	18	61
Energy.....kJ	271		0	NC	4		46	77	257
Protein.....g	0.94	0.096	3	A	1		0.16	0.27	0.89
Total lipid (fat).....g	0.33	0.007	3	A	1		0.06	0.09	0.32
Ash.....g	0.59	0.043	3	A	1		0.10	0.17	0.56
Carbohydrate, by difference.....g	14.48		0	NC	4		2.46	4.11	13.76
Fiber, total dietary.....g	1.3		2	A	1		0.2	0.4	1.2
Sugars, total.....g	11.50		2	A	1		1.95	3.26	10.92
Sucrose.....g	3.38		2	A	1		0.57	0.96	3.21
Glucose (dextrose).....g	4.11		2	A	1		0.70	1.16	3.90
Fructose.....g	4.01		2	A	1		0.68	1.14	3.81
Lactose.....g	0.00		2	A	1		0.00	0.00	0.00
Maltose.....g	0.00		2	A	1		0.00	0.00	0.00
Galactose.....g	0.00		2	A	1		0.00	0.00	0.00
Starch.....g	0.00		1	A	1		0.00	0.00	0.00
Minerals:									
Calcium, Ca.....mg	4		2	A	1		1	1	4
Iron, Fe.....mg	0.23	0.018	24	JA	6		0.04	0.07	0.22
Magnesium, Mg.....mg	7	0.240	5	JA	6		1	2	6
Phosphorus, P.....mg	15	0.750	4	JA	6		3	4	14
Potassium, K.....mg	195		2	A	1		33	55	185
Sodium, Na.....mg	4		0	LC	8		1	1	4
Zinc, Zn.....mg	0.11		2	A	1		0.02	0.03	0.11
Copper, Cu.....mg	0.030		2	A	1		0.005	0.008	0.028
Manganese, Mn.....mg	0.037		2	A	1		0.006	0.010	0.035
Selenium, Se.....µg	0.1		2	A	1		0.0	0.0	0.0
Vitamins:									
Vitamin C, total ascorbic acid.....mg	46.1		2	A	1		7.8	13.1	43.8
Thiamin.....mg	0.015		2	A	1		0.003	0.004	0.014
Riboflavin.....mg	0.077		2	A	1		0.013	0.022	0.073
Niacin.....mg	1.640		2	A	1		0.279	0.465	1.558
Pantothenic acid.....mg	0.083		2	A	1		0.014	0.024	0.079
Vitamin B-6.....mg	0.018	0.003	10	JA	6		0.003	0.005	0.017
Folate, total.....µg	21		2	A	1		3	6	19
Folic acid.....µg	0		0	Z	7		0	0	0
Folate, food.....µg	21		0	AS	1		3	6	19
Folate, DFE.....µg	21		0	NC	4		3	6	19
Choline, total.....mg	8.5		1	AS	1		1.4	2.4	8.1
Betaine.....mg	0.4		2	A	1		0.1	0.1	0.4
Vitamin B-12.....µg	0.00		0		4		0.00	0.00	0.00
Vitamin B-12, added.....µg	0.00		0	Z	7		0.00	0.00	0.00
Vitamin A, RAE.....µg	34		0	NC	4		6	10	33
Retinol.....µg	0		0	BNA	4		0	0	0
Carotene, beta.....µg	378		2	A	1		64	107	359
Carotene, alpha.....µg	0		2	A	1		0	0	0
Cryptoxanthin, beta.....µg	68		2	A	1		11	19	64
Vitamin A, IU.....IU	686		0	NC	4		117	194	651
Lycopene.....µg	0		2	A	1		0	0	0
Lutein + zeaxanthin.....µg	163		0	BFSN	4		28	46	155
Vitamin E (alpha-tocopherol).....mg	1.99		2	A	1		0.34	0.56	1.89
Vitamin E, added.....mg	0.00		0	Z	7		0.00	0.00	0.00
Tocopherol, beta.....mg	0.00		2	A	1		0.00	0.00	0.00
Tocopherol, gamma.....mg	0.05		2	A	1		0.01	0.01	0.05
Tocopherol, delta.....mg	0.00		2	A	1		0.00	0.00	0.00
Tocotrienol, alpha.....mg	0.00		2	A	1		0.00	0.00	0.00
Tocotrienol, beta.....mg	0.00		2	A	1		0.00	0.00	0.00

NDB No. 03131
Babyfood, fruit, peaches, junior

Nutrients and Units	Amount in 100 grams of edible portion				Amount in edible portion of common measures of food				
	Mean	Std. Error	Number of Data Points		Source Code	Confidence Code	Measure 1	Measure 2	Measure 3
			Deriv Code	Points					
Tocotrienol, gamma.....mg	0.00		2	A	1		0.00	0.00	0.00
Tocotrienol, delta.....mg	0.00		2	A	1		0.00	0.00	0.00
Vitamin D (D2 + D3).....µg	0.0		0	Z	7		0.0	0.0	0.0
Vitamin D2 (ergocalciferol).....µg									
Vitamin D3 (cholecalciferol).....µg									
Vitamin D.....IU	0		0	Z	7		0	0	0
Vitamin K (phylloquinone).....µg	6.6		2	A	1		1.1	1.9	6.3
Dihydrophyloquinone.....µg	0.0		2	A	1		0.0	0.0	0.0
Menaquinone-4.....µg	0.0		2	A	1		0.0	0.0	0.0
Lipids:									
Fatty acids, total saturated.....g	0.020		1	JO	11		0.003	0.006	0.019
4:0.....g	0.000		0		4		0.000	0.000	0.000
6:0.....g	0.000		0		4		0.000	0.000	0.000
8:0.....g	0.000		1	A	1		0.000	0.000	0.000
10:0.....g	0.000		1	A	1		0.000	0.000	0.000
12:0.....g	0.000		1	A	1		0.000	0.000	0.000
13:0.....g									
14:0.....g	0.000		1	A	1		0.000	0.000	0.000
15:0.....g	0.000		1	A	1		0.000	0.000	0.000
16:0.....g	0.020		1	A	1		0.003	0.006	0.019
17:0.....g	0.000		1	A	1		0.000	0.000	0.000
18:0.....g	0.000		1	A	1		0.000	0.000	0.000
20:0.....g	0.000		1	A	1		0.000	0.000	0.000
22:0.....g	0.000		1	A	1		0.000	0.000	0.000
24:0.....g	0.000		1	A	1		0.000	0.000	0.000
Fatty acids, total monounsaturated.....g	0.010		0	NC	4		0.002	0.003	0.009
14:1.....g	0.000		1	A	1		0.000	0.000	0.000
15:1.....g	0.000		1	A	1		0.000	0.000	0.000
16:1 undifferentiated.....g	0.000		1	A	1		0.000	0.000	0.000
17:1.....g	0.000		1	A	1		0.000	0.000	0.000
18:1 undifferentiated.....g	0.000		0	Z	7		0.000	0.000	0.000
20:1.....g	0.000		1	A	1		0.000	0.000	0.000
22:1 undifferentiated.....g	0.000		1	A	1		0.000	0.000	0.000
24:1 c.....g	0.000		1	A	1		0.000	0.000	0.000
Fatty acids, total polyunsaturated.....g	0.040		0	NC	4		0.007	0.011	0.038
18:2 undifferentiated.....g	0.020		1	A	1		0.003	0.006	0.019
18:3 undifferentiated.....g	0.020		1	A	1		0.003	0.006	0.019
18:4.....g	0.000		1	A	1		0.000	0.000	0.000
20:2 n-6 c,c.....g	0.000		1	A	1		0.000	0.000	0.000
20:3 undifferentiated.....g	0.000		1	A	1		0.000	0.000	0.000
20:4 undifferentiated.....g	0.000		1	A	1		0.000	0.000	0.000
20:5 n-3 (EPA).....g	0.000		1	A	1		0.000	0.000	0.000
21:5.....g	0.000		1	A	1		0.000	0.000	0.000
22:4.....g	0.000		1	A	1		0.000	0.000	0.000
22:5 n-3 (DPA).....g	0.000		1	A	1		0.000	0.000	0.000
22:6 n-3 (DHA).....g	0.000		1	A	1		0.000	0.000	0.000
Fatty acids, total trans.....g									
Cholesterol.....mg	0		0		7		0	0	0
Phytosterols.....mg									
Others:									
Alcohol, ethyl.....g	0.0		0		7		0.0	0.0	0.0
Caffeine.....mg	0		0	BFSN	4		0	0	0
Theobromine.....mg	0		0	BFSN	4		0	0	0

Blanks in the Mean column indicate lack of reliable data. The Number of Data Points column is the number of analyses upon which the mean is based. Number of Data Points of zero indicates the mean was either calculated (as for Energy) or estimated, usually from a recipe, another form of the same food, or similar food.

Common Measures:

Measure 1 = 17g: 1 tbsp

Measure 2 = 28.35g: 1 oz

NDB No. 03131

Babyfood, fruit, peaches, junior

Measure 3 = 95g: 1 jar

Calories Factors: Protein

Fat

Carbohydrate

Food Group: 03 Baby Foods

USDA National Nutrient Database for Standard Reference, Release 28 (2015)

NDB No. 03130
 Babyfood, fruit, peaches, strained

Refuse:0%

Nutrients and Units	Amount in 100 grams of edible portion					Amount in edible portion of common measures of food			
	Mean	Std. Error	Number of Data Points	Deriv Code	Source Code	Confidence Code	Measure 1	Measure 2	Measure 3
Proximates:									
Water.....g	83.65	1.323	3	A	1		14.22	23.72	79.47
Energy.....kcal	65		0	NC	4		11	18	61
Energy.....kJ	271		0	NC	4		46	77	257
Protein.....g	0.94	0.096	3	A	1		0.16	0.27	0.89
Total lipid (fat).....g	0.33	0.007	3	A	1		0.06	0.09	0.32
Ash.....g	0.59	0.043	3	A	1		0.10	0.17	0.56
Carbohydrate, by difference.....g	14.48		0	NC	4		2.46	4.11	13.76
Fiber, total dietary.....g	1.3		2	A	1		0.2	0.4	1.2
Sugars, total.....g	11.50		2	A	1		1.95	3.26	10.92
Sucrose.....g	3.38		2	A	1		0.57	0.96	3.21
Glucose (dextrose).....g	4.11		2	A	1		0.70	1.16	3.90
Fructose.....g	4.01		2	A	1		0.68	1.14	3.81
Lactose.....g	0.00		2	A	1		0.00	0.00	0.00
Maltose.....g	0.00		2	A	1		0.00	0.00	0.00
Galactose.....g	0.00		2	A	1		0.00	0.00	0.00
Starch.....g	0.00		1	A	1		0.00	0.00	0.00
Minerals:									
Calcium, Ca.....mg	4		2	A	1		1	1	4
Iron, Fe.....mg	0.23	0.018	24	JA	6		0.04	0.07	0.22
Magnesium, Mg.....mg	7	0.240	5	JA	6		1	2	6
Phosphorus, P.....mg	15	0.750	4	JA	6		3	4	14
Potassium, K.....mg	195		2	A	1		33	55	185
Sodium, Na.....mg	4		0	LC	8		1	1	4
Zinc, Zn.....mg	0.11		2	A	1		0.02	0.03	0.11
Copper, Cu.....mg	0.030		2	A	1		0.005	0.008	0.028
Manganese, Mn.....mg	0.037		2	A	1		0.006	0.010	0.035
Selenium, Se.....µg	0.1		2	A	1		0.0	0.0	0.0
Vitamins:									
Vitamin C, total ascorbic acid.....mg	46.1		2	A	1		7.8	13.1	43.8
Thiamin.....mg	0.015		2	A	1		0.003	0.004	0.014
Riboflavin.....mg	0.077		2	A	1		0.013	0.022	0.073
Niacin.....mg	1.640		2	A	1		0.279	0.465	1.558
Pantothenic acid.....mg	0.083		2	A	1		0.014	0.024	0.079
Vitamin B-6.....mg	0.018	0.003	10	JA	6		0.003	0.005	0.017
Folate, total.....µg	21		2	A	1		3	6	19
Folic acid.....µg	0		0	Z	7		0	0	0
Folate, food.....µg	21		0	AS	1		3	6	19
Folate, DFE.....µg	21		0	NC	4		3	6	19
Choline, total.....mg	8.5		0	AS	1		1.4	2.4	8.1
Betaine.....mg	0.4		2	A	1		0.1	0.1	0.4
Vitamin B-12.....µg	0.00		0		4		0.00	0.00	0.00
Vitamin B-12, added.....µg	0.00		0	Z	7		0.00	0.00	0.00
Vitamin A, RAE.....µg	34		0	AS	1		6	10	33
Retinol.....µg	0		0	Z	7		0	0	0
Carotene, beta.....µg	378		2	A	1		64	107	359
Carotene, alpha.....µg	0		2	A	1		0	0	0
Cryptoxanthin, beta.....µg	68		2	A	1		11	19	64
Vitamin A, IU.....IU	234		0	MA	12		40	66	222
Lycopene.....µg	0		2	A	1		0	0	0
Lutein + zeaxanthin.....µg	163		0	BFSN	4		28	46	155
Vitamin E (alpha-tocopherol).....mg	1.99		2	A	1		0.34	0.56	1.89
Vitamin E, added.....mg	0.00		0	Z	7		0.00	0.00	0.00
Tocopherol, beta.....mg	0.00		2	A	1		0.00	0.00	0.00
Tocopherol, gamma.....mg	0.05		2	A	1		0.01	0.01	0.05
Tocopherol, delta.....mg	0.00		2	A	1		0.00	0.00	0.00
Tocotrienol, alpha.....mg	0.00		2	A	1		0.00	0.00	0.00
Tocotrienol, beta.....mg	0.00		2	A	1		0.00	0.00	0.00

NDB No. 03130
Babyfood, fruit, peaches, strained

Nutrients and Units	Amount in 100 grams of edible portion				Amount in edible portion of common measures of food				
	Mean	Std. Error	Number of Data Points		Source Code	Confidence Code	Measure 1	Measure 2	Measure 3
			Deriv Code	Points					
Tocotrienol, gamma.....mg	0.00		2	A	1		0.00	0.00	0.00
Tocotrienol, delta.....mg	0.00		2	A	1		0.00	0.00	0.00
Vitamin D (D2 + D3).....µg	0.0		0	Z	7		0.0	0.0	0.0
Vitamin D2 (ergocalciferol).....µg									
Vitamin D3 (cholecalciferol).....µg									
Vitamin D.....IU	0		0	Z	7		0	0	0
Vitamin K (phylloquinone).....µg	6.6		2	A	1		1.1	1.9	6.3
Dihydrophyloquinone.....µg	0.0		2	A	1		0.0	0.0	0.0
Menaquinone-4.....µg	0.0		2	A	1		0.0	0.0	0.0
Lipids:									
Fatty acids, total saturated.....g	0.020		1	JO	11		0.003	0.006	0.019
4:0.....g	0.000		0		4		0.000	0.000	0.000
6:0.....g	0.000		0		4		0.000	0.000	0.000
8:0.....g	0.000		1	A	1		0.000	0.000	0.000
10:0.....g	0.000		1	A	1		0.000	0.000	0.000
12:0.....g	0.000		1	A	1		0.000	0.000	0.000
13:0.....g									
14:0.....g	0.000		1	A	1		0.000	0.000	0.000
15:0.....g	0.000		1	A	1		0.000	0.000	0.000
16:0.....g	0.020		1	A	1		0.003	0.006	0.019
17:0.....g	0.000		1	A	1		0.000	0.000	0.000
18:0.....g	0.000		1	A	1		0.000	0.000	0.000
20:0.....g	0.000		1	A	1		0.000	0.000	0.000
22:0.....g	0.000		1	A	1		0.000	0.000	0.000
24:0.....g	0.000		1	A	1		0.000	0.000	0.000
Fatty acids, total monounsaturated.....g	0.010		0	NC	4		0.002	0.003	0.009
14:1.....g	0.000		1	A	1		0.000	0.000	0.000
15:1.....g	0.000		1	A	1		0.000	0.000	0.000
16:1 undifferentiated.....g	0.000		1	A	1		0.000	0.000	0.000
17:1.....g	0.000		1	A	1		0.000	0.000	0.000
18:1 undifferentiated.....g	0.000		0	Z	7		0.000	0.000	0.000
20:1.....g	0.000		1	A	1		0.000	0.000	0.000
22:1 undifferentiated.....g	0.000		1	A	1		0.000	0.000	0.000
24:1 c.....g	0.000		1	A	1		0.000	0.000	0.000
Fatty acids, total polyunsaturated.....g	0.040		0	NC	4		0.007	0.011	0.038
18:2 undifferentiated.....g	0.020		1	A	1		0.003	0.006	0.019
18:3 undifferentiated.....g	0.020		1	A	1		0.003	0.006	0.019
18:4.....g	0.000		1	A	1		0.000	0.000	0.000
20:2 n-6 c,c.....g	0.000		1	A	1		0.000	0.000	0.000
20:3 undifferentiated.....g	0.000		1	A	1		0.000	0.000	0.000
20:4 undifferentiated.....g	0.000		1	A	1		0.000	0.000	0.000
20:5 n-3 (EPA).....g	0.000		1	A	1		0.000	0.000	0.000
21:5.....g	0.000		1	A	1		0.000	0.000	0.000
22:4.....g	0.000		1	A	1		0.000	0.000	0.000
22:5 n-3 (DPA).....g	0.000		1	A	1		0.000	0.000	0.000
22:6 n-3 (DHA).....g	0.000		1	A	1		0.000	0.000	0.000
Fatty acids, total trans.....g									
Cholesterol.....mg	0		0		7		0	0	0
Phytosterols.....mg									
Others:									
Alcohol, ethyl.....g	0.0		0		7		0.0	0.0	0.0
Caffeine.....mg	0		0	BFSN	4		0	0	0
Theobromine.....mg	0		0	BFSN	4		0	0	0

Blanks in the Mean column indicate lack of reliable data. The Number of Data Points column is the number of analyses upon which the mean is based. Number of Data Points of zero indicates the mean was either calculated (as for Energy) or estimated, usually from a recipe, another form of the same food, or similar food.

Common Measures:

Measure 1 = 17g: 1 tbsp

Measure 2 = 28.35g: 1 oz

NDB No. 03130

Babyfood, fruit, peaches, strained

Measure 3 = 95g: 1 jar

Calories Factors: Protein

Fat

Carbohydrate

Food Group: 03 Baby Foods

USDA National Nutrient Database for Standard Reference, Release 28 (2015)

NDB No. 03159

Babyfood, fruit, pears and pineapple, junior

Nutrients and Units	Amount in 100 grams of edible portion				Amount in edible portion of common measures of food				
	Mean	Std. Error	Number of Data Points	Deriv Code	Source Code	Confidence Code	Measure 1	Measure 2	Measure 3
Tocotrienol, delta.....mg									
Vitamin D (D2 + D3).....µg	0.0		0	Z	7		0.0	0.0	0.0
Vitamin D.....IU	0		0	Z	7		0	0	0
Vitamin K (phylloquinone).....µg	3.0		0	FLA	4		0.5	0.9	5.1
Dihydrophyloquinone.....µg									
Menaquinone-4.....µg									
Lipids:									
Fatty acids, total saturated.....g	0.013		0		4		0.002	0.004	0.022
4:0.....g	0.000		0		4		0.000	0.000	0.000
6:0.....g	0.000		0		4		0.000	0.000	0.000
8:0.....g	0.000		0		4		0.000	0.000	0.000
10:0.....g	0.000		0		4		0.000	0.000	0.000
12:0.....g	0.000		0		4		0.000	0.000	0.000
13:0.....g									
14:0.....g	0.000		0		4		0.000	0.000	0.000
15:0.....g									
16:0.....g	0.009		0		4		0.001	0.003	0.015
17:0.....g									
18:0.....g	0.004		0		4		0.001	0.001	0.007
20:0.....g									
22:0.....g									
24:0.....g									
Fatty acids, total monounsaturated.....g	0.031		0		4		0.005	0.009	0.053
14:1.....g									
15:1.....g									
16:1 undifferentiated.....g	0.001		0		4		0.000	0.000	0.002
17:1.....g									
18:1 undifferentiated.....g	0.030		0		4		0.005	0.009	0.051
20:1.....g	0.000		0		4		0.000	0.000	0.000
22:1 undifferentiated.....g	0.000		0		4		0.000	0.000	0.000
24:1 c.....g									
Fatty acids, total polyunsaturated.....g	0.058		0		4		0.009	0.016	0.099
18:2 undifferentiated.....g	0.043		0		4		0.007	0.012	0.073
18:3 undifferentiated.....g	0.016		0		4		0.003	0.005	0.027
18:4.....g	0.000		0		4		0.000	0.000	0.000
20:2 n-6 c,c.....g									
20:3 undifferentiated.....g									
20:4 undifferentiated.....g	0.000		0		4		0.000	0.000	0.000
20:5 n-3 (EPA).....g	0.000		0		4		0.000	0.000	0.000
21:5.....g									
22:4.....g									
22:5 n-3 (DPA).....g	0.000		0		4		0.000	0.000	0.000
22:6 n-3 (DHA).....g	0.000		0		4		0.000	0.000	0.000
Fatty acids, total trans.....g									
Cholesterol.....mg	0		0		4		0	0	0
Phytosterols.....mg									
Others:									
Alcohol, ethyl.....g	0.0		0		7		0.0	0.0	0.0
Caffeine.....mg	0		0	FLA	4		0	0	0
Theobromine.....mg	0		0	FLA	4		0	0	0

Blanks in the Mean column indicate lack of reliable data. The Number of Data Points column is the number of analyses upon which the mean is based. Number of Data Points of zero indicates the mean was either calculated (as for Energy) or estimated, usually from a recipe, another form of the same food, or similar food.

Common Measures:

Measure 1 = 16g: 1 tbsp

Measure 2 = 28.35g: 1 oz

Measure 3 = 170g: 1 jar

NDB No. 03159

Babyfood, fruit, pears and pineapple, junior

Calories Factors: Protein 3.36

Fat 8.37

Carbohydrate 3.6

Food Group: 03 Baby Foods

USDA National Nutrient Database for Standard Reference, Release 28 (2015)

NDB No. 03158
 Babyfood, fruit, pears and pineapple, strained

Nutrients and Units	Amount in 100 grams of edible portion				Amount in edible portion of common measures of food				
	Mean	Std. Error	Number of Data Points		Source Code	Confidence Code	Measure 1	Measure 2	Measure 3
			Deriv Code	Code					
Lipids:									
Fatty acids, total saturated.....g	0.007		0		4		0.001	0.002	0.008
4:0.....g	0.000		0		4		0.000	0.000	0.000
6:0.....g	0.000		0		4		0.000	0.000	0.000
8:0.....g	0.000		0		4		0.000	0.000	0.000
10:0.....g	0.000		0		4		0.000	0.000	0.000
12:0.....g	0.000		0		4		0.000	0.000	0.000
13:0.....g									
14:0.....g	0.000		0		4		0.000	0.000	0.000
15:0.....g									
16:0.....g	0.004		0		4		0.001	0.001	0.005
17:0.....g									
18:0.....g	0.002		0		4		0.000	0.001	0.002
20:0.....g									
22:0.....g									
24:0.....g									
Fatty acids, total monounsaturated.....g	0.016		0		4		0.003	0.005	0.018
14:1.....g									
15:1.....g									
16:1 undifferentiated.....g	0.001		0		4		0.000	0.000	0.001
17:1.....g									
18:1 undifferentiated.....g	0.015		0		4		0.002	0.004	0.017
20:1.....g	0.000		0		4		0.000	0.000	0.000
22:1 undifferentiated.....g	0.000		0		4		0.000	0.000	0.000
24:1 c.....g									
Fatty acids, total polyunsaturated.....g	0.029		0		4		0.005	0.008	0.033
18:2 undifferentiated.....g	0.021		0		4		0.003	0.006	0.024
18:3 undifferentiated.....g	0.008		0		4		0.001	0.002	0.009
18:4.....g	0.000		0		4		0.000	0.000	0.000
20:2 n-6 c,c.....g									
20:3 undifferentiated.....g									
20:4 undifferentiated.....g	0.000		0		4		0.000	0.000	0.000
20:5 n-3 (EPA).....g	0.000		0		4		0.000	0.000	0.000
21:5.....g									
22:4.....g									
22:5 n-3 (DPA).....g	0.000		0		4		0.000	0.000	0.000
22:6 n-3 (DHA).....g	0.000		0		4		0.000	0.000	0.000
Fatty acids, total trans.....g									
Cholesterol.....mg	0		0		7		0	0	0
Phytosterols.....mg									
Others:									
Alcohol, ethyl.....g	0.0		0		7		0.0	0.0	0.0
Caffeine.....mg	0		0	FLA	4		0	0	0
Theobromine.....mg	0		0	FLA	4		0	0	0

Blanks in the Mean column indicate lack of reliable data. The Number of Data Points column is the number of analyses upon which the mean is based. Number of Data Points of zero indicates the mean was either calculated (as for Energy) or estimated, usually from a recipe, another form of the same food, or similar food.

Common Measures:

- Measure 1 = 16g: 1 tbsp
- Measure 2 = 28.35g: 1 oz
- Measure 3 = 113g: 1 jar

Calories Factors: Protein 3.36

Fat 8.37

Carbohydrate 3.6

Food Group: 03 Baby Foods

USDA National Nutrient Database for Standard Reference, Release 28 (2015)

NDB No. 03133
 Babyfood, fruit, pears, junior

Nutrients and Units	Amount in 100 grams of edible portion				Amount in edible portion of common measures of food				
	Mean	Std. Error	Number of Data Points		Source Code	Confidence Code	Measure 1	Measure 2	Measure 3
			Deriv Code	Points					
Lipids:									
Fatty acids, total saturated.....g	0.006		0		4		0.001	0.002	0.010
4:0.....g	0.000		0		4		0.000	0.000	0.000
6:0.....g	0.000		0		4		0.000	0.000	0.000
8:0.....g	0.000		0		4		0.000	0.000	0.000
10:0.....g	0.000		0		4		0.000	0.000	0.000
12:0.....g	0.000		0		4		0.000	0.000	0.000
13:0.....g									
14:0.....g	0.000		0		4		0.000	0.000	0.000
15:0.....g									
16:0.....g	0.004		0		4		0.001	0.001	0.007
17:0.....g									
18:0.....g	0.001		0		4		0.000	0.000	0.002
20:0.....g									
22:0.....g									
24:0.....g									
Fatty acids, total monounsaturated.....g	0.021		0		4		0.003	0.006	0.036
14:1.....g									
15:1.....g									
16:1 undifferentiated.....g	0.000		0		4		0.000	0.000	0.000
17:1.....g									
18:1 undifferentiated.....g	0.020		0		4		0.003	0.006	0.034
20:1.....g	0.000		0		4		0.000	0.000	0.000
22:1 undifferentiated.....g	0.000		0		4		0.000	0.000	0.000
24:1 c.....g									
Fatty acids, total polyunsaturated.....g	0.023		0		4		0.004	0.007	0.039
18:2 undifferentiated.....g	0.023		0		4		0.004	0.007	0.039
18:3 undifferentiated.....g	0.000		0		4		0.000	0.000	0.000
18:4.....g	0.000		0		4		0.000	0.000	0.000
20:2 n-6 c,c.....g									
20:3 undifferentiated.....g									
20:4 undifferentiated.....g	0.000		0		4		0.000	0.000	0.000
20:5 n-3 (EPA).....g	0.000		0		4		0.000	0.000	0.000
21:5.....g									
22:4.....g									
22:5 n-3 (DPA).....g	0.000		0		4		0.000	0.000	0.000
22:6 n-3 (DHA).....g	0.000		0		4		0.000	0.000	0.000
Fatty acids, total trans.....g									
Cholesterol.....mg	0		0		7		0	0	0
Phytosterols.....mg									
Others:									
Alcohol, ethyl.....g	0.0		0		7		0.0	0.0	0.0
Caffeine.....mg	0		0	BFSN	4		0	0	0
Theobromine.....mg	0		0	BFSN	4		0	0	0

Blanks in the Mean column indicate lack of reliable data. The Number of Data Points column is the number of analyses upon which the mean is based. Number of Data Points of zero indicates the mean was either calculated (as for Energy) or estimated, usually from a recipe, another form of the same food, or similar food.

Common Measures:

- Measure 1 = 16g: 1 tbsp
- Measure 2 = 28.35g: 1 oz
- Measure 3 = 170g: 1 jar

Calories Factors: Protein 3.36

Fat 8.37

Carbohydrate 3.6

Food Group: 03 Baby Foods

USDA National Nutrient Database for Standard Reference, Release 28 (2015)

NDB No. 03132
Babyfood, fruit, pears, strained

Nutrients and Units	Amount in 100 grams of edible portion				Amount in edible portion of common measures of food		
	Mean	Std. Error	Number of Data Points		Measure 1	Measure 2	Measure 3
			Deriv Code	Source Code			
Lipids:							
Fatty acids, total saturated.....g	0.012		0	4	0.002	0.003	0.014
4:0.....g	0.000		0	4	0.000	0.000	0.000
6:0.....g	0.000		0	4	0.000	0.000	0.000
8:0.....g	0.000		0	4	0.000	0.000	0.000
10:0.....g	0.000		0	4	0.000	0.000	0.000
12:0.....g	0.000		0	4	0.000	0.000	0.000
13:0.....g							
14:0.....g	0.000		0	4	0.000	0.000	0.000
15:0.....g							
16:0.....g	0.008		0	4	0.001	0.002	0.009
17:0.....g							
18:0.....g	0.002		0	4	0.000	0.001	0.002
20:0.....g							
22:0.....g							
24:0.....g							
Fatty acids, total monounsaturated.....g	0.042		0	4	0.007	0.012	0.047
14:1.....g							
15:1.....g							
16:1 undifferentiated.....g	0.000		0	4	0.000	0.000	0.000
17:1.....g							
18:1 undifferentiated.....g	0.040		0	4	0.006	0.011	0.045
20:1.....g	0.000		0	4	0.000	0.000	0.000
22:1 undifferentiated.....g	0.000		0	4	0.000	0.000	0.000
24:1 c.....g							
Fatty acids, total polyunsaturated.....g	0.046		0	4	0.007	0.013	0.052
18:2 undifferentiated.....g	0.046		0	4	0.007	0.013	0.052
18:3 undifferentiated.....g	0.000		0	4	0.000	0.000	0.000
18:4.....g	0.000		0	4	0.000	0.000	0.000
20:2 n-6 c,c.....g							
20:3 undifferentiated.....g							
20:4 undifferentiated.....g	0.000		0	4	0.000	0.000	0.000
20:5 n-3 (EPA).....g	0.000		0	4	0.000	0.000	0.000
21:5.....g							
22:4.....g							
22:5 n-3 (DPA).....g	0.000		0	4	0.000	0.000	0.000
22:6 n-3 (DHA).....g	0.000		0	4	0.000	0.000	0.000
Fatty acids, total trans.....g							
Cholesterol.....mg	0		0	7	0	0	0
Phytosterols.....mg							
Others:							
Alcohol, ethyl.....g	0.0		0	7	0.0	0.0	0.0
Caffeine.....mg	0		0	BFSN 4	0	0	0
Theobromine.....mg	0		0	BFSN 4	0	0	0

Blanks in the Mean column indicate lack of reliable data. The Number of Data Points column is the number of analyses upon which the mean is based. Number of Data Points of zero indicates the mean was either calculated (as for Energy) or estimated, usually from a recipe, another form of the same food, or similar food.

Common Measures:

- Measure 1 = 16g: 1 tbsp
- Measure 2 = 28.35g: 1 oz
- Measure 3 = 113g: 1 jar

Calories Factors: Protein 3.36

Fat 8.37

Carbohydrate 3.6

Food Group: 03 Baby Foods

USDA National Nutrient Database for Standard Reference, Release 28 (2015)

NDB No. 03135

Babyfood, fruit, plums with tapioca, without ascorbic acid, junior

Nutrients and Units	Amount in 100 grams of edible portion				Amount in edible portion of common measures of food				
	Mean	Std. Error	Number of Data Points		Source Code	Confidence Code	Measure 1	Measure 2	Measure 3
			Deriv Code	Points					
Lipids:									
Fatty acids, total saturated.....g	0.000		0		7		0.000	0.000	0.000
4:0.....g	0.000		0		4		0.000	0.000	0.000
6:0.....g	0.000		0		4		0.000	0.000	0.000
8:0.....g	0.000		0		4		0.000	0.000	0.000
10:0.....g	0.000		0		4		0.000	0.000	0.000
12:0.....g	0.000		0		4		0.000	0.000	0.000
13:0.....g									
14:0.....g	0.000		0		4		0.000	0.000	0.000
15:0.....g									
16:0.....g	0.000		0		4		0.000	0.000	0.000
17:0.....g									
18:0.....g	0.000		0		4		0.000	0.000	0.000
20:0.....g									
22:0.....g									
24:0.....g									
Fatty acids, total monounsaturated.....g	0.000		0		7		0.000	0.000	0.000
14:1.....g									
15:1.....g									
16:1 undifferentiated.....g	0.000		0		4		0.000	0.000	0.000
17:1.....g									
18:1 undifferentiated.....g	0.000		0		4		0.000	0.000	0.000
20:1.....g	0.000		0		4		0.000	0.000	0.000
22:1 undifferentiated.....g	0.000		0		4		0.000	0.000	0.000
24:1 c.....g									
Fatty acids, total polyunsaturated.....g	0.000		0		7		0.000	0.000	0.000
18:2 undifferentiated.....g	0.000		0		4		0.000	0.000	0.000
18:3 undifferentiated.....g	0.000		0		4		0.000	0.000	0.000
18:4.....g	0.000		0		4		0.000	0.000	0.000
20:2 n-6 c,c.....g									
20:3 undifferentiated.....g									
20:4 undifferentiated.....g	0.000		0		4		0.000	0.000	0.000
20:5 n-3 (EPA).....g	0.000		0		4		0.000	0.000	0.000
21:5.....g									
22:4.....g									
22:5 n-3 (DPA).....g	0.000		0		4		0.000	0.000	0.000
22:6 n-3 (DHA).....g	0.000		0		4		0.000	0.000	0.000
Fatty acids, total trans.....g									
Cholesterol.....mg	0		0		7		0	0	0
Phytosterols.....mg									
Others:									
Alcohol, ethyl.....g	0.0		0		7		0.0	0.0	0.0
Caffeine.....mg	0		0	BFSN	4		0	0	0
Theobromine.....mg	0		0	BFSN	4		0	0	0

Blanks in the Mean column indicate lack of reliable data. The Number of Data Points column is the number of analyses upon which the mean is based. Number of Data Points of zero indicates the mean was either calculated (as for Energy) or estimated, usually from a recipe, another form of the same food, or similar food.

Common Measures:

Measure 1 = 15.0g: 1 tbsp

Measure 2 = 28.35g: 1 oz

Measure 3 = 170g: 1 jar

Calories Factors: Protein 3.36

Fat 8.37

Carbohydrate 3.6

Food Group: 03 Baby Foods

USDA National Nutrient Database for Standard Reference, Release 28 (2015)

NDB No. 03134

Babyfood, fruit, plums with tapioca, without ascorbic acid, strained

Nutrients and Units	Amount in 100 grams of edible portion				Amount in edible portion of common measures of food				
	Mean	Std. Error	Number of Data Points		Source Code	Confidence Code	Measure 1	Measure 2	Measure 3
			Deriv Code	Code					
Tocotrienol, delta.....mg									
Vitamin D (D2 + D3).....µg	0.0		0	Z	7		0.0	0.0	0.0
Vitamin D.....IU	0		0	Z	7		0	0	0
Vitamin K (phylloquinone).....µg	3.5		0	FLA	4		0.5	1.0	3.9
Dihydrophylloquinone.....µg									
Menaquinone-4.....µg									
Lipids:									
Fatty acids, total saturated.....g	0.000		0		7		0.000	0.000	0.000
4:0.....g	0.000		0		4		0.000	0.000	0.000
6:0.....g	0.000		0		4		0.000	0.000	0.000
8:0.....g	0.000		0		4		0.000	0.000	0.000
10:0.....g	0.000		0		4		0.000	0.000	0.000
12:0.....g	0.000		0		4		0.000	0.000	0.000
13:0.....g									
14:0.....g	0.000		0		4		0.000	0.000	0.000
15:0.....g									
16:0.....g	0.000		0		4		0.000	0.000	0.000
17:0.....g									
18:0.....g	0.000		0		4		0.000	0.000	0.000
20:0.....g									
22:0.....g									
24:0.....g									
Fatty acids, total monounsaturated.....g	0.000		0		7		0.000	0.000	0.000
14:1.....g									
15:1.....g									
16:1 undifferentiated.....g	0.000		0		4		0.000	0.000	0.000
17:1.....g									
18:1 undifferentiated.....g	0.000		0		4		0.000	0.000	0.000
20:1.....g	0.000		0		4		0.000	0.000	0.000
22:1 undifferentiated.....g	0.000		0		4		0.000	0.000	0.000
24:1 c.....g									
Fatty acids, total polyunsaturated.....g	0.000		0		7		0.000	0.000	0.000
18:2 undifferentiated.....g	0.000		0		4		0.000	0.000	0.000
18:3 undifferentiated.....g	0.000		0		4		0.000	0.000	0.000
18:4.....g	0.000		0		4		0.000	0.000	0.000
20:2 n-6 c,c.....g									
20:3 undifferentiated.....g									
20:4 undifferentiated.....g	0.000		0		4		0.000	0.000	0.000
20:5 n-3 (EPA).....g	0.000		0		4		0.000	0.000	0.000
21:5.....g									
22:4.....g									
22:5 n-3 (DPA).....g	0.000		0		4		0.000	0.000	0.000
22:6 n-3 (DHA).....g	0.000		0		4		0.000	0.000	0.000
Fatty acids, total trans.....g									
Cholesterol.....mg	0		0		7		0	0	0
Phytosterols.....mg									
Others:									
Alcohol, ethyl.....g	0.0		0		7		0.0	0.0	0.0
Caffeine.....mg	0		0	FLA	4		0	0	0
Theobromine.....mg	0		0	FLA	4		0	0	0

Blanks in the Mean column indicate lack of reliable data. The Number of Data Points column is the number of analyses upon which the mean is based. Number of Data Points of zero indicates the mean was either calculated (as for Energy) or estimated, usually from a recipe, another form of the same food, or similar food.

Common Measures:

Measure 1 = 15.0g: 1 tbsp

Measure 2 = 28.35g: 1 oz

Measure 3 = 113g: 1 jar

NDB No. 03134

Babyfood, fruit, plums with tapioca, without ascorbic acid, strained

Calories Factors: Protein 3.36

Fat 8.37

Carbohydrate3.6

Food Group: 03 Baby Foods

USDA National Nutrient Database for Standard Reference, Release 28 (2015)

NDB No. 03137

Babyfood, fruit, prunes with tapioca, without ascorbic acid, junior

Nutrients and Units	Amount in 100 grams of edible portion				Amount in edible portion of common measures of food		
	Mean	Std. Error	Number of Data Points		Measure 1	Measure 2	Measure 3
			Deriv Code	Source Code			
Tocotrienol, delta.....mg							
Vitamin D (D2 + D3).....µg							
Vitamin D.....IU							
Vitamin K (phylloquinone).....µg	15.8		0	FLA	4	4.5	26.9
Dihydrophyloquinone.....µg							
Menaquinone-4.....µg							
Lipids:							
Fatty acids, total saturated.....g	0.008		0		4	0.002	0.014
4:0.....g	0.000		0		4	0.000	0.000
6:0.....g	0.000		0		4	0.000	0.000
8:0.....g	0.000		0		4	0.000	0.000
10:0.....g	0.000		0		4	0.000	0.000
12:0.....g	0.000		0		4	0.000	0.000
13:0.....g							
14:0.....g	0.000		0		4	0.000	0.000
15:0.....g							
16:0.....g	0.007		0		4	0.002	0.012
17:0.....g							
18:0.....g	0.001		0		4	0.000	0.002
20:0.....g							
22:0.....g							
24:0.....g							
Fatty acids, total monounsaturated.....g	0.066		0		4	0.019	0.112
14:1.....g							
15:1.....g							
16:1 undifferentiated.....g	0.001		0		4	0.000	0.002
17:1.....g							
18:1 undifferentiated.....g	0.065		0		4	0.018	0.111
20:1.....g	0.000		0		4	0.000	0.000
22:1 undifferentiated.....g	0.000		0		4	0.000	0.000
24:1 c.....g							
Fatty acids, total polyunsaturated.....g	0.022		0		4	0.006	0.037
18:2 undifferentiated.....g	0.022		0		4	0.006	0.037
18:3 undifferentiated.....g	0.000		0		4	0.000	0.000
18:4.....g	0.000		0		4	0.000	0.000
20:2 n-6 c,c.....g							
20:3 undifferentiated.....g							
20:4 undifferentiated.....g	0.000		0		4	0.000	0.000
20:5 n-3 (EPA).....g	0.000		0		4	0.000	0.000
21:5.....g							
22:4.....g							
22:5 n-3 (DPA).....g	0.000		0		4	0.000	0.000
22:6 n-3 (DHA).....g	0.000		0		4	0.000	0.000
Fatty acids, total trans.....g							
Cholesterol.....mg	0		0		7	0	0
Phytosterols.....mg							
Others:							
Alcohol, ethyl.....g	0.0		0		7	0.0	0.0
Caffeine.....mg	0		0	FLA	4	0	0
Theobromine.....mg	0		0	FLA	4	0	0

Blanks in the Mean column indicate lack of reliable data. The Number of Data Points column is the number of analyses upon which the mean is based. Number of Data Points of zero indicates the mean was either calculated (as for Energy) or estimated, usually from a recipe, another form of the same food, or similar food.

Common Measures:

Measure 1 = 28.35g: 1 oz

Measure 2 = 170g: 1 jar

Calories Factors: Protein 3.36

Fat 8.37

Carbohydrate 3.6

NDB No. 03137

Babyfood, fruit, prunes with tapioca, without ascorbic acid, junior

Food Group: 03 Baby Foods

USDA National Nutrient Database for Standard Reference, Release 28 (2015)

NDB No. 03136

Babyfood, fruit, prunes with tapioca, without ascorbic acid, strained

Refuse:0%

Nutrients and Units	Amount in 100 grams of edible portion					Amount in edible portion of common measures of food			
	Mean	Std. Error	Number of Data Points	Deriv Code	Source Code	Confidence Code	Measure 1	Measure 2	Measure 3
Proximates:									
Water.....g	80.30		1		1		12.05	22.77	90.74
Energy.....kcal	69		0	NC	4		10	20	78
Energy.....kJ	291		0	NC	4		44	82	328
Protein (N x 6.25).....g	0.60	0.000	17		1		0.09	0.17	0.68
Total lipid (fat).....g	0.10	0.000	17		1		0.02	0.03	0.11
Ash.....g	0.50	0.000	18		1		0.08	0.14	0.57
Carbohydrate, by difference.....g	18.50		0	NC	4		2.78	5.24	20.91
Fiber, total dietary.....g	2.7		0		4		0.4	0.8	3.1
Sugars, total.....g	10.97		0	O	4		1.65	3.11	12.40
Sucrose.....g	0.04		0	FLA	4		0.01	0.01	0.05
Glucose (dextrose).....g	6.79		0	FLA	4		1.02	1.93	7.67
Fructose.....g	3.32		0	FLA	4		0.50	0.94	3.75
Lactose.....g	0.00		0	FLA	4		0.00	0.00	0.00
Maltose.....g	0.02		0	FLA	4		0.00	0.00	0.02
Galactose.....g	0.00		0	FLA	4		0.00	0.00	0.00
Starch.....g									
Minerals:									
Calcium, Ca.....mg	15		11		1		2	4	17
Iron, Fe.....mg	0.35	0.040	12		1		0.05	0.10	0.40
Magnesium, Mg.....mg	10		3		1		2	3	11
Phosphorus, P.....mg	15		2		1		2	4	17
Potassium, K.....mg	177		15		1		27	50	200
Sodium, Na.....mg	5	1.000	19		1		1	1	6
Zinc, Zn.....mg	0.09		3		1		0.01	0.03	0.10
Copper, Cu.....mg	0.061		2		1		0.009	0.017	0.069
Manganese, Mn.....mg									
Selenium, Se.....µg	0.5		0	FLM	4		0.1	0.1	0.6
Vitamins:									
Vitamin C, total ascorbic acid.....mg	0.8		1		1		0.1	0.2	0.9
Thiamin.....mg	0.022		11		1		0.003	0.006	0.025
Riboflavin.....mg	0.075		11		1		0.011	0.021	0.085
Niacin.....mg	0.525		12		1		0.079	0.149	0.593
Pantothenic acid.....mg	0.140		4		1		0.021	0.040	0.158
Vitamin B-6.....mg	0.081		3		1		0.012	0.023	0.092
Folate, total.....µg	0		9		1		0	0	0
Folic acid.....µg	0		0	FLA	4		0	0	0
Folate, food.....µg	1		0	FLA	4		0	0	1
Folate, DFE.....µg	1		0	NC	4		0	0	1
Choline, total.....mg	1.1		0	FLM	4		0.2	0.3	1.3
Betaine.....mg									
Vitamin B-12.....µg	0.00		0		4		0.00	0.00	0.00
Vitamin B-12, added.....µg	0.00		0	Z	7		0.00	0.00	0.00
Vitamin A, RAE.....µg	23		0	NC	4		3	6	26
Retinol.....µg	0		0	BNA	4		0	0	0
Carotene, beta.....µg	228		0	BNA	4		34	65	258
Carotene, alpha.....µg	33		0	BNA	4		5	9	37
Cryptoxanthin, beta.....µg	54		0	BNA	4		8	15	61
Vitamin A, IU.....IU	453		13		1		68	128	512
Lycopene.....µg	0		0	BFSN	4		0	0	0
Lutein + zeaxanthin.....µg	39		0	BFSN	4		6	11	44
Vitamin E (alpha-tocopherol).....mg	0.60		0	O	4		0.09	0.17	0.68
Vitamin E, added.....mg	0.00		0	NR	4		0.00	0.00	0.00
Tocopherol, beta.....mg	0.00		0	FLA	4		0.00	0.00	0.00
Tocopherol, gamma.....mg	0.01		0	FLA	4		0.00	0.00	0.01
Tocopherol, delta.....mg	0.00		0	FLA	4		0.00	0.00	0.00
Tocotrienol, alpha.....mg	0.00		0	FLA	4		0.00	0.00	0.00
Tocotrienol, beta.....mg	0.00		0	FLA	4		0.00	0.00	0.00

NDB No. 03136

Babyfood, fruit, prunes with tapioca, without ascorbic acid, strained

Nutrients and Units	Amount in 100 grams of edible portion				Amount in edible portion of common measures of food				
	Mean	Std. Error	Number of Data Points		Source Code	Confidence Code	Measure 1	Measure 2	Measure 3
			Deriv Code	Points					
Tocotrienol, gamma.....mg	0.00		0	FLA	4		0.00	0.00	0.00
Tocotrienol, delta.....mg	0.00		0	FLA	4		0.00	0.00	0.00
Vitamin D (D2 + D3).....µg	0.0		0	Z	7		0.0	0.0	0.0
Vitamin D2 (ergocalciferol).....µg									
Vitamin D3 (cholecalciferol).....µg									
Vitamin D.....IU	0		0	Z	7		0	0	0
Vitamin K (phylloquinone).....µg	15.6		0	BFSN	4		2.3	4.4	17.6
Dihydrophyloquinone.....µg									
Menaquinone-4.....µg									
Lipids:									
Fatty acids, total saturated.....g	0.008		0		4		0.001	0.002	0.009
4:0.....g	0.000		0		4		0.000	0.000	0.000
6:0.....g	0.000		0		4		0.000	0.000	0.000
8:0.....g	0.000		0		4		0.000	0.000	0.000
10:0.....g	0.000		0		4		0.000	0.000	0.000
12:0.....g	0.000		0		4		0.000	0.000	0.000
13:0.....g									
14:0.....g	0.000		0		4		0.000	0.000	0.000
15:0.....g									
16:0.....g	0.007		0		4		0.001	0.002	0.008
17:0.....g									
18:0.....g	0.001		0		4		0.000	0.000	0.001
20:0.....g									
22:0.....g									
24:0.....g									
Fatty acids, total monounsaturated.....g	0.066		0		4		0.010	0.019	0.075
14:1.....g									
15:1.....g									
16:1 undifferentiated.....g	0.001		0		4		0.000	0.000	0.001
17:1.....g									
18:1 undifferentiated.....g	0.065		0		4		0.010	0.018	0.073
20:1.....g	0.000		0		4		0.000	0.000	0.000
22:1 undifferentiated.....g	0.000		0		4		0.000	0.000	0.000
24:1 c.....g									
Fatty acids, total polyunsaturated.....g	0.022		0		4		0.003	0.006	0.025
18:2 undifferentiated.....g	0.022		0		4		0.003	0.006	0.025
18:3 undifferentiated.....g	0.000		0		4		0.000	0.000	0.000
18:4.....g	0.000		0		4		0.000	0.000	0.000
20:2 n-6 c,c.....g									
20:3 undifferentiated.....g									
20:4 undifferentiated.....g	0.000		0		4		0.000	0.000	0.000
20:5 n-3 (EPA).....g	0.000		0		4		0.000	0.000	0.000
21:5.....g									
22:4.....g									
22:5 n-3 (DPA).....g	0.000		0		4		0.000	0.000	0.000
22:6 n-3 (DHA).....g	0.000		0		4		0.000	0.000	0.000
Fatty acids, total trans.....g									
Cholesterol.....mg	0		0		7		0	0	0
Phytosterols.....mg									
Others:									
Alcohol, ethyl.....g	0.0		0		7		0.0	0.0	0.0
Caffeine.....mg	0		0	BFSN	4		0	0	0
Theobromine.....mg	0		0	BFSN	4		0	0	0

Blanks in the Mean column indicate lack of reliable data. The Number of Data Points column is the number of analyses upon which the mean is based. Number of Data Points of zero indicates the mean was either calculated (as for Energy) or estimated, usually from a recipe, another form of the same food, or similar food.

Common Measures:

Measure 1 = 15.0g: 1 tbsp

Measure 2 = 28.35g: 1 oz

NDB No. 03136

Babyfood, fruit, prunes with tapioca, without ascorbic acid, strained

Measure 3 = 113g: 1 jar

Calories Factors: Protein 3.36

Fat 8.37

Carbohydrate3.6

Food Group: 03 Baby Foods

USDA National Nutrient Database for Standard Reference, Release 28 (2015)

NDB No. 43007
 Babyfood, fruit, tutti frutti, junior

Nutrients and Units	Amount in 100 grams of edible portion				Amount in edible portion of common measures of food			
	Mean	Std. Error	Number		Measure 1	Measure 2	Measure 3	
			of Data Points	Deriv Code				Source Code
Lipids:								
Fatty acids, total saturated.....g	0.110		0		4	0.017	0.187	0.187
4:0.....g	0.000		0		4	0.000	0.000	0.000
6:0.....g	0.000		0		4	0.000	0.000	0.000
8:0.....g	0.000		0		4	0.000	0.000	0.000
10:0.....g	0.000		0		4	0.000	0.000	0.000
12:0.....g	0.000		0		4	0.000	0.000	0.000
13:0.....g								
14:0.....g	0.001		0		4	0.000	0.002	0.002
15:0.....g								
16:0.....g	0.080		0		4	0.012	0.136	0.136
17:0.....g								
18:0.....g	0.028		0		4	0.004	0.048	0.048
20:0.....g								
22:0.....g								
24:0.....g								
Fatty acids, total monounsaturated.....g	0.148		0		4	0.022	0.252	0.252
14:1.....g								
15:1.....g								
16:1 undifferentiated.....g	0.010		0		4	0.002	0.017	0.017
17:1.....g								
18:1 undifferentiated.....g	0.137		0		4	0.021	0.233	0.233
20:1.....g	0.001		0		4	0.000	0.002	0.002
22:1 undifferentiated.....g	0.000		0		4	0.000	0.000	0.000
24:1 c.....g								
Fatty acids, total polyunsaturated.....g	0.061		0		4	0.009	0.104	0.104
18:2 undifferentiated.....g	0.051		0		4	0.008	0.087	0.087
18:3 undifferentiated.....g	0.004		0		4	0.001	0.007	0.007
18:4.....g	0.000		0		4	0.000	0.000	0.000
20:2 n-6 c,c.....g								
20:3 undifferentiated.....g								
20:4 undifferentiated.....g	0.005		0		4	0.001	0.009	0.009
20:5 n-3 (EPA).....g	0.000		0		4	0.000	0.000	0.000
21:5.....g								
22:4.....g								
22:5 n-3 (DPA).....g	0.000		0		4	0.000	0.000	0.000
22:6 n-3 (DHA).....g	0.001		0		4	0.000	0.002	0.002
Fatty acids, total trans.....g								
Cholesterol.....mg	15		0		4	2	26	26
Phytosterols.....mg								
Others:								
Alcohol, ethyl.....g	0.0		0		7	0.0	0.0	0.0
Caffeine.....mg	0		0	FLA	4	0	0	0
Theobromine.....mg	0		0	FLA	4	0	0	0

Blanks in the Mean column indicate lack of reliable data. The Number of Data Points column is the number of analyses upon which the mean is based. Number of Data Points of zero indicates the mean was either calculated (as for Energy) or estimated, usually from a recipe, another form of the same food, or similar food.

Common Measures:

Measure 1 = 15.0g: 1 tbsp

Measure 2 = 170g: 1 jar NFS

Measure 3 = 170g: 1 jar Heinz Junior-3 (6 oz)

Calories Factors: Protein

Fat

Carbohydrate

Food Group: 03 Baby Foods

USDA National Nutrient Database for Standard Reference, Release 28 (2015)

NDB No. 43006

Babyfood, fruit, tutti frutti, strained

Nutrients and Units	Amount in 100 grams of edible portion				Amount in edible portion of common measures of food			
	Mean	Std. Error	Number		Measure 1	Measure 2	Measure 3	
			of Data Points	Deriv Code				Source Code
Lipids:								
Fatty acids, total saturated.....g	0.087		0		4	0.013	0.098	0.098
4:0.....g	0.000		0		4	0.000	0.000	0.000
6:0.....g	0.000		0		4	0.000	0.000	0.000
8:0.....g	0.000		0		4	0.000	0.000	0.000
10:0.....g	0.000		0		4	0.000	0.000	0.000
12:0.....g	0.000		0		4	0.000	0.000	0.000
13:0.....g								
14:0.....g	0.001		0		4	0.000	0.001	0.001
15:0.....g								
16:0.....g	0.063		0		4	0.009	0.071	0.071
17:0.....g								
18:0.....g	0.022		0		4	0.003	0.025	0.025
20:0.....g								
22:0.....g								
24:0.....g								
Fatty acids, total monounsaturated.....g	0.113		0		4	0.017	0.128	0.128
14:1.....g								
15:1.....g								
16:1 undifferentiated.....g	0.008		0		4	0.001	0.009	0.009
17:1.....g								
18:1 undifferentiated.....g	0.104		0		4	0.016	0.118	0.118
20:1.....g	0.001		0		4	0.000	0.001	0.001
22:1 undifferentiated.....g	0.000		0		4	0.000	0.000	0.000
24:1 c.....g								
Fatty acids, total polyunsaturated.....g	0.043		0		4	0.006	0.049	0.049
18:2 undifferentiated.....g	0.037		0		4	0.006	0.042	0.042
18:3 undifferentiated.....g	0.001		0		4	0.000	0.001	0.001
18:4.....g	0.000		0		4	0.000	0.000	0.000
20:2 n-6 c,c.....g								
20:3 undifferentiated.....g								
20:4 undifferentiated.....g	0.004		0		4	0.001	0.005	0.005
20:5 n-3 (EPA).....g	0.000		0		4	0.000	0.000	0.000
21:5.....g								
22:4.....g								
22:5 n-3 (DPA).....g	0.000		0		4	0.000	0.000	0.000
22:6 n-3 (DHA).....g	0.001		0		4	0.000	0.001	0.001
Fatty acids, total trans.....g								
Cholesterol.....mg	15		0		4	2	17	17
Phytosterols.....mg								
Others:								
Alcohol, ethyl.....g	0.0		0		7	0.0	0.0	0.0
Caffeine.....mg	0		0	FLA	4	0	0	0
Theobromine.....mg	0		0	FLA	4	0	0	0

Blanks in the Mean column indicate lack of reliable data. The Number of Data Points column is the number of analyses upon which the mean is based. Number of Data Points of zero indicates the mean was either calculated (as for Energy) or estimated, usually from a recipe, another form of the same food, or similar food.

Common Measures:

Measure 1 = 15.0g: 1 tbsp

Measure 2 = 113g: 1 jar NFS

Measure 3 = 113g: 1 jar Heinz Strained-2 (4 oz)

Calories Factors: Protein

Fat

Carbohydrate

Food Group: 03 Baby Foods

USDA National Nutrient Database for Standard Reference, Release 28 (2015)

NDB No. 44074

Babyfood, grape juice, no sugar, canned

Nutrients and Units	Amount in 100 grams of edible portion				Amount in edible portion of common measures of food				
	Mean	Std. Error	Number	Deriv Code	Source Code	Confidence Code	Measure 1	Measure 2	Measure 3
			of Data Points						
Lipids:									
Fatty acids, total saturated.....g	0.000		0						4
4:0.....g	0.000		0	FLC					4
6:0.....g	0.000		0	FLC					4
8:0.....g	0.000		0	FLC					4
10:0.....g	0.000		0	FLC					4
12:0.....g	0.000		0	FLC					4
13:0.....g									
14:0.....g	0.000		0	FLC					4
15:0.....g									
16:0.....g	0.000		0	FLC					4
17:0.....g									
18:0.....g	0.000		0	FLC					4
20:0.....g									
22:0.....g									
24:0.....g									
Fatty acids, total monounsaturated.....g	0.000		0	FLC					4
14:1.....g									
15:1.....g									
16:1 undifferentiated.....g	0.000		0	FLC					4
17:1.....g									
18:1 undifferentiated.....g	0.000		0	FLC					4
20:1.....g	0.000		0	FLC					4
22:1 undifferentiated.....g	0.000		0	FLC					4
24:1 c.....g									
Fatty acids, total polyunsaturated.....g	0.000		0						4
18:2 undifferentiated.....g	0.000		0	FLC					4
18:3 undifferentiated.....g	0.000		0	FLC					4
18:4.....g	0.000		0	FLC					4
20:2 n-6 c,c.....g									
20:3 undifferentiated.....g									
20:4 undifferentiated.....g	0.000		0	FLC					4
20:5 n-3 (EPA).....g	0.000		0	FLC					4
21:5.....g									
22:4.....g									
22:5 n-3 (DPA).....g	0.000		0	FLC					4
22:6 n-3 (DHA).....g	0.000		0	FLC					4
Fatty acids, total trans.....g									
Cholesterol.....mg	0		0						7
Phytosterols.....mg									
Amino Acids:									
Tryptophan.....g									
Threonine.....g	0.024		0	FLC					4
Isoleucine.....g	0.007		0	FLC					4
Leucine.....g	0.017		0	FLC					4
Lysine.....g	0.019		0	FLC					4
Methionine.....g	0.029		0	FLC					4
Cystine.....g	0.014		0	FLC					4
Phenylalanine.....g	0.017		0	FLC					4
Tyrosine.....g	0.016		0	FLC					4
Valine.....g	0.024		0	FLC					4
Arginine.....g	0.064		0	FLC					4
Histidine.....g	0.031		0	FLC					4
Alanine.....g	0.036		0	FLC					4
Aspartic acid.....g	0.105		0	FLC					4
Glutamic acid.....g	0.180		0	FLC					4
Glycine.....g	0.026		0	FLC					4
Proline.....g	0.029		0	FLC					4
Serine.....g	0.041		0	FLC					4
Hydroxyproline.....g									
Others:									
Alcohol, ethyl.....g	0.0		0	FLC					4
Caffeine.....mg	0		0	FLC					4

NDB No. 44074

Babyfood, grape juice, no sugar, canned

Nutrients and Units	<u>Amount in 100 grams of edible portion</u>				<u>Amount in edible portion of common measures of food</u>				
	Mean	Std. Error	Number	Deriv	Source Code	Confidence Code	Measure 1	Measure 2	Measure 3
			of Data Points	Code					
Theobromine.....mg	0		0	FLC		4			

Blanks in the Mean column indicate lack of reliable data. The Number of Data Points column is the number of analyses upon which the mean is based. Number of Data Points of zero indicates the mean was either calculated (as for Energy) or estimated, usually from a recipe, another form of the same food, or similar food.

Common Measures:

Calories Factors: Protein

Fat

Carbohydrate

Food Group: 03 Baby Foods

USDA National Nutrient Database for Standard Reference, Release 28 (2015)

NDB No. 42286

Babyfood, green beans and turkey, strained

Refuse:0%

Nutrients and Units	Amount in 100 grams of edible portion				Amount in edible portion of common measures of food				
	Mean	Std. Error	Number of Data Points	Deriv Code	Source Code	Confidence Code	Measure 1	Measure 2	Measure 3
Proximates:									
Water.....g	87.50		0		5		12.25	98.88	
Energy.....kcal	51		0	NC	4		7	58	
Energy.....kJ	215		0	NC	4		30	243	
Protein.....g	4.10		0		5		0.57	4.63	
Total lipid (fat).....g	1.50		0		5		0.21	1.70	
Ash.....g	1.55		0	FLA	4		0.22	1.75	
Carbohydrate, by difference.....g	5.35		0	NC	4		0.75	6.05	
Fiber, total dietary.....g	1.4		0		4		0.2	1.6	
Sugars, total.....g	1.39		0	FLA	4		0.19	1.57	
Starch.....g									
Minerals:									
Calcium, Ca.....mg	31		0		5		4	35	
Iron, Fe.....mg	0.70		0		5		0.10	0.79	
Magnesium, Mg.....mg	22		0		4		3	25	
Phosphorus, P.....mg	56		0		5		8	63	
Potassium, K.....mg	188		0		5		26	212	
Sodium, Na.....mg	11		0		5		2	12	
Zinc, Zn.....mg	0.60		0		4		0.08	0.68	
Copper, Cu.....mg	0.048		0		4		0.007	0.054	
Manganese, Mn.....mg									
Selenium, Se.....µg	3.2		1		1		0.4	3.6	
Vitamins:									
Vitamin C, total ascorbic acid.....mg	2.2		0		5		0.3	2.5	
Thiamin.....mg	0.030		0		5		0.004	0.034	
Riboflavin.....mg	0.110		0		5		0.015	0.124	
Niacin.....mg	1.140		0		5		0.160	1.288	
Pantothenic acid.....mg									
Vitamin B-6.....mg	0.080		0		5		0.011	0.090	
Folate, total.....µg	29		0		4		4	33	
Folic acid.....µg	0		0	FLA	4		0	0	
Folate, food.....µg	29		0		4		4	33	
Folate, DFE.....µg	29		0	NC	4		4	33	
Choline, total.....mg									
Betaine.....mg									
Vitamin B-12.....µg	0.25		0		4		0.04	0.28	
Vitamin A, RAE.....µg	31		0	NC	4		4	36	
Retinol.....µg	0		0	FLA	4		0	0	
Carotene, beta.....µg	377		0	FLA	4		53	426	
Carotene, alpha.....µg	0		0	FLA	4		0	0	
Cryptoxanthin, beta.....µg	0		0	FLA	4		0	0	
Vitamin A, IU.....IU	629		0	NC	4		88	710	
Lycopene.....µg	0		0	FLA	4		0	0	
Lutein + zeaxanthin.....µg	637		0	FLA	4		89	719	
Vitamin E (alpha-tocopherol).....mg	0.45		0	FLA	4		0.06	0.51	
Tocopherol, beta.....mg									
Tocopherol, gamma.....mg									
Tocopherol, delta.....mg									
Tocotrienol, alpha.....mg									
Tocotrienol, beta.....mg									
Tocotrienol, gamma.....mg									
Tocotrienol, delta.....mg									
Vitamin D (D2 + D3).....µg									
Vitamin D.....IU									
Vitamin K (phylloquinone).....µg	14.8		0	FLA	4		2.1	16.7	
Dihydrophylloquinone.....µg									
Menaquinone-4.....µg									
Lipids:									

NDB No. 42286

Babyfood, green beans and turkey, strained

Nutrients and Units	Amount in 100 grams of edible portion				Amount in edible portion of common measures of food				
	Mean	Std. Error	Number of Data Points	Deriv Code	Source Code	Confidence Code	Measure 1	Measure 2	Measure 3
Fatty acids, total saturated.....g	0.500		0		4		0.070	0.565	
4:0.....g	0.000		0		4		0.000	0.000	
6:0.....g	0.000		0		4		0.000	0.000	
8:0.....g	0.000		0		4		0.000	0.000	
10:0.....g	0.000		0		4		0.000	0.000	
12:0.....g	0.010		0		4		0.001	0.011	
13:0.....g									
14:0.....g	0.010		0		4		0.001	0.011	
15:0.....g									
16:0.....g	0.230		0		4		0.032	0.260	
17:0.....g									
18:0.....g	0.150		0		4		0.021	0.170	
20:0.....g									
22:0.....g									
24:0.....g									
Fatty acids, total monounsaturated.....g	0.270		0		4		0.038	0.305	
14:1.....g									
15:1.....g									
16:1 undifferentiated.....g	0.040		0		4		0.006	0.045	
17:1.....g									
18:1 undifferentiated.....g	0.230		0		4		0.032	0.260	
20:1.....g	0.010		0		4		0.001	0.011	
22:1 undifferentiated.....g	0.010		0		4		0.001	0.011	
24:1 c.....g									
Fatty acids, total polyunsaturated.....g	0.420		0		4		0.059	0.475	
18:2 undifferentiated.....g	0.270		0		4		0.038	0.305	
18:3 undifferentiated.....g	0.010		0		4		0.001	0.011	
18:4.....g	0.000		0		4		0.000	0.000	
20:2 n-6 c,c.....g									
20:3 undifferentiated.....g									
20:4 undifferentiated.....g	0.080		0		4		0.011	0.090	
20:5 n-3 (EPA).....g	0.000		0		4		0.000	0.000	
21:5.....g									
22:4.....g									
22:5 n-3 (DPA).....g	0.010		0		4		0.001	0.011	
22:6 n-3 (DHA).....g	0.020		0		4		0.003	0.023	
Fatty acids, total trans.....g									
Cholesterol.....mg	11		0		4		2	12	
Phytosterols.....mg									
Others:									
Alcohol, ethyl.....g	0.0		0		7		0.0	0.0	
Caffeine.....mg	0		0	FLA	4		0	0	
Theobromine.....mg	0		0	FLA	4		0	0	

Blanks in the Mean column indicate lack of reliable data. The Number of Data Points column is the number of analyses upon which the mean is based. Number of Data Points of zero indicates the mean was either calculated (as for Energy) or estimated, usually from a recipe, another form of the same food, or similar food.

Common Measures:

Measure 1 = 14.0g: 1 tbsp

Measure 2 = 113g: 1 jar Gerber Second Food (4 oz)

Calories Factors: Protein

Fat

Carbohydrate

Food Group: 03 Baby Foods

USDA National Nutrient Database for Standard Reference, Release 28 (2015)

NDB No. 03093

Babyfood, green beans, dices, toddler

Nutrients and Units	Amount in 100 grams of edible portion				Amount in edible portion of common measures of food				
	Mean	Std. Error	Number of Data Points		Source Code	Confidence Code	Measure 1	Measure 2	Measure 3
			Deriv Code	Points					
Lipids:									
Fatty acids, total saturated.....g	0.044		0	BFFN	4		0.012	0.056	
4:0.....g	0.000		0	BFFN	4		0.000	0.000	
6:0.....g	0.000		0	BFFN	4		0.000	0.000	
8:0.....g	0.000		0	BFFN	4		0.000	0.000	
10:0.....g	0.000		0	BFFN	4		0.000	0.000	
12:0.....g	0.000		0	BFFN	4		0.000	0.000	
13:0.....g									
14:0.....g	0.000		0	BFFN	4		0.000	0.000	
15:0.....g									
16:0.....g	0.038		0	BFFN	4		0.011	0.049	
17:0.....g									
18:0.....g	0.006		0	BFFN	4		0.002	0.008	
20:0.....g									
22:0.....g									
24:0.....g									
Fatty acids, total monounsaturated.....g	0.008		0	BFFN	4		0.002	0.010	
14:1.....g									
15:1.....g									
16:1 undifferentiated.....g	0.000		0	BFFN	4		0.000	0.000	
17:1.....g									
18:1 undifferentiated.....g	0.008		0	BFFN	4		0.002	0.010	
20:1.....g	0.000		0	BFFN	4		0.000	0.000	
22:1 undifferentiated.....g	0.000		0	BFFN	4		0.000	0.000	
24:1 c.....g									
Fatty acids, total polyunsaturated.....g	0.102		0	BFFN	4		0.029	0.131	
18:2 undifferentiated.....g	0.038		0	BFFN	4		0.011	0.049	
18:3 undifferentiated.....g	0.062		0	BFFN	4		0.018	0.079	
18:4.....g	0.000		0	BFFN	4		0.000	0.000	
20:2 n-6 c,c.....g									
20:3 undifferentiated.....g									
20:4 undifferentiated.....g	0.000		0	BFFN	4		0.000	0.000	
20:5 n-3 (EPA).....g	0.000		0	BFFN	4		0.000	0.000	
21:5.....g									
22:4.....g									
22:5 n-3 (DPA).....g	0.000		0	BFFN	4		0.000	0.000	
22:6 n-3 (DHA).....g	0.000		0	BFFN	4		0.000	0.000	
Fatty acids, total trans.....g									
Cholesterol.....mg	0		0	MA	12		0	0	
Phytosterols.....mg									
Others:									
Alcohol, ethyl.....g	0.0		0	Z	7		0.0	0.0	
Caffeine.....mg	0		0	BFSN	4		0	0	
Theobromine.....mg	0		0	BFSN	4		0	0	

Blanks in the Mean column indicate lack of reliable data. The Number of Data Points column is the number of analyses upon which the mean is based. Number of Data Points of zero indicates the mean was either calculated (as for Energy) or estimated, usually from a recipe, another form of the same food, or similar food.

Common Measures:

Measure 1 = 28.35g: 1 oz

Measure 2 = 128g: 1 jar

Calories Factors: Protein

Fat

Carbohydrate

Food Group: 03 Baby Foods

USDA National Nutrient Database for Standard Reference, Release 28 (2015)

NDB No. 03001

Babyfood, juice treats, fruit medley, toddler

Refuse:0%

Nutrients and Units	Amount in 100 grams of edible portion				Amount in edible portion of common measures of food				
	Mean	Std. Error	Number of Data Points	Deriv Code	Source Code	Confidence Code	Measure 1	Measure 2	Measure 3
Proximates:									
Water.....g	12.89		0	FLC	4		3.61		
Energy.....kcal	347		0	NC	4		97		
Energy.....kJ	1454		0	NC	4		407		
Protein.....g	0.00		0	NR	4		0.00		
Total lipid (fat).....g	0.02		0	NR	4		0.00		
Ash.....g	0.29		0	FLC	4		0.08		
Carbohydrate, by difference.....g	86.68		0	FLC	4		24.27		
Fiber, total dietary.....g	0.0		0	FLC	4		0.0		
Sugars, total.....g	57.40		0	FLC	4		16.07		
Starch.....g									
Minerals:									
Calcium, Ca.....mg	12		0	FLC	4		3		
Iron, Fe.....mg	0.24		0	FLC	4		0.07		
Magnesium, Mg.....mg	7		0	FLC	4		2		
Phosphorus, P.....mg	9		0	FLC	4		3		
Potassium, K.....mg	54		0	FLC	4		15		
Sodium, Na.....mg	89		0	FLC	4		25		
Zinc, Zn.....mg	0.03		0	FLC	4		0.01		
Copper, Cu.....mg	0.037		0	FLC	4		0.010		
Manganese, Mn.....mg	0.062		0	FLC	4		0.017		
Selenium, Se.....µg	1.9		0	FLC	4		0.5		
Vitamins:									
Vitamin C, total ascorbic acid.....mg	8.0		0	FLC	4		2.2		
Thiamin.....mg	0.015		0	FLC	4		0.004		
Riboflavin.....mg	0.010		0	FLC	4		0.003		
Niacin.....mg	0.057		0	FLC	4		0.016		
Pantothenic acid.....mg	0.052		0	FLC	4		0.015		
Vitamin B-6.....mg	0.014		0	FLC	4		0.004		
Folate, total.....µg	1		0	FLC	4		0		
Folic acid.....µg	0		0	FLC	4		0		
Folate, food.....µg	1		0	FLC	4		0		
Folate, DFE.....µg	1		0	NC	4		0		
Choline, total.....mg	9.1		0	FLC	4		2.5		
Betaine.....mg									
Vitamin B-12.....µg	0.00		0	FLC	4		0.00		
Vitamin B-12, added.....µg	0.00		0	FLC	4		0.00		
Vitamin A, RAE.....µg	0		0	NC	4		0		
Retinol.....µg	0		0	FLC	4		0		
Carotene, beta.....µg	1		0	FLC	4		0		
Carotene, alpha.....µg	0		0	FLC	4		0		
Cryptoxanthin, beta.....µg	0		0	FLC	4		0		
Vitamin A, IU.....IU	2		0	FLC	4		1		
Lycopene.....µg	0		0	FLC	4		0		
Lutein + zeaxanthin.....µg	2		0	FLC	4		1		
Vitamin E (alpha-tocopherol).....mg	0.01		0	FLC	4		0.00		
Vitamin E, added.....mg	0.00		0	FLC	4		0.00		
Tocopherol, beta.....mg	0.00		0	FLC	4		0.00		
Tocopherol, gamma.....mg	0.00		0	FLC	4		0.00		
Tocopherol, delta.....mg	0.00		0	FLC	4		0.00		
Tocotrienol, alpha.....mg	0.00		0	FLC	4		0.00		
Tocotrienol, beta.....mg	0.00		0	FLC	4		0.00		
Tocotrienol, gamma.....mg	0.00		0	FLC	4		0.00		
Tocotrienol, delta.....mg	0.00		0	FLC	4		0.00		
Vitamin D (D2 + D3).....µg	0.0		0	FLC	4		0.0		
Vitamin D2 (ergocalciferol).....µg									
Vitamin D3 (cholecalciferol).....µg									
Vitamin D.....IU	0		0	FLC	4		0		
Vitamin K (phylloquinone).....µg	0.0		0	FLC	4		0.0		

NDB No. 03001

Babyfood, juice treats, fruit medley, toddler

Nutrients and Units	<u>Amount in 100 grams of edible portion</u>				<u>Amount in edible portion of common measures of food</u>				
	Mean	Std. Error	Number of Data Points	Deriv Code	Source Code	Confidence Code	Measure 1	Measure 2	Measure 3
Others:									
Alcohol, ethyl.....g	0.0		0	FLC	4		0.0		
Caffeine.....mg	0		0	FLC	4		0		
Theobromine.....mg	0		0	FLC	4		0		

Blanks in the Mean column indicate lack of reliable data. The Number of Data Points column is the number of analyses upon which the mean is based. Number of Data Points of zero indicates the mean was either calculated (as for Energy) or estimated, usually from a recipe, another form of the same food, or similar food.

Common Measures:

Measure 1 = 28g: 1 packet

Calories Factors: Protein

Fat

Carbohydrate

Food Group: 03 Baby Foods

USDA National Nutrient Database for Standard Reference, Release 28 (2015)

NDB No. 03166
Babyfood, juice, apple

Nutrients and Units	Amount in 100 grams of edible portion				Amount in edible portion of common measures of food			
	Mean	Std. Error	Number		Measure 1	Measure 2	Measure 3	
			of Data Points	Deriv Code				Source Code
Lipids:								
Fatty acids, total saturated.....g	0.018		0		4	0.006	0.023	0.024
4:0.....g	0.000		0		4	0.000	0.000	0.000
6:0.....g	0.000		0		4	0.000	0.000	0.000
8:0.....g	0.000		0		4	0.000	0.000	0.000
10:0.....g	0.000		0		4	0.000	0.000	0.000
12:0.....g	0.000		0		4	0.000	0.000	0.000
13:0.....g								
14:0.....g	0.000		0		4	0.000	0.000	0.000
15:0.....g								
16:0.....g	0.016		0		4	0.005	0.020	0.021
17:0.....g								
18:0.....g	0.002		0		4	0.001	0.003	0.003
20:0.....g								
22:0.....g								
24:0.....g								
Fatty acids, total monounsaturated.....g	0.002		0		4	0.001	0.003	0.003
14:1.....g								
15:1.....g								
16:1 undifferentiated.....g	0.000		0		4	0.000	0.000	0.000
17:1.....g								
18:1 undifferentiated.....g	0.002		0		4	0.001	0.003	0.003
20:1.....g	0.000		0		4	0.000	0.000	0.000
22:1 undifferentiated.....g	0.000		0		4	0.000	0.000	0.000
24:1 c.....g								
Fatty acids, total polyunsaturated.....g	0.031		0		4	0.010	0.039	0.041
18:2 undifferentiated.....g	0.027		0		4	0.009	0.034	0.035
18:3 undifferentiated.....g	0.004		0		4	0.001	0.005	0.005
18:4.....g	0.000		0		4	0.000	0.000	0.000
20:2 n-6 c,c.....g								
20:3 undifferentiated.....g								
20:4 undifferentiated.....g	0.000		0		4	0.000	0.000	0.000
20:5 n-3 (EPA).....g	0.000		0		4	0.000	0.000	0.000
21:5.....g								
22:4.....g								
22:5 n-3 (DPA).....g	0.000		0		4	0.000	0.000	0.000
22:6 n-3 (DHA).....g	0.000		0		4	0.000	0.000	0.000
Fatty acids, total trans.....g								
Cholesterol.....mg	0		0		7	0	0	0
Phytosterols.....mg								
Others:								
Alcohol, ethyl.....g	0.0		0		7	0.0	0.0	0.0
Caffeine.....mg	0		0	Z	7	0	0	0
Theobromine.....mg	0		0	Z	7	0	0	0

Blanks in the Mean column indicate lack of reliable data. The Number of Data Points column is the number of analyses upon which the mean is based. Number of Data Points of zero indicates the mean was either calculated (as for Energy) or estimated, usually from a recipe, another form of the same food, or similar food.

Common Measures:

Measure 1 = 31.7g: 1 fl oz

Measure 2 = 127g: 1 jar

Measure 3 = 131g: 1 bottle Earth's Best (4.2 fl oz)

Calories Factors: Protein 3.36

Fat 8.37

Carbohydrate 3.92

Food Group: 03 Baby Foods

USDA National Nutrient Database for Standard Reference, Release 28 (2015)

NDB No. 43535
 Babyfood, juice, apple - cherry

Nutrients and Units	Amount in 100 grams of edible portion				Amount in edible portion of common measures of food			
	Mean	Std. Error	Number of Data Points		Measure 1	Measure 2	Measure 3	
			Deriv Code	Source Code				Confidence Code
Lipids:								
Fatty acids, total saturated.....g	0.020		0		4	0.006	0.025	0.025
4:0.....g	0.000		0		4	0.000	0.000	0.000
6:0.....g	0.000		0		4	0.000	0.000	0.000
8:0.....g	0.000		0		4	0.000	0.000	0.000
10:0.....g	0.000		0		4	0.000	0.000	0.000
12:0.....g	0.000		0		4	0.000	0.000	0.000
13:0.....g								
14:0.....g	0.000		0		4	0.000	0.000	0.000
15:0.....g								
16:0.....g	0.016		0		4	0.005	0.020	0.020
17:0.....g								
18:0.....g	0.002		0		4	0.001	0.003	0.003
20:0.....g								
22:0.....g								
24:0.....g								
Fatty acids, total monounsaturated.....g	0.000		0		4	0.000	0.000	0.000
14:1.....g								
15:1.....g								
16:1 undifferentiated.....g	0.000		0		4	0.000	0.000	0.000
17:1.....g								
18:1 undifferentiated.....g	0.002		0		4	0.001	0.003	0.003
20:1.....g	0.000		0		4	0.000	0.000	0.000
22:1 undifferentiated.....g	0.000		0		4	0.000	0.000	0.000
24:1 c.....g								
Fatty acids, total polyunsaturated.....g	0.030		0		4	0.009	0.038	0.038
18:2 undifferentiated.....g	0.027		0		4	0.008	0.034	0.034
18:3 undifferentiated.....g	0.004		0		4	0.001	0.005	0.005
18:4.....g	0.000		0		4	0.000	0.000	0.000
20:2 n-6 c,c.....g								
20:3 undifferentiated.....g								
20:4 undifferentiated.....g	0.000		0		4	0.000	0.000	0.000
20:5 n-3 (EPA).....g	0.000		0		4	0.000	0.000	0.000
21:5.....g								
22:4.....g								
22:5 n-3 (DPA).....g	0.000		0		4	0.000	0.000	0.000
22:6 n-3 (DHA).....g	0.000		0		4	0.000	0.000	0.000
Fatty acids, total trans.....g								
Cholesterol.....mg	0		0		7	0	0	0
Phytosterols.....mg								
Others:								
Alcohol, ethyl.....g	0.0		0		7	0.0	0.0	0.0
Caffeine.....mg	0		0	FLA	4	0	0	0
Theobromine.....mg	0		0	FLA	4	0	0	0

Blanks in the Mean column indicate lack of reliable data. The Number of Data Points column is the number of analyses upon which the mean is based. Number of Data Points of zero indicates the mean was either calculated (as for Energy) or estimated, usually from a recipe, another form of the same food, or similar food.

Common Measures:

Measure 1 = 31.2g: 1 fl oz

Measure 2 = 125g: 1 bottle Heinz Strained (4 fl oz)

Measure 3 = 125g: 1 bottle NFS

Calories Factors: Protein

Fat

Carbohydrate

Food Group: 03 Baby Foods

USDA National Nutrient Database for Standard Reference, Release 28 (2015)

NDB No. 03268
 Babyfood, juice, apple and cherry

Nutrients and Units	Amount in 100 grams of edible portion				Amount in edible portion of common measures of food				
	Mean	Std. Error	Number of Data Points	Deriv Code	Source Code	Confidence Code	Measure 1	Measure 2	Measure 3
Lipids:									
Fatty acids, total saturated.....g	0.035		0		4		0.011	0.044	
4:0.....g	0.000		0		4		0.000	0.000	
6:0.....g	0.000		0		4		0.000	0.000	
8:0.....g	0.000		0		4		0.000	0.000	
10:0.....g	0.000		0		4		0.000	0.000	
12:0.....g	0.000		0		4		0.000	0.000	
13:0.....g									
14:0.....g	0.002		0		4		0.001	0.003	
15:0.....g									
16:0.....g	0.028		0		4		0.009	0.036	
17:0.....g									
18:0.....g	0.004		0		4		0.001	0.005	
20:0.....g									
22:0.....g									
24:0.....g									
Fatty acids, total monounsaturated.....g	0.011		0		4		0.003	0.014	
14:1.....g									
15:1.....g									
16:1 undifferentiated.....g	0.000		0		4		0.000	0.000	
17:1.....g									
18:1 undifferentiated.....g	0.009		0		4		0.003	0.011	
20:1.....g	0.000		0		4		0.000	0.000	
22:1 undifferentiated.....g	0.000		0		4		0.000	0.000	
24:1 c.....g									
Fatty acids, total polyunsaturated.....g	0.060		0		4		0.019	0.076	
18:2 undifferentiated.....g	0.050		0		4		0.016	0.064	
18:3 undifferentiated.....g	0.012		0		4		0.004	0.015	
18:4.....g	0.000		0		4		0.000	0.000	
20:2 n-6 c,c.....g									
20:3 undifferentiated.....g									
20:4 undifferentiated.....g	0.000		0		4		0.000	0.000	
20:5 n-3 (EPA).....g	0.000		0		4		0.000	0.000	
21:5.....g									
22:4.....g									
22:5 n-3 (DPA).....g	0.000		0		4		0.000	0.000	
22:6 n-3 (DHA).....g	0.000		0		4		0.000	0.000	
Fatty acids, total trans.....g									
Cholesterol.....mg	0		0		7		0	0	
Phytosterols.....mg									
Others:									
Alcohol, ethyl.....g	0.0		0		7		0.0	0.0	
Caffeine.....mg	0		0	FLA	4		0	0	
Theobromine.....mg	0		0	FLA	4		0	0	

Blanks in the Mean column indicate lack of reliable data. The Number of Data Points column is the number of analyses upon which the mean is based. Number of Data Points of zero indicates the mean was either calculated (as for Energy) or estimated, usually from a recipe, another form of the same food, or similar food.

Common Measures:

Measure 1 = 31.2g: 1 fl oz

Measure 2 = 127g: 1 jar

Calories Factors: Protein 3.36

Fat 8.37

Carbohydrate 3.92

Food Group: 03 Baby Foods

USDA National Nutrient Database for Standard Reference, Release 28 (2015)

NDB No. 03265
 Babyfood, juice, apple and grape

Nutrients and Units	Amount in 100 grams of edible portion				Amount in edible portion of common measures of food			
	Mean	Std. Error	Number		Measure 1	Measure 2	Measure 3	
			of Data Points	Deriv Code				Source Code
Lipids:								
Fatty acids, total saturated.....g	0.040		0		4	0.012	0.051	0.052
4:0.....g	0.000		0		4	0.000	0.000	0.000
6:0.....g	0.000		0		4	0.000	0.000	0.000
8:0.....g	0.000		0		4	0.000	0.000	0.000
10:0.....g	0.000		0		4	0.000	0.000	0.000
12:0.....g	0.000		0		4	0.000	0.000	0.000
13:0.....g								
14:0.....g	0.002		0		4	0.001	0.003	0.003
15:0.....g								
16:0.....g	0.032		0		4	0.010	0.041	0.042
17:0.....g								
18:0.....g	0.004		0		4	0.001	0.005	0.005
20:0.....g								
22:0.....g								
24:0.....g								
Fatty acids, total monounsaturated.....g	0.009		0		4	0.003	0.011	0.012
14:1.....g								
15:1.....g								
16:1 undifferentiated.....g	0.000		0		4	0.000	0.000	0.000
17:1.....g								
18:1 undifferentiated.....g	0.007		0		4	0.002	0.009	0.009
20:1.....g	0.000		0		4	0.000	0.000	0.000
22:1 undifferentiated.....g	0.000		0		4	0.000	0.000	0.000
24:1 c.....g								
Fatty acids, total polyunsaturated.....g	0.059		0		4	0.018	0.075	0.077
18:2 undifferentiated.....g	0.049		0		4	0.015	0.062	0.064
18:3 undifferentiated.....g	0.011		0		4	0.003	0.014	0.014
18:4.....g	0.000		0		4	0.000	0.000	0.000
20:2 n-6 c,c.....g								
20:3 undifferentiated.....g								
20:4 undifferentiated.....g	0.000		0		4	0.000	0.000	0.000
20:5 n-3 (EPA).....g	0.000		0		4	0.000	0.000	0.000
21:5.....g								
22:4.....g								
22:5 n-3 (DPA).....g	0.000		0		4	0.000	0.000	0.000
22:6 n-3 (DHA).....g	0.000		0		4	0.000	0.000	0.000
Fatty acids, total trans.....g								
Cholesterol.....mg	0		0		7	0	0	0
Phytosterols.....mg								
Others:								
Alcohol, ethyl.....g	0.0		0		7	0.0	0.0	0.0
Caffeine.....mg	0		0	FLA	4	0	0	0
Theobromine.....mg	0		0	FLA	4	0	0	0

Blanks in the Mean column indicate lack of reliable data. The Number of Data Points column is the number of analyses upon which the mean is based. Number of Data Points of zero indicates the mean was either calculated (as for Energy) or estimated, usually from a recipe, another form of the same food, or similar food.

Common Measures:

Measure 1 = 31.2g: 1 fl oz

Measure 2 = 127g: 1 jar

Measure 3 = 131g: 1 bottle Earth's Best (4.2 fl oz)

Calories Factors: Protein 3.36

Fat 8.37

Carbohydrate 3.92

Food Group: 03 Baby Foods

USDA National Nutrient Database for Standard Reference, Release 28 (2015)

NDB No. 03168
 Babyfood, juice, apple and peach

Nutrients and Units	Amount in 100 grams of edible portion				Amount in edible portion of common measures of food				
	Mean	Std. Error	Number of Data Points	Deriv Code	Source Code	Confidence Code	Measure 1	Measure 2	Measure 3
Lipids:									
Fatty acids, total saturated.....g	0.018		0		4		0.006	0.023	
4:0.....g	0.000		0		4		0.000	0.000	
6:0.....g	0.000		0		4		0.000	0.000	
8:0.....g	0.000		0		4		0.000	0.000	
10:0.....g	0.000		0		4		0.000	0.000	
12:0.....g	0.000		0		4		0.000	0.000	
13:0.....g									
14:0.....g	0.000		0		4		0.000	0.000	
15:0.....g									
16:0.....g	0.016		0		4		0.005	0.020	
17:0.....g									
18:0.....g	0.002		0		4		0.001	0.003	
20:0.....g									
22:0.....g									
24:0.....g									
Fatty acids, total monounsaturated.....g	0.002		0		4		0.001	0.003	
14:1.....g									
15:1.....g									
16:1 undifferentiated.....g	0.000		0		4		0.000	0.000	
17:1.....g									
18:1 undifferentiated.....g	0.002		0		4		0.001	0.003	
20:1.....g	0.000		0		4		0.000	0.000	
22:1 undifferentiated.....g	0.000		0		4		0.000	0.000	
24:1 c.....g									
Fatty acids, total polyunsaturated.....g	0.031		0		4		0.010	0.039	
18:2 undifferentiated.....g	0.027		0		4		0.008	0.034	
18:3 undifferentiated.....g	0.004		0		4		0.001	0.005	
18:4.....g	0.000		0		4		0.000	0.000	
20:2 n-6 c,c.....g									
20:3 undifferentiated.....g									
20:4 undifferentiated.....g	0.000		0		4		0.000	0.000	
20:5 n-3 (EPA).....g	0.000		0		4		0.000	0.000	
21:5.....g									
22:4.....g									
22:5 n-3 (DPA).....g	0.000		0		4		0.000	0.000	
22:6 n-3 (DHA).....g	0.000		0		4		0.000	0.000	
Fatty acids, total trans.....g									
Cholesterol.....mg	0		0		7		0	0	
Phytosterols.....mg									
Others:									
Alcohol, ethyl.....g	0.0		0		7		0.0	0.0	
Caffeine.....mg	0		0	FLA	4		0	0	
Theobromine.....mg	0		0	FLA	4		0	0	

Blanks in the Mean column indicate lack of reliable data. The Number of Data Points column is the number of analyses upon which the mean is based. Number of Data Points of zero indicates the mean was either calculated (as for Energy) or estimated, usually from a recipe, another form of the same food, or similar food.

Common Measures:

Measure 1 = 31.2g: 1 fl oz

Measure 2 = 127g: 1 jar

Calories Factors: Protein 3.36

Fat 8.37

Carbohydrate 3.92

Food Group: 03 Baby Foods

USDA National Nutrient Database for Standard Reference, Release 28 (2015)

NDB No. 03170
 Babyfood, juice, apple and plum

Nutrients and Units	Amount in 100 grams of edible portion				Amount in edible portion of common measures of food				
	Mean	Std. Error	Number of Data Points	Deriv Code	Source Code	Confidence Code	Measure 1	Measure 2	Measure 3
Lipids:									
Fatty acids, total saturated.....g	0.000		0		7		0.000	0.000	
4:0.....g	0.000		0		4		0.000	0.000	
6:0.....g	0.000		0		4		0.000	0.000	
8:0.....g	0.000		0		4		0.000	0.000	
10:0.....g	0.000		0		4		0.000	0.000	
12:0.....g	0.000		0		4		0.000	0.000	
13:0.....g									
14:0.....g	0.000		0		4		0.000	0.000	
15:0.....g									
16:0.....g	0.000		0		4		0.000	0.000	
17:0.....g									
18:0.....g	0.000		0		4		0.000	0.000	
20:0.....g									
22:0.....g									
24:0.....g									
Fatty acids, total monounsaturated.....g	0.000		0		7		0.000	0.000	
14:1.....g									
15:1.....g									
16:1 undifferentiated.....g	0.000		0		4		0.000	0.000	
17:1.....g									
18:1 undifferentiated.....g	0.000		0		4		0.000	0.000	
20:1.....g	0.000		0		4		0.000	0.000	
22:1 undifferentiated.....g	0.000		0		4		0.000	0.000	
24:1 c.....g									
Fatty acids, total polyunsaturated.....g	0.000		0		7		0.000	0.000	
18:2 undifferentiated.....g	0.000		0		4		0.000	0.000	
18:3 undifferentiated.....g	0.000		0		4		0.000	0.000	
18:4.....g	0.000		0		4		0.000	0.000	
20:2 n-6 c,c.....g									
20:3 undifferentiated.....g									
20:4 undifferentiated.....g	0.000		0		4		0.000	0.000	
20:5 n-3 (EPA).....g	0.000		0		4		0.000	0.000	
21:5.....g									
22:4.....g									
22:5 n-3 (DPA).....g	0.000		0		4		0.000	0.000	
22:6 n-3 (DHA).....g	0.000		0		4		0.000	0.000	
Fatty acids, total trans.....g									
Cholesterol.....mg	0		0		7		0	0	
Phytosterols.....mg									
Others:									
Alcohol, ethyl.....g	0.0		0		7		0.0	0.0	
Caffeine.....mg	0		0	FLA	4		0	0	
Theobromine.....mg	0		0	FLA	4		0	0	

Blanks in the Mean column indicate lack of reliable data. The Number of Data Points column is the number of analyses upon which the mean is based. Number of Data Points of zero indicates the mean was either calculated (as for Energy) or estimated, usually from a recipe, another form of the same food, or similar food.

Common Measures:

Measure 1 = 31.2g: 1 fl oz

Measure 2 = 127g: 1 jar

Calories Factors: Protein 3.36

Fat 8.37

Carbohydrate 3.92

Food Group: 03 Baby Foods

USDA National Nutrient Database for Standard Reference, Release 28 (2015)

NDB No. 03171
 Babyfood, juice, apple and prune

Nutrients and Units	Amount in 100 grams of edible portion				Amount in edible portion of common measures of food				
	Mean	Std. Error	Number of Data Points		Source Code	Confidence Code	Measure 1	Measure 2	Measure 3
			Deriv Code	Points					
Lipids:									
Fatty acids, total saturated.....g	0.018		0		4		0.006	0.023	0.023
4:0.....g	0.000		0		4		0.000	0.000	0.000
6:0.....g	0.000		0		4		0.000	0.000	0.000
8:0.....g	0.000		0		4		0.000	0.000	0.000
10:0.....g	0.000		0		4		0.000	0.000	0.000
12:0.....g	0.000		0		4		0.000	0.000	0.000
13:0.....g									
14:0.....g	0.000		0		4		0.000	0.000	0.000
15:0.....g									
16:0.....g	0.016		0		4		0.005	0.020	0.020
17:0.....g									
18:0.....g	0.002		0		4		0.001	0.003	0.003
20:0.....g									
22:0.....g									
24:0.....g									
Fatty acids, total monounsaturated.....g	0.006		0		4		0.002	0.008	0.008
14:1.....g									
15:1.....g									
16:1 undifferentiated.....g	0.000		0		4		0.000	0.000	0.000
17:1.....g									
18:1 undifferentiated.....g	0.006		0		4		0.002	0.008	0.008
20:1.....g	0.000		0		4		0.000	0.000	0.000
22:1 undifferentiated.....g	0.000		0		4		0.000	0.000	0.000
24:1 c.....g									
Fatty acids, total polyunsaturated.....g	0.031		0		4		0.010	0.039	0.039
18:2 undifferentiated.....g	0.027		0		4		0.008	0.034	0.034
18:3 undifferentiated.....g	0.004		0		4		0.001	0.005	0.005
18:4.....g	0.000		0		4		0.000	0.000	0.000
20:2 n-6 c,c.....g									
20:3 undifferentiated.....g									
20:4 undifferentiated.....g	0.000		0		4		0.000	0.000	0.000
20:5 n-3 (EPA).....g	0.000		0		4		0.000	0.000	0.000
21:5.....g									
22:4.....g									
22:5 n-3 (DPA).....g	0.000		0		4		0.000	0.000	0.000
22:6 n-3 (DHA).....g	0.000		0		4		0.000	0.000	0.000
Fatty acids, total trans.....g									
Cholesterol.....mg	0		0		7		0	0	0
Phytosterols.....mg									
Others:									
Alcohol, ethyl.....g	0.0		0		7		0.0	0.0	0.0
Caffeine.....mg	0		0	FLA	4		0	0	0
Theobromine.....mg	0		0	FLA	4		0	0	0

Blanks in the Mean column indicate lack of reliable data. The Number of Data Points column is the number of analyses upon which the mean is based. Number of Data Points of zero indicates the mean was either calculated (as for Energy) or estimated, usually from a recipe, another form of the same food, or similar food.

Common Measures:

- Measure 1 = 31.2g: 1 fl oz
- Measure 2 = 127g: 1 jar
- Measure 3 = 125g: 1 bottle (4 fl oz)

Calories Factors: Protein 3.36

Fat 8.37

Carbohydrate 3.92

Food Group: 03 Baby Foods

USDA National Nutrient Database for Standard Reference, Release 28 (2015)

NDB No. 03269
 Babyfood, juice, apple, with calcium

Nutrients and Units	Amount in 100 grams of edible portion				Amount in edible portion of common measures of food				
	Mean	Std. Error	Number of Data Points	Deriv Code	Source Code	Confidence Code	Measure 1	Measure 2	Measure 3
Lipids:									
Fatty acids, total saturated.....g	0.018		0	FLM	4		0.034		
4:0.....g	0.000		0	FLM	4		0.000		
6:0.....g	0.000		0	FLM	4		0.000		
8:0.....g	0.000		0	FLM	4		0.000		
10:0.....g	0.000		0	FLM	4		0.000		
12:0.....g	0.000		0	FLM	4		0.000		
13:0.....g									
14:0.....g	0.001		0	FLM	4		0.002		
15:0.....g									
16:0.....g	0.014		0	FLM	4		0.026		
17:0.....g									
18:0.....g	0.002		0	FLM	4		0.004		
20:0.....g									
22:0.....g									
24:0.....g									
Fatty acids, total monounsaturated.....g	0.005		0	FLM	4		0.009		
14:1.....g									
15:1.....g									
16:1 undifferentiated.....g	0.000		0	FLM	4		0.000		
17:1.....g									
18:1 undifferentiated.....g	0.004		0	FLM	4		0.008		
20:1.....g	0.000		0	FLM	4		0.000		
22:1 undifferentiated.....g	0.000		0	FLM	4		0.000		
24:1 c.....g									
Fatty acids, total polyunsaturated.....g	0.032		0	FLM	4		0.060		
18:2 undifferentiated.....g	0.027		0	FLM	4		0.051		
18:3 undifferentiated.....g	0.006		0	FLM	4		0.011		
18:4.....g	0.000		0	FLM	4		0.000		
20:2 n-6 c,c.....g									
20:3 undifferentiated.....g									
20:4 undifferentiated.....g	0.000		0	FLM	4		0.000		
20:5 n-3 (EPA).....g	0.000		0	FLM	4		0.000		
21:5.....g									
22:4.....g									
22:5 n-3 (DPA).....g	0.000		0	FLM	4		0.000		
22:6 n-3 (DHA).....g	0.000		0	FLM	4		0.000		
Fatty acids, total trans.....g									
Cholesterol.....mg	0		0	FLM	4		0		
Phytosterols.....mg									
Others:									
Alcohol, ethyl.....g	0.0		0	Z	7		0.0		
Caffeine.....mg	0		0	FLA	4		0		
Theobromine.....mg	0		0	FLA	4		0		

Blanks in the Mean column indicate lack of reliable data. The Number of Data Points column is the number of analyses upon which the mean is based. Number of Data Points of zero indicates the mean was either calculated (as for Energy) or estimated, usually from a recipe, another form of the same food, or similar food.

Common Measures:

Measure 1 = 189g: 1 serving

Calories Factors: Protein

Fat

Carbohydrate

Food Group: 03 Baby Foods

USDA National Nutrient Database for Standard Reference, Release 28 (2015)

NDB No. 42266
 Babyfood, juice, apple-sweet potato

Nutrients and Units	Amount in 100 grams of edible portion				Amount in edible portion of common measures of food				
	Mean	Std. Error	Number of Data Points	Deriv Code	Source Code	Confidence Code	Measure 1	Measure 2	Measure 3
Lipids:									
Fatty acids, total saturated.....g	0.030		0		4		0.009		0.074
4:0.....g	0.000		0		4		0.000		0.000
6:0.....g	0.000		0		4		0.000		0.000
8:0.....g	0.000		0		4		0.000		0.000
10:0.....g	0.000		0		4		0.000		0.000
12:0.....g	0.000		0		4		0.000		0.000
13:0.....g									
14:0.....g	0.000		0		4		0.000		0.000
15:0.....g									
16:0.....g	0.025		0		4		0.008		0.062
17:0.....g									
18:0.....g	0.003		0		4		0.001		0.007
20:0.....g									
22:0.....g									
24:0.....g									
Fatty acids, total monounsaturated.....g	0.010		0		4		0.003		0.025
14:1.....g									
15:1.....g									
16:1 undifferentiated.....g	0.000		0		4		0.000		0.000
17:1.....g									
18:1 undifferentiated.....g	0.006		0		4		0.002		0.015
20:1.....g	0.000		0		4		0.000		0.000
22:1 undifferentiated.....g	0.000		0		4		0.000		0.000
24:1 c.....g									
Fatty acids, total polyunsaturated.....g	0.050		0		4		0.015		0.123
18:2 undifferentiated.....g	0.046		0		4		0.014		0.113
18:3 undifferentiated.....g	0.009		0		4		0.003		0.022
18:4.....g	0.000		0		4		0.000		0.000
20:2 n-6 c,c.....g									
20:3 undifferentiated.....g									
20:4 undifferentiated.....g	0.000		0		4		0.000		0.000
20:5 n-3 (EPA).....g	0.000		0		4		0.000		0.000
21:5.....g									
22:4.....g									
22:5 n-3 (DPA).....g	0.000		0		4		0.000		0.000
22:6 n-3 (DHA).....g	0.000		0		4		0.000		0.000
Fatty acids, total trans.....g									
Cholesterol.....mg	0		0		7		0		0
Phytosterols.....mg									
Others:									
Alcohol, ethyl.....g	0.0		0		7		0.0		0.0
Caffeine.....mg	0		0	FLA	4		0		0
Theobromine.....mg	0		0	FLA	4		0		0

Blanks in the Mean column indicate lack of reliable data. The Number of Data Points column is the number of analyses upon which the mean is based. Number of Data Points of zero indicates the mean was either calculated (as for Energy) or estimated, usually from a recipe, another form of the same food, or similar food.

Common Measures:

Measure 1 = 30.8g: 1 fl oz
 Measure 3 = 246g: 1 bottle NFS

Calories Factors: Protein

Fat

Carbohydrate

Food Group: 03 Baby Foods

USDA National Nutrient Database for Standard Reference, Release 28 (2015)

NDB No. 03267

Babyfood, juice, fruit punch, with calcium

Nutrients and Units	Amount in 100 grams of edible portion				Amount in edible portion of common measures of food				
	Mean	Std. Error	Number of Data Points	Deriv Code	Source Code	Confidence Code	Measure 1	Measure 2	Measure 3
Lipids:									
Fatty acids, total saturated.....g	0.020		0	FLM	4		0.006		
4:0.....g	0.000		0	FLM	4		0.000		
6:0.....g	0.000		0	FLM	4		0.000		
8:0.....g	0.000		0	FLM	4		0.000		
10:0.....g	0.000		0	FLM	4		0.000		
12:0.....g	0.000		0	FLM	4		0.000		
13:0.....g									
14:0.....g	0.001		0	FLM	4		0.000		
15:0.....g									
16:0.....g	0.016		0	FLM	4		0.005		
17:0.....g									
18:0.....g	0.002		0	FLM	4		0.001		
20:0.....g									
22:0.....g									
24:0.....g									
Fatty acids, total monounsaturated.....g	0.004		0	FLM	4		0.001		
14:1.....g									
15:1.....g									
16:1 undifferentiated.....g	0.000		0	FLM	4		0.000		
17:1.....g									
18:1 undifferentiated.....g	0.004		0	FLM	4		0.001		
20:1.....g	0.000		0	FLM	4		0.000		
22:1 undifferentiated.....g	0.000		0	FLM	4		0.000		
24:1 c.....g									
Fatty acids, total polyunsaturated.....g	0.029		0	FLM	4		0.009		
18:2 undifferentiated.....g	0.025		0	FLM	4		0.008		
18:3 undifferentiated.....g	0.006		0	FLM	4		0.002		
18:4.....g	0.000		0	FLM	4		0.000		
20:2 n-6 c,c.....g									
20:3 undifferentiated.....g									
20:4 undifferentiated.....g	0.000		0	FLM	4		0.000		
20:5 n-3 (EPA).....g	0.000		0	FLM	4		0.000		
21:5.....g									
22:4.....g									
22:5 n-3 (DPA).....g	0.000		0	FLM	4		0.000		
22:6 n-3 (DHA).....g	0.000		0	FLM	4		0.000		
Fatty acids, total trans.....g									
Cholesterol.....mg	0		0	FLM	4		0		
Phytosterols.....mg									
Others:									
Alcohol, ethyl.....g	0.0		0	FLM	4		0.0		
Caffeine.....mg	0		0	FLA	4		0		
Theobromine.....mg	0		0	FLA	4		0		

Blanks in the Mean column indicate lack of reliable data. The Number of Data Points column is the number of analyses upon which the mean is based. Number of Data Points of zero indicates the mean was either calculated (as for Energy) or estimated, usually from a recipe, another form of the same food, or similar food.

Common Measures:

Measure 1 = 31.2g; 1 fl oz

Calories Factors: Protein

Fat

Carbohydrate

Food Group: 03 Baby Foods

USDA National Nutrient Database for Standard Reference, Release 28 (2015)

NDB No. 03179
 Babyfood, juice, mixed fruit

Nutrients and Units	Amount in 100 grams of edible portion				Amount in edible portion of common measures of food			
	Mean	Std. Error	Number		Measure 1	Measure 2	Measure 3	
			of Data Points	Deriv Code				Source Code
Lipids:								
Fatty acids, total saturated.....g	0.015		0		4	0.005	0.019	0.019
4:0.....g	0.000		0		4	0.000	0.000	0.000
6:0.....g	0.000		0		4	0.000	0.000	0.000
8:0.....g	0.000		0		4	0.000	0.000	0.000
10:0.....g	0.000		0		4	0.000	0.000	0.000
12:0.....g	0.000		0		4	0.000	0.000	0.000
13:0.....g								
14:0.....g	0.000		0		4	0.000	0.000	0.000
15:0.....g								
16:0.....g	0.013		0		4	0.004	0.017	0.016
17:0.....g								
18:0.....g	0.002		0		4	0.001	0.003	0.003
20:0.....g								
22:0.....g								
24:0.....g								
Fatty acids, total monounsaturated.....g	0.006		0		4	0.002	0.008	0.008
14:1.....g								
15:1.....g								
16:1 undifferentiated.....g	0.000		0		4	0.000	0.000	0.000
17:1.....g								
18:1 undifferentiated.....g	0.006		0		4	0.002	0.008	0.008
20:1.....g	0.000		0		4	0.000	0.000	0.000
22:1 undifferentiated.....g	0.000		0		4	0.000	0.000	0.000
24:1 c.....g								
Fatty acids, total polyunsaturated.....g	0.039		0		4	0.012	0.050	0.049
18:2 undifferentiated.....g	0.036		0		4	0.011	0.046	0.045
18:3 undifferentiated.....g	0.003		0		4	0.001	0.004	0.004
18:4.....g	0.000		0		4	0.000	0.000	0.000
20:2 n-6 c,c.....g								
20:3 undifferentiated.....g								
20:4 undifferentiated.....g	0.000		0		4	0.000	0.000	0.000
20:5 n-3 (EPA).....g	0.000		0		4	0.000	0.000	0.000
21:5.....g								
22:4.....g								
22:5 n-3 (DPA).....g	0.000		0		4	0.000	0.000	0.000
22:6 n-3 (DHA).....g	0.000		0		4	0.000	0.000	0.000
Fatty acids, total trans.....g								
Cholesterol.....mg	0		0		7	0	0	0
Phytosterols.....mg								
Others:								
Alcohol, ethyl.....g	0.0		0		7	0.0	0.0	0.0
Caffeine.....mg	0		0	BFSN	4	0	0	0
Theobromine.....mg	0		0	BFSN	4	0	0	0

Blanks in the Mean column indicate lack of reliable data. The Number of Data Points column is the number of analyses upon which the mean is based. Number of Data Points of zero indicates the mean was either calculated (as for Energy) or estimated, usually from a recipe, another form of the same food, or similar food.

Common Measures:

- Measure 1 = 31.2g: 1 fl oz
- Measure 2 = 127g: 1 jar
- Measure 3 = 125g: 1 bottle (4 fl oz)

Calories Factors: Protein 3.36

Fat 8.37

Carbohydrate 3.92

Food Group: 03 Baby Foods

USDA National Nutrient Database for Standard Reference, Release 28 (2015)

NDB No. 03172
Babyfood, juice, orange

Nutrients and Units	Amount in 100 grams of edible portion				Amount in edible portion of common measures of food				
	Mean	Std. Error	Number of Data Points		Source Code	Confidence Code	Measure 1	Measure 2	Measure 3
			Deriv Code	Points					
Lipids:									
Fatty acids, total saturated.....g	0.035		0		4		0.011	0.044	0.044
4:0.....g	0.000		0		4		0.000	0.000	0.000
6:0.....g	0.000		0		4		0.000	0.000	0.000
8:0.....g	0.000		0		4		0.000	0.000	0.000
10:0.....g	0.000		0		4		0.000	0.000	0.000
12:0.....g	0.000		0		4		0.000	0.000	0.000
13:0.....g									
14:0.....g	0.000		0		4		0.000	0.000	0.000
15:0.....g									
16:0.....g	0.035		0		4		0.011	0.044	0.044
17:0.....g									
18:0.....g	0.000		0		4		0.000	0.000	0.000
20:0.....g									
22:0.....g									
24:0.....g									
Fatty acids, total monounsaturated.....g	0.050		0		4		0.016	0.064	0.063
14:1.....g									
15:1.....g									
16:1 undifferentiated.....g	0.005		0		4		0.002	0.006	0.006
17:1.....g									
18:1 undifferentiated.....g	0.045		0		4		0.014	0.057	0.056
20:1.....g	0.000		0		4		0.000	0.000	0.000
22:1 undifferentiated.....g	0.000		0		4		0.000	0.000	0.000
24:1 c.....g									
Fatty acids, total polyunsaturated.....g	0.060		0		4		0.019	0.076	0.075
18:2 undifferentiated.....g	0.045		0		4		0.014	0.057	0.056
18:3 undifferentiated.....g	0.015		0		4		0.005	0.019	0.019
18:4.....g	0.000		0		4		0.000	0.000	0.000
20:2 n-6 c,c.....g									
20:3 undifferentiated.....g									
20:4 undifferentiated.....g	0.000		0		4		0.000	0.000	0.000
20:5 n-3 (EPA).....g	0.000		0		4		0.000	0.000	0.000
21:5.....g									
22:4.....g									
22:5 n-3 (DPA).....g	0.000		0		4		0.000	0.000	0.000
22:6 n-3 (DHA).....g	0.000		0		4		0.000	0.000	0.000
Fatty acids, total trans.....g									
Cholesterol.....mg	0		0		7		0	0	0
Phytosterols.....mg									
Others:									
Alcohol, ethyl.....g	0.0		0		7		0.0	0.0	0.0
Caffeine.....mg	0		0	BFSN	4		0	0	0
Theobromine.....mg	0		0	BFSN	4		0	0	0

Blanks in the Mean column indicate lack of reliable data. The Number of Data Points column is the number of analyses upon which the mean is based. Number of Data Points of zero indicates the mean was either calculated (as for Energy) or estimated, usually from a recipe, another form of the same food, or similar food.

Common Measures:

Measure 1 = 31.2g: 1 fl oz

Measure 2 = 127g: 1 jar

Measure 3 = 125g: 1 bottle Heinz Strained (4 fl oz)

Calories Factors: Protein 3.36

Fat 8.37

Carbohydrate 3.92

Food Group: 03 Baby Foods

USDA National Nutrient Database for Standard Reference, Release 28 (2015)

NDB No. 03173

Babyfood, juice, orange and apple

Refuse:0%

Nutrients and Units	Amount in 100 grams of edible portion				Amount in edible portion of common measures of food				
	Mean	Std. Error	Number of Data Points	Deriv Code	Source Code	Confidence Code	Measure 1	Measure 2	Measure 3
Proximates:									
Water.....g	88.90	0.800	3		1		27.74	112.90	
Energy.....kcal	43		0	NC	4		13	55	
Energy.....kJ	180		0		4		56	228	
Protein (N x 6.25).....g	0.40		11		1		0.12	0.51	
Total lipid (fat).....g	0.20		7		1		0.06	0.25	
Ash.....g	0.40		1		1		0.12	0.51	
Carbohydrate, by difference.....g	10.10		0	NC	4		3.15	12.83	
Fiber, total dietary.....g									
Sugars, total.....g									
Starch.....g									
Minerals:									
Calcium, Ca.....mg	10		4		1		3	13	
Iron, Fe.....mg	0.20		6		1		0.06	0.25	
Magnesium, Mg.....mg	5		2		1		2	6	
Phosphorus, P.....mg	7		2		1		2	9	
Potassium, K.....mg	138		2		1		43	175	
Sodium, Na.....mg	3		6		1		1	4	
Zinc, Zn.....mg	0.03		2		1		0.01	0.03	
Copper, Cu.....mg	0.040		0		4		0.012	0.051	
Manganese, Mn.....mg									
Selenium, Se.....µg	0.1		0	BFZN	4		0.0	0.1	
Vitamins:									
Vitamin C, total ascorbic acid.....mg	76.9		2		1		24.0	97.7	
Thiamin.....mg	0.038		6		1		0.012	0.048	
Riboflavin.....mg	0.028		10		1		0.009	0.036	
Niacin.....mg	0.185		6		1		0.058	0.235	
Pantothenic acid.....mg	0.120		0		4		0.037	0.152	
Vitamin B-6.....mg	0.038		6		1		0.012	0.048	
Folate, total.....µg	12	0.400	3		1		4	15	
Folic acid.....µg	0		0	Z	7		0	0	
Folate, food.....µg	12	0.400	3		1		4	15	
Folate, DFE.....µg	12		0	NC	4		4	15	
Choline, total.....mg									
Betaine.....mg									
Vitamin B-12.....µg	0.00		0		4		0.00	0.00	
Vitamin A, RAE.....µg	4		0	NC	4		1	5	
Retinol.....µg	0		0	Z	7		0	0	
Carotene, beta.....µg									
Carotene, alpha.....µg									
Cryptoxanthin, beta.....µg									
Vitamin A, IU.....IU	73	28.000	4		1		23	93	
Lycopene.....µg									
Lutein + zeaxanthin.....µg									
Vitamin E (alpha-tocopherol).....mg									
Tocopherol, beta.....mg									
Tocopherol, gamma.....mg									
Tocopherol, delta.....mg									
Tocotrienol, alpha.....mg									
Tocotrienol, beta.....mg									
Tocotrienol, gamma.....mg									
Tocotrienol, delta.....mg									
Vitamin D (D2 + D3).....µg									
Vitamin D.....IU									
Vitamin K (phylloquinone).....µg									
Dihydrophylloquinone.....µg									
Menaquinone-4.....µg									

Blanks in the Mean column indicate lack of reliable data. The Number of Data Points column is the number of analyses upon which the mean is based.

NDB No. 03173
Babyfood, juice, orange and apple

Nutrients and Units	<u>Amount in 100 grams of edible portion</u>				<u>Amount in edible portion of common measures of food</u>			
	Mean	Std. Error	Number of Data Points	Deriv Code	Source Code	Confidence Code	Measure 1	Measure 2

Number of Data Points of zero indicates the mean was either calculated (as for Energy) or estimated, usually from a recipe, another form of the same food, or similar food.

Common Measures:

Measure 1 = 31.2g: 1 fl oz

Measure 2 = 127g: 1 jar

Calories Factors: Protein 3.36

Fat 8.37

Carbohydrate3.92

Food Group: 03 Baby Foods

USDA National Nutrient Database for Standard Reference, Release 28 (2015)

Nutrients and Units	Amount in 100 grams of edible portion				Amount in edible portion of common measures of food				
	Mean	Std. Error	Number of Data Points	Deriv Code	Source Code	Confidence Code	Measure 1	Measure 2	Measure 3
Lipids:									
Fatty acids, total saturated.....g	0.016		0		4		0.005	0.020	0.020
4:0.....g	0.000		0		4		0.000	0.000	0.000
6:0.....g	0.000		0		4		0.000	0.000	0.000
8:0.....g	0.000		0		4		0.000	0.000	0.000
10:0.....g	0.000		0		4		0.000	0.000	0.000
12:0.....g	0.000		0		4		0.000	0.000	0.000
13:0.....g									
14:0.....g	0.000		0		4		0.000	0.000	0.000
15:0.....g									
16:0.....g	0.014		0		4		0.004	0.018	0.018
17:0.....g									
18:0.....g	0.001		0		4		0.000	0.001	0.001
20:0.....g									
22:0.....g									
24:0.....g									
Fatty acids, total monounsaturated.....g	0.007		0		4		0.002	0.009	0.009
14:1.....g									
15:1.....g									
16:1 undifferentiated.....g	0.001		0		4		0.000	0.001	0.001
17:1.....g									
18:1 undifferentiated.....g	0.007		0		4		0.002	0.009	0.009
20:1.....g	0.000		0		4		0.000	0.000	0.000
22:1 undifferentiated.....g	0.000		0		4		0.000	0.000	0.000
24:1 c.....g									
Fatty acids, total polyunsaturated.....g	0.027		0		4		0.008	0.034	0.034
18:2 undifferentiated.....g	0.022		0		4		0.007	0.028	0.028
18:3 undifferentiated.....g	0.004		0		4		0.001	0.005	0.005
18:4.....g	0.000		0		4		0.000	0.000	0.000
20:2 n-6 c,c.....g									
20:3 undifferentiated.....g									
20:4 undifferentiated.....g	0.000		0		4		0.000	0.000	0.000
20:5 n-3 (EPA).....g	0.000		0		4		0.000	0.000	0.000
21:5.....g									
22:4.....g									
22:5 n-3 (DPA).....g	0.000		0		4		0.000	0.000	0.000
22:6 n-3 (DHA).....g	0.000		0		4		0.000	0.000	0.000
Fatty acids, total trans.....g									
Cholesterol.....mg	0		0		7		0	0	0
Phytosterols.....mg									
Others:									
Alcohol, ethyl.....g	0.0		0		7		0.0	0.0	0.0
Caffeine.....mg	0		0	FLA	4		0	0	0
Theobromine.....mg	0		0	FLA	4		0	0	0

Blanks in the Mean column indicate lack of reliable data. The Number of Data Points column is the number of analyses upon which the mean is based. Number of Data Points of zero indicates the mean was either calculated (as for Energy) or estimated, usually from a recipe, another form of the same food, or similar food.

Common Measures:

Measure 1 = 31.2g: 1 fl oz

Measure 2 = 127g: 1 jar

Measure 3 = 125g: 1 bottle Heinz Strained (4 fl oz)

Calories Factors: Protein 3.36

Fat 8.37

Carbohydrate 3.92

Food Group: 03 Baby Foods

USDA National Nutrient Database for Standard Reference, Release 28 (2015)

NDB No. 03175

Babyfood, juice, orange and apricot

Nutrients and Units	Amount in 100 grams of edible portion				Amount in edible portion of common measures of food				
	Mean	Std. Error	Number of Data Points	Deriv Code	Source Code	Confidence Code	Measure 1	Measure 2	Measure 3
Lipids:									
Fatty acids, total saturated.....g	0.011		0		4		0.003	0.014	
4:0.....g	0.000		0		4		0.000	0.000	
6:0.....g	0.000		0		4		0.000	0.000	
8:0.....g	0.000		0		4		0.000	0.000	
10:0.....g	0.000		0		4		0.000	0.000	
12:0.....g	0.000		0		4		0.000	0.000	
13:0.....g									
14:0.....g	0.000		0		4		0.000	0.000	
15:0.....g									
16:0.....g	0.010		0		4		0.003	0.013	
17:0.....g									
18:0.....g	0.000		0		4		0.000	0.000	
20:0.....g									
22:0.....g									
24:0.....g									
Fatty acids, total monounsaturated.....g	0.022		0		4		0.007	0.028	
14:1.....g									
15:1.....g									
16:1 undifferentiated.....g	0.001		0		4		0.000	0.001	
17:1.....g									
18:1 undifferentiated.....g	0.021		0		4		0.007	0.027	
20:1.....g	0.000		0		4		0.000	0.000	
22:1 undifferentiated.....g	0.000		0		4		0.000	0.000	
24:1 c.....g									
Fatty acids, total polyunsaturated.....g	0.020		0		4		0.006	0.025	
18:2 undifferentiated.....g	0.016		0		4		0.005	0.020	
18:3 undifferentiated.....g	0.004		0		4		0.001	0.005	
18:4.....g	0.000		0		4		0.000	0.000	
20:2 n-6 c,c.....g									
20:3 undifferentiated.....g									
20:4 undifferentiated.....g	0.000		0		4		0.000	0.000	
20:5 n-3 (EPA).....g	0.000		0		4		0.000	0.000	
21:5.....g									
22:4.....g									
22:5 n-3 (DPA).....g	0.000		0		4		0.000	0.000	
22:6 n-3 (DHA).....g	0.000		0		4		0.000	0.000	
Fatty acids, total trans.....g									
Cholesterol.....mg	0		0		7		0	0	
Phytosterols.....mg									
Others:									
Alcohol, ethyl.....g	0.0		0		7		0.0	0.0	
Caffeine.....mg									
Theobromine.....mg									

Blanks in the Mean column indicate lack of reliable data. The Number of Data Points column is the number of analyses upon which the mean is based. Number of Data Points of zero indicates the mean was either calculated (as for Energy) or estimated, usually from a recipe, another form of the same food, or similar food.

Common Measures:

Measure 1 = 31.2g: 1 fl oz

Measure 2 = 127g: 1 jar

Calories Factors: Protein 3.36

Fat 8.37

Carbohydrate3.92

Food Group: 03 Baby Foods

USDA National Nutrient Database for Standard Reference, Release 28 (2015)

NDB No. 03176

Babyfood, juice, orange and banana

Refuse:0%

Nutrients and Units	Amount in 100 grams of edible portion				Amount in edible portion of common measures of food				
	Mean	Std. Error	Number of Data Points	Deriv Code	Source Code	Confidence Code	Measure 1	Measure 2	Measure 3
Proximates:									
Water.....g	86.90	0.000	13		1		27.11	110.36	
Energy.....kcal	50		0	NC	4		16	64	
Energy.....kJ	209				4		65	266	
Protein (N x 6.25).....g	0.70	0.000	13		1		0.22	0.89	
Total lipid (fat).....g	0.10		13		1		0.03	0.13	
Ash.....g	0.40	0.000	13		1		0.12	0.51	
Carbohydrate, by difference.....g	11.90		0	NC	4		3.71	15.11	
Fiber, total dietary.....g									
Sugars, total.....g									
Starch.....g									
Minerals:									
Calcium, Ca.....mg	17	1.000	13		1		5	22	
Iron, Fe.....mg	0.11	0.000	13		1		0.03	0.14	
Magnesium, Mg.....mg	14		0		4		4	18	
Phosphorus, P.....mg	13		0		4		4	17	
Potassium, K.....mg	200	3.000	13		1		62	254	
Sodium, Na.....mg	3	0.000	13		1		1	4	
Zinc, Zn.....mg	0.09		0		4		0.03	0.11	
Copper, Cu.....mg	0.042		0		4		0.013	0.053	
Manganese, Mn.....mg									
Selenium, Se.....µg	0.1		0	BFZN	4		0.0	0.1	
Vitamins:									
Vitamin C, total ascorbic acid.....mg	34.0		1		1		10.6	43.2	
Thiamin.....mg	0.051	0.000	13		1		0.016	0.065	
Riboflavin.....mg	0.042	0.000	13		1		0.013	0.053	
Niacin.....mg	0.180	0.011	13		1		0.056	0.229	
Pantothenic acid.....mg	0.148		0		4		0.046	0.188	
Vitamin B-6.....mg	0.054		0		4		0.017	0.069	
Folate, total.....µg	24	1.900	3		1		8	31	
Folic acid.....µg	0		0	Z	7		0	0	
Folate, food.....µg	24	1.900	3		1		8	31	
Folate, DFE.....µg	24		0	NC	4		8	31	
Choline, total.....mg									
Betaine.....mg									
Vitamin B-12.....µg	0.00		0		4		0.00	0.00	
Vitamin A, RAE.....µg	2		0	NC	4		1	3	
Retinol.....µg	0		0	Z	7		0	0	
Carotene, beta.....µg									
Carotene, alpha.....µg									
Cryptoxanthin, beta.....µg									
Vitamin A, IU.....IU	46	3.000	13		1		14	58	
Lycopene.....µg									
Lutein + zeaxanthin.....µg									
Vitamin E (alpha-tocopherol).....mg									
Tocopherol, beta.....mg									
Tocopherol, gamma.....mg									
Tocopherol, delta.....mg									
Tocotrienol, alpha.....mg									
Tocotrienol, beta.....mg									
Tocotrienol, gamma.....mg									
Tocotrienol, delta.....mg									
Vitamin D (D2 + D3).....µg									
Vitamin D.....IU									
Vitamin K (phylloquinone).....µg									
Dihydrophylloquinone.....µg									
Menaquinone-4.....µg									

Blanks in the Mean column indicate lack of reliable data. The Number of Data Points column is the number of analyses upon which the mean is based.

NDB No. 03176

Babyfood, juice, orange and banana

Nutrients and Units	<u>Amount in 100 grams of edible portion</u>					<u>Amount in edible portion of common measures of food</u>		
	Mean	Std. Error	Number	Deriv	Source	Measure 1	Measure 2	Measure 3
			of Data	Code	Confidence			
			Points	Code	Code			

Number of Data Points of zero indicates the mean was either calculated (as for Energy) or estimated, usually from a recipe, another form of the same food, or similar food.

Common Measures:

Measure 1 = 31.2g: 1 fl oz

Measure 2 = 127g: 1 jar

Calories Factors: Protein 3.36

Fat 8.37

Carbohydrate3.92

Food Group: 03 Baby Foods

USDA National Nutrient Database for Standard Reference, Release 28 (2015)

NDB No. 03177

Babyfood, juice, orange and pineapple

Nutrients and Units	Amount in 100 grams of edible portion				Amount in edible portion of common measures of food				
	Mean	Std. Error	Number of Data Points	Deriv Code	Source Code	Confidence Code	Measure 1	Measure 2	Measure 3
Lipids:									
Fatty acids, total saturated.....g	0.010		0		4		0.003	0.013	
4:0.....g	0.000		0		4		0.000	0.000	
6:0.....g	0.000		0		4		0.000	0.000	
8:0.....g	0.000		0		4		0.000	0.000	
10:0.....g	0.000		0		4		0.000	0.000	
12:0.....g	0.000		0		4		0.000	0.000	
13:0.....g									
14:0.....g	0.000		0		4		0.000	0.000	
15:0.....g									
16:0.....g	0.009		0		4		0.003	0.011	
17:0.....g									
18:0.....g	0.001		0		4		0.000	0.001	
20:0.....g									
22:0.....g									
24:0.....g									
Fatty acids, total monounsaturated.....g	0.014		0		4		0.004	0.018	
14:1.....g									
15:1.....g									
16:1 undifferentiated.....g	0.001		0		4		0.000	0.001	
17:1.....g									
18:1 undifferentiated.....g	0.013		0		4		0.004	0.017	
20:1.....g	0.000		0		4		0.000	0.000	
22:1 undifferentiated.....g	0.000		0		4		0.000	0.000	
24:1 c.....g									
Fatty acids, total polyunsaturated.....g	0.024		0		4		0.007	0.030	
18:2 undifferentiated.....g	0.017		0		4		0.005	0.022	
18:3 undifferentiated.....g	0.008		0		4		0.002	0.010	
18:4.....g	0.000		0		4		0.000	0.000	
20:2 n-6 c,c.....g									
20:3 undifferentiated.....g									
20:4 undifferentiated.....g	0.000		0		4		0.000	0.000	
20:5 n-3 (EPA).....g	0.000		0		4		0.000	0.000	
21:5.....g									
22:4.....g									
22:5 n-3 (DPA).....g	0.000		0		4		0.000	0.000	
22:6 n-3 (DHA).....g	0.000		0		4		0.000	0.000	
Fatty acids, total trans.....g									
Cholesterol.....mg	0		0		7		0	0	
Phytosterols.....mg									
Others:									
Alcohol, ethyl.....g	0.0		0		7		0.0	0.0	
Caffeine.....mg									
Theobromine.....mg									

Blanks in the Mean column indicate lack of reliable data. The Number of Data Points column is the number of analyses upon which the mean is based. Number of Data Points of zero indicates the mean was either calculated (as for Energy) or estimated, usually from a recipe, another form of the same food, or similar food.

Common Measures:

Measure 1 = 31.2g: 1 fl oz

Measure 2 = 127g: 1 jar

Calories Factors: Protein 3.36

Fat 8.37

Carbohydrate 3.92

Food Group: 03 Baby Foods

USDA National Nutrient Database for Standard Reference, Release 28 (2015)

NDB No. 42267
 Babyfood, juice, orange-carrot

Nutrients and Units	Amount in 100 grams of edible portion				Amount in edible portion of common measures of food				
	Mean	Std. Error	Number of Data Points		Source Code	Confidence Code	Measure 1	Measure 2	Measure 3
			Deriv Code	Points					
Lipids:									
Fatty acids, total saturated.....g	0.010		0		4		0.003		0.025
4:0.....g	0.000		0		4		0.000		0.000
6:0.....g	0.000		0		4		0.000		0.000
8:0.....g	0.000		0		4		0.000		0.000
10:0.....g	0.000		0		4		0.000		0.000
12:0.....g	0.001		0		4		0.000		0.002
13:0.....g									
14:0.....g	0.001		0		4		0.000		0.002
15:0.....g									
16:0.....g	0.011		0		4		0.003		0.027
17:0.....g									
18:0.....g	0.005		0		4		0.002		0.012
20:0.....g									
22:0.....g									
24:0.....g									
Fatty acids, total monounsaturated.....g	0.010		0		4		0.003		0.025
14:1.....g									
15:1.....g									
16:1 undifferentiated.....g	0.001		0		4		0.000		0.002
17:1.....g									
18:1 undifferentiated.....g	0.010		0		4		0.003		0.025
20:1.....g	0.000		0		4		0.000		0.000
22:1 undifferentiated.....g	0.000		0		4		0.000		0.000
24:1 c.....g									
Fatty acids, total polyunsaturated.....g	0.030		0		4		0.009		0.074
18:2 undifferentiated.....g	0.025		0		4		0.008		0.062
18:3 undifferentiated.....g	0.010		0		4		0.003		0.025
18:4.....g	0.000		0		4		0.000		0.000
20:2 n-6 c,c.....g									
20:3 undifferentiated.....g									
20:4 undifferentiated.....g	0.000		0		4		0.000		0.000
20:5 n-3 (EPA).....g	0.000		0		4		0.000		0.000
21:5.....g									
22:4.....g									
22:5 n-3 (DPA).....g	0.000		0		4		0.000		0.000
22:6 n-3 (DHA).....g	0.000		0		4		0.000		0.000
Fatty acids, total trans.....g									
Cholesterol.....mg	0		0		7		0		0
Phytosterols.....mg									
Others:									
Alcohol, ethyl.....g	0.0		0	FLA	4		0.0		0.0
Caffeine.....mg	0		0	FLA	4		0		0
Theobromine.....mg	0		0	FLA	4		0		0

Blanks in the Mean column indicate lack of reliable data. The Number of Data Points column is the number of analyses upon which the mean is based. Number of Data Points of zero indicates the mean was either calculated (as for Energy) or estimated, usually from a recipe, another form of the same food, or similar food.

Common Measures:

Measure 1 = 30.8g: 1 fl oz
 Measure 3 = 246g: 1 bottle NFS

Calories Factors: Protein

Fat

Carbohydrate

Food Group: 03 Baby Foods

USDA National Nutrient Database for Standard Reference, Release 28 (2015)

Nutrients and Units	Amount in 100 grams of edible portion				Amount in edible portion of common measures of food				
	Mean	Std. Error	Number of Data Points	Deriv Code	Source Code	Confidence Code	Measure 1	Measure 2	Measure 3
Lipids:									
Fatty acids, total saturated.....g	0.000		0		4		0.000	0.000	0.000
4:0.....g	0.000		0		4		0.000	0.000	0.000
6:0.....g	0.000		0		4		0.000	0.000	0.000
8:0.....g	0.000		0		4		0.000	0.000	0.000
10:0.....g	0.000		0		4		0.000	0.000	0.000
12:0.....g	0.000		0		4		0.000	0.000	0.000
13:0.....g									
14:0.....g	0.000		0		4		0.000	0.000	0.000
15:0.....g									
16:0.....g	0.000		0		4		0.000	0.000	0.000
17:0.....g									
18:0.....g	0.000		0		4		0.000	0.000	0.000
20:0.....g									
22:0.....g									
24:0.....g									
Fatty acids, total monounsaturated.....g	0.000		0		4		0.000	0.000	0.000
14:1.....g									
15:1.....g									
16:1 undifferentiated.....g	0.000		0		4		0.000	0.000	0.000
17:1.....g									
18:1 undifferentiated.....g	0.000		0		4		0.000	0.000	0.000
20:1.....g	0.000		0		4		0.000	0.000	0.000
22:1 undifferentiated.....g	0.000		0		4		0.000	0.000	0.000
24:1 c.....g									
Fatty acids, total polyunsaturated.....g	0.000		0		4		0.000	0.000	0.000
18:2 undifferentiated.....g	0.000		0		4		0.000	0.000	0.000
18:3 undifferentiated.....g	0.000		0		4		0.000	0.000	0.000
18:4.....g	0.000		0		4		0.000	0.000	0.000
20:2 n-6 c,c.....g									
20:3 undifferentiated.....g									
20:4 undifferentiated.....g	0.000		0		4		0.000	0.000	0.000
20:5 n-3 (EPA).....g	0.000		0		4		0.000	0.000	0.000
21:5.....g									
22:4.....g									
22:5 n-3 (DPA).....g	0.000		0		4		0.000	0.000	0.000
22:6 n-3 (DHA).....g	0.000		0		4		0.000	0.000	0.000
Fatty acids, total trans.....g									
Cholesterol.....mg	0		0		7		0	0	0
Phytosterols.....mg									
Others:									
Alcohol, ethyl.....g	0.0		0		7		0.0	0.0	0.0
Caffeine.....mg	0		0	BFSN	4		0	0	0
Theobromine.....mg	0		0	BFSN	4		0	0	0

Blanks in the Mean column indicate lack of reliable data. The Number of Data Points column is the number of analyses upon which the mean is based. Number of Data Points of zero indicates the mean was either calculated (as for Energy) or estimated, usually from a recipe, another form of the same food, or similar food.

Common Measures:

Measure 1 = 31.2g: 1 fl oz

Measure 2 = 131g: 1 bottle Earth's Best (4.2 fl oz)

Measure 3 = 125g: 1 bottle Heinz Strained (4 fl oz)

Calories Factors: Protein

Fat

Carbohydrate

Food Group: 03 Baby Foods

USDA National Nutrient Database for Standard Reference, Release 28 (2015)

NDB No. 03178
 Babyfood, juice, prune and orange

Refuse:0%

Nutrients and Units	Amount in 100 grams of edible portion				Amount in edible portion of common measures of food				
	Mean	Std. Error	Number of Data Points	Deriv Code	Source Code	Confidence Code	Measure 1	Measure 2	Measure 3
Proximates:									
Water.....g	81.90	0.300	18		1		25.55	104.01	
Energy.....kcal	70		0	NC	4		22	89	
Energy.....kJ	293				4		91	372	
Protein (N x 6.25).....g	0.60	0.000	19		1		0.19	0.76	
Total lipid (fat).....g	0.30	0.100	18		1		0.09	0.38	
Ash.....g	0.40	0.000	18		1		0.12	0.51	
Carbohydrate, by difference.....g	16.80		0	NC	4		5.24	21.34	
Fiber, total dietary.....g									
Sugars, total.....g									
Starch.....g									
Minerals:									
Calcium, Ca.....mg	12		14		1		4	15	
Iron, Fe.....mg	0.87	0.330	20		1		0.27	1.10	
Magnesium, Mg.....mg	8		2		1		2	10	
Phosphorus, P.....mg	10		2		1		3	13	
Potassium, K.....mg	181	1.000	15		1		56	230	
Sodium, Na.....mg	2	0.000	15		1		1	3	
Zinc, Zn.....mg	0.04		2		1		0.01	0.05	
Copper, Cu.....mg	0.046		0		4		0.014	0.058	
Manganese, Mn.....mg									
Selenium, Se.....µg	0.1		0	BFZN	4		0.0	0.1	
Vitamins:									
Vitamin C, total ascorbic acid.....mg	63.8	5.600	5		1		19.9	81.0	
Thiamin.....mg	0.044	0.000	18		1		0.014	0.056	
Riboflavin.....mg	0.120	0.005	18		1		0.037	0.152	
Niacin.....mg	0.396	0.036	18		1		0.124	0.503	
Pantothenic acid.....mg	0.137		0		4		0.043	0.174	
Vitamin B-6.....mg	0.061	0.000	6		1		0.019	0.077	
Folate, total.....µg	13	0.300	3		1		4	17	
Folic acid.....µg	0		0	Z	7		0	0	
Folate, food.....µg	13	0.300	3		1		4	17	
Folate, DFE.....µg	13		0	NC	4		4	17	
Choline, total.....mg									
Betaine.....mg									
Vitamin B-12.....µg	0.00		0		4		0.00	0.00	
Vitamin A, RAE.....µg	7		0	NC	4		2	8	
Retinol.....µg	0		0	Z	7		0	0	
Carotene, beta.....µg									
Carotene, alpha.....µg									
Cryptoxanthin, beta.....µg									
Vitamin A, IU.....IU	131		14		1		41	166	
Lycopene.....µg									
Lutein + zeaxanthin.....µg									
Vitamin E (alpha-tocopherol).....mg									
Tocopherol, beta.....mg									
Tocopherol, gamma.....mg									
Tocopherol, delta.....mg									
Tocotrienol, alpha.....mg									
Tocotrienol, beta.....mg									
Tocotrienol, gamma.....mg									
Tocotrienol, delta.....mg									
Vitamin D (D2 + D3).....µg									
Vitamin D.....IU									
Vitamin K (phylloquinone).....µg									
Dihydrophylloquinone.....µg									
Menaquinone-4.....µg									

Blanks in the Mean column indicate lack of reliable data. The Number of Data Points column is the number of analyses upon which the mean is based.

NDB No. 03178
Babyfood, juice, prune and orange

Nutrients and Units	<u>Amount in 100 grams of edible portion</u>				<u>Amount in edible portion of common measures of food</u>		
	Mean	Std. Error	Number	Source	Measure 1	Measure 2	Measure 3
			of Data Points	Confidence Code			

Number of Data Points of zero indicates the mean was either calculated (as for Energy) or estimated, usually from a recipe, another form of the same food, or similar food.

Common Measures:
Measure 1 = 31.2g: 1 fl oz
Measure 2 = 127g: 1 jar

Calories Factors: Protein 3.36 **Fat** 8.37 **Carbohydrate**3.92

Food Group: 03 Baby Foods
USDA National Nutrient Database for Standard Reference, Release 28 (2015)

NDB No. 03048

Babyfood, macaroni and cheese, toddler

Nutrients and Units	Amount in 100 grams of edible portion				Amount in edible portion of common measures of food				
	Mean	Std. Error	Number of Data Points	Deriv Code	Source Code	Confidence Code	Measure 1	Measure 2	Measure 3
Tocotrienol, delta.....mg									
Vitamin D (D2 + D3).....µg	0.0		0	AS	1		0.0		
Vitamin D.....IU	2		0	FLA	4		2		
Vitamin K (phylloquinone).....µg	0.2		0	FLA	4		0.2		
Dihydrophyloquinone.....µg	0.0		0	FLA	4		0.0		
Menaquinone-4.....µg									
Lipids:									
Fatty acids, total saturated.....g	1.530		0		4		1.729		
4:0.....g	0.074		0		4		0.084		
6:0.....g	0.038		0		4		0.043		
8:0.....g	0.020		0		4		0.023		
10:0.....g	0.043		0		4		0.049		
12:0.....g	0.038		0		4		0.043		
13:0.....g	0.000		0	FLA	4		0.000		
14:0.....g	0.237		0		4		0.268		
15:0.....g	0.000		0	FLA	4		0.000		
16:0.....g	0.727		0		4		0.822		
17:0.....g	0.000		0	FLA	4		0.000		
18:0.....g	0.289		0		4		0.327		
20:0.....g	0.000		0	FLA	4		0.000		
22:0.....g	0.000		0	FLA	4		0.000		
24:0.....g	0.000		0	FLA	4		0.000		
Fatty acids, total monounsaturated.....g	0.700		0		4		0.791		
14:1.....g	0.000		0	FLA	4		0.000		
15:1.....g	0.000		0	FLA	4		0.000		
16:1 undifferentiated.....g	0.071		0		4		0.080		
17:1.....g	0.000		0	FLA	4		0.000		
18:1 undifferentiated.....g	0.591		0		4		0.668		
20:1.....g	0.000		0		4		0.000		
22:1 undifferentiated.....g	0.000		0		4		0.000		
24:1 c.....g	0.000		0	FLA	4		0.000		
Fatty acids, total polyunsaturated.....g	0.170		0		4		0.192		
18:2 undifferentiated.....g	0.131		0		4		0.148		
18:3 undifferentiated.....g	0.035		0		4		0.040		
18:4.....g	0.000		0		4		0.000		
20:2 n-6 c,c.....g	0.000		0	FLA	4		0.000		
20:3 undifferentiated.....g	0.000		0	FLA	4		0.000		
20:4 undifferentiated.....g	0.000		0		4		0.000		
20:5 n-3 (EPA).....g	0.000		0		4		0.000		
21:5.....g									
22:4.....g									
22:5 n-3 (DPA).....g	0.000		0		4		0.000		
22:6 n-3 (DHA).....g	0.000		0		4		0.000		
Fatty acids, total trans.....g	0.000		0	FLA	4		0.000		
Cholesterol.....mg	7		0		4		8		
Phytosterols.....mg									
Others:									
Alcohol, ethyl.....g	0.0		0		4		0.0		
Caffeine.....mg	0		0	Z	7		0		
Theobromine.....mg	0		0	Z	7		0		

Blanks in the Mean column indicate lack of reliable data. The Number of Data Points column is the number of analyses upon which the mean is based. Number of Data Points of zero indicates the mean was either calculated (as for Energy) or estimated, usually from a recipe, another form of the same food, or similar food.

Common Measures:

Measure 1 = 113g: 1 container

Calories Factors: Protein

Fat

Carbohydrate

NDB No. 03048

Babyfood, macaroni and cheese, toddler

Food Group: 03 Baby Foods

USDA National Nutrient Database for Standard Reference, Release 28 (2015)

NDB No. 03959

Babyfood, mashed cheddar potatoes and broccoli, toddlers

Refuse:0%

Nutrients and Units	Amount in 100 grams of edible portion				Amount in edible portion of common measures of food				
	Mean	Std. Error	Number of Data Points	Deriv Code	Source Code	Confidence Code	Measure 1	Measure 2	Measure 3
Proximates:									
Water.....g	88.97		0	FLA	4		151.25		
Energy.....kcal	48		0	NC	4		82		
Energy.....kJ	202		0	NC	4		343		
Protein.....g	1.11		0	FLA	4		1.89		
Total lipid (fat).....g	1.47		0	FLA	4		2.50		
Ash.....g	0.98		0	NR	4		1.67		
Carbohydrate, by difference.....g	7.47		0	NC	4		12.69		
Fiber, total dietary.....g	1.2		1	FLA	4		2.0		
Sugars, total.....g	1.17		0	NR	4		1.99		
Sucrose.....g	0.07		0	FLA	4		0.11		
Glucose (dextrose).....g	0.14		0	FLA	4		0.24		
Fructose.....g	0.13		0	FLA	4		0.23		
Lactose.....g	0.02		0	FLA	4		0.03		
Maltose.....g	0.02		0	FLA	4		0.03		
Galactose.....g	0.00		0	FLA	4		0.00		
Starch.....g	0.00		0	FLA	4		0.00		
Minerals:									
Calcium, Ca.....mg	20		0	FLA	4		33		
Iron, Fe.....mg	0.16		0	FLA	4		0.27		
Magnesium, Mg.....mg	8		0	FLA	4		14		
Phosphorus, P.....mg	24		0	FLA	4		41		
Potassium, K.....mg	118		0	FLA	4		200		
Sodium, Na.....mg	176		0	FLA	4		300		
Zinc, Zn.....mg	0.16		0	FLA	4		0.27		
Copper, Cu.....mg	0.060		0	FLA	4		0.102		
Manganese, Mn.....mg	0.056		0	FLA	4		0.096		
Selenium, Se.....µg	0.5		0	FLA	4		0.9		
Vitamins:									
Vitamin C, total ascorbic acid.....mg	1.5		0	NR	4		2.6		
Thiamin.....mg	0.030		0	FLA	4		0.051		
Riboflavin.....mg	0.020		0	FLA	4		0.033		
Niacin.....mg	0.419		0	FLA	4		0.712		
Pantothenic acid.....mg	0.194		0	FLA	4		0.331		
Vitamin B-6.....mg	0.089		0	FLA	4		0.152		
Folate, total.....µg	6		0	FLA	4		10		
Folic acid.....µg	0		0	FLA	4		0		
Folate, food.....µg	6		0	FLA	4		10		
Folate, DFE.....µg	6		0	NC	4		10		
Choline, total.....mg	5.8		0	FLA	4		9.8		
Betaine.....mg	0.1		0	FLA	4		0.1		
Vitamin B-12.....µg	0.01		0	FLA	4		0.01		
Vitamin B-12, added.....µg	0.00		0	FLA	4		0.00		
Vitamin A, RAE.....µg	13		0	FLA	4		23		
Retinol.....µg	11		0	FLA	4		19		
Carotene, beta.....µg	28		0	FLA	4		48		
Carotene, alpha.....µg	2		0	FLA	4		3		
Cryptoxanthin, beta.....µg	0		0	FLA	4		0		
Vitamin A, IU.....IU	84		0	FLA	4		144		
Lycopene.....µg	0		0	FLA	4		0		
Lutein + zeaxanthin.....µg	98		0	FLA	4		167		
Vitamin E (alpha-tocopherol).....mg	0.09		0	FLA	4		0.16		
Vitamin E, added.....mg	0.00		0	FLA	4		0.00		
Tocopherol, beta.....mg	0.00		0	FLA	4		0.00		
Tocopherol, gamma.....mg	0.01		0	FLA	4		0.02		
Tocopherol, delta.....mg	0.00		0	FLA	4		0.00		
Tocotrienol, alpha.....mg	0.00		0	FLA	4		0.00		
Tocotrienol, beta.....mg	0.00		0	FLA	4		0.00		

Babyfood, mashed cheddar potatoes and broccoli, toddlers

Nutrients and Units	Amount in 100 grams of edible portion				Amount in edible portion of common measures of food				
	Mean	Std. Error	Number	Deriv Code	Source Code	Confidence Code	Measure 1	Measure 2	Measure 3
			of Data Points						
Tocotrienol, gamma.....mg	0.00		0	FLA	4		0.00		
Tocotrienol, delta.....mg	0.00		0	FLA	4		0.00		
Vitamin D (D2 + D3).....µg	0.0		0	FLA	4		0.0		
Vitamin D2 (ergocalciferol).....µg									
Vitamin D3 (cholecalciferol).....µg									
Vitamin D.....IU	0		0	FLA	4		0		
Vitamin K (phylloquinone).....µg	8.1		0	FLA	4		13.8		
Dihydrophyloquinone.....µg	0.0		0	FLA	4		0.0		
Menaquinone-4.....µg									
<u>Lipids:</u>									
Fatty acids, total saturated.....g	0.875		0	FLA	4		1.488		
4:0.....g	0.049		0	FLA	4		0.084		
6:0.....g	0.029		0	FLA	4		0.049		
8:0.....g	0.017		0	FLA	4		0.028		
10:0.....g	0.036		0	FLA	4		0.061		
12:0.....g	0.036		0	FLA	4		0.061		
13:0.....g									
14:0.....g	0.128		0	FLA	4		0.218		
15:0.....g	0.000		0	FLA	4		0.000		
16:0.....g	0.390		0	FLA	4		0.662		
17:0.....g	0.006		0	FLA	4		0.010		
18:0.....g	0.168		0	FLA	4		0.286		
20:0.....g	0.002		0	FLA	4		0.003		
22:0.....g	0.000		0	FLA	4		0.000		
24:0.....g									
Fatty acids, total monounsaturated.....g	0.370		0	FLA	4		0.630		
14:1.....g	0.000		0	FLA	4		0.000		
15:1.....g	0.000		0	FLA	4		0.000		
16:1 undifferentiated.....g	0.026		0	FLA	4		0.044		
17:1.....g	0.000		0	FLA	4		0.000		
18:1 undifferentiated.....g	0.336		0	FLA	4		0.571		
20:1.....g	0.001		0	FLA	4		0.002		
22:1 undifferentiated.....g	0.000		0	FLA	4		0.000		
24:1 c.....g									
Fatty acids, total polyunsaturated.....g	0.092		0	FLA	4		0.156		
18:2 undifferentiated.....g	0.075		0	FLA	4		0.127		
18:3 undifferentiated.....g	0.017		0	FLA	4		0.028		
18:4.....g	0.000		0	FLA	4		0.000		
20:2 n-6 c,c.....g	0.000		0	FLA	4		0.000		
20:3 undifferentiated.....g	0.000		0	FLA	4		0.000		
20:4 undifferentiated.....g	0.000		0	FLA	4		0.000		
20:5 n-3 (EPA).....g	0.000		0	FLA	4		0.000		
21:5.....g									
22:4.....g									
22:5 n-3 (DPA).....g	0.000		0	FLA	4		0.000		
22:6 n-3 (DHA).....g	0.000		0	FLA	4		0.000		
Fatty acids, total trans.....g	0.000		1	FLA	4		0.000		
Cholesterol.....mg	4		0	FLA	4		7		
Phytosterols.....mg									
Stigmasterol.....mg	0		0	FLA	4		0		
Campesterol.....mg	0		0	FLA	4		0		
Beta-sitosterol.....mg	0		0	FLA	4		0		
<u>Amino Acids:</u>									
Tryptophan.....g	0.015		0	FLA	4		0.026		
Threonine.....g	0.038		0	FLA	4		0.065		
Isoleucine.....g	0.050		0	FLA	4		0.085		
Leucine.....g	0.077		0	FLA	4		0.131		
Lysine.....g	0.072		0	FLA	4		0.123		
Methionine.....g	0.021		0	FLA	4		0.035		
Cystine.....g	0.010		0	FLA	4		0.018		
Phenylalanine.....g	0.051		0	FLA	4		0.087		
Tyrosine.....g	0.041		0	FLA	4		0.070		
Valine.....g	0.063		0	FLA	4		0.107		

NDB No. 03959

Babyfood, mashed cheddar potatoes and broccoli, toddlers

Nutrients and Units	<u>Amount in 100 grams of edible portion</u>				<u>Amount in edible portion of common measures of food</u>				
	Mean	Std. Error	Number of Data Points	Deriv Code	Source Code	Confidence Code	Measure 1	Measure 2	Measure 3
Arginine.....g	0.051		0	FLA	4		0.087		
Histidine.....g	0.029		0	FLA	4		0.049		
Alanine.....g	0.034		0	FLA	4		0.058		
Aspartic acid.....g	0.169		0	FLA	4		0.287		
Glutamic acid.....g	0.218		0	FLA	4		0.370		
Glycine.....g	0.028		0	FLA	4		0.047		
Proline.....g	0.070		0	FLA	4		0.119		
Serine.....g	0.053		0	FLA	4		0.090		
Hydroxyproline.....g									
Others:									
Alcohol, ethyl.....g	0.0		0	FLA	4		0.0		
Caffeine.....mg	0		0	FLA	4		0		
Theobromine.....mg	0		0	FLA	4		0		

Blanks in the Mean column indicate lack of reliable data. The Number of Data Points column is the number of analyses upon which the mean is based. Number of Data Points of zero indicates the mean was either calculated (as for Energy) or estimated, usually from a recipe, another form of the same food, or similar food.

Common Measures:

Measure 1 = 170g: 1 container

Calories Factors: Protein

Fat

Carbohydrate

Food Group: 03 Baby Foods

USDA National Nutrient Database for Standard Reference, Release 28 (2015)

NDB No. 43417

Babyfood, meat, beef with vegetables, toddler

Nutrients and Units	Amount in 100 grams of edible portion				Amount in edible portion of common measures of food				
	Mean	Std. Error	Number of Data Points		Source Code	Confidence Code	Measure 1	Measure 2	Measure 3
			Deriv Code	Points					
Lipids:									
Fatty acids, total saturated.....g	0.847		0				1.516		
4:0.....g	0.000		0				0.000		
6:0.....g	0.000		0				0.000		
8:0.....g	0.000		0				0.000		
10:0.....g	0.006		0				0.011		
12:0.....g	0.006		0				0.011		
13:0.....g									
14:0.....g	0.063		0				0.113		
15:0.....g									
16:0.....g	0.505		0				0.904		
17:0.....g									
18:0.....g	0.231		0				0.413		
20:0.....g									
22:0.....g									
24:0.....g									
Fatty acids, total monounsaturated.....g	0.920		0				1.647		
14:1.....g									
15:1.....g									
16:1 undifferentiated.....g	0.086		0				0.154		
17:1.....g									
18:1 undifferentiated.....g	0.791		0				1.416		
20:1.....g	0.004		0				0.007		
22:1 undifferentiated.....g	0.000		0				0.000		
24:1 c.....g									
Fatty acids, total polyunsaturated.....g	0.108		0				0.193		
18:2 undifferentiated.....g	0.077		0				0.138		
18:3 undifferentiated.....g	0.026		0				0.047		
18:4.....g	0.000		0				0.000		
20:2 n-6 c,c.....g									
20:3 undifferentiated.....g									
20:4 undifferentiated.....g	0.003		0				0.005		
20:5 n-3 (EPA).....g	0.000		0				0.000		
21:5.....g									
22:4.....g									
22:5 n-3 (DPA).....g	0.000		0				0.000		
22:6 n-3 (DHA).....g	0.000		0				0.000		
Fatty acids, total trans.....g									
Cholesterol.....mg	12		0				21		
Phytosterols.....mg									
Others:									
Alcohol, ethyl.....g	0.0		0			7	0.0		
Caffeine.....mg	0		0	FLA		4	0		
Theobromine.....mg	0		0	FLA		4	0		

Blanks in the Mean column indicate lack of reliable data. The Number of Data Points column is the number of analyses upon which the mean is based. Number of Data Points of zero indicates the mean was either calculated (as for Energy) or estimated, usually from a recipe, another form of the same food, or similar food.

Common Measures:

Measure 1 = 179g: 1 jar NFS

Calories Factors: Protein

Fat

Carbohydrate

Food Group: 03 Baby Foods

USDA National Nutrient Database for Standard Reference, Release 28 (2015)

NDB No. 03003
Babyfood, meat, beef, junior

Refuse:0%

Nutrients and Units	Amount in 100 grams of edible portion				Amount in edible portion of common measures of food				
	Mean	Std. Error	Number of Data Points	Deriv Code	Source Code	Confidence Code	Measure 1	Measure 2	Measure 3
Proximates:									
Water.....g	82.44	1.255	55	JA	6		23.37	12.12	58.53
Energy.....kcal	81		0	NC	4		23	12	57
Energy.....kJ	337		0	NC	4		96	50	239
Protein (N x 6.25).....g	12.03		2	A	1		3.41	1.77	8.54
Total lipid (fat).....g	2.52		2	A	1		0.72	0.37	1.79
Ash.....g	0.57		2	A	1		0.16	0.08	0.41
Carbohydrate, by difference.....g	2.43		0	NC	4		0.69	0.36	1.72
Fiber, total dietary.....g	0.0		0		4		0.0	0.0	0.0
Sugars, total.....g	0.00		0	Z	7		0.00	0.00	0.00
Starch.....g									
Minerals:									
Calcium, Ca.....mg	5		2	A	1		1	1	3
Iron, Fe.....mg	0.98		2	A	1		0.28	0.14	0.69
Magnesium, Mg.....mg	11		2	A	1		3	2	7
Phosphorus, P.....mg	93	8.505	4	JA	6		26	14	66
Potassium, K.....mg	187	17.638	17	JA	6		53	27	133
Sodium, Na.....mg	41		0	LC	8		12	6	29
Zinc, Zn.....mg	2.22	0.165	23	JA	6		0.63	0.33	1.57
Copper, Cu.....mg	0.148		2	A	1		0.042	0.022	0.105
Manganese, Mn.....mg	0.037		2	A	1		0.010	0.005	0.026
Selenium, Se.....µg	2.9		2	A	1		0.8	0.4	2.0
Vitamins:									
Vitamin C, total ascorbic acid.....mg	2.1	0.100	24		1		0.6	0.3	1.5
Thiamin.....mg	0.013	0.003	25	JA	6		0.004	0.002	0.009
Riboflavin.....mg	0.135	0.008	26	JA	6		0.038	0.020	0.095
Niacin.....mg	2.495	0.355	26	JA	6		0.707	0.367	1.771
Pantothenic acid.....mg	0.083		1	A	1		0.023	0.012	0.059
Vitamin B-6.....mg	0.039		1	A	1		0.011	0.006	0.028
Folate, total.....µg	8		2	A	1		2	1	6
Folic acid.....µg	0		2	A	1		0	0	0
Folate, food.....µg	8		0	AS	1		2	1	6
Folate, DFE.....µg	8		0	NC	4		2	1	6
Choline, total.....mg	37.6	1.075	11	AS	1		10.7	5.5	26.7
Betaine.....mg	3.1	0.134	11	A	1		0.9	0.5	2.2
Vitamin B-12.....µg	1.26	0.160	3	JA	6		0.36	0.19	0.89
Vitamin B-12, added.....µg	0.00		0	Z	7		0.00	0.00	0.00
Vitamin A, RAE.....µg	0		0	NC	4		0	0	0
Retinol.....µg	0		0	T	4		0	0	0
Carotene, beta.....µg	0		0	Z	7		0	0	0
Carotene, alpha.....µg	0		0	Z	7		0	0	0
Cryptoxanthin, beta.....µg	0		0	Z	7		0	0	0
Vitamin A, IU.....IU	0		0	NC	4		0	0	0
Lycopene.....µg	0		0	Z	7		0	0	0
Lutein + zeaxanthin.....µg	0		0	Z	7		0	0	0
Vitamin E (alpha-tocopherol).....mg	0.37		2	A	1		0.10	0.05	0.26
Vitamin E, added.....mg	0.00		0	Z	7		0.00	0.00	0.00
Tocopherol, beta.....mg	0.00		2	A	1		0.00	0.00	0.00
Tocopherol, gamma.....mg	0.00		2	A	1		0.00	0.00	0.00
Tocopherol, delta.....mg	0.00		2	A	1		0.00	0.00	0.00
Tocotrienol, alpha.....mg	0.04		2	A	1		0.01	0.01	0.03
Tocotrienol, beta.....mg	0.00		2	A	1		0.00	0.00	0.00
Tocotrienol, gamma.....mg	0.00		2	A	1		0.00	0.00	0.00
Tocotrienol, delta.....mg	0.00		2	A	1		0.00	0.00	0.00
Vitamin D (D2 + D3).....µg	0.4		1	A	1		0.1	0.1	0.3
Vitamin D2 (ergocalciferol).....µg									
Vitamin D3 (cholecalciferol).....µg									
Vitamin D.....IU	15		1	A	1		4	2	10
Vitamin K (phylloquinone).....µg	0.6		2	A	1		0.2	0.1	0.4

NDB No. 03003
Babyfood, meat, beef, junior

Nutrients and Units	<u>Amount in 100 grams of edible portion</u>				<u>Amount in edible portion of common</u>				
	Mean	Std. Error	Number		measures of food				
			of Data Points	Deriv Code	Source Code	Confidence Code	Measure 1	Measure 2	Measure 3
Dihydrophyloquinone.....µg	0.0		2	A	1		0.0	0.0	0.0
Menaquinone-4.....µg	1.0		2	A	1		0.3	0.2	0.7
Lipids:									
Fatty acids, total saturated.....g	1.180		0	NC	4		0.334	0.173	0.838
4:0.....g	0.000		0		1		0.000	0.000	0.000
6:0.....g	0.000		0		1		0.000	0.000	0.000
8:0.....g	0.000		1	A	1		0.000	0.000	0.000
10:0.....g	0.000		1	A	1		0.000	0.000	0.000
12:0.....g	0.000		1	A	1		0.000	0.000	0.000
13:0.....g									
14:0.....g	0.060		1	A	1		0.017	0.009	0.043
15:0.....g	0.010		1	A	1		0.003	0.001	0.007
16:0.....g	0.530		1	A	1		0.150	0.078	0.376
17:0.....g	0.040		1	A	1		0.011	0.006	0.028
18:0.....g	0.540		1	A	1		0.153	0.079	0.383
20:0.....g	0.000		1	A	1		0.000	0.000	0.000
22:0.....g	0.000		1	A	1		0.000	0.000	0.000
24:0.....g	0.000		1	A	1		0.000	0.000	0.000
Fatty acids, total monounsaturated.....g	0.950		0	NC	4		0.269	0.140	0.674
14:1.....g	0.000		1	A	1		0.000	0.000	0.000
15:1.....g	0.000		1	A	1		0.000	0.000	0.000
16:1 undifferentiated.....g	0.070		1	A	1		0.020	0.010	0.050
17:1.....g	0.020		1	A	1		0.006	0.003	0.014
18:1 undifferentiated.....g	0.860		1	A	1		0.244	0.126	0.611
20:1.....g	0.000		1	A	1		0.000	0.000	0.000
22:1 undifferentiated.....g	0.000		1	A	1		0.000	0.000	0.000
24:1 c.....g	0.000		1	A	1		0.000	0.000	0.000
Fatty acids, total polyunsaturated.....g	0.160		0	NC	4		0.045	0.023	0.113
18:2 undifferentiated.....g	0.090		1	A	1		0.026	0.013	0.064
18:3 undifferentiated.....g	0.040		1	A	1		0.011	0.006	0.028
18:4.....g	0.020		1	A	1		0.006	0.003	0.014
20:2 n-6 c,c.....g	0.000		1	A	1		0.000	0.000	0.000
20:3 undifferentiated.....g	0.000		1	A	1		0.000	0.000	0.000
20:4 undifferentiated.....g	0.010		1	A	1		0.003	0.001	0.007
20:5 n-3 (EPA).....g	0.000		1	A	1		0.000	0.000	0.000
21:5.....g	0.000		1	A	1		0.000	0.000	0.000
22:4.....g	0.000		1	A	1		0.000	0.000	0.000
22:5 n-3 (DPA).....g	0.000		1	A	1		0.000	0.000	0.000
22:6 n-3 (DHA).....g	0.000		0	T	4		0.000	0.000	0.000
Fatty acids, total trans.....g									
Cholesterol.....mg	51		2	A	1		15	8	36
Phytosterols.....mg									
Others:									
Alcohol, ethyl.....g	0.0		0		7		0.0	0.0	0.0
Caffeine.....mg	0		0	Z	7		0	0	0
Theobromine.....mg	0		0	Z	7		0	0	0

Blanks in the Mean column indicate lack of reliable data. The Number of Data Points column is the number of analyses upon which the mean is based. Number of Data Points of zero indicates the mean was either calculated (as for Energy) or estimated, usually from a recipe, another form of the same food, or similar food.

Common Measures:

Measure 1 = 28.35g: 1 oz

Measure 2 = 14.7g: 1 tbsp

Measure 3 = 71g: 1 jar

Calories Factors: Protein

Fat

Carbohydrate

NDB No. 03003
Babyfood, meat, beef, junior

Food Group: 03 Baby Foods
USDA National Nutrient Database for Standard Reference, Release 28 (2015)

NDB No. 03002
Babyfood, meat, beef, strained

Refuse:0%

Nutrients and Units	Amount in 100 grams of edible portion				Amount in edible portion of common measures of food				
	Mean	Std. Error	Number of Data Points	Deriv Code	Source Code	Confidence Code	Measure 1	Measure 2	Measure 3
Proximates:									
Water.....g	82.44	1.255	55	JA	6		12.12	23.37	58.53
Energy.....kcal	81		0	NC	4		12	23	57
Energy.....kJ	337		0	NC	4		50	96	239
Protein (N x 6.25).....g	12.03		2	A	1		1.77	3.41	8.54
Total lipid (fat).....g	2.52		2	A	1		0.37	0.72	1.79
Ash.....g	0.57		2	A	1		0.08	0.16	0.41
Carbohydrate, by difference.....g	2.43		0	NC	4		0.36	0.69	1.72
Fiber, total dietary.....g	0.0		0		4		0.0	0.0	0.0
Sugars, total.....g	0.00		0	Z	7		0.00	0.00	0.00
Starch.....g									
Minerals:									
Calcium, Ca.....mg	5		2	A	1		1	1	3
Iron, Fe.....mg	0.98		2	A	1		0.14	0.28	0.69
Magnesium, Mg.....mg	11		2	A	1		2	3	7
Phosphorus, P.....mg	93	8.505	4	JA	6		14	26	66
Potassium, K.....mg	187	17.638	17	JA	6		27	53	133
Sodium, Na.....mg	41		0	LC	8		6	12	29
Zinc, Zn.....mg	2.22	0.165	23	JA	6		0.33	0.63	1.57
Copper, Cu.....mg	0.148		2	A	1		0.022	0.042	0.105
Manganese, Mn.....mg	0.037		2	A	1		0.005	0.010	0.026
Selenium, Se.....µg	2.9		2	A	1		0.4	0.8	2.0
Vitamins:									
Vitamin C, total ascorbic acid.....mg	2.1	0.100	24		1		0.3	0.6	1.5
Thiamin.....mg	0.013	0.003	25	JA	6		0.002	0.004	0.009
Riboflavin.....mg	0.135	0.008	26	JA	6		0.020	0.038	0.095
Niacin.....mg	2.495	0.355	26	JA	6		0.367	0.707	1.771
Pantothenic acid.....mg	0.083		1	A	1		0.012	0.023	0.059
Vitamin B-6.....mg	0.039		1	A	1		0.006	0.011	0.028
Folate, total.....µg	8		2	A	1		1	2	6
Folic acid.....µg	0		2	A	1		0	0	0
Folate, food.....µg	8		0	AS	1		1	2	6
Folate, DFE.....µg	8		0	NC	4		1	2	6
Choline, total.....mg	37.6	1.075	11	AS	1		5.5	10.7	26.7
Betaine.....mg	3.1	0.134	11	A	1		0.5	0.9	2.2
Vitamin B-12.....µg	1.26	0.160	3	JA	6		0.19	0.36	0.89
Vitamin B-12, added.....µg	0.00		0	Z	7		0.00	0.00	0.00
Vitamin A, RAE.....µg	0		0	NC	4		0	0	0
Retinol.....µg	0		0	T	4		0	0	0
Carotene, beta.....µg	0		0	Z	7		0	0	0
Carotene, alpha.....µg	0		0	Z	7		0	0	0
Cryptoxanthin, beta.....µg	0		0	Z	7		0	0	0
Vitamin A, IU.....IU	0		0	NC	4		0	0	0
Lycopene.....µg	0		0	Z	7		0	0	0
Lutein + zeaxanthin.....µg	0		0	Z	7		0	0	0
Vitamin E (alpha-tocopherol).....mg	0.37		2	A	1		0.05	0.10	0.26
Vitamin E, added.....mg	0.00		0	Z	7		0.00	0.00	0.00
Tocopherol, beta.....mg	0.00		2	A	1		0.00	0.00	0.00
Tocopherol, gamma.....mg	0.00		2	A	1		0.00	0.00	0.00
Tocopherol, delta.....mg	0.00		2	A	1		0.00	0.00	0.00
Tocotrienol, alpha.....mg	0.04		2	A	1		0.01	0.01	0.03
Tocotrienol, beta.....mg	0.00		2	A	1		0.00	0.00	0.00
Tocotrienol, gamma.....mg	0.00		2	A	1		0.00	0.00	0.00
Tocotrienol, delta.....mg	0.00		2	A	1		0.00	0.00	0.00
Vitamin D (D2 + D3).....µg	0.4		1	A	1		0.1	0.1	0.3
Vitamin D2 (ergocalciferol).....µg									
Vitamin D3 (cholecalciferol).....µg									
Vitamin D.....IU	15		1	A	1		2	4	10
Vitamin K (phylloquinone).....µg	0.6		2	A	1		0.1	0.2	0.4

NDB No. 03002
Babyfood, meat, beef, strained

Nutrients and Units	Amount in 100 grams of edible portion						Amount in edible portion of common measures of food		
	Mean	Std. Error	Number of Data Points			Confidence Code	Measure 1	Measure 2	Measure 3
			Deriv Code	Source Code					
Dihydrophyloquinone.....µg	0.0		2	A	1		0.0	0.0	0.0
Menaquinone-4.....µg	1.0		2	A	1		0.2	0.3	0.7
Lipids:									
Fatty acids, total saturated.....g	1.180		0	NC	4		0.173	0.334	0.838
4:0.....g	0.000		0		1		0.000	0.000	0.000
6:0.....g	0.000		0		1		0.000	0.000	0.000
8:0.....g	0.000		1	A	1		0.000	0.000	0.000
10:0.....g	0.000		1	A	1		0.000	0.000	0.000
12:0.....g	0.000		1	A	1		0.000	0.000	0.000
13:0.....g									
14:0.....g	0.060		1	A	1		0.009	0.017	0.043
15:0.....g	0.010		1	A	1		0.001	0.003	0.007
16:0.....g	0.530		1	A	1		0.078	0.150	0.376
17:0.....g	0.040		1	A	1		0.006	0.011	0.028
18:0.....g	0.540		1	A	1		0.079	0.153	0.383
20:0.....g	0.000		1	A	1		0.000	0.000	0.000
22:0.....g	0.000		1	A	1		0.000	0.000	0.000
24:0.....g	0.000		1	A	1		0.000	0.000	0.000
Fatty acids, total monounsaturated.....g	0.950		0	NC	4		0.140	0.269	0.674
14:1.....g	0.000		1	A	1		0.000	0.000	0.000
15:1.....g	0.000		1	A	1		0.000	0.000	0.000
16:1 undifferentiated.....g	0.070		1	A	1		0.010	0.020	0.050
17:1.....g	0.020		1	A	1		0.003	0.006	0.014
18:1 undifferentiated.....g	0.860		1	A	1		0.126	0.244	0.611
20:1.....g	0.000		1	A	1		0.000	0.000	0.000
22:1 undifferentiated.....g	0.000		1	A	1		0.000	0.000	0.000
24:1 c.....g	0.000		1	A	1		0.000	0.000	0.000
Fatty acids, total polyunsaturated.....g	0.160		0	NC	4		0.023	0.045	0.113
18:2 undifferentiated.....g	0.090		1	A	1		0.013	0.026	0.064
18:3 undifferentiated.....g	0.040		1	A	1		0.006	0.011	0.028
18:4.....g	0.020		1	A	1		0.003	0.006	0.014
20:2 n-6 c,c.....g	0.000		1	A	1		0.000	0.000	0.000
20:3 undifferentiated.....g	0.000		1	A	1		0.000	0.000	0.000
20:4 undifferentiated.....g	0.010		1	A	1		0.001	0.003	0.007
20:5 n-3 (EPA).....g	0.000		1	A	1		0.000	0.000	0.000
21:5.....g	0.000		1	A	1		0.000	0.000	0.000
22:4.....g	0.000		1	A	1		0.000	0.000	0.000
22:5 n-3 (DPA).....g	0.000		1	A	1		0.000	0.000	0.000
22:6 n-3 (DHA).....g	0.000		0	T	4		0.000	0.000	0.000
Fatty acids, total trans.....g									
Cholesterol.....mg	51		2	A	1		8	15	36
Phytosterols.....mg									
Others:									
Alcohol, ethyl.....g	0.0		0		7		0.0	0.0	0.0
Caffeine.....mg	0		0	Z	7		0	0	0
Theobromine.....mg	0		0	Z	7		0	0	0

Blanks in the Mean column indicate lack of reliable data. The Number of Data Points column is the number of analyses upon which the mean is based. Number of Data Points of zero indicates the mean was either calculated (as for Energy) or estimated, usually from a recipe, another form of the same food, or similar food.

Common Measures:

Measure 1 = 14.7g: 1 tsp

Measure 2 = 28.35g: 1 oz

Measure 3 = 71g: 1 jar

Calories Factors: Protein

Fat

Carbohydrate

NDB No. 03002
Babyfood, meat, beef, strained

Food Group: 03 Baby Foods
USDA National Nutrient Database for Standard Reference, Release 28 (2015)

Nutrients and Units	Amount in 100 grams of edible portion				Amount in edible portion of common measures of food				
	Mean	Std. Error	Number of Data Points	Deriv Code	Source Code	Confidence Code	Measure 1	Measure 2	Measure 3
Lipids:									
Fatty acids, total saturated.....g	4.094		0		4		0.409	2.907	2.907
4:0.....g	0.000		0		4		0.000	0.000	0.000
6:0.....g	0.000		0		4		0.000	0.000	0.000
8:0.....g	0.000		0		4		0.000	0.000	0.000
10:0.....g	0.000		0		4		0.000	0.000	0.000
12:0.....g	0.037		0		4		0.004	0.026	0.026
13:0.....g									
14:0.....g	0.133		0		4		0.013	0.094	0.094
15:0.....g									
16:0.....g	3.045		0		4		0.305	2.162	2.162
17:0.....g									
18:0.....g	0.813		0		4		0.081	0.577	0.577
20:0.....g									
22:0.....g									
24:0.....g									
Fatty acids, total monounsaturated.....g	6.267		0		4		0.627	4.450	4.450
14:1.....g									
15:1.....g									
16:1 undifferentiated.....g	0.887		0		4		0.089	0.630	0.630
17:1.....g									
18:1 undifferentiated.....g	5.277		0		4		0.528	3.747	3.747
20:1.....g	0.000		0		4		0.000	0.000	0.000
22:1 undifferentiated.....g	0.000		0		4		0.000	0.000	0.000
24:1 c.....g									
Fatty acids, total polyunsaturated.....g	2.986		0		4		0.299	2.120	2.120
18:2 undifferentiated.....g	2.764		0		4		0.276	1.962	1.962
18:3 undifferentiated.....g	0.111		0		4		0.011	0.079	0.079
18:4.....g	0.000		0		4		0.000	0.000	0.000
20:2 n-6 c,c.....g									
20:3 undifferentiated.....g									
20:4 undifferentiated.....g	0.000		0		4		0.000	0.000	0.000
20:5 n-3 (EPA).....g	0.000		0		4		0.000	0.000	0.000
21:5.....g									
22:4.....g									
22:5 n-3 (DPA).....g	0.000		0		4		0.000	0.000	0.000
22:6 n-3 (DHA).....g	0.000		0		4		0.000	0.000	0.000
Fatty acids, total trans.....g									
Cholesterol.....mg	78		0		4		8	55	55
Phytosterols.....mg									
Amino Acids:									
Tryptophan.....g	0.117		0		1		0.012	0.083	0.083
Threonine.....g	0.572		0		1		0.057	0.406	0.406
Isoleucine.....g	0.729		0		1		0.073	0.518	0.518
Leucine.....g	1.142		0		1		0.114	0.811	0.811
Lysine.....g	1.160		0		1		0.116	0.824	0.824
Methionine.....g	0.323		0		1		0.032	0.229	0.229
Cystine.....g	0.127		0		1		0.013	0.090	0.090
Phenylalanine.....g	0.673		0		1		0.067	0.478	0.478
Tyrosine.....g	0.497		0		1		0.050	0.353	0.353
Valine.....g	0.764		0		1		0.076	0.542	0.542
Arginine.....g	1.003		0		1		0.100	0.712	0.712
Histidine.....g	0.462		0		1		0.046	0.328	0.328
Alanine.....g	0.792		0		1		0.079	0.562	0.562
Aspartic acid.....g	1.263		0		1		0.126	0.897	0.897
Glutamic acid.....g	2.201		0		1		0.220	1.563	1.563
Glycine.....g	0.811		0		1		0.081	0.576	0.576
Proline.....g	0.902		0		1		0.090	0.640	0.640
Serine.....g	0.534		0		1		0.053	0.379	0.379
Hydroxyproline.....g									
Others:									
Alcohol, ethyl.....g	0.0		0		7		0.0	0.0	0.0
Caffeine.....mg	0		0	FLA	4		0	0	0

NDB No. 03014

Babyfood, meat, chicken sticks, junior

Nutrients and Units	<u>Amount in 100 grams of edible portion</u>				<u>Amount in edible portion of common measures of food</u>				
	Mean	Std. Error	Number of Data Points	Deriv Code	Source Code	Confidence Code	Measure 1	Measure 2	Measure 3
Theobromine.....mg	0		0	FLA	4		0	0	0

Blanks in the Mean column indicate lack of reliable data. The Number of Data Points column is the number of analyses upon which the mean is based. Number of Data Points of zero indicates the mean was either calculated (as for Energy) or estimated, usually from a recipe, another form of the same food, or similar food.

Common Measures:

Measure 1 = 10.0g: 1 stick

Measure 2 = 71g: 1 jar

Measure 3 = 71g: 1 jar Gerber Graduate (2.5 oz)

Calories Factors: Protein 4

Fat 8.7

Carbohydrate 2.7

Food Group: 03 Baby Foods

USDA National Nutrient Database for Standard Reference, Release 28 (2015)

NDB No. 03013
Babyfood, meat, chicken, junior

Nutrients and Units	Amount in 100 grams of edible portion				Amount in edible portion of common			
	Mean	Std. Error	Number	Source	measures of food			
			of Data Points		Confidence Code	Measure 1	Measure 2	Measure 3
Lipids:								
Fatty acids, total saturated.....g	2.470		1	1		0.371	0.700	1.754
4:0.....g	0.000		0	1		0.000	0.000	0.000
6:0.....g	0.000		0	1		0.000	0.000	0.000
8:0.....g	0.000		0	1		0.000	0.000	0.000
10:0.....g	0.000		0	1		0.000	0.000	0.000
12:0.....g	0.000		1	1		0.000	0.000	0.000
13:0.....g								
14:0.....g	0.070		1	1		0.011	0.020	0.050
15:0.....g								
16:0.....g	1.800		1	1		0.270	0.510	1.278
17:0.....g								
18:0.....g	0.500		1	1		0.075	0.142	0.355
20:0.....g								
22:0.....g								
24:0.....g								
Fatty acids, total monounsaturated.....g	4.330		1	1		0.650	1.228	3.074
14:1.....g								
15:1.....g								
16:1 undifferentiated.....g	0.350		1	1		0.053	0.099	0.249
17:1.....g								
18:1 undifferentiated.....g	3.950		1	1		0.593	1.120	2.805
20:1.....g	0.020		1	1		0.003	0.006	0.014
22:1 undifferentiated.....g	0.000		0	1		0.000	0.000	0.000
24:1 c.....g								
Fatty acids, total polyunsaturated.....g	2.330		1	1		0.350	0.661	1.654
18:2 undifferentiated.....g	2.250		1	1		0.338	0.638	1.598
18:3 undifferentiated.....g	0.050		1	1		0.008	0.014	0.036
18:4.....g	0.000		0	1		0.000	0.000	0.000
20:2 n-6 c,c.....g								
20:3 undifferentiated.....g								
20:4 undifferentiated.....g	0.040		1	1		0.006	0.011	0.028
20:5 n-3 (EPA).....g	0.000		0	1		0.000	0.000	0.000
21:5.....g								
22:4.....g								
22:5 n-3 (DPA).....g	0.000		0	1		0.000	0.000	0.000
22:6 n-3 (DHA).....g	0.000		0	1		0.000	0.000	0.000
Fatty acids, total trans.....g								
Cholesterol.....mg	59		0	1		9	17	42
Phytosterols.....mg								
Amino Acids:								
Tryptophan.....g	0.167		0	1		0.025	0.047	0.119
Threonine.....g	0.660		0	1		0.099	0.187	0.469
Isoleucine.....g	0.693		0	1		0.104	0.196	0.492
Leucine.....g	1.136		0	1		0.170	0.322	0.807
Lysine.....g	1.228		0	1		0.184	0.348	0.872
Methionine.....g	0.394		0	1		0.059	0.112	0.280
Cystine.....g	0.193		0	1		0.029	0.055	0.137
Phenylalanine.....g	0.599		0	1		0.090	0.170	0.425
Tyrosine.....g	0.471		0	1		0.071	0.134	0.334
Valine.....g	0.740		0	1		0.111	0.210	0.525
Arginine.....g	1.028		0	1		0.154	0.291	0.730
Histidine.....g	0.445		0	1		0.067	0.126	0.316
Alanine.....g	0.936		0	1		0.140	0.265	0.665
Aspartic acid.....g	1.362		0	1		0.204	0.386	0.967
Glutamic acid.....g	2.128		0	1		0.319	0.603	1.511
Glycine.....g	0.981		0	1		0.147	0.278	0.697
Proline.....g	0.759		0	1		0.114	0.215	0.539
Serine.....g	0.535		0	1		0.080	0.152	0.380
Hydroxyproline.....g								
Others:								
Alcohol, ethyl.....g	0.0		0	7		0.0	0.0	0.0
Caffeine.....mg	0		0	Z 7		0	0	0

NDB No. 03013
 Babyfood, meat, chicken, junior

Nutrients and Units	<u>Amount in 100 grams of edible portion</u>				<u>Amount in edible portion of common measures of food</u>			
	Mean	Std. Error	Number		Measure 1	Measure 2	Measure 3	
			of Data Points	Deriv Code				Source Confidence Code
Theobromine.....mg	0		0	NR	4	0	0	0

Blanks in the Mean column indicate lack of reliable data. The Number of Data Points column is the number of analyses upon which the mean is based. Number of Data Points of zero indicates the mean was either calculated (as for Energy) or estimated, usually from a recipe, another form of the same food, or similar food.

Common Measures:

- Measure 1 = 15.0g: 1 tbsp
- Measure 2 = 28.35g: 1 oz
- Measure 3 = 71g: 1 jar

Calories Factors: Protein 4.27 Fat 9.02 Carbohydrate

Food Group: 03 Baby Foods

USDA National Nutrient Database for Standard Reference, Release 28 (2015)

NDB No. 03012
Babyfood, meat, chicken, strained

Nutrients and Units	Amount in 100 grams of edible portion				Amount in edible portion of common				
	Mean	Std. Error	Number		measures of food				
			of Data Points	Deriv Code	Source Code	Confidence Code	Measure 1	Measure 2	Measure 3
Lipids:									
Fatty acids, total saturated.....g	2.030		1		1		0.305	0.576	1.441
4:0.....g	0.000		0		1		0.000	0.000	0.000
6:0.....g	0.000		0		1		0.000	0.000	0.000
8:0.....g	0.000		0		1		0.000	0.000	0.000
10:0.....g	0.000		0		1		0.000	0.000	0.000
12:0.....g	0.000		1		1		0.000	0.000	0.000
13:0.....g									
14:0.....g	0.050		1		1		0.008	0.014	0.036
15:0.....g									
16:0.....g	1.480		1		1		0.222	0.420	1.051
17:0.....g									
18:0.....g	0.420		1		1		0.063	0.119	0.298
20:0.....g									
22:0.....g									
24:0.....g									
Fatty acids, total monounsaturated.....g	3.560		1		1		0.534	1.009	2.528
14:1.....g									
15:1.....g									
16:1 undifferentiated.....g	0.290		1		1		0.044	0.082	0.206
17:1.....g									
18:1 undifferentiated.....g	3.250		1		1		0.488	0.921	2.308
20:1.....g	0.020		1		1		0.003	0.006	0.014
22:1 undifferentiated.....g	0.000		0		1		0.000	0.000	0.000
24:1 c.....g									
Fatty acids, total polyunsaturated.....g	1.920		1		1		0.288	0.544	1.363
18:2 undifferentiated.....g	1.850		1		1		0.278	0.524	1.314
18:3 undifferentiated.....g	0.040		1		1		0.006	0.011	0.028
18:4.....g	0.000		0		1		0.000	0.000	0.000
20:2 n-6 c,c.....g									
20:3 undifferentiated.....g									
20:4 undifferentiated.....g	0.030		1		1		0.005	0.009	0.021
20:5 n-3 (EPA).....g	0.000		0		1		0.000	0.000	0.000
21:5.....g									
22:4.....g									
22:5 n-3 (DPA).....g	0.000		0		1		0.000	0.000	0.000
22:6 n-3 (DHA).....g	0.000		0		1		0.000	0.000	0.000
Fatty acids, total trans.....g									
Cholesterol.....mg	61		0		1		9	17	44
Phytosterols.....mg									
Amino Acids:									
Tryptophan.....g	0.156		0		1		0.023	0.044	0.111
Threonine.....g	0.615		0		1		0.092	0.174	0.437
Isoleucine.....g	0.645		0		1		0.097	0.183	0.458
Leucine.....g	1.058		0		1		0.159	0.300	0.751
Lysine.....g	1.144		0		1		0.172	0.324	0.812
Methionine.....g	0.367		0		1		0.055	0.104	0.261
Cystine.....g	0.180		0		1		0.027	0.051	0.128
Phenylalanine.....g	0.558		0		1		0.084	0.158	0.396
Tyrosine.....g	0.439		0		1		0.066	0.124	0.312
Valine.....g	0.689		0		1		0.103	0.195	0.489
Arginine.....g	0.957		0		1		0.144	0.271	0.679
Histidine.....g	0.415		0		1		0.062	0.118	0.295
Alanine.....g	0.871		0		1		0.131	0.247	0.618
Aspartic acid.....g	1.269		0		1		0.190	0.360	0.901
Glutamic acid.....g	1.982		0		1		0.297	0.562	1.407
Glycine.....g	0.913		0		1		0.137	0.259	0.648
Proline.....g	0.707		0		1		0.106	0.200	0.502
Serine.....g	0.498		0		1		0.075	0.141	0.354
Hydroxyproline.....g									
Others:									
Alcohol, ethyl.....g	0.0		0		7		0.0	0.0	0.0
Caffeine.....mg	0		0	FLA	4		0	0	0

NDB No. 03012
Babyfood, meat, chicken, strained

Nutrients and Units	<u>Amount in 100 grams of edible portion</u>				<u>Amount in edible portion of common measures of food</u>				
	Mean	Std. Error	Number		Source Code	Confidence Code	Measure 1	Measure 2	Measure 3
			of Data Points	Deriv Code					
Theobromine.....mg	0		0	FLA	4		0	0	0

Blanks in the Mean column indicate lack of reliable data. The Number of Data Points column is the number of analyses upon which the mean is based. Number of Data Points of zero indicates the mean was either calculated (as for Energy) or estimated, usually from a recipe, another form of the same food, or similar food.

Common Measures:

Measure 1 = 15.0g: 1 tbsp

Measure 2 = 28.35g: 1 oz

Measure 3 = 71g: 1 jar

Calories Factors: Protein 4.27

Fat 9.02

Carbohydrate

Food Group: 03 Baby Foods

USDA National Nutrient Database for Standard Reference, Release 28 (2015)

NDB No. 03009
Babyfood, meat, ham, junior

Nutrients and Units	Amount in 100 grams of edible portion				Amount in edible portion of common measures of food				
	Mean	Std. Error	Number of Data		Source Code	Confidence Code	Measure 1	Measure 2	Measure 3
			Points	Deriv Code					
Lipids:									
Fatty acids, total saturated.....g	1.271		1		1		0.360	0.902	
4:0.....g	0.000		0		1		0.000	0.000	
6:0.....g	0.000		0		1		0.000	0.000	
8:0.....g	0.000		0		1		0.000	0.000	
10:0.....g	0.000		1		1		0.000	0.000	
12:0.....g	0.010		1		1		0.003	0.007	
13:0.....g									
14:0.....g	0.083		1		1		0.023	0.059	
15:0.....g									
16:0.....g	1.445		1		1		0.410	1.026	
17:0.....g									
18:0.....g	0.702		1		1		0.199	0.498	
20:0.....g									
22:0.....g									
24:0.....g									
Fatty acids, total monounsaturated.....g	1.804		1		1		0.511	1.281	
14:1.....g									
15:1.....g									
16:1 undifferentiated.....g	0.181		1		1		0.051	0.129	
17:1.....g									
18:1 undifferentiated.....g	2.928		1		1		0.830	2.079	
20:1.....g	0.070		1		1		0.020	0.050	
22:1 undifferentiated.....g	0.000		0		1		0.000	0.000	
24:1 c.....g									
Fatty acids, total polyunsaturated.....g	0.516		1		1		0.146	0.367	
18:2 undifferentiated.....g	0.829		1		1		0.235	0.589	
18:3 undifferentiated.....g	0.030		1		1		0.009	0.022	
18:4.....g	0.000		0		1		0.000	0.000	
20:2 n-6 c,c.....g									
20:3 undifferentiated.....g									
20:4 undifferentiated.....g	0.051		1		1		0.014	0.036	
20:5 n-3 (EPA).....g	0.000		0		1		0.000	0.000	
21:5.....g									
22:4.....g									
22:5 n-3 (DPA).....g	0.000		0		1		0.000	0.000	
22:6 n-3 (DHA).....g	0.000		0		1		0.000	0.000	
Fatty acids, total trans.....g									
Cholesterol.....mg	29		0		1		8	21	
Phytosterols.....mg									
Amino Acids:									
Tryptophan.....g	0.149		0		1		0.042	0.106	
Threonine.....g	0.656		0		1		0.186	0.466	
Isoleucine.....g	0.718		0		1		0.204	0.510	
Leucine.....g	1.208		0		1		0.342	0.858	
Lysine.....g	1.283		0		1		0.364	0.911	
Methionine.....g	0.386		0		1		0.109	0.274	
Cystine.....g	0.186		0		1		0.053	0.132	
Phenylalanine.....g	0.576		0		1		0.163	0.409	
Tyrosine.....g	0.506		0		1		0.143	0.359	
Valine.....g	0.779		0		1		0.221	0.553	
Arginine.....g	1.022		0		1		0.290	0.726	
Histidine.....g	0.514		0		1		0.146	0.365	
Alanine.....g	0.911		0		1		0.258	0.647	
Aspartic acid.....g	1.442		0		1		0.409	1.024	
Glutamic acid.....g	2.271		0		1		0.644	1.612	
Glycine.....g	0.866		0		1		0.246	0.615	
Proline.....g	0.702		0		1		0.199	0.498	
Serine.....g	0.547		0		1		0.155	0.388	
Hydroxyproline.....g									
Others:									
Alcohol, ethyl.....g	0.0		0		7		0.0	0.0	
Caffeine.....mg	0		0	Z	7		0	0	

NDB No. 03009
 Babyfood, meat, ham, junior

Nutrients and Units	<u>Amount in 100 grams of edible portion</u>				<u>Amount in edible portion of common measures of food</u>		
	Mean	Std. Error	Number		Measure 1	Measure 2	Measure 3
			of Data Points	Deriv Code			
Theobromine.....mg	0		0	Z	7	0	0

Blanks in the Mean column indicate lack of reliable data. The Number of Data Points column is the number of analyses upon which the mean is based. Number of Data Points of zero indicates the mean was either calculated (as for Energy) or estimated, usually from a recipe, another form of the same food, or similar food.

Common Measures:

Measure 1 = 28.35g: 1 oz

Measure 2 = 71g: 1 jar

Calories Factors: Protein 4.27

Fat 9.02

Carbohydrate

Food Group: 03 Baby Foods

USDA National Nutrient Database for Standard Reference, Release 28 (2015)

NDB No. 03008
Babyfood, meat, ham, strained

Nutrients and Units	Amount in 100 grams of edible portion				Amount in edible portion of common				
	Mean	Std. Error	Number		measures of food				
			of Data Points	Deriv Code	Source Code	Confidence Code	Measure 1	Measure 2	Measure 3
Lipids:									
Fatty acids, total saturated.....g	1.267		1		1		0.190	0.359	0.900
4:0.....g	0.000		0		1		0.000	0.000	0.000
6:0.....g	0.000		0		1		0.000	0.000	0.000
8:0.....g	0.000		0		1		0.000	0.000	0.000
10:0.....g	0.000		1		1		0.000	0.000	0.000
12:0.....g	0.007		1		1		0.001	0.002	0.005
13:0.....g									
14:0.....g	0.046		1		1		0.007	0.013	0.032
15:0.....g									
16:0.....g	0.797		1		1		0.120	0.226	0.566
17:0.....g									
18:0.....g	0.385		1		1		0.058	0.109	0.274
20:0.....g									
22:0.....g									
24:0.....g									
Fatty acids, total monounsaturated.....g	1.803		1		1		0.270	0.511	1.280
14:1.....g									
15:1.....g									
16:1 undifferentiated.....g	0.105		1		1		0.016	0.030	0.074
17:1.....g									
18:1 undifferentiated.....g	1.646		1		1		0.247	0.467	1.169
20:1.....g	0.039		1		1		0.006	0.011	0.028
22:1 undifferentiated.....g	0.000		0		1		0.000	0.000	0.000
24:1 c.....g									
Fatty acids, total polyunsaturated.....g	0.510		1		1		0.076	0.144	0.362
18:2 undifferentiated.....g	0.464		1		1		0.070	0.131	0.329
18:3 undifferentiated.....g	0.020		1		1		0.003	0.006	0.014
18:4.....g	0.000		0		1		0.000	0.000	0.000
20:2 n-6 c,c.....g									
20:3 undifferentiated.....g									
20:4 undifferentiated.....g	0.026		1		1		0.004	0.007	0.019
20:5 n-3 (EPA).....g	0.000		0		1		0.000	0.000	0.000
21:5.....g									
22:4.....g									
22:5 n-3 (DPA).....g	0.000		0		1		0.000	0.000	0.000
22:6 n-3 (DHA).....g	0.000		0		1		0.000	0.000	0.000
Fatty acids, total trans.....g									
Cholesterol.....mg	24		0		1		4	7	17
Phytosterols.....mg									
Amino Acids:									
Tryptophan.....g	0.138		0		1		0.021	0.039	0.098
Threonine.....g	0.603		0		1		0.090	0.171	0.428
Isoleucine.....g	0.661		0		1		0.099	0.187	0.469
Leucine.....g	1.111		0		1		0.167	0.315	0.789
Lysine.....g	1.180		0		1		0.177	0.335	0.838
Methionine.....g	0.355		0		1		0.053	0.101	0.252
Cystine.....g	0.171		0		1		0.026	0.048	0.121
Phenylalanine.....g	0.530		0		1		0.080	0.150	0.376
Tyrosine.....g	0.466		0		1		0.070	0.132	0.331
Valine.....g	0.716		0		1		0.107	0.203	0.508
Arginine.....g	0.940		0		1		0.141	0.266	0.667
Histidine.....g	0.472		0		1		0.071	0.134	0.335
Alanine.....g	0.838		0		1		0.126	0.238	0.595
Aspartic acid.....g	1.326		0		1		0.199	0.376	0.941
Glutamic acid.....g	2.089		0		1		0.313	0.592	1.483
Glycine.....g	0.796		0		1		0.119	0.226	0.565
Proline.....g	0.645		0		1		0.097	0.183	0.458
Serine.....g	0.503		0		1		0.075	0.143	0.357
Hydroxyproline.....g									
Others:									
Alcohol, ethyl.....g	0.0		0		7		0.0	0.0	0.0
Caffeine.....mg	0		0	FLA	4		0	0	0

NDB No. 03008
 Babyfood, meat, ham, strained

Nutrients and Units	<u>Amount in 100 grams of edible portion</u>				<u>Amount in edible portion of common measures of food</u>			
	Mean	Std. Error	Number		Measure 1	Measure 2	Measure 3	
			of Data Points	Deriv Code				Source Confidence Code
Theobromine.....mg	0		0	FLA	4	0	0	0

Blanks in the Mean column indicate lack of reliable data. The Number of Data Points column is the number of analyses upon which the mean is based. Number of Data Points of zero indicates the mean was either calculated (as for Energy) or estimated, usually from a recipe, another form of the same food, or similar food.

Common Measures:

- Measure 1 = 15.0g: 1 tbsp
- Measure 2 = 28.35g: 1 oz
- Measure 3 = 71g: 1 jar

Calories Factors: Protein 4.27 Fat 9.02 Carbohydrate

Food Group: 03 Baby Foods

USDA National Nutrient Database for Standard Reference, Release 28 (2015)

NDB No. 03011
Babyfood, meat, lamb, junior

Nutrients and Units	Amount in 100 grams of edible portion				Amount in edible portion of common			
	Mean	Std. Error	Number		measures of food			
			of Data Points	Deriv Code	Source Code	Confidence Code	Measure 1	Measure 2
Lipids:								
Fatty acids, total saturated.....g	2.560		1		1		0.726	1.818
4:0.....g	0.000		0		1		0.000	0.000
6:0.....g	0.000		0		1		0.000	0.000
8:0.....g	0.000		1		1		0.000	0.000
10:0.....g	0.010		1		1		0.003	0.007
12:0.....g	0.000		1		1		0.000	0.000
13:0.....g								
14:0.....g	0.120		1		1		0.034	0.085
15:0.....g								
16:0.....g	1.140		1		1		0.323	0.809
17:0.....g								
18:0.....g	1.090		1		1		0.309	0.774
20:0.....g								
22:0.....g								
24:0.....g								
Fatty acids, total monounsaturated.....g	2.060		1		1		0.584	1.463
14:1.....g								
15:1.....g								
16:1 undifferentiated.....g	0.070		1		1		0.020	0.050
17:1.....g								
18:1 undifferentiated.....g	1.960		1		1		0.556	1.392
20:1.....g	0.000		1		1		0.000	0.000
22:1 undifferentiated.....g	0.000		0		1		0.000	0.000
24:1 c.....g								
Fatty acids, total polyunsaturated.....g	0.220		1		1		0.062	0.156
18:2 undifferentiated.....g	0.150		1		1		0.043	0.107
18:3 undifferentiated.....g	0.060		1		1		0.017	0.043
18:4.....g	0.000		0		1		0.000	0.000
20:2 n-6 c,c.....g								
20:3 undifferentiated.....g								
20:4 undifferentiated.....g	0.010		1		1		0.003	0.007
20:5 n-3 (EPA).....g	0.000		0		1		0.000	0.000
21:5.....g								
22:4.....g								
22:5 n-3 (DPA).....g	0.000		0		1		0.000	0.000
22:6 n-3 (DHA).....g	0.000		0		1		0.000	0.000
Fatty acids, total trans.....g								
Cholesterol.....mg	38		0		1		11	27
Phytosterols.....mg								
Amino Acids:								
Tryptophan.....g	0.151		0		1		0.043	0.107
Threonine.....g	0.693		0		1		0.196	0.492
Isoleucine.....g	0.714		0		1		0.202	0.507
Leucine.....g	1.200		0		1		0.340	0.852
Lysine.....g	1.349		0		1		0.382	0.958
Methionine.....g	0.476		0		1		0.135	0.338
Cystine.....g	0.209		0		1		0.059	0.148
Phenylalanine.....g	0.598		0		1		0.170	0.425
Tyrosine.....g	0.532		0		1		0.151	0.378
Valine.....g	0.770		0		1		0.218	0.547
Arginine.....g	0.996		0		1		0.282	0.707
Histidine.....g	0.384		0		1		0.109	0.273
Alanine.....g	0.953		0		1		0.270	0.677
Aspartic acid.....g	1.429		0		1		0.405	1.015
Glutamic acid.....g	2.328		0		1		0.660	1.653
Glycine.....g	0.885		0		1		0.251	0.628
Proline.....g	0.851		0		1		0.241	0.604
Serine.....g	0.583		0		1		0.165	0.414
Hydroxyproline.....g								
Others:								
Alcohol, ethyl.....g	0.0		0		7		0.0	0.0
Caffeine.....mg	0		0	NR	4		0	0

NDB No. 03011
 Babyfood, meat, lamb, junior

Nutrients and Units	<u>Amount in 100 grams of edible portion</u>				<u>Amount in edible portion of common measures of food</u>		
	Mean	Std. Error	Number		Measure 1	Measure 2	Measure 3
			of Data Points	Deriv Code			
Theobromine.....mg	0		0	NR	4	0	0

Blanks in the Mean column indicate lack of reliable data. The Number of Data Points column is the number of analyses upon which the mean is based. Number of Data Points of zero indicates the mean was either calculated (as for Energy) or estimated, usually from a recipe, another form of the same food, or similar food.

Common Measures:

Measure 1 = 28.35g: 1 oz

Measure 2 = 71g: 1 jar

Calories Factors: Protein 4.27

Fat 9.02

Carbohydrate

Food Group: 03 Baby Foods

USDA National Nutrient Database for Standard Reference, Release 28 (2015)

NDB No. 03010
Babyfood, meat, lamb, strained

Refuse:0%

Nutrients and Units	Amount in 100 grams of edible portion				Amount in edible portion of common measures of food				
	Mean	Std. Error	Number of Data Points	Deriv Code	Source Code	Confidence Code	Measure 1	Measure 2	Measure 3
Proximates:									
Water.....g	81.06	1.240	3	JA	6		17.83	22.98	57.55
Energy.....kcal	87		0	NC	4		19	25	62
Energy.....kJ	366		0	NC	4		80	104	260
Protein.....g	14.07		2	JA	6		3.10	3.99	9.99
Total lipid (fat).....g	3.41		2	A	1		0.75	0.97	2.42
Ash.....g	0.60		2	A	1		0.13	0.17	0.43
Carbohydrate, by difference.....g	0.85		0	NC	4		0.19	0.24	0.60
Fiber, total dietary.....g	0.0		0		4		0.0	0.0	0.0
Sugars, total.....g	0.00		0	Z	7		0.00	0.00	0.00
Starch.....g									
Minerals:									
Calcium, Ca.....mg	7		2	JA	6		2	2	5
Iron, Fe.....mg	1.19		2	JA	6		0.26	0.34	0.84
Magnesium, Mg.....mg	13	0.000	4	JA	6		3	4	9
Phosphorus, P.....mg	104	6.500	4	JA	6		23	29	73
Potassium, K.....mg	193		1	JA	6		42	55	137
Sodium, Na.....mg	43		1	A	1		9	12	31
Zinc, Zn.....mg	2.43	0.328	6	JA	6		0.53	0.69	1.72
Copper, Cu.....mg	0.148		1	A	1		0.032	0.042	0.105
Manganese, Mn.....mg	0.037		1	A	1		0.008	0.010	0.026
Selenium, Se.....µg	2.2		1	A	1		0.5	0.6	1.6
Vitamins:									
Vitamin C, total ascorbic acid.....mg	1.2	0.100	23		1		0.3	0.3	0.9
Thiamin.....mg	0.020		2	JA	6		0.004	0.006	0.014
Riboflavin.....mg	0.174		2	JA	6		0.038	0.049	0.124
Niacin.....mg	2.908		2	JA	6		0.640	0.824	2.064
Pantothenic acid.....mg	0.112		1	A	1		0.025	0.032	0.080
Vitamin B-6.....mg	0.037		1	A	1		0.008	0.010	0.026
Folate, total.....µg	0		1	A	1		0	0	0
Folic acid.....µg	0		1	A	1		0	0	0
Folate, food.....µg	0		0	AS	1		0	0	0
Folate, DFE.....µg	0		0	NC	4		0	0	0
Choline, total.....mg	54.7	2.779	7	AS	1		12.0	15.5	38.8
Betaine.....mg	6.6	0.560	7	A	1		1.5	1.9	4.7
Vitamin B-12.....µg	1.90	0.295	3	JA	6		0.42	0.54	1.35
Vitamin B-12, added.....µg	0.00		0	Z	7		0.00	0.00	0.00
Vitamin A, RAE.....µg	0		0	NC	4		0	0	0
Retinol.....µg	0		0	BFSN	4		0	0	0
Carotene, beta.....µg	0		0	Z	7		0	0	0
Carotene, alpha.....µg	0		0	Z	7		0	0	0
Cryptoxanthin, beta.....µg	0		0	Z	7		0	0	0
Vitamin A, IU.....IU	0		0	NC	4		0	0	0
Lycopene.....µg	0		0	Z	7		0	0	0
Lutein + zeaxanthin.....µg	0		0	Z	7		0	0	0
Vitamin E (alpha-tocopherol).....mg	0.19		0	A	1		0.04	0.05	0.13
Vitamin E, added.....mg	0.00		0	Z	7		0.00	0.00	0.00
Tocopherol, beta.....mg	0.00		1	A	1		0.00	0.00	0.00
Tocopherol, gamma.....mg	0.00		1	A	1		0.00	0.00	0.00
Tocopherol, delta.....mg	0.00		1	A	1		0.00	0.00	0.00
Tocotrienol, alpha.....mg	0.04		1	A	1		0.01	0.01	0.03
Tocotrienol, beta.....mg	0.00		1	A	1		0.00	0.00	0.00
Tocotrienol, gamma.....mg	0.00		1	A	1		0.00	0.00	0.00
Tocotrienol, delta.....mg	0.00		1	A	1		0.00	0.00	0.00
Vitamin D (D2 + D3).....µg	0.1		0	T	4		0.0	0.0	0.1
Vitamin D2 (ergocalciferol).....µg									
Vitamin D3 (cholecalciferol).....µg									
Vitamin D.....IU	4		0	T	4		1	1	3
Vitamin K (phylloquinone).....µg	0.6		1	A	1		0.1	0.2	0.4

NDB No. 03010
Babyfood, meat, lamb, strained

Nutrients and Units	Amount in 100 grams of edible portion				Amount in edible portion of common measures of food				
	Mean	Std. Error	Number of Data Points		Source Code	Confidence Code	Measure 1	Measure 2	Measure 3
			Deriv Code	Code					
Dihydrophyloquinone.....µg	0.0		1	A	1		0.0	0.0	0.0
Menaquinone-4.....µg	5.3		1	A	1		1.2	1.5	3.8
Lipids:									
Fatty acids, total saturated.....g	1.650		0	NC	4		0.363	0.468	1.171
4:0.....g	0.000		0		1		0.000	0.000	0.000
6:0.....g	0.000		0		1		0.000	0.000	0.000
8:0.....g	0.000		0	NR	4		0.000	0.000	0.000
10:0.....g	0.000		1	A	1		0.000	0.000	0.000
12:0.....g	0.010		1	A	1		0.002	0.003	0.007
13:0.....g									
14:0.....g	0.150		1	A	1		0.033	0.043	0.107
15:0.....g	0.020		1	A	1		0.004	0.006	0.014
16:0.....g	0.720		1	A	1		0.158	0.204	0.511
17:0.....g	0.050		1	A	1		0.011	0.014	0.036
18:0.....g	0.680		1	A	1		0.150	0.193	0.483
20:0.....g	0.020		1	A	1		0.004	0.006	0.014
22:0.....g	0.000		1	A	1		0.000	0.000	0.000
24:0.....g	0.000		1	A	1		0.000	0.000	0.000
Fatty acids, total monounsaturated.....g	1.270		0	NC	4		0.279	0.360	0.902
14:1.....g	0.000		1	A	1		0.000	0.000	0.000
15:1.....g	0.000		1	A	1		0.000	0.000	0.000
16:1 undifferentiated.....g	0.070		1	A	1		0.015	0.020	0.050
17:1.....g	0.030		1	A	1		0.007	0.008	0.021
18:1 undifferentiated.....g	1.170		1	A	1		0.257	0.332	0.831
20:1.....g	0.000		0	Z	7		0.000	0.000	0.000
22:1 undifferentiated.....g	0.000		1	A	1		0.000	0.000	0.000
24:1 c.....g	0.000		1	A	1		0.000	0.000	0.000
Fatty acids, total polyunsaturated.....g	0.310		0	NC	4		0.068	0.088	0.220
18:2 undifferentiated.....g	0.170		1	A	1		0.037	0.048	0.121
18:3 undifferentiated.....g	0.080		1	A	1		0.018	0.023	0.057
18:4.....g	0.000		1	A	1		0.000	0.000	0.000
20:2 n-6 c,c.....g	0.000		1	A	1		0.000	0.000	0.000
20:3 undifferentiated.....g	0.000		1	A	1		0.000	0.000	0.000
20:4 undifferentiated.....g	0.020		1	A	1		0.004	0.006	0.014
20:5 n-3 (EPA).....g	0.020		1	A	1		0.004	0.006	0.014
21:5.....g	0.000		1	A	1		0.000	0.000	0.000
22:4.....g	0.000		1	A	1		0.000	0.000	0.000
22:5 n-3 (DPA).....g	0.020		1	A	1		0.004	0.006	0.014
22:6 n-3 (DHA).....g	0.000		1	A	1		0.000	0.000	0.000
Fatty acids, total trans.....g									
Cholesterol.....mg	36		1	A	1		8	10	26
Phytosterols.....mg									
Others:									
Alcohol, ethyl.....g	0.0		0		7		0.0	0.0	0.0
Caffeine.....mg	0		0	Z	7		0	0	0
Theobromine.....mg	0		0	Z	7		0	0	0

Blanks in the Mean column indicate lack of reliable data. The Number of Data Points column is the number of analyses upon which the mean is based. Number of Data Points of zero indicates the mean was either calculated (as for Energy) or estimated, usually from a recipe, another form of the same food, or similar food.

Common Measures:

- Measure 1 = 22g: 1 tbsp
- Measure 2 = 28.35g: 1 oz
- Measure 3 = 71g: 1 jar

Calories Factors: Protein Fat Carbohydrate

NDB No. 03010
Babyfood, meat, lamb, strained

Food Group: 03 Baby Foods
USDA National Nutrient Database for Standard Reference, Release 28 (2015)

NDB No. 03021

Babyfood, meat, meat sticks, junior

Nutrients and Units	Amount in 100 grams of edible portion				Amount in edible portion of common				
	Mean	Std. Error	Number		measures of food				
			of Data Points	Deriv Code	Source Code	Confidence Code	Measure 1	Measure 2	Measure 3
Lipids:									
Fatty acids, total saturated.....g	5.820		1		1		0.582	4.132	4.132
4:0.....g	0.000		0		1		0.000	0.000	0.000
6:0.....g	0.000		0		1		0.000	0.000	0.000
8:0.....g	0.000		0		1		0.000	0.000	0.000
10:0.....g	0.010		1		1		0.001	0.007	0.007
12:0.....g	0.020		1		1		0.002	0.014	0.014
13:0.....g									
14:0.....g	0.250		1		1		0.025	0.178	0.178
15:0.....g									
16:0.....g	3.570		1		1		0.357	2.535	2.535
17:0.....g									
18:0.....g	1.780		1		1		0.178	1.264	1.264
20:0.....g									
22:0.....g									
24:0.....g									
Fatty acids, total monounsaturated.....g	6.480		1		1		0.648	4.601	4.601
14:1.....g									
15:1.....g									
16:1 undifferentiated.....g	0.460		1		1		0.046	0.327	0.327
17:1.....g									
18:1 undifferentiated.....g	5.890		1		1		0.589	4.182	4.182
20:1.....g	0.070		1		1		0.007	0.050	0.050
22:1 undifferentiated.....g	0.000		0		1		0.000	0.000	0.000
24:1 c.....g									
Fatty acids, total polyunsaturated.....g	1.590		1		1		0.159	1.129	1.129
18:2 undifferentiated.....g	1.460		1		1		0.146	1.037	1.037
18:3 undifferentiated.....g	0.070		1		1		0.007	0.050	0.050
18:4.....g	0.000		0		1		0.000	0.000	0.000
20:2 n-6 c,c.....g									
20:3 undifferentiated.....g									
20:4 undifferentiated.....g	0.060		1		1		0.006	0.043	0.043
20:5 n-3 (EPA).....g	0.000		0		1		0.000	0.000	0.000
21:5.....g									
22:4.....g									
22:5 n-3 (DPA).....g	0.000		0		1		0.000	0.000	0.000
22:6 n-3 (DHA).....g	0.000		0		1		0.000	0.000	0.000
Fatty acids, total trans.....g									
Cholesterol.....mg	70		0		4		7	50	50
Phytosterols.....mg									
Amino Acids:									
Tryptophan.....g	0.092		0		1		0.009	0.065	0.065
Threonine.....g	0.581		0		1		0.058	0.413	0.413
Isoleucine.....g	0.667		0		1		0.067	0.474	0.474
Leucine.....g	1.042		0		1		0.104	0.740	0.740
Lysine.....g	1.034		0		1		0.103	0.734	0.734
Methionine.....g	0.309		0		1		0.031	0.219	0.219
Cystine.....g	0.073		0		1		0.007	0.052	0.052
Phenylalanine.....g	0.607		0		1		0.061	0.431	0.431
Tyrosine.....g	0.521		0		1		0.052	0.370	0.370
Valine.....g	0.691		0		1		0.069	0.491	0.491
Arginine.....g	0.871		0		1		0.087	0.618	0.618
Histidine.....g	0.461		0		1		0.046	0.327	0.327
Alanine.....g	0.785		0		1		0.079	0.557	0.557
Aspartic acid.....g	1.126		0		1		0.113	0.799	0.799
Glutamic acid.....g	2.023		0		1		0.202	1.436	1.436
Glycine.....g	0.682		0		1		0.068	0.484	0.484
Proline.....g	0.759		0		1		0.076	0.539	0.539
Serine.....g	0.495		0		1		0.050	0.351	0.351
Hydroxyproline.....g									
Others:									
Alcohol, ethyl.....g	0.0		0		7		0.0	0.0	0.0
Caffeine.....mg	0		0	FLA	4		0	0	0

NDB No. 03021

Babyfood, meat, meat sticks, junior

Nutrients and Units	<u>Amount in 100 grams of edible portion</u>				<u>Amount in edible portion of common</u>			
	Mean	Std. Error	Number of Data Points	Deriv Code	Source Code	measures of food		
						Confidence Code	Measure 1	Measure 2
Theobromine.....mg	0		0	FLA	4	0	0	0

Blanks in the Mean column indicate lack of reliable data. The Number of Data Points column is the number of analyses upon which the mean is based. Number of Data Points of zero indicates the mean was either calculated (as for Energy) or estimated, usually from a recipe, another form of the same food, or similar food.

Common Measures:

Measure 1 = 10.0g: 1 stick

Measure 2 = 71g: 1 jar

Measure 3 = 71g: 1 jar Gerber Graduate (2.5 oz)

Calories Factors: Protein 4

Fat 8.7

Carbohydrate 2.7

Food Group: 03 Baby Foods

USDA National Nutrient Database for Standard Reference, Release 28 (2015)

NDB No. 03007
 Babyfood, meat, pork, strained

Nutrients and Units	Amount in 100 grams of edible portion				Amount in edible portion of common			
	Mean	Std. Error	Number		measures of food			
			of Data Points	Deriv Code	Source Code	Confidence Code	Measure 1	Measure 2
Lipids:								
Fatty acids, total saturated.....g	2.400		1		1		0.680	1.704
4:0.....g	0.000		0		1		0.000	0.000
6:0.....g	0.000		0		1		0.000	0.000
8:0.....g	0.000		0		1		0.000	0.000
10:0.....g	0.000		1		1		0.000	0.000
12:0.....g	0.000		1		1		0.000	0.000
13:0.....g								
14:0.....g	0.080		1		1		0.023	0.057
15:0.....g								
16:0.....g	1.530		1		1		0.434	1.086
17:0.....g								
18:0.....g	0.720		1		1		0.204	0.511
20:0.....g								
22:0.....g								
24:0.....g								
Fatty acids, total monounsaturated.....g	3.580		1		1		1.015	2.542
14:1.....g								
15:1.....g								
16:1 undifferentiated.....g	0.230		1		1		0.065	0.163
17:1.....g								
18:1 undifferentiated.....g	3.270		1		1		0.927	2.322
20:1.....g	0.070		1		1		0.020	0.050
22:1 undifferentiated.....g	0.000		0		1		0.000	0.000
24:1 c.....g								
Fatty acids, total polyunsaturated.....g	0.780		1		1		0.221	0.554
18:2 undifferentiated.....g	0.690		1		1		0.196	0.490
18:3 undifferentiated.....g	0.030		1		1		0.009	0.021
18:4.....g	0.000		0		1		0.000	0.000
20:2 n-6 c,c.....g								
20:3 undifferentiated.....g								
20:4 undifferentiated.....g	0.000		0		1		0.000	0.000
20:5 n-3 (EPA).....g	0.000		0		1		0.000	0.000
21:5.....g								
22:4.....g								
22:5 n-3 (DPA).....g	0.000		0		1		0.000	0.000
22:6 n-3 (DHA).....g	0.000		0		1		0.000	0.000
Fatty acids, total trans.....g								
Cholesterol.....mg	48		0		4		14	34
Phytosterols.....mg								
Amino Acids:								
Tryptophan.....g	0.136		0		1		0.039	0.097
Threonine.....g	0.617		0		1		0.175	0.438
Isoleucine.....g	0.680		0		1		0.193	0.483
Leucine.....g	1.127		0		1		0.320	0.800
Lysine.....g	1.158		0		1		0.328	0.822
Methionine.....g	0.398		0		1		0.113	0.283
Cystine.....g	0.154		0		1		0.044	0.109
Phenylalanine.....g	0.570		0		1		0.162	0.405
Tyrosine.....g	0.510		0		1		0.145	0.362
Valine.....g	0.702		0		1		0.199	0.498
Arginine.....g	0.948		0		1		0.269	0.673
Histidine.....g	0.447		0		1		0.127	0.317
Alanine.....g	0.879		0		1		0.249	0.624
Aspartic acid.....g	1.310		0		1		0.371	0.930
Glutamic acid.....g	2.133		0		1		0.605	1.514
Glycine.....g	0.760		0		1		0.215	0.540
Proline.....g	0.747		0		1		0.212	0.530
Serine.....g	0.541		0		1		0.153	0.384
Hydroxyproline.....g								
Others:								
Alcohol, ethyl.....g	0.0		0		7		0.0	0.0
Caffeine.....mg	0		0	Z	7		0	0

NDB No. 03007
 Babyfood, meat, pork, strained

Nutrients and Units	<u>Amount in 100 grams of edible portion</u>				<u>Amount in edible portion of common measures of food</u>		
	Mean	Std. Error	Number		Measure 1	Measure 2	Measure 3
			of Data Points	Deriv Code			
Theobromine.....mg	0		0	Z	7	0	0

Blanks in the Mean column indicate lack of reliable data. The Number of Data Points column is the number of analyses upon which the mean is based. Number of Data Points of zero indicates the mean was either calculated (as for Energy) or estimated, usually from a recipe, another form of the same food, or similar food.

Common Measures:

Measure 1 = 28.35g: 1 oz

Measure 2 = 71g: 1 jar

Calories Factors: Protein 4.27

Fat 9.02

Carbohydrate

Food Group: 03 Baby Foods

USDA National Nutrient Database for Standard Reference, Release 28 (2015)

NDB No. 03017

Babyfood, meat, turkey sticks, junior

Refuse:0%

Nutrients and Units	Amount in 100 grams of edible portion				Amount in edible portion of common measures of food				
	Mean	Std. Error	Number of Data Points	Deriv Code	Source Code	Confidence Code	Measure 1	Measure 2	Measure 3
Proximates:									
Water.....g	69.80	0.800	4		1		6.98	49.56	49.56
Energy.....kcal	188		0	NC	4		19	134	134
Energy.....kJ	787		0	NC	4		79	559	559
Protein (N x 6.25).....g	13.70	0.300	5		1		1.37	9.73	9.73
Total lipid (fat).....g	14.20	0.500	5		1		1.42	10.08	10.08
Ash.....g	0.90	0.300	4		1		0.09	0.64	0.64
Carbohydrate, by difference.....g	1.40		0	NC	4		0.14	1.00	1.00
Fiber, total dietary.....g	0.5		0		4		0.1	0.4	0.4
Sugars, total.....g	1.40		0	NR	4		0.14	1.00	1.00
Starch.....g									
Minerals:									
Calcium, Ca.....mg	83		1	A	1		8	59	59
Iron, Fe.....mg	0.92		1	A	1		0.09	0.65	0.65
Magnesium, Mg.....mg	10		1	A	1		1	7	7
Phosphorus, P.....mg	120		1	A	1		12	85	85
Potassium, K.....mg	120		1	A	1		12	85	85
Sodium, Na.....mg	440		1	A	1		44	312	312
Zinc, Zn.....mg	2.40		1	A	1		0.24	1.70	1.70
Copper, Cu.....mg	0.148		1	A	1		0.015	0.105	0.105
Manganese, Mn.....mg	0.037		1	A	1		0.004	0.026	0.026
Selenium, Se.....µg	13.5		1	A	1		1.4	9.6	9.6
Vitamins:									
Vitamin C, total ascorbic acid.....mg	1.5	0.100	4		1		0.2	1.1	1.1
Thiamin.....mg	0.008		1	A	1		0.001	0.006	0.006
Riboflavin.....mg	0.181		1	A	1		0.018	0.128	0.128
Niacin.....mg	1.940		1	A	1		0.194	1.377	1.377
Pantothenic acid.....mg	0.381		1	A	1		0.038	0.271	0.271
Vitamin B-6.....mg	0.023		1	A	1		0.002	0.016	0.016
Folate, total.....µg	11		1	A	1		1	8	8
Folic acid.....µg	0		0	Z	7		0	0	0
Folate, food.....µg	11		1	A	1		1	8	8
Folate, DFE.....µg	11		0	NC	4		1	8	8
Choline, total.....mg	53.3		0	AS	1		5.3	37.9	37.9
Betaine.....mg	3.7		1	A	1		0.4	2.7	2.7
Vitamin B-12.....µg	1.30		1	A	1		0.13	0.92	0.92
Vitamin B-12, added.....µg	0.00		0	Z	7		0.00	0.00	0.00
Vitamin A, RAE.....µg	6		0	NC	4		1	4	4
Retinol.....µg	6		0	BNA	4		1	4	4
Carotene, beta.....µg	0		0	BNA	4		0	0	0
Carotene, alpha.....µg	0		0	BNA	4		0	0	0
Cryptoxanthin, beta.....µg	0		0	BNA	4		0	0	0
Vitamin A, IU.....IU	19		0	NC	4		2	13	13
Lycopene.....µg	0		0	FLA	4		0	0	0
Lutein + zeaxanthin.....µg	0		0	FLA	4		0	0	0
Vitamin E (alpha-tocopherol).....mg	0.12		1	A	1		0.01	0.09	0.09
Vitamin E, added.....mg	0.00		0	Z	7		0.00	0.00	0.00
Tocopherol, beta.....mg	0.00		1	A	1		0.00	0.00	0.00
Tocopherol, gamma.....mg	0.00		1	A	1		0.00	0.00	0.00
Tocopherol, delta.....mg	0.00		1	A	1		0.00	0.00	0.00
Tocotrienol, alpha.....mg	0.05		1	A	1		0.01	0.04	0.04
Tocotrienol, beta.....mg	0.00		1	A	1		0.00	0.00	0.00
Tocotrienol, gamma.....mg	0.00		1	A	1		0.00	0.00	0.00
Tocotrienol, delta.....mg	0.00		1	A	1		0.00	0.00	0.00
Vitamin D (D2 + D3).....µg	0.4		0	O	4		0.0	0.3	0.3
Vitamin D2 (ergocalciferol).....µg									
Vitamin D3 (cholecalciferol).....µg									
Vitamin D.....IU	15		1	A	1		1	10	10
Vitamin K (phylloquinone).....µg	0.0		1	A	1		0.0	0.0	0.0

NDB No. 03017

Babyfood, meat, turkey sticks, junior

Nutrients and Units	<u>Amount in 100 grams of edible portion</u>				<u>Amount in edible portion of common measures of food</u>			
	Mean	Std. Error	Number		Measure 1	Measure 2	Measure 3	
			of Data Points	Deriv Code				Source Code
Others:								
Alcohol, ethyl.....g	0.0		0		7	0.0	0.0	0.0
Caffeine.....mg	0		0	FLA	4	0	0	0
Theobromine.....mg	0		0	FLA	4	0	0	0

Blanks in the Mean column indicate lack of reliable data. The Number of Data Points column is the number of analyses upon which the mean is based. Number of Data Points of zero indicates the mean was either calculated (as for Energy) or estimated, usually from a recipe, another form of the same food, or similar food.

Common Measures:

Measure 1 = 10.0g: 1 stick

Measure 2 = 71g: 1 jar

Measure 3 = 71g: 1 jar Gerber Graduate (2.5 oz)

Calories Factors: Protein

Fat

Carbohydrate

Food Group: 03 Baby Foods

USDA National Nutrient Database for Standard Reference, Release 28 (2015)

NDB No. 03016
 Babyfood, meat, turkey, junior

Refuse:0%

Nutrients and Units	Amount in 100 grams of edible portion				Amount in edible portion of common measures of food				
	Mean	Std. Error	Number of Data Points	Deriv Code	Source Code	Confidence Code	Measure 1	Measure 2	Measure 3
Proximates:									
Water.....g	80.32	1.442	3	A	1		15.26	54.62	
Energy.....kcal	111		0	NC	4		21	75	
Energy.....kJ	463		0	NC	4		88	315	
Protein (N x 6.25).....g	11.50	0.642	3	A	1		2.18	7.82	
Total lipid (fat).....g	6.20	0.657	3	A	1		1.18	4.22	
Ash.....g	0.58	0.020	3	A	1		0.11	0.40	
Carbohydrate, by difference.....g	1.40		0	NC	4		0.27	0.95	
Fiber, total dietary.....g	0.0		0	Z	7		0.0	0.0	
Sugars, total.....g	0.00		0	Z	7		0.00	0.00	
Starch.....g									
Minerals:									
Calcium, Ca.....mg	41	9.280	3	A	1		8	28	
Iron, Fe.....mg	0.70	0.065	3	A	1		0.13	0.48	
Magnesium, Mg.....mg	12	0.577	3	A	1		2	8	
Phosphorus, P.....mg	117	3.333	3	A	1		22	79	
Potassium, K.....mg	135	13.229	3	A	1		26	92	
Sodium, Na.....mg	49		0	LC	8		9	33	
Zinc, Zn.....mg	1.77	0.186	3	A	1		0.34	1.20	
Copper, Cu.....mg	0.148	0.000	3	A	1		0.028	0.100	
Manganese, Mn.....mg	0.037	0.000	3	A	1		0.007	0.025	
Selenium, Se.....µg	12.0	2.421	3	A	1		2.3	8.1	
Vitamins:									
Vitamin C, total ascorbic acid.....mg	0.0		0	Z	7		0.0	0.0	
Thiamin.....mg	0.008		2	A	1		0.002	0.006	
Riboflavin.....mg	0.163		2	A	1		0.031	0.111	
Niacin.....mg	2.610		2	A	1		0.496	1.775	
Pantothenic acid.....mg	0.410		1	A	1		0.078	0.279	
Vitamin B-6.....mg	0.029		2	A	1		0.006	0.020	
Folate, total.....µg	8	2.082	3	A	1		2	5	
Folic acid.....µg	0		2	A	1		0	0	
Folate, food.....µg	8	2.082	3	AS	1		2	5	
Folate, DFE.....µg	8		0	NC	4		2	5	
Choline, total.....mg	39.8	1.942	3	AS	1		7.6	27.0	
Betaine.....mg	4.7	0.530	3	A	1		0.9	3.2	
Vitamin B-12.....µg	1.11		2	A	1		0.21	0.75	
Vitamin B-12, added.....µg	0.00		0	Z	7		0.00	0.00	
Vitamin A, RAE.....µg	0		0	NC	4		0	0	
Retinol.....µg	0		0	BFSN	4		0	0	
Carotene, beta.....µg	0		0	Z	7		0	0	
Carotene, alpha.....µg	0		0	Z	7		0	0	
Cryptoxanthin, beta.....µg	0		0	Z	7		0	0	
Vitamin A, IU.....IU	0		0	BFSN	4		0	0	
Lycopene.....µg	0		0	Z	7		0	0	
Lutein + zeaxanthin.....µg	0		0	Z	7		0	0	
Vitamin E (alpha-tocopherol).....mg	0.08	0.015	3	A	1		0.02	0.06	
Vitamin E, added.....mg	0.00		0	Z	7		0.00	0.00	
Tocopherol, beta.....mg	0.00	0.000	3	A	1		0.00	0.00	
Tocopherol, gamma.....mg	0.03	0.024	3	A	1		0.01	0.02	
Tocopherol, delta.....mg	0.00	0.000	3	A	1		0.00	0.00	
Tocotrienol, alpha.....mg	0.04	0.000	3	A	1		0.01	0.03	
Tocotrienol, beta.....mg	0.00	0.000	3	A	1		0.00	0.00	
Tocotrienol, gamma.....mg	0.00	0.000	3	A	1		0.00	0.00	
Tocotrienol, delta.....mg	0.00	0.000	3	A	1		0.00	0.00	
Vitamin D (D2 + D3).....µg	0.8		1	A	1		0.2	0.6	
Vitamin D2 (ergocalciferol).....µg									
Vitamin D3 (cholecalciferol).....µg									
Vitamin D.....IU	34		1	A	1		6	23	
Vitamin K (phylloquinone).....µg	0.0	0.000	3	A	1		0.0	0.0	

NDB No. 03016
Babyfood, meat, turkey, junior

Nutrients and Units	Amount in 100 grams of edible portion						Amount in edible portion of common measures of food			
	Mean	Std. Error	Number			Source Code	Confidence Code	Measure 1	Measure 2	Measure 3
			of Data Points	Deriv Code						
Dihydrophyloquinone.....µg	0.0	0.000	3	A		1		0.0	0.0	
Menquinone-4.....µg	18.7	2.252	3	A		1		3.6	12.7	
Lipids:										
Fatty acids, total saturated.....g	1.641		0	NC		4		0.312	1.116	
4:0.....g	0.000		0	Z		7		0.000	0.000	
6:0.....g	0.000		0	Z		7		0.000	0.000	
8:0.....g	0.000		1	A		1		0.000	0.000	
10:0.....g	0.000		1	A		1		0.000	0.000	
12:0.....g	0.000		1	A		1		0.000	0.000	
13:0.....g										
14:0.....g	0.040		1	A		1		0.008	0.027	
15:0.....g	0.000		1	A		1		0.000	0.000	
16:0.....g	0.770		1	A		1		0.146	0.524	
17:0.....g	0.010		1	A		1		0.002	0.007	
18:0.....g	0.330		1	A		1		0.063	0.224	
20:0.....g	0.000		1	A		1		0.000	0.000	
22:0.....g	0.000		1	A		1		0.000	0.000	
24:0.....g	0.000		1	A		1		0.000	0.000	
Fatty acids, total monounsaturated.....g	2.384		0	NC		4		0.453	1.621	
14:1.....g	0.000		1	A		1		0.000	0.000	
15:1.....g	0.000		1	A		1		0.000	0.000	
16:1 undifferentiated.....g	0.140		1	A		1		0.027	0.095	
17:1.....g	0.000		1	A		1		0.000	0.000	
18:1 undifferentiated.....g	1.520		1	A		1		0.289	1.034	
20:1.....g	0.010		1	A		1		0.002	0.007	
22:1 undifferentiated.....g	0.000		1	A		1		0.000	0.000	
24:1 c.....g	0.000		1	A		1		0.000	0.000	
Fatty acids, total polyunsaturated.....g	1.741		0	NC		4		0.331	1.184	
18:2 undifferentiated.....g	1.040		1	A		1		0.198	0.707	
18:3 undifferentiated.....g	0.060		1	A		1		0.011	0.041	
18:4.....g	0.020		1	A		1		0.004	0.014	
20:2 n-6 c,c.....g	0.000		1	A		1		0.000	0.000	
20:3 undifferentiated.....g	0.000		1	A		1		0.000	0.000	
20:4 undifferentiated.....g	0.050		1	A		1		0.010	0.034	
20:5 n-3 (EPA).....g	0.000		1	A		1		0.000	0.000	
21:5.....g	0.000		1	A		1		0.000	0.000	
22:4.....g	0.010		1	A		1		0.002	0.007	
22:5 n-3 (DPA).....g	0.040		1	A		1		0.008	0.027	
22:6 n-3 (DHA).....g	0.000		1	A		1		0.000	0.000	
Fatty acids, total trans.....g										
Cholesterol.....mg	58	2.427	3	A		1		11	39	
Phytosterols.....mg										
Others:										
Alcohol, ethyl.....g	0.0		0	Z		7		0.0	0.0	
Caffeine.....mg	0		0	Z		7		0	0	
Theobromine.....mg	0		0	Z		7		0	0	

Blanks in the Mean column indicate lack of reliable data. The Number of Data Points column is the number of analyses upon which the mean is based. Number of Data Points of zero indicates the mean was either calculated (as for Energy) or estimated, usually from a recipe, another form of the same food, or similar food.

Common Measures:

Measure 1 = 19g: 1 tbsp

Measure 2 = 68g: 1 container

Calories Factors: Protein 4.27

Fat 9.02

Carbohydrate

Food Group: 03 Baby Foods

USDA National Nutrient Database for Standard Reference, Release 28 (2015)

NDB No. 03015
Babyfood, meat, turkey, strained

Refuse:0%

Nutrients and Units	Amount in 100 grams of edible portion				Amount in edible portion of common measures of food				
	Mean	Std. Error	Number of Data Points	Deriv Code	Source Code	Confidence Code	Measure 1	Measure 2	Measure 3
Proximates:									
Water.....g	80.32	1.442	3	A	1		12.05	22.77	57.03
Energy.....kcal	111		0	NC	4		17	31	79
Energy.....kJ	463		0	NC	4		69	131	329
Protein (N x 6.25).....g	11.50	0.642	3	A	1		1.72	3.26	8.16
Total lipid (fat).....g	6.20	0.657	3	A	1		0.93	1.76	4.40
Ash.....g	0.58	0.020	3	A	1		0.09	0.17	0.41
Carbohydrate, by difference.....g	1.40		0	NC	4		0.21	0.40	0.99
Fiber, total dietary.....g	0.0		0		4		0.0	0.0	0.0
Sugars, total.....g	0.00		0	Z	7		0.00	0.00	0.00
Starch.....g									
Minerals:									
Calcium, Ca.....mg	41	9.280	3	A	1		6	12	29
Iron, Fe.....mg	0.70	0.065	3	A	1		0.10	0.20	0.50
Magnesium, Mg.....mg	12	0.577	3	A	1		2	3	9
Phosphorus, P.....mg	117	3.333	3	A	1		18	33	83
Potassium, K.....mg	135	13.229	3	A	1		20	38	96
Sodium, Na.....mg	49		0	LC	8		7	14	34
Zinc, Zn.....mg	1.77	0.186	3	A	1		0.26	0.50	1.25
Copper, Cu.....mg	0.148	0.000	3	A	1		0.022	0.042	0.105
Manganese, Mn.....mg	0.037	0.000	3	A	1		0.006	0.010	0.026
Selenium, Se.....µg	12.0	2.421	3	A	1		1.8	3.4	8.5
Vitamins:									
Vitamin C, total ascorbic acid.....mg	2.2	0.200	19		1		0.3	0.6	1.6
Thiamin.....mg	0.008		2	A	1		0.001	0.002	0.006
Riboflavin.....mg	0.163		2	A	1		0.024	0.046	0.116
Niacin.....mg	2.610		2	A	1		0.391	0.740	1.853
Pantothenic acid.....mg	0.410		1	A	1		0.061	0.116	0.291
Vitamin B-6.....mg	0.029		2	A	1		0.004	0.008	0.021
Folate, total.....µg	8	2.082	3	A	1		1	2	6
Folic acid.....µg	0		2	A	1		0	0	0
Folate, food.....µg	8	2.082	3	AS	1		1	2	6
Folate, DFE.....µg	8		0	NC	4		1	2	6
Choline, total.....mg	39.8	1.942	3	AS	1		6.0	11.3	28.2
Betaine.....mg	4.7	0.530	3	A	1		0.7	1.3	3.4
Vitamin B-12.....µg	1.11		2	A	1		0.17	0.31	0.79
Vitamin B-12, added.....µg	0.00		0	Z	7		0.00	0.00	0.00
Vitamin A, RAE.....µg	0		0	NC	4		0	0	0
Retinol.....µg	0		0	BFSN	4		0	0	0
Carotene, beta.....µg	0		0	Z	7		0	0	0
Carotene, alpha.....µg	0		0	Z	7		0	0	0
Cryptoxanthin, beta.....µg	0		0	Z	7		0	0	0
Vitamin A, IU.....IU	0		0	BFSN	4		0	0	0
Lycopene.....µg	0		0	Z	7		0	0	0
Lutein + zeaxanthin.....µg	0		0	Z	7		0	0	0
Vitamin E (alpha-tocopherol).....mg	0.08	0.015	3	A	1		0.01	0.02	0.06
Vitamin E, added.....mg	0.00		0	Z	7		0.00	0.00	0.00
Tocopherol, beta.....mg	0.00	0.000	3	A	1		0.00	0.00	0.00
Tocopherol, gamma.....mg	0.03	0.024	3	A	1		0.00	0.01	0.02
Tocopherol, delta.....mg	0.00	0.000	3	A	1		0.00	0.00	0.00
Tocotrienol, alpha.....mg	0.04	0.000	3	A	1		0.01	0.01	0.03
Tocotrienol, beta.....mg	0.00	0.000	3	A	1		0.00	0.00	0.00
Tocotrienol, gamma.....mg	0.00	0.000	3	A	1		0.00	0.00	0.00
Tocotrienol, delta.....mg	0.00	0.000	3	A	1		0.00	0.00	0.00
Vitamin D (D2 + D3).....µg	0.8		1	A	1		0.1	0.2	0.6
Vitamin D2 (ergocalciferol).....µg									
Vitamin D3 (cholecalciferol).....µg									
Vitamin D.....IU	34		1	A	1		5	10	24
Vitamin K (phylloquinone).....µg	0.0	0.000	3	A	1		0.0	0.0	0.0

NDB No. 03015
Babyfood, meat, turkey, strained

Nutrients and Units	<u>Amount in 100 grams of edible portion</u>				<u>Amount in edible portion of common measures of food</u>			
	Mean	Std. Error	Number			Measure 1	Measure 2	Measure 3
			of Data Points	Deriv Code	Source Code			
Others:								
Alcohol, ethyl.....g	0.0		0		7	0.0	0.0	0.0
Caffeine.....mg	0		0	Z	7	0	0	0
Theobromine.....mg	0		0	Z	7	0	0	0

Blanks in the Mean column indicate lack of reliable data. The Number of Data Points column is the number of analyses upon which the mean is based. Number of Data Points of zero indicates the mean was either calculated (as for Energy) or estimated, usually from a recipe, another form of the same food, or similar food.

Common Measures:

- Measure 1 = 15.0g: 1 tbsp
- Measure 2 = 28.35g: 1 oz
- Measure 3 = 71g: 1 jar

Calories Factors: Protein 4.27

Fat 9.02

Carbohydrate

Food Group: 03 Baby Foods

USDA National Nutrient Database for Standard Reference, Release 28 (2015)

NDB No. 03005
Babyfood, meat, veal, strained

Refuse:0%

Nutrients and Units	Amount in 100 grams of edible portion				Amount in edible portion of common measures of food				
	Mean	Std. Error	Number of Data Points	Deriv Code	Source Code	Confidence Code	Measure 1	Measure 2	Measure 3
Proximates:									
Water.....g	82.37		2	A	1		13.18	23.35	58.49
Energy.....kcal	81		0	NC	4		13	23	57
Energy.....kJ	337		0	NC	4		54	96	239
Protein.....g	13.12		2	A	1		2.10	3.72	9.32
Total lipid (fat).....g	2.45		2	A	1		0.39	0.69	1.74
Ash.....g	0.54		2	A	1		0.09	0.15	0.39
Carbohydrate, by difference.....g	1.51		0	NC	4		0.24	0.43	1.07
Fiber, total dietary.....g	0.0		0	Z	7		0.0	0.0	0.0
Sugars, total.....g	0.00		0	Z	7		0.00	0.00	0.00
Starch.....g									
Minerals:									
Calcium, Ca.....mg	6		1	A	1		1	2	4
Iron, Fe.....mg	0.76		1	A	1		0.12	0.22	0.54
Magnesium, Mg.....mg	11		1	A	1		2	3	8
Phosphorus, P.....mg	98		1	A	1		16	28	70
Potassium, K.....mg	170		1	A	1		27	48	121
Sodium, Na.....mg	39		1	A	1		6	11	28
Zinc, Zn.....mg	2.50		1	A	1		0.40	0.71	1.78
Copper, Cu.....mg	0.148		1	A	1		0.024	0.042	0.105
Manganese, Mn.....mg	0.037		1	A	1		0.006	0.010	0.026
Selenium, Se.....µg	3.5		1	A	1		0.6	1.0	2.5
Vitamins:									
Vitamin C, total ascorbic acid.....mg	0.0		0	Z	7		0.0	0.0	0.0
Thiamin.....mg	0.023		1	A	1		0.004	0.006	0.016
Riboflavin.....mg	0.116		1	A	1		0.019	0.033	0.082
Niacin.....mg	2.850		1	A	1		0.456	0.808	2.023
Pantothenic acid.....mg	0.155		1	A	1		0.025	0.044	0.110
Vitamin B-6.....mg	0.049		1	A	1		0.008	0.014	0.035
Folate, total.....µg	5		1	A	1		1	1	4
Folic acid.....µg	0		1	A	1		0	0	0
Folate, food.....µg	5		0	AS	1		1	1	4
Folate, DFE.....µg	5		0	NC	4		1	1	4
Choline, total.....mg	49.5		0	AS	1		7.9	14.0	35.2
Betaine.....mg	6.9		1	A	1		1.1	2.0	4.9
Vitamin B-12.....µg	1.65		1	A	1		0.26	0.47	1.17
Vitamin B-12, added.....µg	0.00		0	Z	7		0.00	0.00	0.00
Vitamin A, RAE.....µg	0		0	AS	1		0	0	0
Retinol.....µg	0		0	Z	7		0	0	0
Carotene, beta.....µg	0		0	Z	7		0	0	0
Carotene, alpha.....µg	0		0	Z	7		0	0	0
Cryptoxanthin, beta.....µg	0		0	Z	7		0	0	0
Vitamin A, IU.....IU	0		0	AS	1		0	0	0
Lycopene.....µg	0		0	Z	7		0	0	0
Lutein + zeaxanthin.....µg	0		0	Z	7		0	0	0
Vitamin E (alpha-tocopherol).....mg	0.28		1	A	1		0.04	0.08	0.20
Vitamin E, added.....mg	0.00		0	Z	7		0.00	0.00	0.00
Tocopherol, beta.....mg	0.00		1	A	1		0.00	0.00	0.00
Tocopherol, gamma.....mg	0.01		1	A	1		0.00	0.00	0.01
Tocopherol, delta.....mg	0.00		1	A	1		0.00	0.00	0.00
Tocotrienol, alpha.....mg	0.04		1	A	1		0.01	0.01	0.03
Tocotrienol, beta.....mg	0.00		1	A	1		0.00	0.00	0.00
Tocotrienol, gamma.....mg	0.00		1	A	1		0.00	0.00	0.00
Tocotrienol, delta.....mg	0.00		1	A	1		0.00	0.00	0.00
Vitamin D (D2 + D3).....µg	0.7		1	A	1		0.1	0.2	0.5
Vitamin D2 (ergocalciferol).....µg									
Vitamin D3 (cholecalciferol).....µg									
Vitamin D.....IU	26		1	A	1		4	7	19
Vitamin K (phylloquinone).....µg	0.0		1	A	1		0.0	0.0	0.0

NDB No. 03005
Babyfood, meat, veal, strained

Nutrients and Units	Amount in 100 grams of edible portion				Amount in edible portion of common measures of food				
	Mean	Std. Error	Number of Data Points		Source Code	Confidence Code	Measure 1	Measure 2	Measure 3
			Deriv Code	Points					
Dihydrophyloquinone.....µg	0.0		1	A	1		0.0	0.0	0.0
Menaquinone-4.....µg	1.5		1	A	1		0.2	0.4	1.1
Lipids:									
Fatty acids, total saturated.....g	1.063		0	NC	4		0.170	0.301	0.755
4:0.....g	0.000		0	Z	7		0.000	0.000	0.000
6:0.....g	0.000		0	Z	7		0.000	0.000	0.000
8:0.....g	0.000		1	A	1		0.000	0.000	0.000
10:0.....g	0.000		1	A	1		0.000	0.000	0.000
12:0.....g	0.009		1	A	1		0.001	0.002	0.006
13:0.....g									
14:0.....g	0.131		1	A	1		0.021	0.037	0.093
15:0.....g	0.009		1	A	1		0.001	0.002	0.006
16:0.....g	0.575		1	A	1		0.092	0.163	0.408
17:0.....g	0.026		1	A	1		0.004	0.007	0.018
18:0.....g	0.314		1	A	1		0.050	0.089	0.223
20:0.....g	0.000		1	A	1		0.000	0.000	0.000
22:0.....g	0.000		1	A	1		0.000	0.000	0.000
24:0.....g	0.000		1	A	1		0.000	0.000	0.000
Fatty acids, total monounsaturated.....g	1.054		0	NC	4		0.169	0.299	0.749
14:1.....g	0.026		1	A	1		0.004	0.007	0.019
15:1.....g	0.000		1	A	1		0.000	0.000	0.000
16:1 undifferentiated.....g	0.105		1	A	1		0.017	0.030	0.074
17:1.....g	0.017		1	A	1		0.003	0.005	0.012
18:1 undifferentiated.....g	0.898		1	A	1		0.144	0.254	0.637
20:1.....g	0.009		1	A	1		0.001	0.002	0.006
22:1 undifferentiated.....g	0.000		1	A	1		0.000	0.000	0.000
24:1 c.....g	0.000		1	A	1		0.000	0.000	0.000
Fatty acids, total polyunsaturated.....g	0.157		0	NC	4		0.025	0.044	0.111
18:2 undifferentiated.....g	0.104		1	A	1		0.017	0.030	0.074
18:3 undifferentiated.....g	0.017		1	A	1		0.003	0.005	0.012
18:4.....g	0.017		1	A	1		0.003	0.005	0.012
20:2 n-6 c,c.....g	0.000		1	A	1		0.000	0.000	0.000
20:3 undifferentiated.....g	0.000		1	A	1		0.000	0.000	0.000
20:4 undifferentiated.....g	0.017		1	A	1		0.003	0.005	0.012
20:5 n-3 (EPA).....g	0.000		1	A	1		0.000	0.000	0.000
21:5.....g	0.000		1	A	1		0.000	0.000	0.000
22:4.....g	0.000		1	A	1		0.000	0.000	0.000
22:5 n-3 (DPA).....g	0.000		1	A	1		0.000	0.000	0.000
22:6 n-3 (DHA).....g	0.000		1	A	1		0.000	0.000	0.000
Fatty acids, total trans.....g									
Cholesterol.....mg	33		1	A	1		5	9	23
Phytosterols.....mg									
Others:									
Alcohol, ethyl.....g	0.0		0	Z	7		0.0	0.0	0.0
Caffeine.....mg	0		0	Z	7		0	0	0
Theobromine.....mg	0		0	Z	7		0	0	0

Blanks in the Mean column indicate lack of reliable data. The Number of Data Points column is the number of analyses upon which the mean is based. Number of Data Points of zero indicates the mean was either calculated (as for Energy) or estimated, usually from a recipe, another form of the same food, or similar food.

Common Measures:

- Measure 1 = 16g: 1 tbsp
- Measure 2 = 28.35g: 1 oz
- Measure 3 = 71g: 1 jar

Calories Factors: Protein Fat Carbohydrate

NDB No. 03005
Babyfood, meat, veal, strained

Food Group: 03 Baby Foods
USDA National Nutrient Database for Standard Reference, Release 28 (2015)

NDB No. 42120

Babyfood, mixed fruit juice with low fat yogurt

Nutrients and Units	Amount in 100 grams of edible portion				Amount in edible portion of common measures of food				
	Mean	Std. Error	Number of Data Points	Deriv Code	Source Code	Confidence Code	Measure 1	Measure 2	Measure 3
Lipids:									
Fatty acids, total saturated.....g	0.517		0		4		0.163	0.651	
4:0.....g	0.025		0		4		0.008	0.032	
6:0.....g	0.017		0		4		0.005	0.021	
8:0.....g	0.010		0		4		0.003	0.013	
10:0.....g	0.022		0		4		0.007	0.028	
12:0.....g	0.027		0		4		0.009	0.034	
13:0.....g									
14:0.....g	0.084		0		4		0.026	0.106	
15:0.....g									
16:0.....g	0.219		0		4		0.069	0.276	
17:0.....g									
18:0.....g	0.079		0		4		0.025	0.100	
20:0.....g									
22:0.....g									
24:0.....g									
Fatty acids, total monounsaturated.....g	0.219		0		4		0.069	0.276	
14:1.....g									
15:1.....g									
16:1 undifferentiated.....g	0.017		0		4		0.005	0.021	
17:1.....g									
18:1 undifferentiated.....g	0.182		0		4		0.057	0.229	
20:1.....g	0.000		0		4		0.000	0.000	
22:1 undifferentiated.....g	0.000		0		4		0.000	0.000	
24:1 c.....g									
Fatty acids, total polyunsaturated.....g	0.022		0		4		0.007	0.028	
18:2 undifferentiated.....g	0.015		0		4		0.005	0.019	
18:3 undifferentiated.....g	0.007		0		4		0.002	0.009	
18:4.....g	0.000		0		4		0.000	0.000	
20:2 n-6 c,c.....g									
20:3 undifferentiated.....g									
20:4 undifferentiated.....g	0.000		0		4		0.000	0.000	
20:5 n-3 (EPA).....g	0.000		0		4		0.000	0.000	
21:5.....g									
22:4.....g									
22:5 n-3 (DPA).....g	0.000		0		4		0.000	0.000	
22:6 n-3 (DHA).....g	0.000		0		4		0.000	0.000	
Fatty acids, total trans.....g									
Cholesterol.....mg	3		0		4		1	4	
Phytosterols.....mg									
Others:									
Alcohol, ethyl.....g	0.0		0		7		0.0	0.0	
Caffeine.....mg	0		0	FLA	4		0	0	
Theobromine.....mg	0		0	FLA	4		0	0	

Blanks in the Mean column indicate lack of reliable data. The Number of Data Points column is the number of analyses upon which the mean is based. Number of Data Points of zero indicates the mean was either calculated (as for Energy) or estimated, usually from a recipe, another form of the same food, or similar food.

Common Measures:

Measure 1 = 31.5g: 1 fl oz

Measure 2 = 126g: 1 bottle NFS

Calories Factors: Protein

Fat

Carbohydrate

Food Group: 03 Baby Foods

USDA National Nutrient Database for Standard Reference, Release 28 (2015)

NDB No. 43523

Babyfood, mixed fruit yogurt, strained

Nutrients and Units	Amount in 100 grams of edible portion				Amount in edible portion of common measures of food				
	Mean	Std. Error	Number of Data Points		Source Code	Confidence Code	Measure 1	Measure 2	Measure 3
			Deriv Code	Points					
Lipids:									
Fatty acids, total saturated.....g	0.517		0		4		0.078	0.584	0.584
4:0.....g	0.025		0		4		0.004	0.028	0.028
6:0.....g	0.017		0		4		0.003	0.019	0.019
8:0.....g	0.010		0		4		0.002	0.011	0.011
10:0.....g	0.022		0		4		0.003	0.025	0.025
12:0.....g	0.027		0		4		0.004	0.031	0.031
13:0.....g									
14:0.....g	0.084		0		4		0.013	0.095	0.095
15:0.....g									
16:0.....g	0.219		0		4		0.033	0.247	0.247
17:0.....g									
18:0.....g	0.079		0		4		0.012	0.089	0.089
20:0.....g									
22:0.....g									
24:0.....g									
Fatty acids, total monounsaturated.....g	0.219		0		4		0.033	0.247	0.247
14:1.....g									
15:1.....g									
16:1 undifferentiated.....g	0.017		0		4		0.003	0.019	0.019
17:1.....g									
18:1 undifferentiated.....g	0.182		0		4		0.027	0.206	0.206
20:1.....g	0.000		0		4		0.000	0.000	0.000
22:1 undifferentiated.....g	0.000		0		4		0.000	0.000	0.000
24:1 c.....g									
Fatty acids, total polyunsaturated.....g	0.022		0		4		0.003	0.025	0.025
18:2 undifferentiated.....g	0.015		0		4		0.002	0.017	0.017
18:3 undifferentiated.....g	0.007		0		4		0.001	0.008	0.008
18:4.....g	0.000		0		4		0.000	0.000	0.000
20:2 n-6 c,c.....g									
20:3 undifferentiated.....g									
20:4 undifferentiated.....g	0.000		0		4		0.000	0.000	0.000
20:5 n-3 (EPA).....g	0.000		0		4		0.000	0.000	0.000
21:5.....g									
22:4.....g									
22:5 n-3 (DPA).....g	0.000		0		4		0.000	0.000	0.000
22:6 n-3 (DHA).....g	0.000		0		4		0.000	0.000	0.000
Fatty acids, total trans.....g									
Cholesterol.....mg	0		0		7		0	0	0
Phytosterols.....mg									
Others:									
Alcohol, ethyl.....g	0.0		0		7		0.0	0.0	0.0
Caffeine.....mg	0		0	FLA	4		0	0	0
Theobromine.....mg	0		0	FLA	4		0	0	0

Blanks in the Mean column indicate lack of reliable data. The Number of Data Points column is the number of analyses upon which the mean is based. Number of Data Points of zero indicates the mean was either calculated (as for Energy) or estimated, usually from a recipe, another form of the same food, or similar food.

Common Measures:

Measure 1 = 15.0g: 1 tbsp

Measure 2 = 113g: 1 jar NFS

Measure 3 = 113g: 1 jar Gerber Second Food (4 oz)

Calories Factors: Protein

Fat

Carbohydrate

Food Group: 03 Baby Foods

USDA National Nutrient Database for Standard Reference, Release 28 (2015)

NDB No. 03205

Babyfood, oatmeal cereal with fruit, dry, instant, toddler fortified

Nutrients and Units	Amount in 100 grams of edible portion				Amount in edible portion of common measures of food				
	Mean	Std. Error	Number of Data Points	Deriv Code	Source Code	Confidence Code	Measure 1	Measure 2	Measure 3
Lipids:									
Fatty acids, total saturated.....g	1.572		0		4		0.083	0.330	
4:0.....g	0.000		0	FLM	4		0.000	0.000	
6:0.....g	0.000		0	FLM	4		0.000	0.000	
8:0.....g	0.000		0	FLM	4		0.000	0.000	
10:0.....g	0.000		0	FLM	4		0.000	0.000	
12:0.....g	0.023		0	MA	12		0.001	0.005	
13:0.....g									
14:0.....g	0.015		0	MA	12		0.001	0.003	
15:0.....g									
16:0.....g	1.335		0	MA	12		0.071	0.280	
17:0.....g									
18:0.....g	0.199		0	MA	12		0.011	0.042	
20:0.....g									
22:0.....g									
24:0.....g									
Fatty acids, total monounsaturated.....g	3.008		0	MA	12		0.159	0.632	
14:1.....g									
15:1.....g									
16:1 undifferentiated.....g	0.013		0	MA	12		0.001	0.003	
17:1.....g									
18:1 undifferentiated.....g	2.995		0	MA	12		0.159	0.629	
20:1.....g	0.000		0	FLM	4		0.000	0.000	
22:1 undifferentiated.....g	0.000		0	FLM	4		0.000	0.000	
24:1 c.....g									
Fatty acids, total polyunsaturated.....g	2.290		0	MA	12		0.121	0.481	
18:2 undifferentiated.....g	2.197		0	MA	12		0.116	0.461	
18:3 undifferentiated.....g	0.093		0	MA	12		0.005	0.020	
18:4.....g	0.000		0	FLM	4		0.000	0.000	
20:2 n-6 c,c.....g									
20:3 undifferentiated.....g									
20:4 undifferentiated.....g	0.000		0	FLM	4		0.000	0.000	
20:5 n-3 (EPA).....g	0.000		0	FLM	4		0.000	0.000	
21:5.....g									
22:4.....g									
22:5 n-3 (DPA).....g	0.000		0	FLM	4		0.000	0.000	
22:6 n-3 (DHA).....g	0.000		0	FLM	4		0.000	0.000	
Fatty acids, total trans.....g									
Cholesterol.....mg	0		0	MA	12		0	0	
Phytosterols.....mg									
Others:									
Alcohol, ethyl.....g	0.0		0	Z	7		0.0	0.0	
Caffeine.....mg	0		0	FLA	4		0	0	
Theobromine.....mg	0		0	FLA	4		0	0	

Blanks in the Mean column indicate lack of reliable data. The Number of Data Points column is the number of analyses upon which the mean is based. Number of Data Points of zero indicates the mean was either calculated (as for Energy) or estimated, usually from a recipe, another form of the same food, or similar food.

Common Measures:

Measure 1 = 5.3g: 1 tbsp

Measure 2 = 21g: 1 packet (.75 oz)

Calories Factors: Protein

Fat

Carbohydrate

Food Group: 03 Baby Foods

USDA National Nutrient Database for Standard Reference, Release 28 (2015)

NDB No. 03161
 Babyfood, peaches, dices, toddler

Nutrients and Units	Amount in 100 grams of edible portion				Amount in edible portion of common measures of food				
	Mean	Std. Error	Number of Data Points		Source Code	Confidence Code	Measure 1	Measure 2	Measure 3
			Deriv Code	Points					
Lipids:									
Fatty acids, total saturated.....g	0.016		0	BFFN	4		0.005	0.020	
4:0.....g	0.000		0	BFFN	4		0.000	0.000	
6:0.....g	0.000		0	BFFN	4		0.000	0.000	
8:0.....g	0.000		0	BFFN	4		0.000	0.000	
10:0.....g	0.000		0	BFFN	4		0.000	0.000	
12:0.....g	0.000		0	BFFN	4		0.000	0.000	
13:0.....g									
14:0.....g	0.000		0	BFFN	4		0.000	0.000	
15:0.....g									
16:0.....g	0.014		0	BFFN	4		0.004	0.018	
17:0.....g									
18:0.....g	0.001		0	BFFN	4		0.000	0.001	
20:0.....g									
22:0.....g									
24:0.....g									
Fatty acids, total monounsaturated.....g	0.046		0	BFFN	4		0.013	0.059	
14:1.....g									
15:1.....g									
16:1 undifferentiated.....g	0.001		0	BFFN	4		0.000	0.001	
17:1.....g									
18:1 undifferentiated.....g	0.053		0	BFFN	4		0.015	0.068	
20:1.....g	0.000		0	BFFN	4		0.000	0.000	
22:1 undifferentiated.....g	0.000		0	BFFN	4		0.000	0.000	
24:1 c.....g									
Fatty acids, total polyunsaturated.....g	0.078		0	BFFN	4		0.022	0.100	
18:2 undifferentiated.....g	0.068		0	BFFN	4		0.019	0.087	
18:3 undifferentiated.....g	0.005		0	BFFN	4		0.001	0.006	
18:4.....g	0.000		0	BFFN	4		0.000	0.000	
20:2 n-6 c,c.....g									
20:3 undifferentiated.....g									
20:4 undifferentiated.....g	0.000		0	BFFN	4		0.000	0.000	
20:5 n-3 (EPA).....g	0.000		0	BFFN	4		0.000	0.000	
21:5.....g									
22:4.....g									
22:5 n-3 (DPA).....g	0.000		0	BFFN	4		0.000	0.000	
22:6 n-3 (DHA).....g	0.000		0	BFFN	4		0.000	0.000	
Fatty acids, total trans.....g									
Cholesterol.....mg	0		0	MA	12		0	0	
Phytosterols.....mg									
Others:									
Alcohol, ethyl.....g	0.0		0	Z	7		0.0	0.0	
Caffeine.....mg	0		0	BFSN	4		0	0	
Theobromine.....mg	0		0	BFSN	4		0	0	

Blanks in the Mean column indicate lack of reliable data. The Number of Data Points column is the number of analyses upon which the mean is based. Number of Data Points of zero indicates the mean was either calculated (as for Energy) or estimated, usually from a recipe, another form of the same food, or similar food.

Common Measures:

Measure 1 = 28.35g: 1 oz
 Measure 2 = 128g: 1 jar Gerber

Calories Factors: Protein

Fat

Carbohydrate

Food Group: 03 Baby Foods

USDA National Nutrient Database for Standard Reference, Release 28 (2015)

NDB No. 03141
 Babyfood, pears, dices, toddler

Nutrients and Units	Amount in 100 grams of edible portion				Amount in edible portion of common measures of food				
	Mean	Std. Error	Number of Data Points	Deriv Code	Source Code	Confidence Code	Measure 1	Measure 2	Measure 3
Lipids:									
Fatty acids, total saturated.....g	0.010		0	BFFN	4		0.003	0.013	
4:0.....g	0.000		0	BFFN	4		0.000	0.000	
6:0.....g	0.000		0	BFFN	4		0.000	0.000	
8:0.....g	0.000		0	BFFN	4		0.000	0.000	
10:0.....g	0.000		0	BFFN	4		0.000	0.000	
12:0.....g	0.000		0	BFFN	4		0.000	0.000	
13:0.....g									
14:0.....g	0.000		0	BFFN	4		0.000	0.000	
15:0.....g									
16:0.....g	0.010		0	BFFN	4		0.003	0.013	
17:0.....g									
18:0.....g	0.000		0	BFFN	4		0.000	0.000	
20:0.....g									
22:0.....g									
24:0.....g									
Fatty acids, total monounsaturated.....g	0.043		0	BFFN	4		0.012	0.055	
14:1.....g									
15:1.....g									
16:1 undifferentiated.....g	0.000		0	BFFN	4		0.000	0.000	
17:1.....g									
18:1 undifferentiated.....g	0.041		0	BFFN	4		0.012	0.052	
20:1.....g	0.000		0	BFFN	4		0.000	0.000	
22:1 undifferentiated.....g	0.000		0	BFFN	4		0.000	0.000	
24:1 c.....g									
Fatty acids, total polyunsaturated.....g	0.046		0	BFFN	4		0.013	0.059	
18:2 undifferentiated.....g	0.046		0	BFFN	4		0.013	0.059	
18:3 undifferentiated.....g	0.000		0	BFFN	4		0.000	0.000	
18:4.....g	0.000		0	BFFN	4		0.000	0.000	
20:2 n-6 c,c.....g									
20:3 undifferentiated.....g									
20:4 undifferentiated.....g	0.000		0	BFFN	4		0.000	0.000	
20:5 n-3 (EPA).....g	0.000		0	BFFN	4		0.000	0.000	
21:5.....g									
22:4.....g									
22:5 n-3 (DPA).....g	0.000		0	BFFN	4		0.000	0.000	
22:6 n-3 (DHA).....g	0.000		0	BFFN	4		0.000	0.000	
Fatty acids, total trans.....g									
Cholesterol.....mg	0		0	MA	12		0	0	
Phytosterols.....mg									
Others:									
Alcohol, ethyl.....g	0.0		0	Z	7		0.0	0.0	
Caffeine.....mg	0		0	BFSN	4		0	0	
Theobromine.....mg	0		0	BFSN	4		0	0	

Blanks in the Mean column indicate lack of reliable data. The Number of Data Points column is the number of analyses upon which the mean is based. Number of Data Points of zero indicates the mean was either calculated (as for Energy) or estimated, usually from a recipe, another form of the same food, or similar food.

Common Measures:

Measure 1 = 28.35g: 1 oz
 Measure 2 = 128g: 1 jar Gerber

Calories Factors: Protein

Fat

Carbohydrate

Food Group: 03 Baby Foods

USDA National Nutrient Database for Standard Reference, Release 28 (2015)

NDB No. 42279
 Babyfood, peas and brown rice

Nutrients and Units	Amount in 100 grams of edible portion				Amount in edible portion of common measures of food				
	Mean	Std. Error	Number of Data Points	Deriv Code	Source Code	Confidence Code	Measure 1	Measure 2	Measure 3
Lipids:									
Fatty acids, total saturated.....g	0.100		0		4		0.230	0.014	0.128
4:0.....g	0.000		0		4		0.000	0.000	0.000
6:0.....g	0.000		0		4		0.000	0.000	0.000
8:0.....g	0.000		0		4		0.000	0.000	0.000
10:0.....g	0.000		0		4		0.000	0.000	0.000
12:0.....g	0.001		0		4		0.002	0.000	0.001
13:0.....g									
14:0.....g	0.002		0		4		0.005	0.000	0.003
15:0.....g	0.000		0	FLA	4		0.000	0.000	0.000
16:0.....g	0.085		0		4		0.196	0.012	0.109
17:0.....g	0.000		0	FLA	4		0.000	0.000	0.000
18:0.....g	0.009		0		4		0.021	0.001	0.012
20:0.....g	0.000		0	FLA	4		0.001	0.000	0.000
22:0.....g	0.000		0	FLA	4		0.000	0.000	0.000
24:0.....g	0.000		0	FLA	4		0.001	0.000	0.000
Fatty acids, total monounsaturated.....g	0.180		0		4		0.414	0.026	0.230
14:1.....g	0.000		0	FLA	4		0.000	0.000	0.000
15:1.....g	0.000		0	FLA	4		0.000	0.000	0.000
16:1 undifferentiated.....g	0.002		0		4		0.005	0.000	0.003
17:1.....g	0.000		0	FLA	4		0.000	0.000	0.000
18:1 undifferentiated.....g	0.179		0		4		0.412	0.026	0.229
20:1.....g	0.000		0		4		0.000	0.000	0.000
22:1 undifferentiated.....g	0.000		0		4		0.000	0.000	0.000
24:1 c.....g	0.000		0	FLA	4		0.000	0.000	0.000
Fatty acids, total polyunsaturated.....g	0.180		0		4		0.414	0.026	0.230
18:2 undifferentiated.....g	0.171		0		4		0.393	0.025	0.219
18:3 undifferentiated.....g	0.008		0		4		0.018	0.001	0.010
18:4.....g	0.000		0		4		0.000	0.000	0.000
20:2 n-6 c,c.....g	0.000		0	FLA	4		0.000	0.000	0.000
20:3 undifferentiated.....g	0.000		0	FLA	4		0.000	0.000	0.000
20:4 undifferentiated.....g	0.000		0		4		0.000	0.000	0.000
20:5 n-3 (EPA).....g	0.000		0		4		0.000	0.000	0.000
21:5.....g									
22:4.....g	0.000		0	FLA	4		0.000	0.000	0.000
22:5 n-3 (DPA).....g	0.000		0		4		0.000	0.000	0.000
22:6 n-3 (DHA).....g	0.000		0		4		0.000	0.000	0.000
Fatty acids, total trans.....g	0.000		0	FLA	4		0.000	0.000	0.000
Cholesterol.....mg	0		0		5		0	0	0
Phytosterols.....mg									
Others:									
Alcohol, ethyl.....g	0.0		0		7		0.0	0.0	0.0
Caffeine.....mg	0		0	FLA	4		0	0	0
Theobromine.....mg	0		0	FLA	4		0	0	0

Blanks in the Mean column indicate lack of reliable data. The Number of Data Points column is the number of analyses upon which the mean is based. Number of Data Points of zero indicates the mean was either calculated (as for Energy) or estimated, usually from a recipe, another form of the same food, or similar food.

Common Measures:

Measure 1 = 230g: 1 cup

Measure 2 = 14.4g: 1 tbsp

Measure 3 = 128g: 1 jar Earth's Best (4.5 oz)

Calories Factors: Protein

Fat

Carbohydrate

Food Group: 03 Baby Foods

USDA National Nutrient Database for Standard Reference, Release 28 (2015)

NDB No. 03122
 Babyfood, peas, dices, toddler

Nutrients and Units	Amount in 100 grams of edible portion				Amount in edible portion of common measures of food				
	Mean	Std. Error	Number of Data Points	Deriv Code	Source Code	Confidence Code	Measure 1	Measure 2	Measure 3
Lipids:									
Fatty acids, total saturated.....g	0.140		0	FLM	4		0.040		
4:0.....g	0.000		0	FLM	4		0.000		
6:0.....g	0.000		0	FLM	4		0.000		
8:0.....g	0.000		0	FLM	4		0.000		
10:0.....g	0.000		0	FLM	4		0.000		
12:0.....g	0.000		0	FLM	4		0.000		
13:0.....g									
14:0.....g	0.000		0	FLM	4		0.000		
15:0.....g									
16:0.....g	0.128		0	FLM	4		0.036		
17:0.....g									
18:0.....g	0.014		0	FLM	4		0.004		
20:0.....g									
22:0.....g									
24:0.....g									
Fatty acids, total monounsaturated.....g	0.070		0	FLM	4		0.020		
14:1.....g									
15:1.....g									
16:1 undifferentiated.....g	0.000		0	FLM	4		0.000		
17:1.....g									
18:1 undifferentiated.....g	0.071		0	FLM	4		0.020		
20:1.....g	0.000		0	FLM	4		0.000		
22:1 undifferentiated.....g	0.000		0	FLM	4		0.000		
24:1 c.....g									
Fatty acids, total polyunsaturated.....g	0.370		0	FLM	4		0.105		
18:2 undifferentiated.....g	0.301		0	FLM	4		0.085		
18:3 undifferentiated.....g	0.071		0	FLM	4		0.020		
18:4.....g	0.000		0	FLM	4		0.000		
20:2 n-6 c,c.....g									
20:3 undifferentiated.....g									
20:4 undifferentiated.....g	0.000		0	FLM	4		0.000		
20:5 n-3 (EPA).....g	0.000		0	FLM	4		0.000		
21:5.....g									
22:4.....g									
22:5 n-3 (DPA).....g	0.000		0	FLM	4		0.000		
22:6 n-3 (DHA).....g	0.000		0	FLM	4		0.000		
Fatty acids, total trans.....g									
Cholesterol.....mg	0		0	MA	12		0		
Phytosterols.....mg									
Others:									
Alcohol, ethyl.....g	0.0		0	Z	7		0.0		
Caffeine.....mg	0		0	BFSN	4		0		
Theobromine.....mg	0		0	BFSN	4		0		

Blanks in the Mean column indicate lack of reliable data. The Number of Data Points column is the number of analyses upon which the mean is based. Number of Data Points of zero indicates the mean was either calculated (as for Energy) or estimated, usually from a recipe, another form of the same food, or similar food.

Common Measures:

Measure 1 = 28.35g: 1 oz

Calories Factors: Protein

Fat

Carbohydrate

Food Group: 03 Baby Foods

USDA National Nutrient Database for Standard Reference, Release 28 (2015)

NDB No. 03293

Babyfood, plums, bananas and rice, strained

Refuse:0%

Nutrients and Units	Amount in 100 grams of edible portion				Amount in edible portion of common measures of food				
	Mean	Std. Error	Number of Data Points	Deriv Code	Source Code	Confidence Code	Measure 1	Measure 2	Measure 3
Proximates:									
Water.....g	85.60		0		9		24.27	96.73	
Energy.....kcal	57		0		4		16	64	
Energy.....kJ	238		0		4		68	269	
Protein.....g	1.10		0		9		0.31	1.24	
Total lipid (fat).....g	0.30		0		4		0.09	0.34	
Ash.....g	0.43		0	FLA	4		0.12	0.48	
Carbohydrate, by difference.....g	12.70		0		9		3.60	14.35	
Fiber, total dietary.....g	1.3		0		4		0.4	1.5	
Sugars, total.....g	9.30		0	FLA	4		2.64	10.50	
Sucrose.....g	1.53		0	FLA	4		0.43	1.73	
Glucose (dextrose).....g	4.67		0	FLA	4		1.32	5.28	
Fructose.....g	2.90		0	FLA	4		0.82	3.28	
Lactose.....g	0.00		0	FLA	4		0.00	0.00	
Maltose.....g	0.07		0	FLA	4		0.02	0.08	
Galactose.....g	0.12		0	FLA	4		0.04	0.14	
Starch.....g									
Minerals:									
Calcium, Ca.....mg	3		0		9		1	3	
Iron, Fe.....mg	0.00		0		9		0.00	0.00	
Magnesium, Mg.....mg	11		0		9		3	12	
Phosphorus, P.....mg	32		0		9		9	36	
Potassium, K.....mg	265		0		9		75	299	
Sodium, Na.....mg	0		0	Z	7		0	0	
Zinc, Zn.....mg	0.13		0		9		0.04	0.15	
Copper, Cu.....mg	0.054		0		4		0.015	0.061	
Manganese, Mn.....mg									
Selenium, Se.....µg	2.4		0	FLM	4		0.7	2.7	
Vitamins:									
Vitamin C, total ascorbic acid.....mg	12.3		0		9		3.5	13.9	
Thiamin.....mg	0.040		0		9		0.011	0.045	
Riboflavin.....mg	0.050		0		9		0.014	0.057	
Niacin.....mg	0.800		0		9		0.227	0.904	
Pantothenic acid.....mg									
Vitamin B-6.....mg	0.130		0		9		0.037	0.147	
Folate, total.....µg	6		0	FLA	4		2	7	
Folic acid.....µg	0		0	FLA	4		0	0	
Folate, food.....µg	6		0	FLA	4		2	7	
Folate, DFE.....µg	6		0	NC	4		2	7	
Choline, total.....mg	3.4		0	NR	4		1.0	3.8	
Betaine.....mg									
Vitamin B-12.....µg	0.00		0		9		0.00	0.00	
Vitamin B-12, added.....µg	0.00		0	Z	7		0.00	0.00	
Vitamin A, RAE.....µg	7		0	NC	4		2	8	
Retinol.....µg	0		0	FLA	4		0	0	
Carotene, beta.....µg	73		0	BNA	4		21	82	
Carotene, alpha.....µg	0		0	BNA	4		0	0	
Cryptoxanthin, beta.....µg	13		0	BNA	4		4	15	
Vitamin A, IU.....IU	133		0		9		38	150	
Lycopene.....µg	0		0	FLA	4		0	0	
Lutein + zeaxanthin.....µg	65		0	FLA	4		19	74	
Vitamin E (alpha-tocopherol).....mg	0.24		0	FLA	4		0.07	0.27	
Vitamin E, added.....mg	0.00		0	Z	7		0.00	0.00	
Tocopherol, beta.....mg	0.00		0	FLA	4		0.00	0.00	
Tocopherol, gamma.....mg	0.07		0	FLA	4		0.02	0.08	
Tocopherol, delta.....mg	0.00		0	FLA	4		0.00	0.00	
Tocotrienol, alpha.....mg	0.04		0	FLA	4		0.01	0.05	
Tocotrienol, beta.....mg	0.01		0	FLA	4		0.00	0.01	

NDB No. 03293

Babyfood, plums, bananas and rice, strained

Nutrients and Units	Amount in 100 grams of edible portion				Amount in edible portion of common measures of food				
	Mean	Std. Error	Number of Data Points	Deriv Code	Source Code	Confidence Code	Measure 1	Measure 2	Measure 3
Tocotrienol, gamma.....mg	0.03		0	FLA	4		0.01	0.03	
Tocotrienol, delta.....mg	0.00		0	FLA	4		0.00	0.00	
Vitamin D (D2 + D3).....µg	0.0		0	Z	7		0.0	0.0	
Vitamin D2 (ergocalciferol).....µg									
Vitamin D3 (cholecalciferol).....µg									
Vitamin D.....IU	0		0	Z	7		0	0	
Vitamin K (phylloquinone).....µg	5.7		0	FLA	4		1.6	6.5	
Dihydrophyloquinone.....µg									
Menaquinone-4.....µg									
Lipids:									
Fatty acids, total saturated.....g	0.060		0		4		0.017	0.068	
4:0.....g	0.000		0		4		0.000	0.000	
6:0.....g	0.000		0		4		0.000	0.000	
8:0.....g	0.000		0		4		0.000	0.000	
10:0.....g	0.000		0		4		0.000	0.000	
12:0.....g	0.001		0		4		0.000	0.001	
13:0.....g									
14:0.....g	0.001		0		4		0.000	0.001	
15:0.....g									
16:0.....g	0.046		0		4		0.013	0.052	
17:0.....g									
18:0.....g	0.004		0		4		0.001	0.005	
20:0.....g									
22:0.....g									
24:0.....g									
Fatty acids, total monounsaturated.....g	0.120		0		4		0.034	0.136	
14:1.....g									
15:1.....g									
16:1 undifferentiated.....g	0.004		0		4		0.001	0.005	
17:1.....g									
18:1 undifferentiated.....g	0.116		0		4		0.033	0.131	
20:1.....g	0.000		0		4		0.000	0.000	
22:1 undifferentiated.....g	0.000		0		4		0.000	0.000	
24:1 c.....g									
Fatty acids, total polyunsaturated.....g	0.070		0		4		0.020	0.079	
18:2 undifferentiated.....g	0.058		0		4		0.016	0.066	
18:3 undifferentiated.....g	0.008		0		4		0.002	0.009	
18:4.....g	0.000		0		4		0.000	0.000	
20:2 n-6 c,c.....g									
20:3 undifferentiated.....g									
20:4 undifferentiated.....g	0.000		0		4		0.000	0.000	
20:5 n-3 (EPA).....g	0.000		0		4		0.000	0.000	
21:5.....g									
22:4.....g									
22:5 n-3 (DPA).....g	0.000		0		4		0.000	0.000	
22:6 n-3 (DHA).....g	0.000		0		4		0.000	0.000	
Fatty acids, total trans.....g									
Cholesterol.....mg	0		0		4		0	0	
Phytosterols.....mg									
Others:									
Alcohol, ethyl.....g	0.0		0		7		0.0	0.0	
Caffeine.....mg	0		0	FLA	4		0	0	
Theobromine.....mg	0		0	FLA	4		0	0	

Blanks in the Mean column indicate lack of reliable data. The Number of Data Points column is the number of analyses upon which the mean is based. Number of Data Points of zero indicates the mean was either calculated (as for Energy) or estimated, usually from a recipe, another form of the same food, or similar food.

Common Measures:

Measure 1 = 28.35g: 1 oz

Measure 2 = 113g: 1 jar Earth's Best

NDB No. 03293

Babyfood, plums, bananas and rice, strained

Calories Factors: Protein

Fat

Carbohydrate

Food Group: 03 Baby Foods

USDA National Nutrient Database for Standard Reference, Release 28 (2015)

NDB No. 03112
 Babyfood, potatoes, toddler

Nutrients and Units	Amount in 100 grams of edible portion				Amount in edible portion of common measures of food				
	Mean	Std. Error	Number of Data Points		Source Code	Confidence Code	Measure 1	Measure 2	Measure 3
			Deriv Code	Points					
Lipids:									
Fatty acids, total saturated.....g	0.015		0	FLM	4		0.024	0.002	0.011
4:0.....g	0.000		0	FLM	4		0.000	0.000	0.000
6:0.....g	0.000		0	FLM	4		0.000	0.000	0.000
8:0.....g	0.000		0	FLM	4		0.000	0.000	0.000
10:0.....g	0.001		0	FLM	4		0.002	0.000	0.001
12:0.....g	0.002		0	FLM	4		0.003	0.000	0.001
13:0.....g									
14:0.....g	0.001		0	FLM	4		0.002	0.000	0.001
15:0.....g									
16:0.....g	0.009		0	FLM	4		0.015	0.001	0.006
17:0.....g									
18:0.....g	0.002		0	FLM	4		0.003	0.000	0.001
20:0.....g									
22:0.....g									
24:0.....g									
Fatty acids, total monounsaturated.....g	0.002		0	FLM	4		0.003	0.000	0.001
14:1.....g									
15:1.....g									
16:1 undifferentiated.....g	0.001		0	FLM	4		0.002	0.000	0.001
17:1.....g									
18:1 undifferentiated.....g	0.001		0	FLM	4		0.002	0.000	0.001
20:1.....g	0.000		0	FLM	4		0.000	0.000	0.000
22:1 undifferentiated.....g	0.000		0	FLM	4		0.000	0.000	0.000
24:1 c.....g									
Fatty acids, total polyunsaturated.....g	0.025		0	FLM	4		0.041	0.003	0.018
18:2 undifferentiated.....g	0.019		0	FLM	4		0.031	0.002	0.013
18:3 undifferentiated.....g	0.006		0	FLM	4		0.010	0.001	0.004
18:4.....g	0.000		0	FLM	4		0.000	0.000	0.000
20:2 n-6 c,c.....g									
20:3 undifferentiated.....g									
20:4 undifferentiated.....g	0.000		0	FLM	4		0.000	0.000	0.000
20:5 n-3 (EPA).....g	0.000		0	FLM	4		0.000	0.000	0.000
21:5.....g									
22:4.....g									
22:5 n-3 (DPA).....g	0.000		0	FLM	4		0.000	0.000	0.000
22:6 n-3 (DHA).....g	0.000		0	FLM	4		0.000	0.000	0.000
Fatty acids, total trans.....g									
Cholesterol.....mg	0		0	MA	12		0	0	0
Phytosterols.....mg									
Others:									
Alcohol, ethyl.....g	0.0		0	Z	7		0.0	0.0	0.0
Caffeine.....mg	0		0	BFSN	4		0	0	0
Theobromine.....mg	0		0	BFSN	4		0	0	0

Blanks in the Mean column indicate lack of reliable data. The Number of Data Points column is the number of analyses upon which the mean is based. Number of Data Points of zero indicates the mean was either calculated (as for Energy) or estimated, usually from a recipe, another form of the same food, or similar food.

Common Measures:

Measure 1 = 163g: 1 cup

Measure 2 = 10.0g: 1 tbsp

Measure 3 = 71g: 1 jar Gerber Graduate (4.5 oz)

Calories Factors: Protein

Fat

Carbohydrate

Food Group: 03 Baby Foods

USDA National Nutrient Database for Standard Reference, Release 28 (2015)

NDB No. 03215
Babyfood, pretzels

Nutrients and Units	Amount in 100 grams of edible portion				Amount in edible portion of common measures of food				
	Mean	Std. Error	Number of Data Points	Deriv Code	Source Code	Confidence Code	Measure 1	Measure 2	Measure 3
Lipids:									
Fatty acids, total saturated.....g	0.400		0		4		0.113	0.024	
4:0.....g	0.000		0		4		0.000	0.000	
6:0.....g	0.000		0		4		0.000	0.000	
8:0.....g	0.000		0		4		0.000	0.000	
10:0.....g	0.000		0		4		0.000	0.000	
12:0.....g	0.000		0		4		0.000	0.000	
13:0.....g									
14:0.....g	0.000		0		4		0.000	0.000	
15:0.....g									
16:0.....g	0.379		0		4		0.108	0.023	
17:0.....g									
18:0.....g	0.029		0		4		0.008	0.002	
20:0.....g									
22:0.....g									
24:0.....g									
Fatty acids, total monounsaturated.....g	0.238		0		4		0.067	0.014	
14:1.....g									
15:1.....g									
16:1 undifferentiated.....g	0.004		0		4		0.001	0.000	
17:1.....g									
18:1 undifferentiated.....g	0.234		0		4		0.066	0.014	
20:1.....g	0.000		0		4		0.000	0.000	
22:1 undifferentiated.....g	0.000		0		4		0.000	0.000	
24:1 c.....g									
Fatty acids, total polyunsaturated.....g	1.054		0		4		0.299	0.063	
18:2 undifferentiated.....g	0.998		0		4		0.283	0.060	
18:3 undifferentiated.....g	0.056		0		4		0.016	0.003	
18:4.....g	0.000		0		4		0.000	0.000	
20:2 n-6 c,c.....g									
20:3 undifferentiated.....g									
20:4 undifferentiated.....g	0.000		0		4		0.000	0.000	
20:5 n-3 (EPA).....g	0.000		0		4		0.000	0.000	
21:5.....g									
22:4.....g									
22:5 n-3 (DPA).....g	0.000		0		4		0.000	0.000	
22:6 n-3 (DHA).....g	0.000		0		4		0.000	0.000	
Fatty acids, total trans.....g	0.002		0	FLA	4		0.000	0.000	
Cholesterol.....mg	0		0		7		0	0	
Phytosterols.....mg									
Others:									
Alcohol, ethyl.....g	0.0		0		7		0.0	0.0	
Caffeine.....mg	0		0	FLA	4		0	0	
Theobromine.....mg	0		0	FLA	4		0	0	

Blanks in the Mean column indicate lack of reliable data. The Number of Data Points column is the number of analyses upon which the mean is based. Number of Data Points of zero indicates the mean was either calculated (as for Energy) or estimated, usually from a recipe, another form of the same food, or similar food.

Common Measures:

Measure 1 = 28.35g: 1 oz

Measure 2 = 6.0g: 1 pretzel

Calories Factors: Protein 4

Fat 8.4

Carbohydrate 4.1

Food Group: 03 Baby Foods

USDA National Nutrient Database for Standard Reference, Release 28 (2015)

NDB No. 03139

Babyfood, prunes, without vitamin c, strained

Nutrients and Units	Amount in 100 grams of edible portion				Amount in edible portion of common measures of food				
	Mean	Std. Error	Number of Data Points		Source Code	Confidence Code	Measure 1	Measure 2	Measure 3
			Deriv Code	Points					
Lipids:									
Fatty acids, total saturated.....g	0.020		0		4		0.003	0.014	
4:0.....g	0.000		0		4		0.000	0.000	
6:0.....g	0.000		0		4		0.000	0.000	
8:0.....g	0.000		0		4		0.000	0.000	
10:0.....g	0.000		0		4		0.000	0.000	
12:0.....g	0.000		0		4		0.000	0.000	
13:0.....g									
14:0.....g	0.000		0		4		0.000	0.000	
15:0.....g									
16:0.....g	0.013		0		4		0.002	0.009	
17:0.....g									
18:0.....g	0.003		0		4		0.000	0.002	
20:0.....g									
22:0.....g									
24:0.....g									
Fatty acids, total monounsaturated.....g	0.130		0		4		0.020	0.092	
14:1.....g									
15:1.....g									
16:1 undifferentiated.....g	0.002		0		4		0.000	0.001	
17:1.....g									
18:1 undifferentiated.....g	0.130		0		4		0.020	0.092	
20:1.....g	0.000		0		4		0.000	0.000	
22:1 undifferentiated.....g	0.000		0		4		0.000	0.000	
24:1 c.....g									
Fatty acids, total polyunsaturated.....g	0.040		0		4		0.006	0.028	
18:2 undifferentiated.....g	0.044		0		4		0.007	0.031	
18:3 undifferentiated.....g	0.000		0		4		0.000	0.000	
18:4.....g	0.000		0		4		0.000	0.000	
20:2 n-6 c,c.....g									
20:3 undifferentiated.....g									
20:4 undifferentiated.....g	0.000		0		4		0.000	0.000	
20:5 n-3 (EPA).....g	0.000		0		4		0.000	0.000	
21:5.....g									
22:4.....g									
22:5 n-3 (DPA).....g	0.000		0		4		0.000	0.000	
22:6 n-3 (DHA).....g	0.000		0		4		0.000	0.000	
Fatty acids, total trans.....g									
Cholesterol.....mg	0		0		4		0	0	
Phytosterols.....mg									
Others:									
Alcohol, ethyl.....g	0.0		0		7		0.0	0.0	
Caffeine.....mg	0		0	BFSN	4		0	0	
Theobromine.....mg	0		0	BFSN	4		0	0	

Blanks in the Mean column indicate lack of reliable data. The Number of Data Points column is the number of analyses upon which the mean is based. Number of Data Points of zero indicates the mean was either calculated (as for Energy) or estimated, usually from a recipe, another form of the same food, or similar food.

Common Measures:

Measure 1 = 15.0g: 1 tbsp

Measure 2 = 71g: 1 jar Gerber First Foods (2.5 oz)

Calories Factors: Protein

Fat

Carbohydrate

Food Group: 03 Baby Foods

USDA National Nutrient Database for Standard Reference, Release 28 (2015)

NDB No. 03046

Babyfood, ravioli, cheese filled, w with tomato sauce

Nutrients and Units	Amount in 100 grams of edible portion				Amount in edible portion of common measures of food				
	Mean	Std. Error	Number of Data Points		Source Code	Confidence Code	Measure 1	Measure 2	Measure 3
			Deriv Code	Points					
Lipids:									
Fatty acids, total saturated.....g	0.960		0		4		0.154	0.077	
4:0.....g	0.051		0		12		0.008	0.004	
6:0.....g	0.019		0		4		0.003	0.002	
8:0.....g	0.012		0		4		0.002	0.001	
10:0.....g	0.026		0		4		0.004	0.002	
12:0.....g	0.028		0		4		0.004	0.002	
13:0.....g									
14:0.....g	0.134		0		4		0.021	0.011	
15:0.....g									
16:0.....g	0.494		0		4		0.079	0.040	
17:0.....g									
18:0.....g	0.158		0		4		0.025	0.013	
20:0.....g									
22:0.....g									
24:0.....g									
Fatty acids, total monounsaturated.....g	0.570		0		4		0.091	0.046	
14:1.....g									
15:1.....g									
16:1 undifferentiated.....g	0.039		0		4		0.006	0.003	
17:1.....g									
18:1 undifferentiated.....g	0.509		0		4		0.081	0.041	
20:1.....g	0.000		0		4		0.000	0.000	
22:1 undifferentiated.....g	0.000		0		4		0.000	0.000	
24:1 c.....g									
Fatty acids, total polyunsaturated.....g	0.480		0		4		0.077	0.038	
18:2 undifferentiated.....g	0.424		0		4		0.068	0.034	
18:3 undifferentiated.....g	0.035		0		4		0.006	0.003	
18:4.....g	0.000		0		4		0.000	0.000	
20:2 n-6 c,c.....g									
20:3 undifferentiated.....g									
20:4 undifferentiated.....g	0.002		0		4		0.000	0.000	
20:5 n-3 (EPA).....g	0.000		0		4		0.000	0.000	
21:5.....g									
22:4.....g									
22:5 n-3 (DPA).....g	0.000		0		4		0.000	0.000	
22:6 n-3 (DHA).....g	0.001		0		4		0.000	0.000	
Fatty acids, total trans.....g									
Cholesterol.....mg	7		0		4		1	1	
Phytosterols.....mg									
Others:									
Alcohol, ethyl.....g	0.0		0		7		0.0	0.0	
Caffeine.....mg	0		0	FLA	4		0	0	
Theobromine.....mg	0		0	FLA	4		0	0	

Blanks in the Mean column indicate lack of reliable data. The Number of Data Points column is the number of analyses upon which the mean is based. Number of Data Points of zero indicates the mean was either calculated (as for Energy) or estimated, usually from a recipe, another form of the same food, or similar food.

Common Measures:

Measure 1 = 16g: 1 tbsp

Measure 2 = 8.0g: 1 piece

Calories Factors: Protein

Fat

Carbohydrate

Food Group: 03 Baby Foods

USDA National Nutrient Database for Standard Reference, Release 28 (2015)

NDB No. 43529
 Babyfood, rice and apples, dry

Nutrients and Units	Amount in 100 grams of edible portion				Amount in edible portion of common measures of food				
	Mean	Std. Error	Number of Data Points	Deriv Code	Source Code	Confidence Code	Measure 1	Measure 2	Measure 3
Lipids:									
Fatty acids, total saturated.....g	0.503		0		4		0.013		
4:0.....g	0.000		0		4		0.000		
6:0.....g	0.000		0		4		0.000		
8:0.....g	0.000		0		4		0.000		
10:0.....g	0.000		0		4		0.000		
12:0.....g	0.000		0		4		0.000		
13:0.....g									
14:0.....g	0.009		0		4		0.000		
15:0.....g									
16:0.....g	0.425		0		4		0.011		
17:0.....g									
18:0.....g	0.060		0		4		0.002		
20:0.....g									
22:0.....g									
24:0.....g									
Fatty acids, total monounsaturated.....g	0.615		0		4		0.015		
14:1.....g									
15:1.....g									
16:1 undifferentiated.....g	0.008		0		4		0.000		
17:1.....g									
18:1 undifferentiated.....g	0.605		0		4		0.015		
20:1.....g	0.001		0		4		0.000		
22:1 undifferentiated.....g	0.000		0		4		0.000		
24:1 c.....g									
Fatty acids, total polyunsaturated.....g	0.920		0		4		0.023		
18:2 undifferentiated.....g	0.804		0		4		0.020		
18:3 undifferentiated.....g	0.116		0		4		0.003		
18:4.....g	0.000		0		4		0.000		
20:2 n-6 c,c.....g									
20:3 undifferentiated.....g									
20:4 undifferentiated.....g	0.000		0		4		0.000		
20:5 n-3 (EPA).....g	0.000		0		4		0.000		
21:5.....g									
22:4.....g									
22:5 n-3 (DPA).....g	0.000		0		4		0.000		
22:6 n-3 (DHA).....g	0.000		0		4		0.000		
Fatty acids, total trans.....g									
Cholesterol.....mg	0		0		7		0		
Phytosterols.....mg									
Others:									
Alcohol, ethyl.....g	0.0		0		7		0.0		
Caffeine.....mg	0		0	FLA	4		0		
Theobromine.....mg	0		0	FLA	4		0		

Blanks in the Mean column indicate lack of reliable data. The Number of Data Points column is the number of analyses upon which the mean is based. Number of Data Points of zero indicates the mean was either calculated (as for Energy) or estimated, usually from a recipe, another form of the same food, or similar food.

Common Measures:

Measure 1 = 2.5g: 1 tbsp

Calories Factors: Protein

Fat

Carbohydrate

Food Group: 03 Baby Foods

USDA National Nutrient Database for Standard Reference, Release 28 (2015)

Nutrients and Units	Amount in 100 grams of edible portion					Amount in edible portion of common measures of food			
	Mean	Std. Error	Number of Data Points	Deriv Code	Source Code	Confidence Code	Measure 1	Measure 2	Measure 3
Lipids:									
Fatty acids, total saturated.....g	0.364		0	FLC	4		0.036		
4:0.....g	0.000		0	FLC	4		0.000		
6:0.....g	0.000		0	FLC	4		0.000		
8:0.....g	0.000		0	FLC	4		0.000		
10:0.....g	0.000		0	FLC	4		0.000		
12:0.....g	0.005		0	FLC	4		0.000		
13:0.....g									
14:0.....g	0.009		0	FLC	4		0.001		
15:0.....g									
16:0.....g	0.304		0	FLC	4		0.030		
17:0.....g									
18:0.....g	0.046		0	FLC	4		0.005		
20:0.....g									
22:0.....g									
24:0.....g									
Fatty acids, total monounsaturated.....g	0.092		0	FLC	4		0.009		
14:1.....g									
15:1.....g									
16:1 undifferentiated.....g	0.005		0	FLC	4		0.000		
17:1.....g									
18:1 undifferentiated.....g	0.088		0	FLC	4		0.009		
20:1.....g	0.000		0	FLC	4		0.000		
22:1 undifferentiated.....g	0.000		0	FLC	4		0.000		
24:1 c.....g									
Fatty acids, total polyunsaturated.....g	0.664		0	FLC	4		0.066		
18:2 undifferentiated.....g	0.549		0	FLC	4		0.054		
18:3 undifferentiated.....g	0.115		0	FLC	4		0.011		
18:4.....g	0.000		0	FLC	4		0.000		
20:2 n-6 c,c.....g									
20:3 undifferentiated.....g									
20:4 undifferentiated.....g	0.000		0	FLC	4		0.000		
20:5 n-3 (EPA).....g	0.000		0	FLC	4		0.000		
21:5.....g									
22:4.....g									
22:5 n-3 (DPA).....g	0.000		0	FLC	4		0.000		
22:6 n-3 (DHA).....g	0.000		0	FLC	4		0.000		
Fatty acids, total trans.....g									
Cholesterol.....mg	0		0	FLC	4		0		
Phytosterols.....mg									
Amino Acids:									
Tryptophan.....g	0.000		0	NR	4		0.000		
Threonine.....g	0.000		0	NR	4		0.000		
Isoleucine.....g	0.000		0	NR	4		0.000		
Leucine.....g	0.000		0	NR	4		0.000		
Lysine.....g	0.000		0	NR	4		0.000		
Methionine.....g	0.000		0	NR	4		0.000		
Cystine.....g	0.000		0	NR	4		0.000		
Phenylalanine.....g	0.000		0	NR	4		0.000		
Tyrosine.....g	0.000		0	NR	4		0.000		
Valine.....g	0.000		0	NR	4		0.000		
Arginine.....g	0.000		0	NR	4		0.000		
Histidine.....g	0.000		0	NR	4		0.000		
Alanine.....g	0.000		0	NR	4		0.000		
Aspartic acid.....g	0.000		0	NR	4		0.000		
Glutamic acid.....g	0.000		0	NR	4		0.000		
Glycine.....g	0.000		0	NR	4		0.000		
Proline.....g	0.000		0	NR	4		0.000		
Serine.....g	0.000		0	NR	4		0.000		
Hydroxyproline.....g									
Others:									
Alcohol, ethyl.....g	0.0		0	FLC	4		0.0		
Caffeine.....mg	0		0	FLC	4		0		

NDB No. 03019

Babyfood, snack, GERBER GRADUATE FRUIT STRIPS, Real Fruit Bars

Nutrients and Units	<u>Amount in 100 grams of edible portion</u>				<u>Amount in edible portion of common measures of food</u>				
	Mean	Std. Error	Number of Data Points	Deriv Code	Source Code	Confidence Code	Measure 1	Measure 2	Measure 3
Theobromine.....mg	0		0	FLC	4		0		

Blanks in the Mean column indicate lack of reliable data. The Number of Data Points column is the number of analyses upon which the mean is based. Number of Data Points of zero indicates the mean was either calculated (as for Energy) or estimated, usually from a recipe, another form of the same food, or similar food.

Common Measures:

Measure 1 = 9.9g: 1 bar

Calories Factors: Protein

Fat

Carbohydrate

Food Group: 03 Baby Foods

USDA National Nutrient Database for Standard Reference, Release 28 (2015)

Nutrients and Units	Amount in 100 grams of edible portion				Amount in edible portion of common measures of food				
	Mean	Std. Error	Number of Data Points	Deriv Code	Source Code	Confidence Code	Measure 1	Measure 2	Measure 3
Lipids:									
Fatty acids, total saturated.....g	2.236		0	FLC	4		0.156		
4:0.....g	0.086		0	FLC	4		0.006		
6:0.....g	0.062		0	FLC	4		0.004		
8:0.....g	0.043		0	FLC	4		0.003		
10:0.....g	0.095		0	FLC	4		0.007		
12:0.....g	0.103		0	FLC	4		0.007		
13:0.....g									
14:0.....g	0.321		0	FLC	4		0.022		
15:0.....g	0.031		0	FLC	4		0.002		
16:0.....g	1.031		0	FLC	4		0.072		
17:0.....g	0.018		0	FLC	4		0.001		
18:0.....g	0.439		0	FLC	4		0.031		
20:0.....g	0.006		0	FLC	4		0.000		
22:0.....g	0.000		0	FLC	4		0.000		
24:0.....g	0.000		0	FLC	4		0.000		
Fatty acids, total monounsaturated.....g	0.968		0	FLC	4		0.068		
14:1.....g	0.021		0	FLC	4		0.002		
15:1.....g	0.006		0	FLC	4		0.000		
16:1 undifferentiated.....g	0.060		0	FLC	4		0.004		
17:1.....g	0.007		0	FLC	4		0.000		
18:1 undifferentiated.....g	0.873		0	FLC	4		0.061		
20:1.....g	0.000		0	FLC	4		0.000		
22:1 undifferentiated.....g	0.000		0	FLC	4		0.000		
24:1 c.....g	0.000		0	FLC	4		0.000		
Fatty acids, total polyunsaturated.....g	0.194		0	FLC	4		0.014		
18:2 undifferentiated.....g	0.139		0	FLC	4		0.010		
18:3 undifferentiated.....g	0.055		0	FLC	4		0.004		
18:4.....g	0.000		0	FLC	4		0.000		
20:2 n-6 c,c.....g	0.000		0	FLC	4		0.000		
20:3 undifferentiated.....g	0.000		0	FLC	4		0.000		
20:4 undifferentiated.....g	0.000		0	FLC	4		0.000		
20:5 n-3 (EPA).....g	0.000		0	FLC	4		0.000		
21:5.....g	0.000		0	FLC	4		0.000		
22:4.....g	0.000		0	FLC	4		0.000		
22:5 n-3 (DPA).....g	0.000		0	FLC	4		0.000		
22:6 n-3 (DHA).....g	0.000		0	FLC	4		0.000		
Fatty acids, total trans.....g									
Cholesterol.....mg	0		1	LC	8		0		
Phytosterols.....mg									
Stigmasterol.....mg	0		0	FLC	4		0		
Campesterol.....mg	0		0	FLC	4		0		
Beta-sitosterol.....mg	0		0	FLC	4		0		
Amino Acids:									
Tryptophan.....g	0.155		0	FLC	4		0.011		
Threonine.....g	0.368		0	FLC	4		0.026		
Isoleucine.....g	0.710		0	FLC	4		0.050		
Leucine.....g	1.377		0	FLC	4		0.096		
Lysine.....g	1.060		0	FLC	4		0.074		
Methionine.....g	0.312		0	FLC	4		0.022		
Cystine.....g	0.387		0	FLC	4		0.027		
Phenylalanine.....g	0.622		0	FLC	4		0.044		
Tyrosine.....g	0.542		0	FLC	4		0.038		
Valine.....g	0.818		0	FLC	4		0.057		
Arginine.....g	0.374		0	FLC	4		0.026		
Histidine.....g	0.317		0	FLC	4		0.022		
Alanine.....g	0.403		0	FLC	4		0.028		
Aspartic acid.....g	1.132		0	FLC	4		0.079		
Glutamic acid.....g	2.881		0	FLC	4		0.202		
Glycine.....g	0.241		0	FLC	4		0.017		
Proline.....g	1.325		0	FLC	4		0.093		
Serine.....g	0.762		0	FLC	4		0.053		
Hydroxyproline.....g	0.000		0	FLC	4		0.000		

NDB No. 03302
 Babyfood, snack, GERBER GRADUATE YOGURT MELTS

Nutrients and Units	<u>Amount in 100 grams of edible portion</u>				<u>Amount in edible portion of common measures of food</u>				
	Mean	Std. Error	Number of Data Points	Deriv Code	Source Code	Confidence Code	Measure 1	Measure 2	Measure 3
Others:									
Alcohol, ethyl.....g	0.0		0	FLC	4		0.0		
Caffeine.....mg	0		0	FLC	4		0		
Theobromine.....mg	0		0	FLC	4		0		

Blanks in the Mean column indicate lack of reliable data. The Number of Data Points column is the number of analyses upon which the mean is based. Number of Data Points of zero indicates the mean was either calculated (as for Energy) or estimated, usually from a recipe, another form of the same food, or similar food.

Common Measures:
 Measure 1 = 7.0g: 1 serving

Calories Factors: Protein Fat Carbohydrate

Food Group: 03 Baby Foods
 USDA National Nutrient Database for Standard Reference, Release 28 (2015)

NDB No. 03216
Babyfood, teething biscuits

Nutrients and Units	Amount in 100 grams of edible portion				Amount in edible portion of common measures of food				
	Mean	Std. Error	Number of Data Points	Deriv Code	Source Code	Confidence Code	Measure 1	Measure 2	Measure 3
Lipids:									
Fatty acids, total saturated.....g	1.206		0	NC	4		0.342	0.133	
4:0.....g	0.051		0	FLA	4		0.014	0.006	
6:0.....g	0.014		0	FLA	4		0.004	0.001	
8:0.....g	0.015		0	FLA	4		0.004	0.002	
10:0.....g	0.034		0	FLA	4		0.010	0.004	
12:0.....g	0.034		0	FLA	4		0.010	0.004	
13:0.....g									
14:0.....g	0.161		0	FLA	4		0.046	0.018	
15:0.....g	0.000		0	FLA	4		0.000	0.000	
16:0.....g	0.633		0	FLA	4		0.179	0.070	
17:0.....g	0.001		0	FLA	4		0.000	0.000	
18:0.....g	0.242		0	FLA	4		0.068	0.027	
20:0.....g	0.006		0	FLA	4		0.002	0.001	
22:0.....g	0.016		0	FLA	4		0.005	0.002	
24:0.....g									
Fatty acids, total monounsaturated.....g	1.702		0	NC	4		0.483	0.187	
14:1.....g									
15:1.....g									
16:1 undifferentiated.....g	0.069		0	FLA	4		0.020	0.008	
17:1.....g									
18:1 undifferentiated.....g	1.629		0	FLA	4		0.462	0.179	
20:1.....g	0.004		0	FLA	4		0.001	0.000	
22:1 undifferentiated.....g	0.000		0	FLA	4		0.000	0.000	
24:1 c.....g									
Fatty acids, total polyunsaturated.....g	0.998		0	NC	4		0.283	0.110	
18:2 undifferentiated.....g	0.970		0	FLA	4		0.275	0.107	
18:3 undifferentiated.....g	0.028		0	FLA	4		0.008	0.003	
18:4.....g	0.000		0	FLA	4		0.000	0.000	
20:2 n-6 c,c.....g									
20:3 undifferentiated.....g									
20:4 undifferentiated.....g	0.000		0	FLA	4		0.000	0.000	
20:5 n-3 (EPA).....g	0.000		0	FLA	4		0.000	0.000	
21:5.....g									
22:4.....g									
22:5 n-3 (DPA).....g	0.000		0	FLA	4		0.000	0.000	
22:6 n-3 (DHA).....g	0.000		0	FLA	4		0.000	0.000	
Fatty acids, total trans.....g	0.004		0	FLA	4		0.001	0.000	
Cholesterol.....mg	7		0	FLA	4		2	1	
Phytosterols.....mg									
Others:									
Alcohol, ethyl.....g	0.0		0		7		0.0	0.0	
Caffeine.....mg	0		0	NR	4		0	0	
Theobromine.....mg	0		0	NR	4		0	0	

Blanks in the Mean column indicate lack of reliable data. The Number of Data Points column is the number of analyses upon which the mean is based. Number of Data Points of zero indicates the mean was either calculated (as for Energy) or estimated, usually from a recipe, another form of the same food, or similar food.

Common Measures:

Measure 1 = 28.35g: 1 oz

Measure 2 = 11.0g: 1 biscuit

Calories Factors: Protein 4

Fat 8.4

Carbohydrate 4.1

Food Group: 03 Baby Foods

USDA National Nutrient Database for Standard Reference, Release 28 (2015)

NDB No. 03026
 Babyfood, tropical fruit medley

Refuse:0%

Nutrients and Units	Amount in 100 grams of edible portion				Amount in edible portion of common measures of food				
	Mean	Std. Error	Number of Data Points	Deriv Code	Source Code	Confidence Code	Measure 1	Measure 2	Measure 3
Proximates:									
Water.....g	87.14		0	FLC		4			
Energy.....kcal	51		0	NC		4			
Energy.....kJ	215		0	NC		4			
Protein.....g	0.31		0	FLC		4			
Total lipid (fat).....g	0.14		0	FLC		4			
Ash.....g	0.19		0	FLC		4			
Carbohydrate, by difference.....g	12.22		0	FLC		4			
Fiber, total dietary.....g	1.3		0	FLC		4			
Sugars, total.....g	9.78		0	FLC		4			
Sucrose.....g	1.17		0	FLC		4			
Glucose (dextrose).....g	3.03		0	FLC		4			
Fructose.....g	5.57		0	FLC		4			
Lactose.....g	0.00		0	FLC		4			
Maltose.....g	0.00		0	FLC		4			
Galactose.....g	0.00		0	FLC		4			
Starch.....g	0.03		0	FLC		4			
Minerals:									
Calcium, Ca.....mg	0		0	LC		8			
Iron, Fe.....mg	0.00		0	LC		8			
Magnesium, Mg.....mg	5		0	FLC		4			
Phosphorus, P.....mg	11		0	FLC		4			
Potassium, K.....mg	141		0	LC		8			
Sodium, Na.....mg	0		0	LC		8			
Zinc, Zn.....mg	0.05		0	FLC		4			
Copper, Cu.....mg	0.035		0	FLC		4			
Manganese, Mn.....mg	0.039		0	FLC		4			
Selenium, Se.....µg	0.0		0	LC		8			
Vitamins:									
Vitamin C, total ascorbic acid.....mg	15.9		0	LC		8			
Thiamin.....mg	0.019		0	FLC		4			
Riboflavin.....mg	0.027		0	FLC		4			
Niacin.....mg	0.138		0	FLC		4			
Pantothenic acid.....mg	0.076		0	FLC		4			
Vitamin B-6.....mg	0.039		0	FLC		4			
Folate, total.....µg	2		0	FLC		4			
Folic acid.....µg	0		0	FLC		4			
Folate, food.....µg	2		0	FLC		4			
Folate, DFE.....µg	2		0	NC		4			
Choline, total.....mg	3.6		0	FLC		4			
Betaine.....mg	0.0		0	FLC		4			
Vitamin B-12.....µg	0.00		0	FLC		4			
Vitamin B-12, added.....µg	0.00		0	FLC		4			
Vitamin A, RAE.....µg	4		0	NC		4			
Retinol.....µg	0		0	FLC		4			
Carotene, beta.....µg	46		0	FLC		4			
Carotene, alpha.....µg	0		0	FLC		4			
Cryptoxanthin, beta.....µg	14		0	FLC		4			
Vitamin A, IU.....IU	88		0	NC		4			
Lycopene.....µg	0		0	FLC		4			
Lutein + zeaxanthin.....µg	20		0	FLC		4			
Vitamin E (alpha-tocopherol).....mg	0.10		0	FLC		4			
Vitamin E, added.....mg	0.00		0	FLC		4			
Tocopherol, beta.....mg	0.00		0	FLC		4			
Tocopherol, gamma.....mg	0.00		0	FLC		4			
Tocopherol, delta.....mg	0.00		0	FLC		4			
Tocotrienol, alpha.....mg	0.00		0	FLC		4			
Tocotrienol, beta.....mg	0.00		0	FLC		4			

NDB No. 03026
Babyfood, tropical fruit medley

Nutrients and Units	Amount in 100 grams of edible portion				Amount in edible portion of common measures of food				
	Mean	Std. Error	Number	Deriv Code	Source Code	Confidence Code	Measure 1	Measure 2	Measure 3
			of Data Points						
Tocotrienol, gamma.....mg	0.00		0	FLC		4			
Tocotrienol, delta.....mg	0.00		0	FLC		4			
Vitamin D (D2 + D3).....µg	0.0		0	FLC		4			
Vitamin D2 (ergocalciferol).....µg									
Vitamin D3 (cholecalciferol).....µg									
Vitamin D.....IU	0		0	FLC		4			
Vitamin K (phylloquinone).....µg	0.8		0	FLC		4			
Dihydrophyloquinone.....µg	0.0		0	FLC		4			
Menaquinone-4.....µg									
<u>Lipids:</u>									
Fatty acids, total saturated.....g	0.000		0	FLC		4			
4:0.....g	0.000		0	FLC		4			
6:0.....g	0.000		0	FLC		4			
8:0.....g	0.000		0	FLC		4			
10:0.....g	0.000		0	FLC		4			
12:0.....g	0.000		0	FLC		4			
13:0.....g									
14:0.....g	0.000		0	FLC		4			
15:0.....g									
16:0.....g	0.000		0	FLC		4			
17:0.....g									
18:0.....g	0.000		0	FLC		4			
20:0.....g									
22:0.....g									
24:0.....g									
Fatty acids, total monounsaturated.....g	0.000		0	FLC		4			
14:1.....g									
15:1.....g									
16:1 undifferentiated.....g	0.000		0	FLC		4			
17:1.....g									
18:1 undifferentiated.....g	0.000		0	FLC		4			
20:1.....g	0.000		0	FLC		4			
22:1 undifferentiated.....g	0.000		0	FLC		4			
24:1 c.....g									
Fatty acids, total polyunsaturated.....g	0.000		0	FLC		4			
18:2 undifferentiated.....g	0.000		0	FLC		4			
18:3 undifferentiated.....g	0.000		0	FLC		4			
18:4.....g	0.000		0	FLC		4			
20:2 n-6 c,c.....g									
20:3 undifferentiated.....g									
20:4 undifferentiated.....g	0.000		0	FLC		4			
20:5 n-3 (EPA).....g	0.000		0	FLC		4			
21:5.....g									
22:4.....g									
22:5 n-3 (DPA).....g	0.000		0	FLC		4			
22:6 n-3 (DHA).....g	0.000		0	FLC		4			
Fatty acids, total trans.....g									
Cholesterol.....mg	0		0	FLC		4			
Phytosterols.....mg	0		0	FLC		4			
<u>Amino Acids:</u>									
Tryptophan.....g	0.002		0	FLC		4			
Threonine.....g	0.007		0	FLC		4			
Isoleucine.....g	0.007		0	FLC		4			
Leucine.....g	0.015		0	FLC		4			
Lysine.....g	0.015		0	FLC		4			
Methionine.....g	0.002		0	FLC		4			
Cystine.....g	0.001		0	FLC		4			
Phenylalanine.....g	0.008		0	FLC		4			
Tyrosine.....g	0.002		0	FLC		4			
Valine.....g	0.013		0	FLC		4			
Arginine.....g	0.007		0	FLC		4			
Histidine.....g	0.006		0	FLC		4			
Alanine.....g	0.015		0	FLC		4			

NDB No. 03026

Babyfood, tropical fruit medley

Nutrients and Units	<u>Amount in 100 grams of edible portion</u>				<u>Amount in edible portion of common measures of food</u>				
	Mean	Std. Error	Number		Source Code	Confidence Code	Measure 1	Measure 2	Measure 3
			of Data Points	Deriv Code					
Aspartic acid.....g	0.084		0	FLC	4				
Glutamic acid.....g	0.029		0	FLC	4				
Glycine.....g	0.010		0	FLC	4				
Proline.....g	0.007		0	FLC	4				
Serine.....g	0.012		0	FLC	4				
Hydroxyproline.....g									
Others:									
Alcohol, ethyl.....g	0.0		0	FLC	4				
Caffeine.....mg	0		0	FLC	4				
Theobromine.....mg	0		0	FLC	4				

Blanks in the Mean column indicate lack of reliable data. The Number of Data Points column is the number of analyses upon which the mean is based. Number of Data Points of zero indicates the mean was either calculated (as for Energy) or estimated, usually from a recipe, another form of the same food, or similar food.

Common Measures:

Calories Factors: Protein

Fat

Carbohydrate

Food Group: 03 Baby Foods

USDA National Nutrient Database for Standard Reference, Release 28 (2015)

NDB No. 42278

Babyfood, vegetable and brown rice, strained

Nutrients and Units	Amount in 100 grams of edible portion				Amount in edible portion of common measures of food			
	Mean	Std. Error	Number		Measure 1	Measure 2	Measure 3	
			of Data Points	Deriv Code				Source Code
Lipids:								
Fatty acids, total saturated.....g	0.140		0		4	0.322	0.020	0.179
4:0.....g	0.000		0		4	0.000	0.000	0.000
6:0.....g	0.000		0		4	0.000	0.000	0.000
8:0.....g	0.000		0		4	0.000	0.000	0.000
10:0.....g	0.000		0		4	0.000	0.000	0.000
12:0.....g	0.000		0		4	0.000	0.000	0.000
13:0.....g								
14:0.....g	0.009		0		4	0.021	0.001	0.012
15:0.....g								
16:0.....g	0.099		0		4	0.228	0.014	0.127
17:0.....g								
18:0.....g	0.029		0		4	0.067	0.004	0.037
20:0.....g								
22:0.....g								
24:0.....g								
Fatty acids, total monounsaturated.....g	0.970		0		4	2.231	0.140	1.242
14:1.....g								
15:1.....g								
16:1 undifferentiated.....g	0.009		0		4	0.021	0.001	0.012
17:1.....g								
18:1 undifferentiated.....g	0.957		0		4	2.201	0.138	1.225
20:1.....g	0.001		0		4	0.002	0.000	0.001
22:1 undifferentiated.....g	0.000		0		4	0.000	0.000	0.000
24:1 c.....g								
Fatty acids, total polyunsaturated.....g	0.320		0		4	0.736	0.046	0.410
18:2 undifferentiated.....g	0.302		0		4	0.695	0.043	0.387
18:3 undifferentiated.....g	0.011		0		4	0.025	0.002	0.014
18:4.....g	0.000		0		4	0.000	0.000	0.000
20:2 n-6 c,c.....g								
20:3 undifferentiated.....g								
20:4 undifferentiated.....g	0.000		0		4	0.000	0.000	0.000
20:5 n-3 (EPA).....g	0.000		0		4	0.000	0.000	0.000
21:5.....g								
22:4.....g								
22:5 n-3 (DPA).....g	0.000		0		4	0.000	0.000	0.000
22:6 n-3 (DHA).....g	0.000		0		4	0.000	0.000	0.000
Fatty acids, total trans.....g								
Cholesterol.....mg	0		0		5	0	0	0
Phytosterols.....mg								
Others:								
Alcohol, ethyl.....g	0.0		0		7	0.0	0.0	0.0
Caffeine.....mg	0		0	FLA	4	0	0	0
Theobromine.....mg	0		0	FLA	4	0	0	0

Blanks in the Mean column indicate lack of reliable data. The Number of Data Points column is the number of analyses upon which the mean is based. Number of Data Points of zero indicates the mean was either calculated (as for Energy) or estimated, usually from a recipe, another form of the same food, or similar food.

Common Measures:

Measure 1 = 230g: 1 cup

Measure 2 = 14.4g: 1 tbsp

Measure 3 = 128g: 1 jar Earth's Best (4.5 oz)

Calories Factors: Protein

Fat

Carbohydrate

Food Group: 03 Baby Foods

USDA National Nutrient Database for Standard Reference, Release 28 (2015)

NDB No. 03114

Babyfood, vegetable, butternut squash and corn

Nutrients and Units	Amount in 100 grams of edible portion				Amount in edible portion of common measures of food				
	Mean	Std. Error	Number of Data Points	Deriv Code	Source Code	Confidence Code	Measure 1	Measure 2	Measure 3
Tocotrienol, delta.....mg									
Vitamin D (D2 + D3).....µg	0.0		0	Z	7		0.0		
Vitamin D.....IU	0		0	Z	7		0		
Vitamin K (phylloquinone).....µg	2.4		0	FLA	4		2.7		
Dihydrophyloquinone.....µg									
Menaquinone-4.....µg									
Lipids:									
Fatty acids, total saturated.....g	0.095		0	FLM	4		0.107		
4:0.....g	0.000		0	FLM	4		0.000		
6:0.....g	0.000		0	FLM	4		0.000		
8:0.....g	0.000		0	FLM	4		0.000		
10:0.....g	0.000		0	FLM	4		0.000		
12:0.....g	0.000		0	FLM	4		0.000		
13:0.....g									
14:0.....g	0.000		0	FLM	4		0.000		
15:0.....g									
16:0.....g	0.088		0	FLM	4		0.099		
17:0.....g									
18:0.....g	0.006		0	FLM	4		0.007		
20:0.....g									
22:0.....g									
24:0.....g									
Fatty acids, total monounsaturated.....g	0.166		0	FLM	4		0.188		
14:1.....g									
15:1.....g									
16:1 undifferentiated.....g	0.000		0	FLM	4		0.000		
17:1.....g									
18:1 undifferentiated.....g	0.166		0	FLM	4		0.188		
20:1.....g	0.000		0	FLM	4		0.000		
22:1 undifferentiated.....g	0.000		0	FLM	4		0.000		
24:1 c.....g									
Fatty acids, total polyunsaturated.....g	0.280		0	FLM	4		0.316		
18:2 undifferentiated.....g	0.262		0	FLM	4		0.296		
18:3 undifferentiated.....g	0.019		0	FLM	4		0.021		
18:4.....g	0.000		0	FLM	4		0.000		
20:2 n-6 c,c.....g									
20:3 undifferentiated.....g									
20:4 undifferentiated.....g	0.000		0	FLM	4		0.000		
20:5 n-3 (EPA).....g	0.000		0	FLM	4		0.000		
21:5.....g									
22:4.....g									
22:5 n-3 (DPA).....g	0.000		0	FLM	4		0.000		
22:6 n-3 (DHA).....g	0.000		0	FLM	4		0.000		
Fatty acids, total trans.....g									
Cholesterol.....mg	0		0	FLM	4		0		
Phytosterols.....mg									
Others:									
Alcohol, ethyl.....g	0.0		0	FLM	4		0.0		
Caffeine.....mg	0		0	FLA	4		0		
Theobromine.....mg	0		0	FLA	4		0		

Blanks in the Mean column indicate lack of reliable data. The Number of Data Points column is the number of analyses upon which the mean is based. Number of Data Points of zero indicates the mean was either calculated (as for Energy) or estimated, usually from a recipe, another form of the same food, or similar food.

Common Measures:

Measure 1 = 113g: 1 jar, Gerber (4 oz)

Calories Factors: Protein

Fat

Carbohydrate

NDB No. 03114

Babyfood, vegetable, butternut squash and corn

Food Group: 03 Baby Foods

USDA National Nutrient Database for Standard Reference, Release 28 (2015)

NDB No. 03096

Babyfood, vegetable, green beans and potatoes

Nutrients and Units	Amount in 100 grams of edible portion				Amount in edible portion of common measures of food				
	Mean	Std. Error	Number of Data Points	Deriv Code	Source Code	Confidence Code	Measure 1	Measure 2	Measure 3
Tocotrienol, delta.....mg									
Vitamin D (D2 + D3).....µg	0.0		0	Z	7		0.0		
Vitamin D.....IU	0		0	Z	7		0		
Vitamin K (phylloquinone).....µg	1.4		0	FLA	4		1.6		
Dihydrophyloquinone.....µg									
Menaquinone-4.....µg									
Lipids:									
Fatty acids, total saturated.....g	1.117		0	FLM	4		1.262		
4:0.....g	0.056		0	FLM	4		0.063		
6:0.....g	0.033		0	FLM	4		0.037		
8:0.....g	0.019		0	FLM	4		0.021		
10:0.....g	0.044		0	FLM	4		0.050		
12:0.....g	0.049		0	FLM	4		0.055		
13:0.....g									
14:0.....g	0.175		0	FLM	4		0.198		
15:0.....g									
16:0.....g	0.486		0	FLM	4		0.549		
17:0.....g									
18:0.....g	0.214		0	FLM	4		0.242		
20:0.....g									
22:0.....g									
24:0.....g									
Fatty acids, total monounsaturated.....g	0.539		0	FLM	4		0.609		
14:1.....g									
15:1.....g									
16:1 undifferentiated.....g	0.040		0	FLM	4		0.045		
17:1.....g									
18:1 undifferentiated.....g	0.474		0	FLM	4		0.536		
20:1.....g	0.000		0	FLM	4		0.000		
22:1 undifferentiated.....g	0.000		0	FLM	4		0.000		
24:1 c.....g									
Fatty acids, total polyunsaturated.....g	0.132		0	FLM	4		0.149		
18:2 undifferentiated.....g	0.088		0	FLM	4		0.099		
18:3 undifferentiated.....g	0.043		0	FLM	4		0.049		
18:4.....g	0.000		0	FLM	4		0.000		
20:2 n-6 c,c.....g									
20:3 undifferentiated.....g									
20:4 undifferentiated.....g	0.000		0	FLM	4		0.000		
20:5 n-3 (EPA).....g	0.000		0	FLM	4		0.000		
21:5.....g									
22:4.....g									
22:5 n-3 (DPA).....g	0.000		0	FLM	4		0.000		
22:6 n-3 (DHA).....g	0.000		0	FLM	4		0.000		
Fatty acids, total trans.....g									
Cholesterol.....mg	5		0	FLM	4		6		
Phytosterols.....mg									
Others:									
Alcohol, ethyl.....g	0.0		0	FLM	4		0.0		
Caffeine.....mg	0		0	FLA	4		0		
Theobromine.....mg	0		0	FLA	4		0		

Blanks in the Mean column indicate lack of reliable data. The Number of Data Points column is the number of analyses upon which the mean is based. Number of Data Points of zero indicates the mean was either calculated (as for Energy) or estimated, usually from a recipe, another form of the same food, or similar food.

Common Measures:

Measure 1 = 113g: 1 jar, Gerber (4 oz)

Calories Factors: Protein

Fat

Carbohydrate

NDB No. 03096

Babyfood, vegetable, green beans and potatoes

Food Group: 03 Baby Foods

USDA National Nutrient Database for Standard Reference, Release 28 (2015)

Nutrients and Units	Amount in 100 grams of edible portion				Amount in edible portion of common			
	Mean	Std. Error	Number	Source	measures of food			
			of Data Points		Confidence Code	Measure 1	Measure 2	Measure 3
Lipids:								
Fatty acids, total saturated.....g	0.016		0	4		0.036	0.002	0.005
4:0.....g	0.000		0	4		0.000	0.000	0.000
6:0.....g	0.000		0	4		0.000	0.000	0.000
8:0.....g	0.000		0	4		0.000	0.000	0.000
10:0.....g	0.000		0	4		0.000	0.000	0.000
12:0.....g	0.000		0	4		0.000	0.000	0.000
13:0.....g								
14:0.....g	0.000		0	4		0.000	0.000	0.000
15:0.....g								
16:0.....g	0.016		0	4		0.036	0.002	0.005
17:0.....g								
18:0.....g	0.000		0	4		0.000	0.000	0.000
20:0.....g								
22:0.....g								
24:0.....g								
Fatty acids, total monounsaturated.....g	0.019		0	4		0.043	0.003	0.005
14:1.....g								
15:1.....g								
16:1 undifferentiated.....g	0.000		0	4		0.000	0.000	0.000
17:1.....g								
18:1 undifferentiated.....g	0.019		0	4		0.043	0.003	0.005
20:1.....g	0.000		0	4		0.000	0.000	0.000
22:1 undifferentiated.....g	0.000		0	4		0.000	0.000	0.000
24:1 c.....g								
Fatty acids, total polyunsaturated.....g	0.036		0	4		0.081	0.005	0.010
18:2 undifferentiated.....g	0.033		0	4		0.074	0.005	0.009
18:3 undifferentiated.....g	0.003		0	4		0.007	0.000	0.001
18:4.....g	0.000		0	4		0.000	0.000	0.000
20:2 n-6 c,c.....g								
20:3 undifferentiated.....g								
20:4 undifferentiated.....g	0.000		0	4		0.000	0.000	0.000
20:5 n-3 (EPA).....g	0.000		0	4		0.000	0.000	0.000
21:5.....g								
22:4.....g								
22:5 n-3 (DPA).....g	0.000		0	4		0.000	0.000	0.000
22:6 n-3 (DHA).....g	0.000		0	4		0.000	0.000	0.000
Fatty acids, total trans.....g								
Cholesterol.....mg	0		0	7		0	0	0
Phytosterols.....mg								
Amino Acids:								
Tryptophan.....g	0.012		0	1		0.027	0.002	0.003
Threonine.....g	0.032		0	1		0.072	0.004	0.009
Isoleucine.....g	0.038		0	1		0.085	0.005	0.011
Leucine.....g	0.046		0	1		0.103	0.006	0.013
Lysine.....g	0.034		0	1		0.076	0.005	0.010
Methionine.....g	0.010		0	1		0.022	0.001	0.003
Cystine.....g	0.007		0	1		0.016	0.001	0.002
Phenylalanine.....g	0.018		0	1		0.040	0.003	0.005
Tyrosine.....g	0.035		0	1		0.078	0.005	0.010
Valine.....g	0.045		0	1		0.101	0.006	0.013
Arginine.....g	0.030		0	1		0.067	0.004	0.009
Histidine.....g	0.021		0	1		0.047	0.003	0.006
Alanine.....g	0.054		0	1		0.121	0.008	0.015
Aspartic acid.....g	0.086		0	1		0.193	0.012	0.024
Glutamic acid.....g	0.292		0	1		0.654	0.041	0.083
Glycine.....g	0.027		0	1		0.060	0.004	0.008
Proline.....g	0.027		0	1		0.060	0.004	0.008
Serine.....g	0.043		0	1		0.096	0.006	0.012
Hydroxyproline.....g								
Others:								
Alcohol, ethyl.....g	0.0		0	7		0.0	0.0	0.0
Caffeine.....mg	0		0	BFSN 4		0	0	0

NDB No. 03098

Babyfood, vegetables, beets, strained

Nutrients and Units	<u>Amount in 100 grams of edible portion</u>				<u>Amount in edible portion of common</u>			
	Mean	Std. Error	Number		Measure 1	Measure 2	Measure 3	
			of Data Points	Deriv Code				Source Code
Theobromine.....mg	0		0	BFSN	4	0	0	0

Blanks in the Mean column indicate lack of reliable data. The Number of Data Points column is the number of analyses upon which the mean is based. Number of Data Points of zero indicates the mean was either calculated (as for Energy) or estimated, usually from a recipe, another form of the same food, or similar food.

Common Measures:

Measure 1 = 224g: 1 cup

Measure 2 = 14.0g: 1 tbsp

Measure 3 = 28.35g: 1 oz

Calories Factors: Protein 2.78

Fat 8.37

Carbohydrate 3.84

Food Group: 03 Baby Foods

USDA National Nutrient Database for Standard Reference, Release 28 (2015)

Nutrients and Units	Amount in 100 grams of edible portion				Amount in edible portion of common				
	Mean	Std. Error	Number of Data Points	Deriv Code	Source Code	measures of food			
						Confidence Code	Measure 1	Measure 2	Measure 3
Lipids:									
Fatty acids, total saturated.....g	0.036		0		4		0.081	0.005	0.010
4:0.....g	0.000		0		4		0.000	0.000	0.000
6:0.....g	0.000		0		4		0.000	0.000	0.000
8:0.....g	0.000		0		4		0.000	0.000	0.000
10:0.....g	0.000		0		4		0.000	0.000	0.000
12:0.....g	0.002		0		4		0.004	0.000	0.001
13:0.....g									
14:0.....g	0.001		0		4		0.002	0.000	0.000
15:0.....g									
16:0.....g	0.028		0		4		0.063	0.004	0.008
17:0.....g									
18:0.....g	0.001		0		4		0.002	0.000	0.000
20:0.....g									
22:0.....g									
24:0.....g									
Fatty acids, total monounsaturated.....g	0.009		0		4		0.020	0.001	0.003
14:1.....g									
15:1.....g									
16:1 undifferentiated.....g	0.002		0		4		0.004	0.000	0.001
17:1.....g									
18:1 undifferentiated.....g	0.007		0		4		0.016	0.001	0.002
20:1.....g	0.000		0		4		0.000	0.000	0.000
22:1 undifferentiated.....g	0.000		0		4		0.000	0.000	0.000
24:1 c.....g									
Fatty acids, total polyunsaturated.....g	0.093		0		4		0.208	0.013	0.026
18:2 undifferentiated.....g	0.080		0		4		0.179	0.011	0.023
18:3 undifferentiated.....g	0.011		0		4		0.025	0.002	0.003
18:4.....g	0.000		0		4		0.000	0.000	0.000
20:2 n-6 c,c.....g									
20:3 undifferentiated.....g									
20:4 undifferentiated.....g	0.000		0		4		0.000	0.000	0.000
20:5 n-3 (EPA).....g	0.000		0		4		0.000	0.000	0.000
21:5.....g									
22:4.....g									
22:5 n-3 (DPA).....g	0.000		0		4		0.000	0.000	0.000
22:6 n-3 (DHA).....g	0.000		0		4		0.000	0.000	0.000
Fatty acids, total trans.....g									
Cholesterol.....mg	0		0		7		0	0	0
Phytosterols.....mg									
Amino Acids:									
Tryptophan.....g	0.011		0		1		0.025	0.002	0.003
Threonine.....g	0.023		0		1		0.052	0.003	0.007
Isoleucine.....g	0.024		0		1		0.054	0.003	0.007
Leucine.....g	0.033		0		1		0.074	0.005	0.009
Lysine.....g	0.021		0		1		0.047	0.003	0.006
Methionine.....g	0.009		0		1		0.020	0.001	0.003
Cystine.....g	0.006		0		1		0.013	0.001	0.002
Phenylalanine.....g	0.025		0		1		0.056	0.004	0.007
Tyrosine.....g	0.020		0		1		0.045	0.003	0.006
Valine.....g	0.031		0		1		0.069	0.004	0.009
Arginine.....g	0.052		0		1		0.116	0.007	0.015
Histidine.....g	0.013		0		1		0.029	0.002	0.004
Alanine.....g	0.041		0		1		0.092	0.006	0.012
Aspartic acid.....g	0.127		0		1		0.284	0.018	0.036
Glutamic acid.....g	0.225		0		1		0.504	0.032	0.064
Glycine.....g	0.022		0		1		0.049	0.003	0.006
Proline.....g	0.021		0		1		0.047	0.003	0.006
Serine.....g	0.024		0		1		0.054	0.003	0.007
Hydroxyproline.....g									
Others:									
Alcohol, ethyl.....g	0.0		0		7		0.0	0.0	0.0
Caffeine.....mg	0		0	BFSN	4		0	0	0

NDB No. 03100

Babyfood, vegetables, carrots, junior

Nutrients and Units	<u>Amount in 100 grams of edible portion</u>				<u>Amount in edible portion of common measures of food</u>				
	Mean	Std. Error	Number of Data Points	Deriv Code	Source Code	Confidence Code	Measure 1	Measure 2	Measure 3
Theobromine.....mg	0		0	BFSN	4		0	0	0

Blanks in the Mean column indicate lack of reliable data. The Number of Data Points column is the number of analyses upon which the mean is based. Number of Data Points of zero indicates the mean was either calculated (as for Energy) or estimated, usually from a recipe, another form of the same food, or similar food.

Common Measures:

Measure 1 = 224g: 1 cup

Measure 2 = 14.0g: 1 tbsp

Measure 3 = 28.35g: 1 oz

Calories Factors: Protein 2.78

Fat 8.37

Carbohydrate 3.84

Food Group: 03 Baby Foods

USDA National Nutrient Database for Standard Reference, Release 28 (2015)

NDB No. 03099

Babyfood, vegetables, carrots, strained

Nutrients and Units	Amount in 100 grams of edible portion				Amount in edible portion of common measures of food				
	Mean	Std. Error	Number	Source Code	Confidence Code	Measure 1	Measure 2	Measure 3	
			of Data Points						Deriv Code
Lipids:									
Fatty acids, total saturated.....g	0.018		0			4	0.040	0.003	0.005
4:0.....g	0.000		0			4	0.000	0.000	0.000
6:0.....g	0.000		0			4	0.000	0.000	0.000
8:0.....g	0.000		0			4	0.000	0.000	0.000
10:0.....g	0.000		0			4	0.000	0.000	0.000
12:0.....g	0.001		0			4	0.002	0.000	0.000
13:0.....g									
14:0.....g	0.001		0			4	0.002	0.000	0.000
15:0.....g									
16:0.....g	0.014		0			4	0.031	0.002	0.004
17:0.....g									
18:0.....g	0.001		0			4	0.002	0.000	0.000
20:0.....g									
22:0.....g									
24:0.....g									
Fatty acids, total monounsaturated.....g	0.004		0			4	0.009	0.001	0.001
14:1.....g									
15:1.....g									
16:1 undifferentiated.....g	0.001		0			4	0.002	0.000	0.000
17:1.....g									
18:1 undifferentiated.....g	0.003		0			4	0.007	0.000	0.001
20:1.....g	0.000		0			4	0.000	0.000	0.000
22:1 undifferentiated.....g	0.000		0			4	0.000	0.000	0.000
24:1 c.....g									
Fatty acids, total polyunsaturated.....g	0.047		0			4	0.105	0.007	0.013
18:2 undifferentiated.....g	0.040		0			4	0.090	0.006	0.011
18:3 undifferentiated.....g	0.006		0			4	0.013	0.001	0.002
18:4.....g	0.000		0			4	0.000	0.000	0.000
20:2 n-6 c,c.....g									
20:3 undifferentiated.....g									
20:4 undifferentiated.....g	0.000		0			4	0.000	0.000	0.000
20:5 n-3 (EPA).....g	0.000		0			4	0.000	0.000	0.000
21:5.....g									
22:4.....g									
22:5 n-3 (DPA).....g	0.000		0			4	0.000	0.000	0.000
22:6 n-3 (DHA).....g	0.000		0			4	0.000	0.000	0.000
Fatty acids, total trans.....g									
Cholesterol.....mg	0		0			7	0	0	0
Phytosterols.....mg									
Amino Acids:									
Tryptophan.....g	0.011		0			1	0.025	0.002	0.003
Threonine.....g	0.022		0			1	0.049	0.003	0.006
Isoleucine.....g	0.024		0			1	0.054	0.003	0.007
Leucine.....g	0.032		0			1	0.072	0.004	0.009
Lysine.....g	0.020		0			1	0.045	0.003	0.006
Methionine.....g	0.009		0			1	0.020	0.001	0.003
Cystine.....g	0.006		0			1	0.013	0.001	0.002
Phenylalanine.....g	0.024		0			1	0.054	0.003	0.007
Tyrosine.....g	0.019		0			1	0.043	0.003	0.005
Valine.....g	0.030		0			1	0.067	0.004	0.009
Arginine.....g	0.050		0			1	0.112	0.007	0.014
Histidine.....g	0.012		0			1	0.027	0.002	0.003
Alanine.....g	0.040		0			1	0.090	0.006	0.011
Aspartic acid.....g	0.123		0			1	0.276	0.017	0.035
Glutamic acid.....g	0.218		0			1	0.488	0.031	0.062
Glycine.....g	0.021		0			1	0.047	0.003	0.006
Proline.....g	0.020		0			1	0.045	0.003	0.006
Serine.....g	0.024		0			1	0.054	0.003	0.007
Hydroxyproline.....g									
Others:									
Alcohol, ethyl.....g	0.0		0			7	0.0	0.0	0.0
Caffeine.....mg	0		0	BFPN		4	0	0	0

NDB No. 03099

Babyfood, vegetables, carrots, strained

Nutrients and Units	<u>Amount in 100 grams of edible portion</u>				<u>Amount in edible portion of common measures of food</u>			
	Mean	Std. Error	Number		Measure 1	Measure 2	Measure 3	
			of Data Points	Deriv Code				Source Confidence Code
Theobromine.....mg	0		0	BFPN	4	0	0	0

Blanks in the Mean column indicate lack of reliable data. The Number of Data Points column is the number of analyses upon which the mean is based. Number of Data Points of zero indicates the mean was either calculated (as for Energy) or estimated, usually from a recipe, another form of the same food, or similar food.

Common Measures:

Measure 1 = 224g: 1 cup

Measure 2 = 14.0g: 1 tbsp

Measure 3 = 28.35g: 1 oz

Calories Factors: Protein 2.78

Fat 8.37

Carbohydrate 3.84

Food Group: 03 Baby Foods

USDA National Nutrient Database for Standard Reference, Release 28 (2015)

Nutrients and Units	Amount in 100 grams of edible portion				Amount in edible portion of common measures of food				
	Mean	Std. Error	Number of Data Points	Deriv Code	Source Code	Confidence Code	Measure 1	Measure 2	Measure 3
Tocotrienol, delta.....mg									
Vitamin D (D2 + D3).....µg	0.0		0	Z	7		0.0	0.0	0.0
Vitamin D.....IU	0		0	Z	7		0	0	0
Vitamin K (phyloquinone).....µg	0.0		0	FLA	4		0.0	0.0	0.0
Dihydrophyloquinone.....µg									
Menaquinone-4.....µg									
Lipids:									
Fatty acids, total saturated.....g	0.074		0		4		0.178	0.011	0.021
4:0.....g	0.001		0		4		0.002	0.000	0.000
6:0.....g	0.000		0		4		0.000	0.000	0.000
8:0.....g	0.000		0		4		0.000	0.000	0.000
10:0.....g	0.001		0		4		0.002	0.000	0.000
12:0.....g	0.000		0		4		0.000	0.000	0.000
13:0.....g									
14:0.....g	0.002		0		4		0.005	0.000	0.001
15:0.....g									
16:0.....g	0.062		0		4		0.149	0.009	0.018
17:0.....g									
18:0.....g	0.006		0		4		0.014	0.001	0.002
20:0.....g									
22:0.....g									
24:0.....g									
Fatty acids, total monounsaturated.....g	0.116		0		4		0.278	0.017	0.033
14:1.....g									
15:1.....g									
16:1 undifferentiated.....g	0.001		0		4		0.002	0.000	0.000
17:1.....g									
18:1 undifferentiated.....g	0.115		0		4		0.276	0.017	0.033
20:1.....g	0.000		0		4		0.000	0.000	0.000
22:1 undifferentiated.....g	0.000		0		4		0.000	0.000	0.000
24:1 c.....g									
Fatty acids, total polyunsaturated.....g	0.178		0		4		0.427	0.027	0.050
18:2 undifferentiated.....g	0.173		0		4		0.415	0.026	0.049
18:3 undifferentiated.....g	0.006		0		4		0.014	0.001	0.002
18:4.....g	0.000		0		4		0.000	0.000	0.000
20:2 n-6 c,c.....g									
20:3 undifferentiated.....g									
20:4 undifferentiated.....g	0.000		0		4		0.000	0.000	0.000
20:5 n-3 (EPA).....g	0.000		0		4		0.000	0.000	0.000
21:5.....g									
22:4.....g									
22:5 n-3 (DPA).....g	0.000		0		4		0.000	0.000	0.000
22:6 n-3 (DHA).....g	0.000		0		4		0.000	0.000	0.000
Fatty acids, total trans.....g									
Cholesterol.....mg	1		0		4		2	0	0
Phytosterols.....mg									
Amino Acids:									
Tryptophan.....g	0.015		0		1		0.036	0.002	0.004
Threonine.....g	0.052		0		1		0.125	0.008	0.015
Isoleucine.....g	0.065		0		1		0.156	0.010	0.018
Leucine.....g	0.141		0		1		0.338	0.021	0.040
Lysine.....g	0.082		0		1		0.197	0.012	0.023
Methionine.....g	0.040		0		1		0.096	0.006	0.011
Cystine.....g	0.018		0		1		0.043	0.003	0.005
Phenylalanine.....g	0.049		0		1		0.118	0.007	0.014
Tyrosine.....g	0.068		0		1		0.163	0.010	0.019
Valine.....g	0.078		0		1		0.187	0.012	0.022
Arginine.....g	0.060		0		1		0.144	0.009	0.017
Histidine.....g	0.046		0		1		0.110	0.007	0.013
Alanine.....g	0.071		0		1		0.170	0.011	0.020
Aspartic acid.....g	0.099		0		1		0.238	0.015	0.028
Glutamic acid.....g	0.276		0		1		0.662	0.041	0.078
Glycine.....g	0.036		0		1		0.086	0.005	0.010

NDB No. 03120

Babyfood, vegetables, corn, creamed, junior

Nutrients and Units	<u>Amount in 100 grams of edible portion</u>				<u>Amount in edible portion of common measures of food</u>			
	Mean	Std. Error	Number		Measure 1	Measure 2	Measure 3	
			of Data Points	Deriv Code				Source Code
Proline.....g	0.161		0		1	0.386	0.024	0.046
Serine.....g	0.062		0		1	0.149	0.009	0.018
Hydroxyproline.....g								
Others:								
Alcohol, ethyl.....g	0.0		0		7	0.0	0.0	0.0
Caffeine.....mg	0		0	FLA	4	0	0	0
Theobromine.....mg	0		0	FLA	4	0	0	0

Blanks in the Mean column indicate lack of reliable data. The Number of Data Points column is the number of analyses upon which the mean is based. Number of Data Points of zero indicates the mean was either calculated (as for Energy) or estimated, usually from a recipe, another form of the same food, or similar food.

Common Measures:

Measure 1 = 240g: 1 cup

Measure 2 = 15.0g: 1 tbsp

Measure 3 = 28.35g: 1 oz

Calories Factors: Protein 2.44

Fat 8.37

Carbohydrate 3.57

Food Group: 03 Baby Foods

USDA National Nutrient Database for Standard Reference, Release 28 (2015)

Nutrients and Units	Amount in 100 grams of edible portion				Amount in edible portion of common measures of food				
	Mean	Std. Error	Number of Data Points	Deriv Code	Source Code	Confidence Code	Measure 1	Measure 2	Measure 3
Tocotrienol, delta.....mg									
Vitamin D (D2 + D3).....µg	0.0		0	Z	7		0.0	0.0	0.0
Vitamin D.....IU	0		0	Z	7		0	0	0
Vitamin K (phyloquinone).....µg	0.0		0	FLA	4		0.0	0.0	0.0
Dihydrophyloquinone.....µg									
Menaquinone-4.....µg									
Lipids:									
Fatty acids, total saturated.....g	0.076		0		4		0.086	0.011	0.022
4:0.....g	0.001		0		4		0.001	0.000	0.000
6:0.....g	0.000		0		4		0.000	0.000	0.000
8:0.....g	0.000		0		4		0.000	0.000	0.000
10:0.....g	0.001		0		4		0.001	0.000	0.000
12:0.....g	0.000		0		4		0.000	0.000	0.000
13:0.....g									
14:0.....g	0.003		0		4		0.003	0.000	0.001
15:0.....g									
16:0.....g	0.062		0		4		0.070	0.009	0.018
17:0.....g									
18:0.....g	0.007		0		4		0.008	0.001	0.002
20:0.....g									
22:0.....g									
24:0.....g									
Fatty acids, total monounsaturated.....g	0.116		0		4		0.131	0.017	0.033
14:1.....g									
15:1.....g									
16:1 undifferentiated.....g	0.001		0		4		0.001	0.000	0.000
17:1.....g									
18:1 undifferentiated.....g	0.115		0		4		0.130	0.017	0.033
20:1.....g	0.000		0		4		0.000	0.000	0.000
22:1 undifferentiated.....g	0.000		0		4		0.000	0.000	0.000
24:1 c.....g									
Fatty acids, total polyunsaturated.....g	0.176		0		4		0.199	0.026	0.050
18:2 undifferentiated.....g	0.171		0		4		0.193	0.026	0.048
18:3 undifferentiated.....g	0.006		0		4		0.007	0.001	0.002
18:4.....g	0.000		0		4		0.000	0.000	0.000
20:2 n-6 c,c.....g									
20:3 undifferentiated.....g									
20:4 undifferentiated.....g	0.000		0		4		0.000	0.000	0.000
20:5 n-3 (EPA).....g	0.000		0		4		0.000	0.000	0.000
21:5.....g									
22:4.....g									
22:5 n-3 (DPA).....g	0.000		0		4		0.000	0.000	0.000
22:6 n-3 (DHA).....g	0.000		0		4		0.000	0.000	0.000
Fatty acids, total trans.....g									
Cholesterol.....mg	1		0		4		1	0	0
Phytosterols.....mg									
Amino Acids:									
Tryptophan.....g	0.015		0		1		0.017	0.002	0.004
Threonine.....g	0.052		0		1		0.059	0.008	0.015
Isoleucine.....g	0.065		0		1		0.073	0.010	0.018
Leucine.....g	0.140		0		1		0.158	0.021	0.040
Lysine.....g	0.081		0		1		0.092	0.012	0.023
Methionine.....g	0.040		0		1		0.045	0.006	0.011
Cystine.....g	0.018		0		1		0.020	0.003	0.005
Phenylalanine.....g	0.049		0		1		0.055	0.007	0.014
Tyrosine.....g	0.067		0		1		0.076	0.010	0.019
Valine.....g	0.077		0		1		0.087	0.012	0.022
Arginine.....g	0.060		0		1		0.068	0.009	0.017
Histidine.....g	0.046		0		1		0.052	0.007	0.013
Alanine.....g	0.070		0		1		0.079	0.011	0.020
Aspartic acid.....g	0.099		0		1		0.112	0.015	0.028
Glutamic acid.....g	0.275		0		1		0.311	0.041	0.078
Glycine.....g	0.036		0		1		0.041	0.005	0.010

NDB No. 03119

Babyfood, vegetables, corn, creamed, strained

Nutrients and Units	Amount in 100 grams of edible portion				Amount in edible portion of common measures of food				
	Mean	Std. Error	Number of Data Points	Deriv Code	Source Code	Confidence Code	Measure 1	Measure 2	Measure 3
Proline.....g	0.161		0		1		0.182	0.024	0.046
Serine.....g	0.062		0		1		0.070	0.009	0.018
Hydroxyproline.....g									
Others:									
Alcohol, ethyl.....g	0.0		0		7		0.0	0.0	0.0
Caffeine.....mg	0		0	FLA	4		0	0	0
Theobromine.....mg	0		0	FLA	4		0	0	0

Blanks in the Mean column indicate lack of reliable data. The Number of Data Points column is the number of analyses upon which the mean is based. Number of Data Points of zero indicates the mean was either calculated (as for Energy) or estimated, usually from a recipe, another form of the same food, or similar food.

Common Measures:

Measure 1 = 113g: 1 jar

Measure 2 = 15.0g: 1 tbsp

Measure 3 = 28.35g: 1 oz

Calories Factors: Protein 2.44

Fat 8.37

Carbohydrate 3.57

Food Group: 03 Baby Foods

USDA National Nutrient Database for Standard Reference, Release 28 (2015)

Nutrients and Units	Amount in 100 grams of edible portion				Amount in edible portion of common measures of food			
	Mean	Std. Error	Number	Source Code	Confidence Code	Measure 1	Measure 2	Measure 3
			of Data Points					
Lipids:								
Fatty acids, total saturated.....g	0.035		0		4		0.010	0.040
4:0.....g	0.000		0		4		0.000	0.000
6:0.....g	0.000		0		4		0.000	0.000
8:0.....g	0.000		0		4		0.000	0.000
10:0.....g	0.000		0		4		0.000	0.000
12:0.....g	0.001		0		4		0.000	0.001
13:0.....g								
14:0.....g	0.002		0		4		0.001	0.002
15:0.....g								
16:0.....g	0.028		0		4		0.008	0.032
17:0.....g								
18:0.....g	0.002		0		4		0.001	0.002
20:0.....g								
22:0.....g								
24:0.....g								
Fatty acids, total monounsaturated.....g	0.011		0		4		0.003	0.012
14:1.....g								
15:1.....g								
16:1 undifferentiated.....g	0.002		0		4		0.001	0.002
17:1.....g								
18:1 undifferentiated.....g	0.009		0		4		0.003	0.010
20:1.....g	0.000		0		4		0.000	0.000
22:1 undifferentiated.....g	0.000		0		4		0.000	0.000
24:1 c.....g								
Fatty acids, total polyunsaturated.....g	0.090		0		4		0.026	0.102
18:2 undifferentiated.....g	0.053		0		4		0.015	0.060
18:3 undifferentiated.....g	0.035		0		4		0.010	0.040
18:4.....g	0.000		0		4		0.000	0.000
20:2 n-6 c,c.....g								
20:3 undifferentiated.....g								
20:4 undifferentiated.....g	0.000		0		4		0.000	0.000
20:5 n-3 (EPA).....g	0.000		0		4		0.000	0.000
21:5.....g								
22:4.....g								
22:5 n-3 (DPA).....g	0.000		0		4		0.000	0.000
22:6 n-3 (DHA).....g	0.000		0		4		0.000	0.000
Fatty acids, total trans.....g								
Cholesterol.....mg	0		0		4		0	0
Phytosterols.....mg								
Amino Acids:								
Tryptophan.....g	0.027		0		1		0.008	0.031
Threonine.....g	0.073		0		1		0.021	0.082
Isoleucine.....g	0.086		0		1		0.024	0.097
Leucine.....g	0.143		0		1		0.041	0.162
Lysine.....g	0.116		0		1		0.033	0.131
Methionine.....g	0.043		0		1		0.012	0.049
Cystine.....g	0.020		0		1		0.006	0.023
Phenylalanine.....g	0.088		0		1		0.025	0.099
Tyrosine.....g	0.095		0		1		0.027	0.107
Valine.....g	0.099		0		1		0.028	0.112
Arginine.....g	0.196		0		1		0.056	0.221
Histidine.....g	0.045		0		1		0.013	0.051
Alanine.....g	0.107		0		1		0.030	0.121
Aspartic acid.....g	0.192		0		1		0.054	0.217
Glutamic acid.....g	0.293		0		1		0.083	0.331
Glycine.....g	0.079		0		1		0.022	0.089
Proline.....g	0.122		0		1		0.035	0.138
Serine.....g	0.077		0		1		0.022	0.087
Hydroxyproline.....g								
Others:								
Alcohol, ethyl.....g	0.0		0		7		0.0	0.0
Caffeine.....mg	0		0	FLA	4		0	0

NDB No. 03283

Babyfood, vegetables, garden vegetable, strained

Nutrients and Units	<u>Amount in 100 grams of edible portion</u>				<u>Amount in edible portion of common measures of food</u>			
	Mean	Std. Error	Number	Deriv	Source	Measure 1	Measure 2	Measure 3
			of Data	Code	Code			
		Points	Code	Code	Code			
Theobromine.....mg	0		0	FLA	4	0		0

Blanks in the Mean column indicate lack of reliable data. The Number of Data Points column is the number of analyses upon which the mean is based. Number of Data Points of zero indicates the mean was either calculated (as for Energy) or estimated, usually from a recipe, another form of the same food, or similar food.

Common Measures:

Measure 1 = 28.35g: 1 oz

Measure 2 = 113g: 1 jar

Calories Factors: Protein 2.44

Fat 8.37

Carbohydrate 3.57

Food Group: 03 Baby Foods

USDA National Nutrient Database for Standard Reference, Release 28 (2015)

Nutrients and Units	Amount in 100 grams of edible portion				Amount in edible portion of common				
	Mean	Std. Error	Number of Data Points	Deriv Code	Source Code	measures of food			
						Confidence Code	Measure 1	Measure 2	Measure 3
Lipids:									
Fatty acids, total saturated.....g	0.023		0		4		0.055	0.003	0.007
4:0.....g	0.000		0		4		0.000	0.000	0.000
6:0.....g	0.000		0		4		0.000	0.000	0.000
8:0.....g	0.000		0		4		0.000	0.000	0.000
10:0.....g	0.000		0		4		0.000	0.000	0.000
12:0.....g	0.000		0		4		0.000	0.000	0.000
13:0.....g									
14:0.....g	0.000		0		4		0.000	0.000	0.000
15:0.....g									
16:0.....g	0.019		0		4		0.046	0.003	0.005
17:0.....g									
18:0.....g	0.003		0		4		0.007	0.000	0.001
20:0.....g									
22:0.....g									
24:0.....g									
Fatty acids, total monounsaturated.....g	0.004		0		4		0.010	0.001	0.001
14:1.....g									
15:1.....g									
16:1 undifferentiated.....g	0.000		0		4		0.000	0.000	0.000
17:1.....g									
18:1 undifferentiated.....g	0.004		0		4		0.010	0.001	0.001
20:1.....g	0.000		0		4		0.000	0.000	0.000
22:1 undifferentiated.....g	0.000		0		4		0.000	0.000	0.000
24:1 c.....g									
Fatty acids, total polyunsaturated.....g	0.052		0		4		0.125	0.008	0.015
18:2 undifferentiated.....g	0.020		0		4		0.048	0.003	0.006
18:3 undifferentiated.....g	0.032		0		4		0.077	0.005	0.009
18:4.....g	0.000		0		4		0.000	0.000	0.000
20:2 n-6 c,c.....g									
20:3 undifferentiated.....g									
20:4 undifferentiated.....g	0.000		0		4		0.000	0.000	0.000
20:5 n-3 (EPA).....g	0.000		0		4		0.000	0.000	0.000
21:5.....g									
22:4.....g									
22:5 n-3 (DPA).....g	0.000		0		4		0.000	0.000	0.000
22:6 n-3 (DHA).....g	0.000		0		4		0.000	0.000	0.000
Fatty acids, total trans.....g									
Cholesterol.....mg	0		0		7		0	0	0
Phytosterols.....mg									
Amino Acids:									
Tryptophan.....g	0.014		0		1		0.034	0.002	0.004
Threonine.....g	0.051		0		1		0.122	0.008	0.014
Isoleucine.....g	0.054		0		1		0.130	0.008	0.015
Leucine.....g	0.078		0		1		0.187	0.012	0.022
Lysine.....g	0.059		0		1		0.142	0.009	0.017
Methionine.....g	0.018		0		1		0.043	0.003	0.005
Cystine.....g	0.010		0		1		0.024	0.002	0.003
Phenylalanine.....g	0.049		0		1		0.118	0.007	0.014
Tyrosine.....g	0.042		0		1		0.101	0.006	0.012
Valine.....g	0.065		0		1		0.156	0.010	0.018
Arginine.....g	0.066		0		1		0.158	0.010	0.019
Histidine.....g	0.033		0		1		0.079	0.005	0.009
Alanine.....g	0.056		0		1		0.134	0.008	0.016
Aspartic acid.....g	0.234		0		1		0.562	0.035	0.066
Glutamic acid.....g	0.157		0		1		0.377	0.024	0.045
Glycine.....g	0.049		0		1		0.118	0.007	0.014
Proline.....g	0.061		0		1		0.146	0.009	0.017
Serine.....g	0.063		0		1		0.151	0.009	0.018
Hydroxyproline.....g									
Others:									
Alcohol, ethyl.....g	0.0		0		7		0.0	0.0	0.0
Caffeine.....mg	0		0	BFSN	4		0	0	0

NDB No. 03092

Babyfood, vegetables, green beans, junior

Nutrients and Units	<u>Amount in 100 grams of edible portion</u>				<u>Amount in edible portion of common measures of food</u>				
	Mean	Std. Error	Number of Data Points	Deriv Code	Source Code	Confidence Code	Measure 1	Measure 2	Measure 3
Theobromine.....mg	0		0	BFSN	4		0	0	0

Blanks in the Mean column indicate lack of reliable data. The Number of Data Points column is the number of analyses upon which the mean is based. Number of Data Points of zero indicates the mean was either calculated (as for Energy) or estimated, usually from a recipe, another form of the same food, or similar food.

Common Measures:

Measure 1 = 240g: 1 cup

Measure 2 = 15.0g: 1 tbsp

Measure 3 = 28.35g: 1 oz

Calories Factors: Protein 2.44

Fat 8.37

Carbohydrate 3.57

Food Group: 03 Baby Foods

USDA National Nutrient Database for Standard Reference, Release 28 (2015)

NDB No. 03091

Babyfood, vegetables, green beans, strained

Refuse:0%

Nutrients and Units	Amount in 100 grams of edible portion					Amount in edible portion of common measures of food			
	Mean	Std. Error	Number of Data Points	Deriv Code	Source Code	Confidence Code	Measure 1	Measure 2	Measure 3
Proximates:									
Water.....g	91.85	0.340	36	JA	6		220.44	13.78	26.04
Energy.....kcal	27		0	NC	4		64	4	8
Energy.....kJ	112		0	NC	4		269	17	32
Protein (N x 6.25).....g	1.20	0.102	27	JA	6		2.89	0.18	0.34
Total lipid (fat).....g	0.17	0.034	27	JA	6		0.40	0.02	0.05
Ash.....g	0.49	0.059	27	JA	6		1.18	0.07	0.14
Carbohydrate, by difference.....g	6.29		0	NC	4		15.10	0.94	1.78
Fiber, total dietary.....g	2.2		2	A	1		5.2	0.3	0.6
Sugars, total.....g	1.88		2	A	1		4.50	0.28	0.53
Sucrose.....g	0.28		2	A	1		0.66	0.04	0.08
Glucose (dextrose).....g	0.71		2	A	1		1.71	0.11	0.20
Fructose.....g	0.89		2	A	1		2.13	0.13	0.25
Lactose.....g	0.00		2	A	1		0.00	0.00	0.00
Maltose.....g	0.00		2	A	1		0.00	0.00	0.00
Galactose.....g	0.00		2	A	1		0.00	0.00	0.00
Starch.....g	1.31		2	A	1		3.16	0.20	0.37
Minerals:									
Calcium, Ca.....mg	39	1.453	26	JA	6		94	6	11
Iron, Fe.....mg	0.67	0.060	32	JA	6		1.60	0.10	0.19
Magnesium, Mg.....mg	20	2.082	4	JA	6		48	3	6
Phosphorus, P.....mg	41		2	A	1		98	6	12
Potassium, K.....mg	146	8.327	17	JA	6		350	22	41
Sodium, Na.....mg	7		0	LC	8		17	1	2
Zinc, Zn.....mg	0.22	0.013	4	JA	6		0.54	0.03	0.06
Copper, Cu.....mg	0.030		2	A	1		0.072	0.004	0.008
Manganese, Mn.....mg	0.265		2	A	1		0.636	0.040	0.075
Selenium, Se.....µg	0.1		2	A	1		0.3	0.0	0.0
Vitamins:									
Vitamin C, total ascorbic acid.....mg	0.3		2	A	1		0.8	0.0	0.1
Thiamin.....mg	0.026	0.001	28	JA	6		0.063	0.004	0.007
Riboflavin.....mg	0.079	0.003	30	JA	6		0.189	0.012	0.022
Niacin.....mg	0.361	0.019	26	JA	6		0.867	0.054	0.102
Pantothenic acid.....mg	0.041		2	A	1		0.097	0.006	0.012
Vitamin B-6.....mg	0.038	0.001	12	JA	6		0.092	0.006	0.011
Folate, total.....µg	24		2	A	1		56	4	7
Folic acid.....µg	0		0	BFSN	4		0	0	0
Folate, food.....µg	24		0	AS	1		56	4	7
Folate, DFE.....µg	24		0	NC	4		56	4	7
Choline, total.....mg	22.6		0	AS	1		54.3	3.4	6.4
Betaine.....mg	0.1		2	A	1		0.3	0.0	0.0
Vitamin B-12.....µg	0.00		0		4		0.00	0.00	0.00
Vitamin B-12, added.....µg	0.00		0	Z	7		0.00	0.00	0.00
Vitamin A, RAE.....µg	18		0	AS	1		43	3	5
Retinol.....µg	0		0	Z	7		0	0	0
Carotene, beta.....µg	197		2	A	1		473	30	56
Carotene, alpha.....µg	15		2	A	1		35	2	4
Cryptoxanthin, beta.....µg	17		2	A	1		41	3	5
Vitamin A, IU.....IU	355		0	AS	1		851	53	101
Lycopene.....µg	0		2	A	1		0	0	0
Lutein + zeaxanthin.....µg	526		0	BFSN	4		1263	79	149
Vitamin E (alpha-tocopherol).....mg	0.07		2	A	1		0.17	0.01	0.02
Vitamin E, added.....mg	0.00		0	Z	7		0.00	0.00	0.00
Tocopherol, beta.....mg	0.00		2	A	1		0.00	0.00	0.00
Tocopherol, gamma.....mg	0.09		2	A	1		0.20	0.01	0.02
Tocopherol, delta.....mg	0.02		2	A	1		0.06	0.00	0.01
Tocotrienol, alpha.....mg	0.00		2	A	1		0.00	0.00	0.00
Tocotrienol, beta.....mg	0.00		2	A	1		0.00	0.00	0.00

NDB No. 03091

Babyfood, vegetables, green beans, strained

Nutrients and Units	Amount in 100 grams of edible portion				Amount in edible portion of common				
	Mean	Std. Error	Number of Data Points	Deriv Code	Source Code	measures of food			
						Confidence Code	Measure 1	Measure 2	Measure 3
Tocotrienol, gamma.....mg	0.00		2	A	1		0.00	0.00	0.00
Tocotrienol, delta.....mg	0.00		2	A	1		0.00	0.00	0.00
Vitamin D (D2 + D3).....µg	0.0		0	Z	7		0.0	0.0	0.0
Vitamin D2 (ergocalciferol).....µg									
Vitamin D3 (cholecalciferol).....µg									
Vitamin D.....IU	0		0	Z	7		0	0	0
Vitamin K (phylloquinone).....µg	42.4		2	A	1		101.6	6.4	12.0
Dihydrophyloquinone.....µg	0.0		2	A	1		0.0	0.0	0.0
Menaquinone-4.....µg	0.0		2	A	1		0.0	0.0	0.0
Lipids:									
Fatty acids, total saturated.....g	0.039		1	JO	11		0.093	0.006	0.011
4:0.....g	0.000		0		4		0.000	0.000	0.000
6:0.....g	0.000		0		4		0.000	0.000	0.000
8:0.....g	0.000		1	A	1		0.000	0.000	0.000
10:0.....g	0.000		1	A	1		0.000	0.000	0.000
12:0.....g	0.000		1	A	1		0.000	0.000	0.000
13:0.....g									
14:0.....g	0.000		1	A	1		0.000	0.000	0.000
15:0.....g	0.000		1	A	1		0.000	0.000	0.000
16:0.....g	0.039		1	A	1		0.093	0.006	0.011
17:0.....g	0.000		1	A	1		0.000	0.000	0.000
18:0.....g	0.000		1	A	1		0.000	0.000	0.000
20:0.....g	0.000		1	A	1		0.000	0.000	0.000
22:0.....g	0.000		1	A	1		0.000	0.000	0.000
24:0.....g	0.000		1	A	1		0.000	0.000	0.000
Fatty acids, total monounsaturated.....g	0.000		0	NC	4		0.000	0.000	0.000
14:1.....g	0.000		1	A	1		0.000	0.000	0.000
15:1.....g									
16:1 undifferentiated.....g	0.000		1	A	1		0.000	0.000	0.000
17:1.....g	0.000		1	A	1		0.000	0.000	0.000
18:1 undifferentiated.....g	0.000		1	A	1		0.000	0.000	0.000
20:1.....g	0.000		1	A	1		0.000	0.000	0.000
22:1 undifferentiated.....g	0.000		1	A	1		0.000	0.000	0.000
24:1 c.....g	0.000		1	A	1		0.000	0.000	0.000
Fatty acids, total polyunsaturated.....g	0.116		0	NC	4		0.279	0.017	0.033
18:2 undifferentiated.....g	0.058		1	A	1		0.140	0.009	0.016
18:3 undifferentiated.....g	0.058		1	A	1		0.140	0.009	0.016
18:4.....g	0.000		1	A	1		0.000	0.000	0.000
20:2 n-6 c,c.....g	0.000		1	A	1		0.000	0.000	0.000
20:3 undifferentiated.....g	0.000		1	A	1		0.000	0.000	0.000
20:4 undifferentiated.....g	0.000		1	A	1		0.000	0.000	0.000
20:5 n-3 (EPA).....g	0.000		1	A	1		0.000	0.000	0.000
21:5.....g	0.000		1	A	1		0.000	0.000	0.000
22:4.....g	0.000		1	A	1		0.000	0.000	0.000
22:5 n-3 (DPA).....g	0.000		1	A	1		0.000	0.000	0.000
22:6 n-3 (DHA).....g	0.000		1	A	1		0.000	0.000	0.000
Fatty acids, total trans.....g									
Cholesterol.....mg	0		0		7		0	0	0
Phytosterols.....mg									
Amino Acids:									
Tryptophan.....g	0.015		0		1		0.036	0.002	0.004
Threonine.....g	0.055		0		1		0.132	0.008	0.016
Isoleucine.....g	0.058		0		1		0.139	0.009	0.016
Leucine.....g	0.085		0		1		0.204	0.013	0.024
Lysine.....g	0.065		0		1		0.156	0.010	0.018
Methionine.....g	0.019		0		1		0.046	0.003	0.005
Cystine.....g	0.011		0		1		0.026	0.002	0.003
Phenylalanine.....g	0.053		0		1		0.127	0.008	0.015
Tyrosine.....g	0.046		0		1		0.110	0.007	0.013
Valine.....g	0.071		0		1		0.170	0.011	0.020
Arginine.....g	0.072		0		1		0.173	0.011	0.020
Histidine.....g	0.036		0		1		0.086	0.005	0.010
Alanine.....g	0.060		0		1		0.144		

NDB No. 03091

Babyfood, vegetables, green beans, strained

Nutrients and Units	Amount in 100 grams of edible portion				Amount in edible portion of common measures of food				
	Mean	Std. Error	Number of Data Points	Deriv Code	Source Code	Confidence Code	Measure 1	Measure 2	Measure 3
Alanine.....g	0.060				1			0.009	0.017
Aspartic acid.....g	0.254		0		1		0.610	0.038	0.072
Glutamic acid.....g	0.171		0		1		0.410	0.026	0.048
Glycine.....g	0.053		0		1		0.127	0.008	0.015
Proline.....g	0.066		0		1		0.158	0.010	0.019
Serine.....g	0.069		0		1		0.166	0.010	0.020
Hydroxyproline.....g									
Others:									
Alcohol, ethyl.....g	0.0		0		7		0.0	0.0	0.0
Caffeine.....mg	0		0	BFSN	4		0	0	0
Theobromine.....mg	0		0	BFSN	4		0	0	0

Blanks in the Mean column indicate lack of reliable data. The Number of Data Points column is the number of analyses upon which the mean is based. Number of Data Points of zero indicates the mean was either calculated (as for Energy) or estimated, usually from a recipe, another form of the same food, or similar food.

Common Measures:

- Measure 1 = 240g: 1 cup
- Measure 2 = 15.0g: 1 tbsp
- Measure 3 = 28.35g: 1 oz

Calories Factors: Protein 2.44

Fat 8.37

Carbohydrate 3.57

Food Group: 03 Baby Foods

USDA National Nutrient Database for Standard Reference, Release 28 (2015)

Nutrients and Units	Amount in 100 grams of edible portion				Amount in edible portion of common measures of food				
	Mean	Std. Error	Number	Source Code	Confidence Code	Measure 1	Measure 2	Measure 3	
			of Data Points						Deriv Code
Lipids:									
Fatty acids, total saturated.....g	0.079		0		4		0.078	0.012	0.022
4:0.....g	0.000		0		4		0.000	0.000	0.000
6:0.....g	0.000		0		4		0.000	0.000	0.000
8:0.....g	0.000		0		4		0.000	0.000	0.000
10:0.....g	0.001		0		4		0.001	0.000	0.000
12:0.....g	0.004		0		4		0.004	0.001	0.001
13:0.....g									
14:0.....g	0.002		0		4		0.002	0.000	0.001
15:0.....g									
16:0.....g	0.062		0		4		0.061	0.009	0.018
17:0.....g									
18:0.....g	0.007		0		4		0.007	0.001	0.002
20:0.....g									
22:0.....g									
24:0.....g									
Fatty acids, total monounsaturated.....g	0.025		0		4		0.025	0.004	0.007
14:1.....g									
15:1.....g									
16:1 undifferentiated.....g	0.002		0		4		0.002	0.000	0.001
17:1.....g									
18:1 undifferentiated.....g	0.022		0		4		0.022	0.003	0.006
20:1.....g	0.000		0		4		0.000	0.000	0.000
22:1 undifferentiated.....g	0.000		0		4		0.000	0.000	0.000
24:1 c.....g									
Fatty acids, total polyunsaturated.....g	0.186		0		4		0.184	0.028	0.053
18:2 undifferentiated.....g	0.153		0		4		0.151	0.023	0.043
18:3 undifferentiated.....g	0.031		0		4		0.031	0.005	0.009
18:4.....g	0.000		0		4		0.000	0.000	0.000
20:2 n-6 c,c.....g									
20:3 undifferentiated.....g									
20:4 undifferentiated.....g	0.000		0		4		0.000	0.000	0.000
20:5 n-3 (EPA).....g	0.000		0		4		0.000	0.000	0.000
21:5.....g									
22:4.....g									
22:5 n-3 (DPA).....g	0.000		0		4		0.000	0.000	0.000
22:6 n-3 (DHA).....g	0.000		0		4		0.000	0.000	0.000
Fatty acids, total trans.....g									
Cholesterol.....mg	0		0		4		0	0	0
Phytosterols.....mg									
Amino Acids:									
Tryptophan.....g	0.015		0		1		0.015	0.002	0.004
Threonine.....g	0.045		0		1		0.045	0.007	0.013
Isoleucine.....g	0.056		0		1		0.055	0.008	0.016
Leucine.....g	0.091		0		1		0.090	0.014	0.026
Lysine.....g	0.047		0		1		0.047	0.007	0.013
Methionine.....g	0.021		0		1		0.021	0.003	0.006
Cystine.....g	0.028		0		1		0.028	0.004	0.008
Phenylalanine.....g	0.055		0		1		0.054	0.008	0.016
Tyrosine.....g	0.052		0		1		0.051	0.008	0.015
Valine.....g	0.069		0		1		0.068	0.010	0.020
Arginine.....g	0.093		0		1		0.092	0.014	0.026
Histidine.....g	0.031		0		1		0.031	0.005	0.009
Alanine.....g	0.062		0		1		0.061	0.009	0.018
Aspartic acid.....g	0.165		0		1		0.163	0.025	0.047
Glutamic acid.....g	0.369		0		1		0.365	0.055	0.105
Glycine.....g	0.054		0		1		0.053	0.008	0.015
Proline.....g	0.110		0		1		0.109	0.017	0.031
Serine.....g	0.054		0		1		0.053	0.008	0.015
Hydroxyproline.....g									
Others:									
Alcohol, ethyl.....g	0.0		0		7		0.0	0.0	0.0
Caffeine.....mg	0		0	FLA	4		0	0	0

NDB No. 03282

Babyfood, vegetables, mix vegetables junior

Nutrients and Units	<u>Amount in 100 grams of edible portion</u>				<u>Amount in edible portion of common measures of food</u>				
	Mean	Std. Error	Number	Deriv	Source Code	Confidence Code	Measure 1	Measure 2	Measure 3
			of Data Points	Code					
Theobromine.....mg	0		0	FLA	4	0	0	0	

Blanks in the Mean column indicate lack of reliable data. The Number of Data Points column is the number of analyses upon which the mean is based. Number of Data Points of zero indicates the mean was either calculated (as for Energy) or estimated, usually from a recipe, another form of the same food, or similar food.

Common Measures:

Measure 1 = 99g: 1 serving 3.5 oz serving

Measure 2 = 15.0g: 1 tbsp

Measure 3 = 28.35g: 1 oz

Calories Factors: Protein 2.44

Fat 8.37

Carbohydrate 3.57

Food Group: 03 Baby Foods

USDA National Nutrient Database for Standard Reference, Release 28 (2015)

Babyfood, vegetables, mix vegetables strained

Nutrients and Units	Amount in 100 grams of edible portion				Amount in edible portion of common measures of food			
	Mean	Std. Error	Number	Source Code	Confidence Code	Measure 1	Measure 2	Measure 3
			of Data Points					
Lipids:								
Fatty acids, total saturated.....g	0.089		0				0.025	0.101
4:0.....g	0.000		0				0.000	0.000
6:0.....g	0.000		0				0.000	0.000
8:0.....g	0.000		0				0.000	0.000
10:0.....g	0.000		0				0.000	0.000
12:0.....g	0.003		0				0.001	0.003
13:0.....g								
14:0.....g	0.001		0				0.000	0.001
15:0.....g								
16:0.....g	0.074		0				0.021	0.084
17:0.....g								
18:0.....g	0.006		0				0.002	0.007
20:0.....g								
22:0.....g								
24:0.....g								
Fatty acids, total monounsaturated.....g	0.118		0				0.033	0.133
14:1.....g								
15:1.....g								
16:1 undifferentiated.....g	0.001		0				0.000	0.001
17:1.....g								
18:1 undifferentiated.....g	0.116		0				0.033	0.131
20:1.....g	0.000		0				0.000	0.000
22:1 undifferentiated.....g	0.000		0				0.000	0.000
24:1 c.....g								
Fatty acids, total polyunsaturated.....g	0.194		0				0.055	0.219
18:2 undifferentiated.....g	0.181		0				0.051	0.205
18:3 undifferentiated.....g	0.008		0				0.002	0.009
18:4.....g	0.000		0				0.000	0.000
20:2 n-6 c,c.....g								
20:3 undifferentiated.....g								
20:4 undifferentiated.....g	0.000		0				0.000	0.000
20:5 n-3 (EPA).....g	0.000		0				0.000	0.000
21:5.....g								
22:4.....g								
22:5 n-3 (DPA).....g	0.000		0				0.000	0.000
22:6 n-3 (DHA).....g	0.000		0				0.000	0.000
Fatty acids, total trans.....g								
Cholesterol.....mg	0		0				0	0
Phytosterols.....mg								
Amino Acids:								
Tryptophan.....g	0.013		0				0.004	0.015
Threonine.....g	0.038		0				0.011	0.043
Isoleucine.....g	0.047		0				0.013	0.053
Leucine.....g	0.077		0				0.022	0.087
Lysine.....g	0.040		0				0.011	0.045
Methionine.....g	0.018		0				0.005	0.020
Cystine.....g	0.024		0				0.007	0.027
Phenylalanine.....g	0.047		0				0.013	0.053
Tyrosine.....g	0.044		0				0.012	0.050
Valine.....g	0.058		0				0.016	0.066
Arginine.....g	0.079		0				0.022	0.089
Histidine.....g	0.026		0				0.007	0.029
Alanine.....g	0.052		0				0.015	0.059
Aspartic acid.....g	0.139		0				0.039	0.157
Glutamic acid.....g	0.310		0				0.088	0.350
Glycine.....g	0.046		0				0.013	0.052
Proline.....g	0.092		0				0.026	0.104
Serine.....g	0.046		0				0.013	0.052
Hydroxyproline.....g								
Others:								
Alcohol, ethyl.....g	0.0		0				0.0	0.0
Caffeine.....mg	0		0	FLA	4		0	0

NDB No. 03286

Babyfood, vegetables, mix vegetables strained

Nutrients and Units	<u>Amount in 100 grams of edible portion</u>				<u>Amount in edible portion of common measures of food</u>				
	Mean	Std. Error	Number	Deriv	Source	Confidence	Measure 1	Measure 2	Measure 3
			of Data	Code	Code				
Theobromine.....mg	0		0	FLA	4		0		0

Blanks in the Mean column indicate lack of reliable data. The Number of Data Points column is the number of analyses upon which the mean is based. Number of Data Points of zero indicates the mean was either calculated (as for Energy) or estimated, usually from a recipe, another form of the same food, or similar food.

Common Measures:

Measure 1 = 28.35g: 1 oz

Measure 2 = 113g: 1 jar

Calories Factors: Protein 2.44

Fat 8.37

Carbohydrate 3.57

Food Group: 03 Baby Foods

USDA National Nutrient Database for Standard Reference, Release 28 (2015)

NDB No. 03121

Babyfood, vegetables, peas, strained

Refuse:0%

Nutrients and Units	Amount in 100 grams of edible portion				Amount in edible portion of common measures of food				
	Mean	Std. Error	Number of Data Points	Deriv Code	Source Code	Confidence Code	Measure 1	Measure 2	Measure 3
Proximates:									
Water.....g	87.52	0.017	59	JA	6		14.00	24.81	83.14
Energy.....kcal	50		0	NC	4		8	14	48
Energy.....kJ	211		0	NC	4		34	60	200
Protein.....g	3.27	0.229	48	JA	6		0.52	0.93	3.11
Total lipid (fat).....g	0.43	0.135	44	JA	6		0.07	0.12	0.41
Ash.....g	0.42	0.078	44	JA	6		0.07	0.12	0.40
Carbohydrate, by difference.....g	8.36		0	NC	4		1.34	2.37	7.94
Fiber, total dietary.....g	2.0		1	A	1		0.3	0.6	1.9
Sugars, total.....g	2.01		1	A	1		0.32	0.57	1.91
Sucrose.....g	2.01		1	A	1		0.32	0.57	1.91
Glucose (dextrose).....g	0.00		1	A	1		0.00	0.00	0.00
Fructose.....g	0.00		1	A	1		0.00	0.00	0.00
Lactose.....g	0.00		1	A	1		0.00	0.00	0.00
Maltose.....g	0.00		1	A	1		0.00	0.00	0.00
Galactose.....g	0.00		1	A	1		0.00	0.00	0.00
Starch.....g	2.34		1	A	1		0.37	0.66	2.22
Minerals:									
Calcium, Ca.....mg	18	1.164	69	JA	6		3	5	17
Iron, Fe.....mg	0.95	0.053	64	JA	6		0.15	0.27	0.90
Magnesium, Mg.....mg	17	1.302	21	JA	6		3	5	17
Phosphorus, P.....mg	50	3.857	20	JA	6		8	14	48
Potassium, K.....mg	106	8.258	33	JA	6		17	30	101
Sodium, Na.....mg	5		0	LC	8		1	1	5
Zinc, Zn.....mg	0.47	0.060	27	JA	6		0.07	0.13	0.44
Copper, Cu.....mg	0.061	0.017	26	JA	6		0.010	0.017	0.058
Manganese, Mn.....mg	0.218	0.028	19	A	1		0.035	0.062	0.207
Selenium, Se.....µg	0.1	0.026	20	A	1		0.0	0.0	0.1
Vitamins:									
Vitamin C, total ascorbic acid.....mg	0.6		1	A	1		0.1	0.2	0.5
Thiamin.....mg	0.087	0.006	45	JA	6		0.014	0.025	0.083
Riboflavin.....mg	0.065	0.004	41	JA	6		0.010	0.018	0.062
Niacin.....mg	1.119	0.101	45	JA	6		0.179	0.317	1.063
Pantothenic acid.....mg	0.075		1	A	1		0.012	0.021	0.071
Vitamin B-6.....mg	0.016		1	A	1		0.003	0.005	0.015
Folate, total.....µg	28	2.550	7	JA	6		5	8	27
Folic acid.....µg	0		0	Z	7		0	0	0
Folate, food.....µg	28	2.550	6	JA	6		5	8	27
Folate, DFE.....µg	28		0	NC	4		5	8	27
Choline, total.....mg	32.2		0	AS	1		5.2	9.1	30.6
Betaine.....mg	0.5		1	A	1		0.1	0.2	0.5
Vitamin B-12.....µg	0.00		0		4		0.00	0.00	0.00
Vitamin B-12, added.....µg	0.00		0	Z	7		0.00	0.00	0.00
Vitamin A, RAE.....µg	11		0	AS	1		2	3	10
Retinol.....µg	0		0	Z	7		0	0	0
Carotene, beta.....µg	124		1	A	1		20	35	118
Carotene, alpha.....µg	11		1	A	1		2	3	11
Cryptoxanthin, beta.....µg	0		1	A	1		0	0	0
Vitamin A, IU.....IU	216		0	AS	1		35	61	205
Lycopene.....µg	0		1	A	1		0	0	0
Lutein + zeaxanthin.....µg	1465		0	BFSN	4		234	415	1392
Vitamin E (alpha-tocopherol).....mg	0.02		1	A	1		0.00	0.01	0.02
Vitamin E, added.....mg	0.00		0	Z	7		0.00	0.00	0.00
Tocopherol, beta.....mg	0.00		1	A	1		0.00	0.00	0.00
Tocopherol, gamma.....mg	0.67		1	A	1		0.11	0.19	0.64
Tocopherol, delta.....mg	0.02		1	A	1		0.00	0.01	0.02
Tocotrienol, alpha.....mg	0.01		1	A	1		0.00	0.00	0.01
Tocotrienol, beta.....mg	0.00		1	A	1		0.00	0.00	0.00

NDB No. 03121

Babyfood, vegetables, peas, strained

Nutrients and Units	Amount in 100 grams of edible portion				Amount in edible portion of common measures of food				
	Mean	Std. Error	Number of Data Deriv		Source Code	Confidence Code	Measure 1	Measure 2	Measure 3
			Points	Code					
Tocotrienol, gamma.....mg	0.00		1	A	1		0.00	0.00	0.00
Tocotrienol, delta.....mg	0.00		1	A	1		0.00	0.00	0.00
Vitamin D (D2 + D3).....µg	0.0		0	Z	7		0.0	0.0	0.0
Vitamin D2 (ergocalciferol).....µg									
Vitamin D3 (cholecalciferol).....µg									
Vitamin D.....IU	0		0	Z	7		0	0	0
Vitamin K (phylloquinone).....µg	15.5		1	A	1		2.5	4.4	14.7
Dihydrophyloquinone.....µg	0.0		1	A	1		0.0	0.0	0.0
Menaquinone-4.....µg	0.0		1	A	1		0.0	0.0	0.0
Lipids:									
Fatty acids, total saturated.....g	0.070		0	NC	4		0.011	0.020	0.067
4:0.....g	0.000		0		4		0.000	0.000	0.000
6:0.....g	0.000		0		4		0.000	0.000	0.000
8:0.....g	0.000		1	A	1		0.000	0.000	0.000
10:0.....g	0.000		1	A	1		0.000	0.000	0.000
12:0.....g	0.000		1	A	1		0.000	0.000	0.000
13:0.....g									
14:0.....g	0.000		1	A	1		0.000	0.000	0.000
15:0.....g	0.000		1	A	1		0.000	0.000	0.000
16:0.....g	0.070		1	A	1		0.011	0.020	0.067
17:0.....g	0.000		1	A	1		0.000	0.000	0.000
18:0.....g	0.000		1	A	1		0.000	0.000	0.000
20:0.....g	0.000		1	A	1		0.000	0.000	0.000
22:0.....g	0.000		1	A	1		0.000	0.000	0.000
24:0.....g	0.000		1	A	1		0.000	0.000	0.000
Fatty acids, total monounsaturated.....g	0.050		0	NC	4		0.008	0.014	0.048
14:1.....g	0.000		1	A	1		0.000	0.000	0.000
15:1.....g	0.000		1	A	1		0.000	0.000	0.000
16:1 undifferentiated.....g	0.000		1	A	1		0.000	0.000	0.000
17:1.....g	0.000		1	A	1		0.000	0.000	0.000
18:1 undifferentiated.....g	0.050		1	A	1		0.008	0.014	0.048
20:1.....g	0.000		1	A	1		0.000	0.000	0.000
22:1 undifferentiated.....g	0.000		1	A	1		0.000	0.000	0.000
24:1 c.....g	0.000		1	A	1		0.000	0.000	0.000
Fatty acids, total polyunsaturated.....g	0.200		0	NC	4		0.032	0.057	0.190
18:2 undifferentiated.....g	0.170		1	A	1		0.027	0.048	0.162
18:3 undifferentiated.....g	0.030		1	A	1		0.005	0.008	0.028
18:4.....g	0.000		1	A	1		0.000	0.000	0.000
20:2 n-6 c,c.....g	0.000		1	A	1		0.000	0.000	0.000
20:3 undifferentiated.....g	0.000		1	A	1		0.000	0.000	0.000
20:4 undifferentiated.....g	0.000		1	A	1		0.000	0.000	0.000
20:5 n-3 (EPA).....g	0.000		1	A	1		0.000	0.000	0.000
21:5.....g	0.000		1	A	1		0.000	0.000	0.000
22:4.....g	0.000		1	A	1		0.000	0.000	0.000
22:5 n-3 (DPA).....g	0.000		1	A	1		0.000	0.000	0.000
22:6 n-3 (DHA).....g	0.000		1	A	1		0.000	0.000	0.000
Fatty acids, total trans.....g									
Cholesterol.....mg	0		0		7		0	0	0
Phytosterols.....mg									
Others:									
Alcohol, ethyl.....g	0.0		0		7		0.0	0.0	0.0
Caffeine.....mg	0		0	BFSN	4		0	0	0
Theobromine.....mg	0		0	BFSN	4		0	0	0

Blanks in the Mean column indicate lack of reliable data. The Number of Data Points column is the number of analyses upon which the mean is based. Number of Data Points of zero indicates the mean was either calculated (as for Energy) or estimated, usually from a recipe, another form of the same food, or similar food.

Common Measures:

Measure 1 = 16g: 1 tbsp

Measure 2 = 28.35g: 1 oz

NDB No. 03121

Babyfood, vegetables, peas, strained

Measure 3 = 95g: 1 jar

Calories Factors: Protein

Fat

Carbohydrate

Food Group: 03 Baby Foods

USDA National Nutrient Database for Standard Reference, Release 28 (2015)

Nutrients and Units	Amount in 100 grams of edible portion				Amount in edible portion of common				
	Mean	Std. Error	Number of Data Points	Deriv Code	measures of food				
					Source Code	Confidence Code	Measure 1	Measure 2	Measure 3
Lipids:									
Fatty acids, total saturated.....g	0.702		0		4		1.685	0.105	0.199
4:0.....g	0.035		0		4		0.084	0.005	0.010
6:0.....g	0.019		0		4		0.046	0.003	0.005
8:0.....g	0.013		0		4		0.031	0.002	0.004
10:0.....g	0.025		0		4		0.060	0.004	0.007
12:0.....g	0.029		0		4		0.070	0.004	0.008
13:0.....g									
14:0.....g	0.112		0		4		0.269	0.017	0.032
15:0.....g									
16:0.....g	0.310		0		4		0.744	0.047	0.088
17:0.....g									
18:0.....g	0.130		0		4		0.312	0.020	0.037
20:0.....g									
22:0.....g									
24:0.....g									
Fatty acids, total monounsaturated.....g	0.332		0		4		0.797	0.050	0.094
14:1.....g									
15:1.....g									
16:1 undifferentiated.....g	0.028		0		4		0.067	0.004	0.008
17:1.....g									
18:1 undifferentiated.....g	0.291		0		4		0.698	0.044	0.082
20:1.....g	0.000		0		4		0.000	0.000	0.000
22:1 undifferentiated.....g	0.000		0		4		0.000	0.000	0.000
24:1 c.....g									
Fatty acids, total polyunsaturated.....g	0.133		0		4		0.319	0.020	0.038
18:2 undifferentiated.....g	0.060		0		4		0.144	0.009	0.017
18:3 undifferentiated.....g	0.071		0		4		0.170	0.011	0.020
18:4.....g	0.000		0		4		0.000	0.000	0.000
20:2 n-6 c,c.....g									
20:3 undifferentiated.....g									
20:4 undifferentiated.....g	0.000		0		4		0.000	0.000	0.000
20:5 n-3 (EPA).....g	0.000		0		4		0.000	0.000	0.000
21:5.....g									
22:4.....g									
22:5 n-3 (DPA).....g	0.000		0		4		0.000	0.000	0.000
22:6 n-3 (DHA).....g	0.000		0		4		0.000	0.000	0.000
Fatty acids, total trans.....g									
Cholesterol.....mg	5		0		4		12	1	1
Phytosterols.....mg									
Amino Acids:									
Tryptophan.....g	0.036		0		1		0.086	0.005	0.010
Threonine.....g	0.101		0		1		0.242	0.015	0.029
Isoleucine.....g	0.112		0		1		0.269	0.017	0.032
Leucine.....g	0.221		0		1		0.530	0.033	0.063
Lysine.....g	0.148		0		1		0.355	0.022	0.042
Methionine.....g	0.055		0		1		0.132	0.008	0.016
Cystine.....g	0.031		0		1		0.074	0.005	0.009
Phenylalanine.....g	0.096		0		1		0.230	0.014	0.027
Tyrosine.....g	0.115		0		1		0.276	0.017	0.033
Valine.....g	0.151		0		1		0.362	0.023	0.043
Arginine.....g	0.152		0		1		0.365	0.023	0.043
Histidine.....g	0.064		0		1		0.154	0.010	0.018
Alanine.....g	0.117		0		1		0.281	0.018	0.033
Aspartic acid.....g	0.203		0		1		0.487	0.030	0.058
Glutamic acid.....g	0.421		0		1		1.010	0.063	0.119
Glycine.....g	0.097		0		1		0.233	0.015	0.027
Proline.....g	0.207		0		1		0.497	0.031	0.059
Serine.....g	0.103		0		1		0.247	0.015	0.029
Hydroxyproline.....g									
Others:									
Alcohol, ethyl.....g	0.0		0		7		0.0	0.0	0.0
Caffeine.....mg	0		0	BFSN	4		0	0	0

NDB No. 03127

Babyfood, vegetables, spinach, creamed, strained

Nutrients and Units	<u>Amount in 100 grams of edible portion</u>				<u>Amount in edible portion of common measures of food</u>				
	Mean	Std. Error	Number	Deriv	Source Code	Confidence Code	Measure 1	Measure 2	Measure 3
			of Data Points	Code					
Theobromine.....mg	0		0	FLA	4	0	0	0	

Blanks in the Mean column indicate lack of reliable data. The Number of Data Points column is the number of analyses upon which the mean is based. Number of Data Points of zero indicates the mean was either calculated (as for Energy) or estimated, usually from a recipe, another form of the same food, or similar food.

Common Measures:

Measure 1 = 240g: 1 cup

Measure 2 = 15.0g: 1 tbsp

Measure 3 = 28.35g: 1 oz

Calories Factors: Protein 2.44

Fat 8.37

Carbohydrate 3.57

Food Group: 03 Baby Foods

USDA National Nutrient Database for Standard Reference, Release 28 (2015)

NDB No. 03105

Babyfood, vegetables, squash, junior

Refuse:0%

Nutrients and Units	Amount in 100 grams of edible portion					Amount in edible portion of common measures of food			
	Mean	Std. Error	Number	Deriv	Source	Confidence	Measure 1	Measure 2	Measure 3
			of Data	Code	Code				
Proximates:									
Water.....g	92.66	0.101	47	JA	6		14.82	26.27	91.73
Energy.....kcal	24		0	NC	4		4	7	24
Energy.....kJ	101		0	NC	4		16	29	100
Protein (N x 6.25).....g	0.81	0.023	30	JA	6		0.13	0.23	0.80
Total lipid (fat).....g	0.20	0.003	26	JA	6		0.03	0.06	0.20
Ash.....g	0.60	0.012	24	JA	6		0.10	0.17	0.60
Carbohydrate, by difference.....g	5.73		0	NC	4		0.92	1.62	5.67
Fiber, total dietary.....g	0.9		2	A	1		0.1	0.3	0.9
Sugars, total.....g	3.24	0.290	5	JA	6		0.52	0.92	3.21
Sucrose.....g	1.20	0.481	5	JA	6		0.19	0.34	1.19
Glucose (dextrose).....g	1.08	0.172	5	JA	6		0.17	0.31	1.07
Fructose.....g	0.96	0.144	5	JA	6		0.15	0.27	0.95
Lactose.....g	0.00	0.000	4	JA	6		0.00	0.00	0.00
Maltose.....g	0.00	0.000	5	JA	6		0.00	0.00	0.00
Galactose.....g	0.00		2	A	1		0.00	0.00	0.00
Starch.....g	1.24		2	A	1		0.20	0.35	1.23
Minerals:									
Calcium, Ca.....mg	24		1	JA	6		4	7	24
Iron, Fe.....mg	0.32		2	JA	6		0.05	0.09	0.31
Magnesium, Mg.....mg	14	2.333	4	JA	6		2	4	14
Phosphorus, P.....mg	21	5.175	4	JA	6		3	6	20
Potassium, K.....mg	185	5.882	17	JA	6		30	52	183
Sodium, Na.....mg	5		0	LC	8		1	1	5
Zinc, Zn.....mg	0.19		1	JA	6		0.03	0.05	0.19
Copper, Cu.....mg	0.030		2	A	1		0.005	0.008	0.030
Manganese, Mn.....mg	0.083		2	A	1		0.013	0.024	0.083
Selenium, Se.....µg	0.2		2	A	1		0.0	0.1	0.2
Vitamins:									
Vitamin C, total ascorbic acid.....mg	0.3		2	A	1		0.1	0.1	0.3
Thiamin.....mg	0.029		2	A	1		0.005	0.008	0.029
Riboflavin.....mg	0.048		2	JA	6		0.008	0.014	0.047
Niacin.....mg	0.683		2	A	1		0.109	0.194	0.676
Pantothenic acid.....mg	0.212		5	JA	6		0.034	0.060	0.210
Vitamin B-6.....mg	0.070		1	JA	6		0.011	0.020	0.069
Folate, total.....µg	8		2	A	1		1	2	8
Folic acid.....µg	0		2	A	1		0	0	0
Folate, food.....µg	8		0	AS	1		1	2	8
Folate, DFE.....µg	8		0	NC	4		1	2	8
Choline, total.....mg	7.6		0	AS	1		1.2	2.2	7.5
Betaine.....mg	0.3		2	A	1		0.1	0.1	0.3
Vitamin B-12.....µg	0.00		0		4		0.00	0.00	0.00
Vitamin B-12, added.....µg	0.00		0	Z	7		0.00	0.00	0.00
Vitamin A, RAE.....µg	85		0	NC	4		14	24	84
Retinol.....µg	0		0	BNA	4		0	0	0
Carotene, beta.....µg	896		1	A	1		143	254	887
Carotene, alpha.....µg	242		1	A	1		39	69	239
Cryptoxanthin, beta.....µg	9		1	A	1		1	2	9
Vitamin A, IU.....IU	1703		0	NC	4		272	483	1686
Lycopene.....µg	0	0.000	8	A	1		0	0	0
Lutein + zeaxanthin.....µg	3527	1850.455	9	A	1		564	1000	3491
Vitamin E (alpha-tocopherol).....mg	0.55		2	A	1		0.09	0.16	0.55
Vitamin E, added.....mg	0.00		0	Z	7		0.00	0.00	0.00
Tocopherol, beta.....mg	0.00		2	A	1		0.00	0.00	0.00
Tocopherol, gamma.....mg	0.11		2	A	1		0.02	0.03	0.11
Tocopherol, delta.....mg	0.00		2	A	1		0.00	0.00	0.00
Tocotrienol, alpha.....mg	0.00		2	A	1		0.00	0.00	0.00
Tocotrienol, beta.....mg	0.00		2	A	1		0.00	0.00	0.00

Nutrients and Units	Amount in 100 grams of edible portion				Amount in edible portion of common measures of food				
	Mean	Std. Error	Number of Data Deriv		Source Code	Confidence Code	Measure 1	Measure 2	Measure 3
			Points	Code					
Tocotrienol, gamma.....mg	0.00		2	A	1		0.00	0.00	0.00
Tocotrienol, delta.....mg	0.00		2	A	1		0.00	0.00	0.00
Vitamin D (D2 + D3).....µg	0.0		0	Z	7		0.0	0.0	0.0
Vitamin D2 (ergocalciferol).....µg									
Vitamin D3 (cholecalciferol).....µg									
Vitamin D.....IU	0		0	Z	7		0	0	0
Vitamin K (phylloquinone).....µg	4.7		2	A	1		0.8	1.3	4.7
Dihydrophyloquinone.....µg	0.0		2	A	1		0.0	0.0	0.0
Menaquinone-4.....µg	0.0		2	A	1		0.0	0.0	0.0
Lipids:									
Fatty acids, total saturated.....g	0.020		1	JO	11		0.003	0.006	0.020
4:0.....g	0.000		0		4		0.000	0.000	0.000
6:0.....g	0.000		0		4		0.000	0.000	0.000
8:0.....g	0.000		1	A	1		0.000	0.000	0.000
10:0.....g	0.000		1	A	1		0.000	0.000	0.000
12:0.....g	0.000		1	A	1		0.000	0.000	0.000
13:0.....g									
14:0.....g	0.000		1	A	1		0.000	0.000	0.000
15:0.....g	0.000		1	A	1		0.000	0.000	0.000
16:0.....g	0.020		1	A	1		0.003	0.006	0.020
17:0.....g	0.000		1	A	1		0.000	0.000	0.000
18:0.....g	0.000		1	A	1		0.000	0.000	0.000
20:0.....g	0.000		1	A	1		0.000	0.000	0.000
22:0.....g	0.000		1	A	1		0.000	0.000	0.000
24:0.....g	0.000		1	A	1		0.000	0.000	0.000
Fatty acids, total monounsaturated.....g	0.020		0	NC	4		0.003	0.006	0.020
14:1.....g	0.000		1	A	1		0.000	0.000	0.000
15:1.....g	0.000		1	A	1		0.000	0.000	0.000
16:1 undifferentiated.....g	0.000		1	A	1		0.000	0.000	0.000
17:1.....g	0.000		1	A	1		0.000	0.000	0.000
18:1 undifferentiated.....g	0.020		1	A	1		0.003	0.006	0.020
20:1.....g	0.000		1	A	1		0.000	0.000	0.000
22:1 undifferentiated.....g	0.000		1	A	1		0.000	0.000	0.000
24:1 c.....g	0.000		1	A	1		0.000	0.000	0.000
Fatty acids, total polyunsaturated.....g	0.040		0	NC	4		0.006	0.011	0.039
18:2 undifferentiated.....g	0.030		1	A	1		0.005	0.008	0.030
18:3 undifferentiated.....g	0.010		1	A	1		0.002	0.003	0.010
18:4.....g	0.000		1	A	1		0.000	0.000	0.000
20:2 n-6 c,c.....g	0.000		1	A	1		0.000	0.000	0.000
20:3 undifferentiated.....g	0.000		1	A	1		0.000	0.000	0.000
20:4 undifferentiated.....g	0.000		1	A	1		0.000	0.000	0.000
20:5 n-3 (EPA).....g	0.000		1	A	1		0.000	0.000	0.000
21:5.....g	0.000		1	A	1		0.000	0.000	0.000
22:4.....g	0.000		1	A	1		0.000	0.000	0.000
22:5 n-3 (DPA).....g	0.000		1	A	1		0.000	0.000	0.000
22:6 n-3 (DHA).....g	0.000		1	A	1		0.000	0.000	0.000
Fatty acids, total trans.....g									
Cholesterol.....mg	0		0		7		0	0	0
Phytosterols.....mg									
Others:									
Alcohol, ethyl.....g	0.0		0		7		0.0	0.0	0.0
Caffeine.....mg	0		0	BFSN	4		0	0	0
Theobromine.....mg	0		0	BFSN	4		0	0	0

Blanks in the Mean column indicate lack of reliable data. The Number of Data Points column is the number of analyses upon which the mean is based. Number of Data Points of zero indicates the mean was either calculated (as for Energy) or estimated, usually from a recipe, another form of the same food, or similar food.

Common Measures:

Measure 1 = 16g: 1 tbsp

Measure 2 = 28.35g: 1 oz

NDB No. 03105

Babyfood, vegetables, squash, junior

Measure 3 = 99g: 1 jar

Calories Factors: Protein 2.44

Fat 8.37

Carbohydrate 3.57

Food Group: 03 Baby Foods

USDA National Nutrient Database for Standard Reference, Release 28 (2015)

NDB No. 03104

Babyfood, vegetables, squash, strained

Refuse:0%

Nutrients and Units	Amount in 100 grams of edible portion					Amount in edible portion of common measures of food			
	Mean	Std. Error	Number	Deriv	Source	Confidence	Measure 1	Measure 2	Measure 3
			of Data	Code	Code				
Proximates:									
Water.....g	92.66	0.101	47	JA	6		14.82	26.27	104.70
Energy.....kcal	28		0	NC	4		4	8	32
Energy.....kJ	117		0	NC	4		19	33	132
Protein (N x 6.25).....g	0.81	0.023	30	JA	6		0.13	0.23	0.91
Total lipid (fat).....g	0.20	0.003	26	JA	6		0.03	0.06	0.23
Ash.....g	0.60	0.012	24	JA	6		0.10	0.17	0.68
Carbohydrate, by difference.....g	5.73		0	NC	4		0.92	1.62	6.47
Fiber, total dietary.....g	0.9		2	A	1		0.1	0.3	1.0
Sugars, total.....g	3.37		0	NR	4		0.54	0.96	3.81
Sucrose.....g	1.25	0.481	5	JA	6		0.20	0.35	1.41
Glucose (dextrose).....g	1.12	0.172	5	JA	6		0.18	0.32	1.27
Fructose.....g	1.00	0.144	5	JA	6		0.16	0.28	1.13
Lactose.....g	0.00	0.000	4	JA	6		0.00	0.00	0.00
Maltose.....g	0.00	0.000	5	JA	6		0.00	0.00	0.00
Galactose.....g	0.00		2	A	1		0.00	0.00	0.00
Starch.....g	1.24		2	A	1		0.20	0.35	1.40
Minerals:									
Calcium, Ca.....mg	24		1	JA	6		4	7	27
Iron, Fe.....mg	0.32		2	JA	6		0.05	0.09	0.36
Magnesium, Mg.....mg	14	2.333	4	JA	6		2	4	16
Phosphorus, P.....mg	21	5.175	4	JA	6		3	6	23
Potassium, K.....mg	185	5.882	17	JA	6		30	52	209
Sodium, Na.....mg	5		0	LC	8		1	1	6
Zinc, Zn.....mg	0.19		1	JA	6		0.03	0.05	0.22
Copper, Cu.....mg	0.030		2	A	1		0.005	0.008	0.034
Manganese, Mn.....mg	0.083		2	A	1		0.013	0.024	0.094
Selenium, Se.....µg	0.2		2	A	1		0.0	0.1	0.2
Vitamins:									
Vitamin C, total ascorbic acid.....mg	0.3		2	A	1		0.1	0.1	0.4
Thiamin.....mg	0.029		2	A	1		0.005	0.008	0.033
Riboflavin.....mg	0.048		2	JA	6		0.008	0.014	0.054
Niacin.....mg	0.683		2	A	1		0.109	0.194	0.772
Pantothenic acid.....mg	0.212		5	JA	6		0.034	0.060	0.240
Vitamin B-6.....mg	0.070		1	JA	6		0.011	0.020	0.079
Folate, total.....µg	8		2	A	1		1	2	9
Folic acid.....µg	0		2	A	1		0	0	0
Folate, food.....µg	8		0	AS	1		1	2	9
Folate, DFE.....µg	8		0	NC	4		1	2	9
Choline, total.....mg	7.6		0	AS	1		1.2	2.2	8.6
Betaine.....mg	0.3		2	A	1		0.1	0.1	0.4
Vitamin B-12.....µg	0.00		0		4		0.00	0.00	0.00
Vitamin B-12, added.....µg	0.00		0	Z	7		0.00	0.00	0.00
Vitamin A, RAE.....µg	85		0	NC	4		14	24	96
Retinol.....µg	0		0	BNA	4		0	0	0
Carotene, beta.....µg	896		1	A	1		143	254	1013
Carotene, alpha.....µg	242		1	A	1		39	69	273
Cryptoxanthin, beta.....µg	9		1	A	1		1	2	10
Vitamin A, IU.....IU	1703		0	NC	4		272	483	1924
Lycopene.....µg	0	0.000	8	A	1		0	0	0
Lutein + zeaxanthin.....µg	3527	1850.455	9	A	1		564	1000	3985
Vitamin E (alpha-tocopherol).....mg	0.55		2	A	1		0.09	0.16	0.63
Vitamin E, added.....mg	0.00		0	Z	7		0.00	0.00	0.00
Tocopherol, beta.....mg	0.00		2	A	1		0.00	0.00	0.00
Tocopherol, gamma.....mg	0.11		2	A	1		0.02	0.03	0.13
Tocopherol, delta.....mg	0.00		2	A	1		0.00	0.00	0.00
Tocotrienol, alpha.....mg	0.00		2	A	1		0.00	0.00	0.00
Tocotrienol, beta.....mg	0.00		2	A	1		0.00	0.00	0.00

Babyfood, vegetables, squash, strained

Nutrients and Units	Amount in 100 grams of edible portion						Amount in edible portion of common measures of food		
	Mean	Std. Error	Number of Data Deriv Source			Confidence Code	Measure 1	Measure 2	Measure 3
			Points	Code	Code				
Tocotrienol, gamma.....mg	0.00		2	A	1		0.00	0.00	0.00
Tocotrienol, delta.....mg	0.00		2	A	1		0.00	0.00	0.00
Vitamin D (D2 + D3).....µg	0.0		0	Z	7		0.0	0.0	0.0
Vitamin D2 (ergocalciferol).....µg									
Vitamin D3 (cholecalciferol).....µg									
Vitamin D.....IU	0		0	Z	7		0	0	0
Vitamin K (phylloquinone).....µg	4.7		2	A	1		0.8	1.3	5.4
Dihydrophyloquinone.....µg	0.0		2	A	1		0.0	0.0	0.0
Menaquinone-4.....µg	0.0		2	A	1		0.0	0.0	0.0
Lipids:									
Fatty acids, total saturated.....g	0.020		1	JO	11		0.003	0.006	0.022
4:0.....g	0.000		0		4		0.000	0.000	0.000
6:0.....g	0.000		0		4		0.000	0.000	0.000
8:0.....g	0.000		1	A	1		0.000	0.000	0.000
10:0.....g	0.000		1	A	1		0.000	0.000	0.000
12:0.....g	0.000		1	A	1		0.000	0.000	0.000
13:0.....g									
14:0.....g	0.000		1	A	1		0.000	0.000	0.000
15:0.....g	0.000		1	A	1		0.000	0.000	0.000
16:0.....g	0.020		1	A	1		0.003	0.006	0.022
17:0.....g	0.000		1	A	1		0.000	0.000	0.000
18:0.....g	0.000		1	A	1		0.000	0.000	0.000
20:0.....g	0.000		1	A	1		0.000	0.000	0.000
22:0.....g	0.000		1	A	1		0.000	0.000	0.000
24:0.....g	0.000		1	A	1		0.000	0.000	0.000
Fatty acids, total monounsaturated.....g	0.020		0	NC	4		0.003	0.006	0.022
14:1.....g	0.000		1	A	1		0.000	0.000	0.000
15:1.....g	0.000		1	A	1		0.000	0.000	0.000
16:1 undifferentiated.....g	0.000		1	A	1		0.000	0.000	0.000
17:1.....g	0.000		1	A	1		0.000	0.000	0.000
18:1 undifferentiated.....g	0.020		1	A	1		0.003	0.006	0.022
20:1.....g	0.000		1	A	1		0.000	0.000	0.000
22:1 undifferentiated.....g	0.000		1	A	1		0.000	0.000	0.000
24:1 c.....g	0.000		1	A	1		0.000	0.000	0.000
Fatty acids, total polyunsaturated.....g	0.040		0	NC	4		0.006	0.011	0.045
18:2 undifferentiated.....g	0.030		1	A	1		0.005	0.008	0.034
18:3 undifferentiated.....g	0.010		1	A	1		0.002	0.003	0.011
18:4.....g	0.000		1	A	1		0.000	0.000	0.000
20:2 n-6 c,c.....g	0.000		1	A	1		0.000	0.000	0.000
20:3 undifferentiated.....g	0.000		1	A	1		0.000	0.000	0.000
20:4 undifferentiated.....g	0.000		1	A	1		0.000	0.000	0.000
20:5 n-3 (EPA).....g	0.000		1	A	1		0.000	0.000	0.000
21:5.....g	0.000		1	A	1		0.000	0.000	0.000
22:4.....g	0.000		1	A	1		0.000	0.000	0.000
22:5 n-3 (DPA).....g	0.000		1	A	1		0.000	0.000	0.000
22:6 n-3 (DHA).....g	0.000		1	A	1		0.000	0.000	0.000
Fatty acids, total trans.....g									
Cholesterol.....mg	0		0		7		0	0	0
Phytosterols.....mg									
Others:									
Alcohol, ethyl.....g	0.0		0		7		0.0	0.0	0.0
Caffeine.....mg	0		0	BFSN	4		0	0	0
Theobromine.....mg	0		0	BFSN	4		0	0	0

Blanks in the Mean column indicate lack of reliable data. The Number of Data Points column is the number of analyses upon which the mean is based. Number of Data Points of zero indicates the mean was either calculated (as for Energy) or estimated, usually from a recipe, another form of the same food, or similar food.

Common Measures:

Measure 1 = 16g: 1 tbsp

Measure 2 = 28.35g: 1 oz

NDB No. 03104

Babyfood, vegetables, squash, strained

Measure 3 = 113g: 1 jar

Calories Factors: Protein

Fat

Carbohydrate

Food Group: 03 Baby Foods

USDA National Nutrient Database for Standard Reference, Release 28 (2015)

Babyfood, vegetables, sweet potatoes strained

Nutrients and Units	Amount in 100 grams of edible portion				Amount in edible portion of common measures of food				
	Mean	Std. Error	Number	Source Code	Confidence Code	Measure 1	Measure 2	Measure 3	
			of Data Points						Deriv Code
Lipids:									
Fatty acids, total saturated.....g	0.021		0		4		0.047	0.003	0.006
4:0.....g	0.000		0		4		0.000	0.000	0.000
6:0.....g	0.000		0		4		0.000	0.000	0.000
8:0.....g	0.000		0		4		0.000	0.000	0.000
10:0.....g	0.000		0		4		0.000	0.000	0.000
12:0.....g	0.000		0		4		0.000	0.000	0.000
13:0.....g									
14:0.....g	0.000		0		4		0.000	0.000	0.000
15:0.....g									
16:0.....g	0.019		0		4		0.043	0.003	0.005
17:0.....g									
18:0.....g	0.002		0		4		0.004	0.000	0.001
20:0.....g									
22:0.....g									
24:0.....g									
Fatty acids, total monounsaturated.....g	0.004		0		4		0.009	0.001	0.001
14:1.....g									
15:1.....g									
16:1 undifferentiated.....g	0.000		0		4		0.000	0.000	0.000
17:1.....g									
18:1 undifferentiated.....g	0.004		0		4		0.009	0.001	0.001
20:1.....g	0.000		0		4		0.000	0.000	0.000
22:1 undifferentiated.....g	0.000		0		4		0.000	0.000	0.000
24:1 c.....g									
Fatty acids, total polyunsaturated.....g	0.044		0		4		0.099	0.006	0.012
18:2 undifferentiated.....g	0.037		0		4		0.083	0.005	0.010
18:3 undifferentiated.....g	0.007		0		4		0.016	0.001	0.002
18:4.....g	0.000		0		4		0.000	0.000	0.000
20:2 n-6 c,c.....g									
20:3 undifferentiated.....g									
20:4 undifferentiated.....g	0.000		0		4		0.000	0.000	0.000
20:5 n-3 (EPA).....g	0.000		0		4		0.000	0.000	0.000
21:5.....g									
22:4.....g									
22:5 n-3 (DPA).....g	0.000		0		4		0.000	0.000	0.000
22:6 n-3 (DHA).....g	0.000		0		4		0.000	0.000	0.000
Fatty acids, total trans.....g									
Cholesterol.....mg	0		0		7		0	0	0
Phytosterols.....mg									
Amino Acids:									
Tryptophan.....g	0.022		0		1		0.049	0.003	0.006
Threonine.....g	0.054		0		1		0.121	0.008	0.015
Isoleucine.....g	0.051		0		1		0.114	0.007	0.014
Leucine.....g	0.078		0		1		0.175	0.011	0.022
Lysine.....g	0.044		0		1		0.099	0.006	0.012
Methionine.....g	0.024		0		1		0.054	0.003	0.007
Cystine.....g	0.015		0		1		0.034	0.002	0.004
Phenylalanine.....g	0.062		0		1		0.139	0.009	0.018
Tyrosine.....g	0.041		0		1		0.092	0.006	0.012
Valine.....g	0.073		0		1		0.164	0.010	0.021
Arginine.....g	0.054		0		1		0.121	0.008	0.015
Histidine.....g	0.026		0		1		0.058	0.004	0.007
Alanine.....g	0.061		0		1		0.137	0.009	0.017
Aspartic acid.....g	0.199		0		1		0.446	0.028	0.056
Glutamic acid.....g	0.118		0		1		0.264	0.017	0.033
Glycine.....g	0.050		0		1		0.112	0.007	0.014
Proline.....g	0.055		0		1		0.123	0.008	0.016
Serine.....g	0.051		0		1		0.114	0.007	0.014
Hydroxyproline.....g									
Others:									
Alcohol, ethyl.....g	0.0		0		7		0.0	0.0	0.0
Caffeine.....mg	0		0	BFSN	4		0	0	0

NDB No. 03108

Babyfood, vegetables, sweet potatoes strained

Nutrients and Units	<u>Amount in 100 grams of edible portion</u>				<u>Amount in edible portion of common measures of food</u>				
	Mean	Std. Error	Number of Data Points	Deriv Code	Source Code	Confidence Code	Measure 1	Measure 2	Measure 3
Theobromine.....mg	0		0	BFSN	4		0	0	0

Blanks in the Mean column indicate lack of reliable data. The Number of Data Points column is the number of analyses upon which the mean is based. Number of Data Points of zero indicates the mean was either calculated (as for Energy) or estimated, usually from a recipe, another form of the same food, or similar food.

Common Measures:

Measure 1 = 224g: 1 cup

Measure 2 = 14.0g: 1 tbsp

Measure 3 = 28.35g: 1 oz

Calories Factors: Protein 2.78

Fat 8.37

Carbohydrate 4.03

Food Group: 03 Baby Foods

USDA National Nutrient Database for Standard Reference, Release 28 (2015)

Nutrients and Units	Amount in 100 grams of edible portion				Amount in edible portion of common				
	Mean	Std. Error	Number of Data Points	Deriv Code	Source Code	measures of food			
						Confidence Code	Measure 1	Measure 2	Measure 3
Lipids:									
Fatty acids, total saturated.....g	0.021		0		4		0.047	0.003	0.006
4:0.....g	0.000		0		4		0.000	0.000	0.000
6:0.....g	0.000		0		4		0.000	0.000	0.000
8:0.....g	0.000		0		4		0.000	0.000	0.000
10:0.....g	0.000		0		4		0.000	0.000	0.000
12:0.....g	0.000		0		4		0.000	0.000	0.000
13:0.....g									
14:0.....g	0.000		0		4		0.000	0.000	0.000
15:0.....g									
16:0.....g	0.019		0		4		0.043	0.003	0.005
17:0.....g									
18:0.....g	0.002		0		4		0.004	0.000	0.001
20:0.....g									
22:0.....g									
24:0.....g									
Fatty acids, total monounsaturated.....g	0.004		0		4		0.009	0.001	0.001
14:1.....g									
15:1.....g									
16:1 undifferentiated.....g	0.000		0		4		0.000	0.000	0.000
17:1.....g									
18:1 undifferentiated.....g	0.004		0		4		0.009	0.001	0.001
20:1.....g	0.000		0		4		0.000	0.000	0.000
22:1 undifferentiated.....g	0.000		0		4		0.000	0.000	0.000
24:1 c.....g									
Fatty acids, total polyunsaturated.....g	0.044		0		4		0.099	0.006	0.012
18:2 undifferentiated.....g	0.037		0		4		0.083	0.005	0.010
18:3 undifferentiated.....g	0.007		0		4		0.016	0.001	0.002
18:4.....g	0.000		0		4		0.000	0.000	0.000
20:2 n-6 c,c.....g									
20:3 undifferentiated.....g									
20:4 undifferentiated.....g	0.000		0		4		0.000	0.000	0.000
20:5 n-3 (EPA).....g	0.000		0		4		0.000	0.000	0.000
21:5.....g									
22:4.....g									
22:5 n-3 (DPA).....g	0.000		0		4		0.000	0.000	0.000
22:6 n-3 (DHA).....g	0.000		0		4		0.000	0.000	0.000
Fatty acids, total trans.....g									
Cholesterol.....mg	0		0		7		0	0	0
Phytosterols.....mg									
Amino Acids:									
Tryptophan.....g	0.021		0		1		0.047	0.003	0.006
Threonine.....g	0.053		0		1		0.119	0.007	0.015
Isoleucine.....g	0.050		0		1		0.112	0.007	0.014
Leucine.....g	0.076		0		1		0.170	0.011	0.022
Lysine.....g	0.043		0		1		0.096	0.006	0.012
Methionine.....g	0.023		0		1		0.052	0.003	0.007
Cystine.....g	0.015		0		1		0.034	0.002	0.004
Phenylalanine.....g	0.061		0		1		0.137	0.009	0.017
Tyrosine.....g	0.040		0		1		0.090	0.006	0.011
Valine.....g	0.071		0		1		0.159	0.010	0.020
Arginine.....g	0.053		0		1		0.119	0.007	0.015
Histidine.....g	0.025		0		1		0.056	0.004	0.007
Alanine.....g	0.059		0		1		0.132	0.008	0.017
Aspartic acid.....g	0.195		0		1		0.437	0.027	0.055
Glutamic acid.....g	0.115		0		1		0.258	0.016	0.033
Glycine.....g	0.049		0		1		0.110	0.007	0.014
Proline.....g	0.054		0		1		0.121	0.008	0.015
Serine.....g	0.050		0		1		0.112	0.007	0.014
Hydroxyproline.....g									
Others:									
Alcohol, ethyl.....g	0.0		0		7		0.0	0.0	0.0
Caffeine.....mg	0		0	BFSN	4		0	0	0

NDB No. 03109

Babyfood, vegetables, sweet potatoes, junior

Nutrients and Units	<u>Amount in 100 grams of edible portion</u>				<u>Amount in edible portion of common measures of food</u>				
	Mean	Std. Error	Number of Data Points	Deriv Code	Source Code	Confidence Code	Measure 1	Measure 2	Measure 3
Theobromine.....mg	0		0	BFSN	4		0	0	0

Blanks in the Mean column indicate lack of reliable data. The Number of Data Points column is the number of analyses upon which the mean is based. Number of Data Points of zero indicates the mean was either calculated (as for Energy) or estimated, usually from a recipe, another form of the same food, or similar food.

Common Measures:

Measure 1 = 224g: 1 cup

Measure 2 = 14.0g: 1 tbsp

Measure 3 = 28.35g: 1 oz

Calories Factors: Protein 2.78

Fat 8.37

Carbohydrate 4.03

Food Group: 03 Baby Foods

USDA National Nutrient Database for Standard Reference, Release 28 (2015)

NDB No. 03024

Babyfood, water, bottled, GERBER, without added fluoride.

Nutrients and Units	Amount in 100 grams of edible portion				Amount in edible portion of common measures of food			
	Mean	Std. Error	Number of Data Points			Measure 1	Measure 2	Measure 3
			Deriv Code	Source Code	Confidence Code			
Lipids:								
Fatty acids, total saturated.....g	0.000		0	FLC	4		0.000	
4:0.....g	0.000		0	FLC	4		0.000	
6:0.....g	0.000		0	FLC	4		0.000	
8:0.....g	0.000		0	FLC	4		0.000	
10:0.....g	0.000		0	FLC	4		0.000	
12:0.....g	0.000		0	FLC	4		0.000	
13:0.....g								
14:0.....g	0.000		0	FLC	4		0.000	
15:0.....g								
16:0.....g	0.000		0	FLC	4		0.000	
17:0.....g								
18:0.....g	0.000		0	FLC	4		0.000	
20:0.....g								
22:0.....g								
24:0.....g								
Fatty acids, total monounsaturated.....g	0.000		0	FLC	4		0.000	
14:1.....g								
15:1.....g								
16:1 undifferentiated.....g	0.000		0	FLC	4		0.000	
17:1.....g								
18:1 undifferentiated.....g	0.000		0	FLC	4		0.000	
20:1.....g	0.000		0	FLC	4		0.000	
22:1 undifferentiated.....g	0.000		0	FLC	4		0.000	
24:1 c.....g								
Fatty acids, total polyunsaturated.....g	0.000		0	FLC	4		0.000	
18:2 undifferentiated.....g	0.000		0	FLC	4		0.000	
18:3 undifferentiated.....g	0.000		0	FLC	4		0.000	
18:4.....g	0.000		0	FLC	4		0.000	
20:2 n-6 c,c.....g								
20:3 undifferentiated.....g								
20:4 undifferentiated.....g	0.000		0	FLC	4		0.000	
20:5 n-3 (EPA).....g	0.000		0	FLC	4		0.000	
21:5.....g								
22:4.....g								
22:5 n-3 (DPA).....g	0.000		0	FLC	4		0.000	
22:6 n-3 (DHA).....g	0.000		0	FLC	4		0.000	
Fatty acids, total trans.....g								
Cholesterol.....mg	0		0	FLC	4		0	
Phytosterols.....mg								
Others:								
Alcohol, ethyl.....g	0.0		0	FLC	4		0.0	
Caffeine.....mg	0		0	FLC	4		0	
Theobromine.....mg	0		0	FLC	4		0	

Blanks in the Mean column indicate lack of reliable data. The Number of Data Points column is the number of analyses upon which the mean is based. Number of Data Points of zero indicates the mean was either calculated (as for Energy) or estimated, usually from a recipe, another form of the same food, or similar food.

Common Measures:

Measure 1 = 113g: 1 serving

Calories Factors: Protein

Fat

Carbohydrate

Food Group: 03 Baby Foods

USDA National Nutrient Database for Standard Reference, Release 28 (2015)

NDB No. 03956

Babyfood, yogurt, whole milk, with fruit, multigrain cereal and added DHA fortified (1)

Refuse:0%

Nutrients and Units	Amount in 100 grams of edible portion				Amount in edible portion of common measures of food				
	Mean	Std. Error	Number of Data Points	Deriv Code	Source Code	Confidence Code	Measure 1	Measure 2	Measure 3
Proximates:									
Water.....g	79.16		0	FLC	4		24.54	89.45	
Energy.....kcal	98		0	NC	4		30	111	
Energy.....kJ	411		0	NC	4		127	464	
Protein.....g	3.40		0	FLC	4		1.05	3.84	
Total lipid (fat).....g	3.53		0	FLC	4		1.09	3.99	
Ash.....g	0.69		0	FLC	4		0.22	0.78	
Carbohydrate, by difference.....g	13.22		0	FLC	4		4.10	14.94	
Fiber, total dietary.....g	0.3		0	FLC	4		0.1	0.3	
Sugars, total.....g	11.46		0	FLC	4		3.55	12.95	
Starch.....g									
Minerals:									
Calcium, Ca.....mg	107		0	FLC	4		33	121	
Iron, Fe.....mg	0.15		0	FLC	4		0.05	0.18	
Magnesium, Mg.....mg	15		0	FLC	4		5	17	
Phosphorus, P.....mg	95		0	FLC	4		30	108	
Potassium, K.....mg	149		0	FLC	4		46	168	
Sodium, Na.....mg	41		0	FLC	4		13	46	
Zinc, Zn.....mg	0.59		0	FLC	4		0.18	0.67	
Copper, Cu.....mg	0.023		0	FLC	4		0.007	0.026	
Manganese, Mn.....mg	0.101		0	FLC	4		0.031	0.114	
Selenium, Se.....µg	2.8		0	FLC	4		0.9	3.2	
Vitamins:									
Vitamin C, total ascorbic acid.....mg	1.4		0	FLC	4		0.4	1.6	
Thiamin.....mg	0.047		0	FLC	4		0.015	0.053	
Riboflavin.....mg	0.129		0	FLC	4		0.040	0.146	
Niacin.....mg	0.119		0	FLC	4		0.037	0.134	
Pantothenic acid.....mg	0.354		0	FLC	4		0.110	0.400	
Vitamin B-6.....mg	0.034		0	FLC	4		0.011	0.039	
Folate, total.....µg	8		0	FLC	4		2	9	
Folic acid.....µg	0		0	FLC	4		0	0	
Folate, food.....µg	8		0	FLC	4		2	9	
Folate, DFE.....µg	8		0	NC	4		2	9	
Choline, total.....mg	14.2		0	FLC	4		4.4	16.0	
Betaine.....mg	0.6		0	FLC	4		0.2	0.6	
Vitamin B-12.....µg	0.32		0	FLC	4		0.10	0.36	
Vitamin B-12, added.....µg	0.00		0	FLC	4		0.00	0.00	
Vitamin A, RAE.....µg	24		0	NC	4		7	27	
Retinol.....µg	23		0	FLC	4		7	26	
Carotene, beta.....µg	5		0	FLC	4		1	5	
Carotene, alpha.....µg	0		0	FLC	4		0	0	
Cryptoxanthin, beta.....µg	0		0	FLC	4		0	0	
Vitamin A, IU.....IU	86		0	NC	4		27	97	
Lycopene.....µg	0		0	FLC	4		0	0	
Lutein + zeaxanthin.....µg	6		0	FLC	4		2	7	
Vitamin E (alpha-tocopherol).....mg	0.07		0	FLC	4		0.02	0.08	
Vitamin E, added.....mg	0.00		0	FLC	4		0.00	0.00	
Tocopherol, beta.....mg	0.00		0	FLC	4		0.00	0.00	
Tocopherol, gamma.....mg	0.07		0	FLC	4		0.02	0.08	
Tocopherol, delta.....mg	0.00		0	FLC	4		0.00	0.00	
Tocotrienol, alpha.....mg	0.01		0	FLC	4		0.00	0.01	
Tocotrienol, beta.....mg	0.00		0	FLC	4		0.00	0.00	
Tocotrienol, gamma.....mg	0.00		0	FLC	4		0.00	0.00	
Tocotrienol, delta.....mg	0.00		0	FLC	4		0.00	0.00	
Vitamin D (D2 + D3).....µg	0.1		0	AS	1		0.0	0.1	
Vitamin D2 (ergocalciferol).....µg									
Vitamin D3 (cholecalciferol).....µg	0.1		0	FLC	4		0.0	0.1	
Vitamin D.....IU	3		0	FLC	4		1	4	
Vitamin K (phylloquinone).....µg	0.3		0	FLC	4		0.1	0.4	

Nutrients and Units	Amount in 100 grams of edible portion				Amount in edible portion of common measures of food				
	Mean	Std. Error	Number of Data Points		Source Code	Confidence Code	Measure 1	Measure 2	Measure 3
			Deriv Code	Points					
Dihydrophyloquinone.....µg	0.0		0	FLC	4		0.0	0.0	
Menaquinone-4.....µg									
Lipids:									
Fatty acids, total saturated.....g	1.840		0	FLC	4		0.571	2.080	
4:0.....g	0.083		0	FLC	4		0.026	0.094	
6:0.....g	0.057		0	FLC	4		0.018	0.065	
8:0.....g	0.036		0	FLC	4		0.011	0.041	
10:0.....g	0.081		0	FLC	4		0.025	0.091	
12:0.....g	0.097		0	FLC	4		0.030	0.110	
13:0.....g									
14:0.....g	0.322		0	FLC	4		0.100	0.364	
15:0.....g	0.000		0	FLC	4		0.000	0.000	
16:0.....g	0.866		0	FLC	4		0.268	0.979	
17:0.....g	0.000		0	FLC	4		0.000	0.000	
18:0.....g	0.296		0	FLC	4		0.092	0.335	
20:0.....g	0.000		0	FLC	4		0.000	0.000	
22:0.....g	0.000		0	FLC	4		0.000	0.000	
24:0.....g	0.000		0	FLC	4		0.000	0.000	
Fatty acids, total monounsaturated.....g	0.916		0	FLC	4		0.284	1.035	
14:1.....g									
15:1.....g									
16:1 undifferentiated.....g	0.090		0	FLC	4		0.028	0.102	
17:1.....g									
18:1 undifferentiated.....g	0.782		0	FLC	4		0.242	0.884	
20:1.....g	0.023		0	FLC	4		0.007	0.026	
22:1 undifferentiated.....g	0.021		0	FLC	4		0.006	0.024	
24:1 c.....g	0.000		0	FLC	4		0.000	0.000	
Fatty acids, total polyunsaturated.....g	0.367		0	FLC	4		0.114	0.414	
18:2 undifferentiated.....g	0.147		0	FLC	4		0.046	0.166	
18:3 undifferentiated.....g	0.117		0	FLC	4		0.036	0.132	
18:4.....g	0.011		0	FLC	4		0.004	0.013	
20:2 n-6 c,c.....g	0.000		0	FLC	4		0.000	0.000	
20:3 undifferentiated.....g									
20:4 undifferentiated.....g	0.007		0	FLC	4		0.002	0.007	
20:5 n-3 (EPA).....g	0.038		0	FLC	4		0.012	0.043	
21:5.....g									
22:4.....g									
22:5 n-3 (DPA).....g	0.007		0	FLC	4		0.002	0.008	
22:6 n-3 (DHA).....g	0.040		0	FLC	4		0.012	0.045	
Fatty acids, total trans.....g									
Cholesterol.....mg	14		0	FLC	4		4	15	
Phytosterols.....mg									
Others:									
Alcohol, ethyl.....g	0.0		0	FLC	4		0.0	0.0	
Caffeine.....mg	0		0	FLC	4		0	0	
Theobromine.....mg	0		0	FLC	4		0	0	

Blanks in the Mean column indicate lack of reliable data. The Number of Data Points column is the number of analyses upon which the mean is based. Number of Data Points of zero indicates the mean was either calculated (as for Energy) or estimated, usually from a recipe, another form of the same food, or similar food.

Common Measures:

Measure 1 = 31g: 1 oz

Measure 2 = 113g: 1 container

Footnotes:

1 Contains arachidonic acid (ARA, number 620) and docosahexaenoic acid (DHA, nutrient number 621) fatty acids found in human breast milk

NDB No. 03956

Babyfood, yogurt, whole milk, with fruit, multigrain cereal and added DHA fortified (1)

Calories Factors: Protein

Fat

Carbohydrate

Food Group: 03 Baby Foods

USDA National Nutrient Database for Standard Reference, Release 28 (2015)

NDB No. 03965

Babyfood, yogurt, whole milk, with fruit, multigrain cereal and added iron fortified

Refuse:0%

Nutrients and Units	Amount in 100 grams of edible portion				Amount in edible portion of common measures of food				
	Mean	Std. Error	Number of Data Points	Deriv Code	Source Code	Confidence Code	Measure 1	Measure 2	Measure 3
Proximates:									
Water.....g	80.21		0	FLC	4		12.83	55.35	
Energy.....kcal	92		0	NC	4		15	63	
Energy.....kJ	385		0	NC	4		62	265	
Protein.....g	3.05		0	FLC	4		0.49	2.11	
Total lipid (fat).....g	3.08		0	FLC	4		0.49	2.13	
Ash.....g	0.65		0	FLC	4		0.10	0.45	
Carbohydrate, by difference.....g	13.00		0	FLC	4		2.08	8.97	
Fiber, total dietary.....g	0.6		0	FLC	4		0.1	0.4	
Sugars, total.....g	11.46		0	FLC	4		1.83	7.91	
Starch.....g									
Minerals:									
Calcium, Ca.....mg	98		0	FLC	4		16	68	
Iron, Fe.....mg	4.18		0	FLC	4		0.67	2.88	
Magnesium, Mg.....mg	15		0	FLC	4		2	10	
Phosphorus, P.....mg	86		0	FLC	4		14	59	
Potassium, K.....mg	143		0	FLC	4		23	98	
Sodium, Na.....mg	38		0	FLC	4		6	26	
Zinc, Zn.....mg	0.54		0	FLC	4		0.09	0.37	
Copper, Cu.....mg	0.031		0	FLC	4		0.005	0.022	
Manganese, Mn.....mg	0.064		0	FLC	4		0.010	0.044	
Selenium, Se.....µg	2.4		0	FLC	4		0.4	1.6	
Vitamins:									
Vitamin C, total ascorbic acid.....mg	3.6		0	FLC	4		0.6	2.5	
Thiamin.....mg	0.048		0	FLC	4		0.008	0.033	
Riboflavin.....mg	0.120		0	FLC	4		0.019	0.083	
Niacin.....mg	0.119		0	FLC	4		0.019	0.082	
Pantothenic acid.....mg	0.333		0	FLC	4		0.053	0.230	
Vitamin B-6.....mg	0.036		0	FLC	4		0.006	0.025	
Folate, total.....µg	7		0	FLC	4		1	5	
Folic acid.....µg	0		0	FLC	4		0	0	
Folate, food.....µg	7		0	FLC	4		1	5	
Folate, DFE.....µg	7		0	NC	4		1	5	
Choline, total.....mg	13.4		0	FLC	4		2.1	9.3	
Betaine.....mg	0.3		0	FLC	4		0.0	0.2	
Vitamin B-12.....µg	0.29		0	FLC	4		0.05	0.20	
Vitamin B-12, added.....µg	0.00		0	FLC	4		0.00	0.00	
Vitamin A, RAE.....µg	22		0	NC	4		3	15	
Retinol.....µg	21		0	FLC	4		3	15	
Carotene, beta.....µg	7		0	FLC	4		1	5	
Carotene, alpha.....µg	0		0	FLC	4		0	0	
Cryptoxanthin, beta.....µg	1		0	FLC	4		0	1	
Vitamin A, IU.....IU	82		0	NC	4		13	57	
Lycopene.....µg	0		0	FLC	4		0	0	
Lutein + zeaxanthin.....µg	13		0	FLC	4		2	9	
Vitamin E (alpha-tocopherol).....mg	0.09		0	FLC	4		0.01	0.06	
Vitamin E, added.....mg	0.00		0	FLC	4		0.00	0.00	
Tocopherol, beta.....mg	0.00		0	FLC	4		0.00	0.00	
Tocopherol, gamma.....mg	0.21		0	FLC	4		0.03	0.14	
Tocopherol, delta.....mg	0.00		0	FLC	4		0.00	0.00	
Tocotrienol, alpha.....mg	0.00		0	FLC	4		0.00	0.00	
Tocotrienol, beta.....mg	0.00		0	FLC	4		0.00	0.00	
Tocotrienol, gamma.....mg	0.00		0	FLC	4		0.00	0.00	
Tocotrienol, delta.....mg	0.00		0	FLC	4		0.00	0.00	
Vitamin D (D2 + D3).....µg	0.0		0	AS	1		0.0	0.0	
Vitamin D2 (ergocalciferol).....µg									
Vitamin D3 (cholecalciferol).....µg	0.0		0	FLC	4		0.0	0.0	
Vitamin D.....IU	2		0	FLC	4		0	1	
Vitamin K (phylloquinone).....µg	0.9		0	FLC	4		0.1	0.6	

NDB No. 03965

Babyfood, yogurt, whole milk, with fruit, multigrain cereal and added iron fortified

Nutrients and Units	Amount in 100 grams of edible portion				Amount in edible portion of common measures of food				
	Mean	Std. Error	Number		Source Code	Confidence Code	Measure 1	Measure 2	Measure 3
			of Data Points	Deriv Code					
Dihydrophyloquinone.....µg	0.0		0	FLC	4		0.0	0.0	
Menquinone-4.....µg	0.0		0	FLC	4		0.0	0.0	
Lipids:									
Fatty acids, total saturated.....g	1.582		0	FLC	4		0.253	1.092	
4:0.....g	0.075		0	FLC	4		0.012	0.052	
6:0.....g	0.052		0	FLC	4		0.008	0.036	
8:0.....g	0.033		0	FLC	4		0.005	0.023	
10:0.....g	0.073		0	FLC	4		0.012	0.050	
12:0.....g	0.087		0	FLC	4		0.014	0.060	
13:0.....g									
14:0.....g	0.269		0	FLC	4		0.043	0.185	
15:0.....g	0.000		0	FLC	4		0.000	0.000	
16:0.....g	0.730		0	FLC	4		0.117	0.504	
17:0.....g	0.000		0	FLC	4		0.000	0.000	
18:0.....g	0.263		0	FLC	4		0.042	0.181	
20:0.....g	0.001		0	FLC	4		0.000	0.000	
22:0.....g	0.001		0	FLC	4		0.000	0.000	
24:0.....g	0.000		0	FLC	4		0.000	0.000	
Fatty acids, total monounsaturated.....g	0.740		0	FLC	4		0.118	0.511	
14:1.....g	0.000		0	FLC	4		0.000	0.000	
15:1.....g	0.000		0	FLC	4		0.000	0.000	
16:1 undifferentiated.....g	0.056		0	FLC	4		0.009	0.039	
17:1.....g	0.000		0	FLC	4		0.000	0.000	
18:1 undifferentiated.....g	0.683		0	FLC	4		0.109	0.471	
20:1.....g	0.001		0	FLC	4		0.000	0.000	
22:1 undifferentiated.....g	0.000		0	FLC	4		0.000	0.000	
24:1 c.....g	0.001		0	FLC	4		0.000	0.000	
Fatty acids, total polyunsaturated.....g	0.405		0	FLC	4		0.065	0.280	
18:2 undifferentiated.....g	0.146		0	FLC	4		0.023	0.101	
18:3 undifferentiated.....g	0.259		0	FLC	4		0.041	0.179	
18:4.....g	0.000		0	FLC	4		0.000	0.000	
20:2 n-6 c,c.....g	0.000		0	FLC	4		0.000	0.000	
20:3 undifferentiated.....g	0.000		0	FLC	4		0.000	0.000	
20:4 undifferentiated.....g	0.000		0	FLC	4		0.000	0.000	
20:5 n-3 (EPA).....g	0.000		0	FLC	4		0.000	0.000	
21:5.....g	0.000		0	FLC	4		0.000	0.000	
22:4.....g	0.000		0	FLC	4		0.000	0.000	
22:5 n-3 (DPA).....g	0.000		0	FLC	4		0.000	0.000	
22:6 n-3 (DHA).....g	0.000		0	FLC	4		0.000	0.000	
Fatty acids, total trans.....g									
Cholesterol.....mg	10		0	FLC	4		2	7	
Phytosterols.....mg									
Others:									
Alcohol, ethyl.....g	0.0		0	FLC	4		0.0	0.0	
Caffeine.....mg	0		0	FLC	4		0	0	
Theobromine.....mg	0		0	FLC	4		0	0	

Blanks in the Mean column indicate lack of reliable data. The Number of Data Points column is the number of analyses upon which the mean is based. Number of Data Points of zero indicates the mean was either calculated (as for Energy) or estimated, usually from a recipe, another form of the same food, or similar food.

Common Measures:

Measure 1 = 16g: 1 tbsp

Measure 2 = 69g: 1 container

Calories Factors: Protein

Fat

Carbohydrate

Food Group: 03 Baby Foods

USDA National Nutrient Database for Standard Reference, Release 28 (2015)

Nutrients and Units	Amount in 100 grams of edible portion				Amount in edible portion of common measures of food				
	Mean	Std. Error	Number of Data Points		Source Code	Confidence Code	Measure 1	Measure 2	Measure 3
			Deriv Code	Points					
Tocotrienol, delta.....mg									
Vitamin D (D2 + D3).....µg	1.2		0	T	4		0.4		
Vitamin D.....IU	48		0	T	4		15		
Vitamin K (phylloquinone).....µg	3.6		0	T	4		1.1		
Dihydrophylloquinone.....µg									
Menaquinone-4.....µg									
Lipids:									
Fatty acids, total saturated.....g	1.256		0	MA	12		0.389		
4:0.....g	0.000		0	MA	12		0.000		
6:0.....g	0.000		0	MA	12		0.000		
8:0.....g	0.503		0	MA	12		0.156		
10:0.....g	0.349		0	MA	12		0.108		
12:0.....g	0.013		0	MA	12		0.004		
13:0.....g									
14:0.....g	0.009		0	MA	12		0.003		
15:0.....g									
16:0.....g	0.260		0	MA	12		0.081		
17:0.....g									
18:0.....g	0.122		0	MA	12		0.038		
20:0.....g									
22:0.....g									
24:0.....g									
Fatty acids, total monounsaturated.....g	1.936		0	MA	12		0.600		
14:1.....g									
15:1.....g									
16:1 undifferentiated.....g	0.004		0	MA	12		0.001		
17:1.....g									
18:1 undifferentiated.....g	1.921		0	MA	12		0.596		
20:1.....g	0.011		0	MA	12		0.003		
22:1 undifferentiated.....g	0.000		0	MA	12		0.000		
24:1 c.....g									
Fatty acids, total polyunsaturated.....g	1.068		0	MA	12		0.331		
18:2 undifferentiated.....g	0.975		0	MA	12		0.302		
18:3 undifferentiated.....g	0.092		0	MA	12		0.029		
18:4.....g	0.000		0	MA	12		0.000		
20:2 n-6 c,c.....g									
20:3 undifferentiated.....g									
20:4 undifferentiated.....g	0.000		0	MA	12		0.000		
20:5 n-3 (EPA).....g	0.000		0	MA	12		0.000		
21:5.....g									
22:4.....g									
22:5 n-3 (DPA).....g	0.000		0	MA	12		0.000		
22:6 n-3 (DHA).....g	0.000		0	MA	12		0.000		
Fatty acids, total trans.....g									
Cholesterol.....mg	2		0	ML	5		1		
Phytosterols.....mg									
Others:									
Alcohol, ethyl.....g	0.0		0	Z	7		0.0		
Caffeine.....mg	0		0	Z	7		0		
Theobromine.....mg	0		0	Z	7		0		

Blanks in the Mean column indicate lack of reliable data. The Number of Data Points column is the number of analyses upon which the mean is based. Number of Data Points of zero indicates the mean was either calculated (as for Energy) or estimated, usually from a recipe, another form of the same food, or similar food.

Common Measures:

Measure 1 = 31.0g: 1 fl oz

Calories Factors: Protein

Fat

Carbohydrate

NDB No. 03860

Child formula, ABBOTT NUTRITION, PEDIASURE, ready-to-feed

Food Group: 03 Baby Foods

USDA National Nutrient Database for Standard Reference, Release 28 (2015)

Nutrients and Units	Amount in 100 grams of edible portion				Amount in edible portion of common measures of food				
	Mean	Std. Error	Number		Source Code	Confidence Code	Measure 1	Measure 2	Measure 3
			of Data Points	Deriv Code					
Lipids:									
Fatty acids, total saturated.....g	1.256		0	NC	4		0.389		
4:0.....g	0.000		0	MA	12		0.000		
6:0.....g	0.000		0	MA	12		0.000		
8:0.....g	0.503		0	MA	12		0.156		
10:0.....g	0.349		0	MA	12		0.108		
12:0.....g	0.013		0	MA	12		0.004		
13:0.....g									
14:0.....g	0.009		0	MA	12		0.003		
15:0.....g									
16:0.....g	0.260		0	MA	12		0.081		
17:0.....g									
18:0.....g	0.122		0	MA	12		0.038		
20:0.....g									
22:0.....g									
24:0.....g									
Fatty acids, total monounsaturated.....g	1.936		0	NC	4		0.600		
14:1.....g									
15:1.....g									
16:1 undifferentiated.....g	0.004		0	MA	12		0.001		
17:1.....g									
18:1 undifferentiated.....g	1.921		0	MA	12		0.596		
20:1.....g	0.011		0	MA	12		0.003		
22:1 undifferentiated.....g	0.000		0	MA	12		0.000		
24:1 c.....g									
Fatty acids, total polyunsaturated.....g	1.067		0	NC	4		0.331		
18:2 undifferentiated.....g	0.975		0	MA	12		0.302		
18:3 undifferentiated.....g	0.092		0	MA	12		0.029		
18:4.....g	0.000		0	MA	12		0.000		
20:2 n-6 c,c.....g									
20:3 undifferentiated.....g									
20:4 undifferentiated.....g	0.000		0	MA	12		0.000		
20:5 n-3 (EPA).....g	0.000		0	MA	12		0.000		
21:5.....g									
22:4.....g									
22:5 n-3 (DPA).....g	0.000		0	MA	12		0.000		
22:6 n-3 (DHA).....g	0.000		0	MA	12		0.000		
Fatty acids, total trans.....g									
Cholesterol.....mg	2		0	ML	5		1		
Phytosterols.....mg									
Others:									
Alcohol, ethyl.....g	0.0		0	Z	7		0.0		
Caffeine.....mg	0		0	Z	7		0		
Theobromine.....mg	0		0	Z	7		0		

Blanks in the Mean column indicate lack of reliable data. The Number of Data Points column is the number of analyses upon which the mean is based. Number of Data Points of zero indicates the mean was either calculated (as for Energy) or estimated, usually from a recipe, another form of the same food, or similar food.

Common Measures:

Measure 1 = 31.0g: 1 fl oz

Calories Factors: Protein

Fat

Carbohydrate

Food Group: 03 Baby Foods

NDB No. 03819

Child formula, MEAD JOHNSON, PORTAGEN, with iron, powder, not reconstituted

Nutrients and Units	Amount in 100 grams of edible portion				Amount in edible portion of common measures of food				
	Mean	Std. Error	Number of Data Points	Deriv Code	Source Code	Confidence Code	Measure 1	Measure 2	Measure 3
Lipids:									
Fatty acids, total saturated.....g	19.186		0	NC	4		1.804		
4:0.....g	0.000		0	MA	12		0.000		
6:0.....g	0.185		0	MC	9		0.017		
8:0.....g	13.558		0	MC	9		1.274		
10:0.....g	4.975		0	MC	9		0.468		
12:0.....g	0.078		0	MC	9		0.007		
13:0.....g									
14:0.....g	0.000		0	MC	9		0.000		
15:0.....g									
16:0.....g	0.322		0	MC	9		0.030		
17:0.....g									
18:0.....g	0.068		0	MC	9		0.006		
20:0.....g									
22:0.....g									
24:0.....g									
Fatty acids, total monounsaturated.....g	0.683		0	NC	4		0.064		
14:1.....g									
15:1.....g									
16:1 undifferentiated.....g	0.000		0	MA	12		0.000		
17:1.....g									
18:1 undifferentiated.....g	0.683		0	MC	9		0.064		
20:1.....g	0.000		0	MA	12		0.000		
22:1 undifferentiated.....g	0.000		0	MA	12		0.000		
24:1 c.....g									
Fatty acids, total polyunsaturated.....g	1.609		0	NC	4		0.151		
18:2 undifferentiated.....g	1.570		0	MC	9		0.148		
18:3 undifferentiated.....g	0.039		0	MC	9		0.004		
18:4.....g	0.000		0	MA	12		0.000		
20:2 n-6 c,c.....g									
20:3 undifferentiated.....g									
20:4 undifferentiated.....g	0.000		0	MA	12		0.000		
20:5 n-3 (EPA).....g	0.000		0	MA	12		0.000		
21:5.....g									
22:4.....g									
22:5 n-3 (DPA).....g	0.000		0	MA	12		0.000		
22:6 n-3 (DHA).....g	0.000		0	MA	12		0.000		
Fatty acids, total trans.....g									
Cholesterol.....mg	4		0	MA	12		0		
Phytosterols.....mg									
Others:									
Alcohol, ethyl.....g	0.0		0	Z	7		0.0		
Caffeine.....mg	0		0	Z	7		0		
Theobromine.....mg	0		0	Z	7		0		

Blanks in the Mean column indicate lack of reliable data. The Number of Data Points column is the number of analyses upon which the mean is based. Number of Data Points of zero indicates the mean was either calculated (as for Energy) or estimated, usually from a recipe, another form of the same food, or similar food.

Common Measures:

Measure 1 = 9.4g: 1 scoop

Calories Factors: Protein

Fat

Carbohydrate

Food Group: 03 Baby Foods

USDA National Nutrient Database for Standard Reference, Release 28 (2015)

Nutrients and Units	Amount in 100 grams of edible portion					Amount in edible portion of common measures of food			
	Mean	Std. Error	Number of Data Points	Deriv Code	Source Code	Confidence Code	Measure 1	Measure 2	Measure 3
Lipids:									
Fatty acids, total saturated.....g	3.953		0	MA	12		1.225		
4:0.....g	0.000		0	MA	12		0.000		
6:0.....g	0.037		0	MC	9		0.011		
8:0.....g	2.778		0	MC	9		0.861		
10:0.....g	1.029		0	MC	9		0.319		
12:0.....g	0.019		0	MC	9		0.006		
13:0.....g									
14:0.....g	0.006		0	MA	12		0.002		
15:0.....g									
16:0.....g	0.065		0	MC	9		0.020		
17:0.....g									
18:0.....g	0.019		0	MC	9		0.006		
20:0.....g									
22:0.....g									
24:0.....g									
Fatty acids, total monounsaturated.....g	0.143		0	MC	9		0.044		
14:1.....g									
15:1.....g									
16:1 undifferentiated.....g	0.000		0	MA	12		0.000		
17:1.....g									
18:1 undifferentiated.....g	0.143		0	MC	9		0.044		
20:1.....g	0.000		0	MA	12		0.000		
22:1 undifferentiated.....g	0.000		0	MA	12		0.000		
24:1 c.....g									
Fatty acids, total polyunsaturated.....g	0.333		0	MC	9		0.103		
18:2 undifferentiated.....g	0.324		0	MC	9		0.100		
18:3 undifferentiated.....g	0.009		0	MC	9		0.003		
18:4.....g	0.000		0	MA	12		0.000		
20:2 n-6 c,c.....g									
20:3 undifferentiated.....g									
20:4 undifferentiated.....g	0.000		0	MA	12		0.000		
20:5 n-3 (EPA).....g	0.000		0	MA	12		0.000		
21:5.....g									
22:4.....g									
22:5 n-3 (DPA).....g	0.000		0	MA	12		0.000		
22:6 n-3 (DHA).....g	0.000		0	MA	12		0.000		
Fatty acids, total trans.....g									
Cholesterol.....mg	1		0	MC	9		0		
Phytosterols.....mg									
Others:									
Alcohol, ethyl.....g	0.0		0	Z	7		0.0		
Caffeine.....mg	0		0	Z	7		0		
Theobromine.....mg	0		0	Z	7		0		

Blanks in the Mean column indicate lack of reliable data. The Number of Data Points column is the number of analyses upon which the mean is based. Number of Data Points of zero indicates the mean was either calculated (as for Energy) or estimated, usually from a recipe, another form of the same food, or similar food.

Common Measures:

Measure 1 = 31.0g: 1 fl oz

Calories Factors: Protein

Fat

Carbohydrate

Food Group: 03 Baby Foods

NDB No. 03000

Clif Z bar

Refuse:0%

Nutrients and Units	Amount in 100 grams of edible portion				Amount in edible portion of common measures of food				
	Mean	Std. Error	Number of Data Points	Deriv Code	Source Code	Confidence Code	Measure 1	Measure 2	Measure 3
Proximates:									
Water.....g	7.74		0	FLC	4				
Energy.....kcal	409		0	NC	4				
Energy.....kJ	1710		0	NC	4				
Protein.....g	5.55		0	LC	8				
Total lipid (fat).....g	9.72		0	LC	8				
Ash.....g	2.26		0	FLC	4				
Carbohydrate, by difference.....g	74.72		0	NC	4				
Fiber, total dietary.....g	8.3		0	LC	8				
Sugars, total.....g	30.56		0	LC	8				
Starch.....g									
Minerals:									
Calcium, Ca.....mg	444		0	LC	8				
Iron, Fe.....mg	2.70		0	LC	8				
Magnesium, Mg.....mg	82		0	FLC	4				
Phosphorus, P.....mg	244		0	FLC	4				
Potassium, K.....mg	333		0	LC	8				
Sodium, Na.....mg	375		0	FLC	4				
Zinc, Zn.....mg	1.15		0	FLC	4				
Copper, Cu.....mg	0.187		0	FLC	4				
Manganese, Mn.....mg	1.748		0	FLC	4				
Selenium, Se.....µg	14.8		0	FLC	4				
Vitamins:									
Vitamin C, total ascorbic acid.....mg	39.1		0	FLC	4				
Thiamin.....mg	0.411		0	FLC	4				
Riboflavin.....mg	0.100		0	FLC	4				
Niacin.....mg	0.478		0	FLC	4				
Pantothenic acid.....mg	0.588		0	FLC	4				
Vitamin B-6.....mg	0.073		0	FLC	4				
Folate, total.....µg	20		0	FLC	4				
Folic acid.....µg	0		0	FLC	4				
Folate, food.....µg	20		0	FLC	4				
Folate, DFE.....µg	20		0	NC	4				
Choline, total.....mg	22.5		0	FLC	4				
Betaine.....mg	6.1		0	FLC	4				
Vitamin B-12.....µg	0.00		0	FLC	4				
Vitamin B-12, added.....µg	0.00		0	FLC	4				
Vitamin A, RAE.....µg	0		0	NC	4				
Retinol.....µg	0		0	FLC	4				
Carotene, beta.....µg	4		0	FLC	4				
Carotene, alpha.....µg	0		0	FLC	4				
Cryptoxanthin, beta.....µg	0		0	FLC	4				
Vitamin A, IU.....IU	7		0	NC	4				
Lycopene.....µg	0		0	FLC	4				
Lutein + zeaxanthin.....µg	61		0	FLC	4				
Vitamin E (alpha-tocopherol).....mg	0.98		0	FLC	4				
Vitamin E, added.....mg	0.00		0	FLC	4				
Tocopherol, beta.....mg	0.04		0	FLC	4				
Tocopherol, gamma.....mg	0.75		0	FLC	4				
Tocopherol, delta.....mg	0.22		0	FLC	4				
Tocotrienol, alpha.....mg	0.65		0	FLC	4				
Tocotrienol, beta.....mg	0.02		0	FLC	4				
Tocotrienol, gamma.....mg	0.00		0	FLC	4				
Tocotrienol, delta.....mg	0.00		0	FLC	4				
Vitamin D (D2 + D3).....µg	0.0		0	FLC	4				
Vitamin D2 (ergocalciferol).....µg									
Vitamin D3 (cholecalciferol).....µg									
Vitamin D.....IU	0		0	FLC	4				
Vitamin K (phylloquinone).....µg	8.7		0	FLC	4				

NDB No. 03000

Clif Z bar

Nutrients and Units	Amount in 100 grams of edible portion				Amount in edible portion of common measures of food				
	Mean	Std. Error	Number	Deriv	Source Code	Confidence Code	Measure 1	Measure 2	Measure 3
			of Data Points	Code					
Dihydrophyloquinone.....µg	0.0		0	FLC					4
Menquinone-4.....µg	0.0		0	FLC					4
Lipids:									
Fatty acids, total saturated.....g	2.721		0	FLC					4
4:0.....g	0.000		0	FLC					4
6:0.....g	0.000		0	FLC					4
8:0.....g	0.000		0	FLC					4
10:0.....g	0.000		0	FLC					4
12:0.....g	0.007		0	FLC					4
13:0.....g	0.000		0	FLC					4
14:0.....g	0.011		0	FLC					4
15:0.....g	0.000		0	FLC					4
16:0.....g	1.532		0	FLC					4
17:0.....g	0.001		0	FLC					4
18:0.....g	1.156		0	FLC					4
20:0.....g	0.005		0	FLC					4
22:0.....g	0.007		0	FLC					4
24:0.....g	0.001		0	FLC					4
Fatty acids, total monounsaturated.....g	2.447		0	FLC					4
14:1.....g	0.000		0	FLC					4
15:1.....g	0.000		0	FLC					4
16:1 undifferentiated.....g	0.023		0	FLC					4
17:1.....g	0.000		0	FLC					4
18:1 undifferentiated.....g	2.420		0	FLC					4
20:1.....g	0.003		0	FLC					4
22:1 undifferentiated.....g	0.000		0	FLC					4
24:1 c.....g	0.001		0	FLC					4
Fatty acids, total polyunsaturated.....g	3.319		0	FLC					4
18:2 undifferentiated.....g	2.860		0	FLC					4
18:3 undifferentiated.....g	0.455		0	FLC					4
18:4.....g	0.000		0	FLC					4
20:2 n-6 c,c.....g	0.000		0	FLC					4
20:3 undifferentiated.....g	0.000		0	FLC					4
20:4 undifferentiated.....g	0.004		0	FLC					4
20:5 n-3 (EPA).....g	0.000		0	FLC					4
21:5.....g									
22:4.....g									
22:5 n-3 (DPA).....g	0.000		0	FLC					4
22:6 n-3 (DHA).....g	0.000		0	FLC					4
Fatty acids, total trans.....g	0.013		0	FLC					4
Cholesterol.....mg	0		0	FLC					4
Phytosterols.....mg	7		0	FLC					4
Stigmasterol.....mg	1		0	FLC					4
Campesterol.....mg	1		0	FLC					4
Beta-sitosterol.....mg	2		0	FLC					4
Amino Acids:									
Tryptophan.....g	0.105		0	FLC					4
Threonine.....g	0.164		0	FLC					4
Isoleucine.....g	0.216		0	FLC					4
Leucine.....g	0.432		0	FLC					4
Lysine.....g	0.242		0	FLC					4
Methionine.....g	0.107		0	FLC					4
Cystine.....g	0.179		0	FLC					4
Phenylalanine.....g	0.287		0	FLC					4
Tyrosine.....g	0.208		0	FLC					4
Valine.....g	0.307		0	FLC					4
Arginine.....g	0.420		0	FLC					4
Histidine.....g	0.131		0	FLC					4
Alanine.....g	0.278		0	FLC					4
Aspartic acid.....g	0.515		0	FLC					4
Glutamic acid.....g	1.198		0	FLC					4
Glycine.....g	0.305		0	FLC					4

NDB No. 03000

Clif Z bar

Nutrients and Units	<u>Amount in 100 grams of edible portion</u>				<u>Amount in edible portion of common measures of food</u>				
	Mean	Std. Error	Number of Data Points	Deriv Code	Source Code	Confidence Code	Measure 1	Measure 2	Measure 3
Proline.....g	0.311		0	FLC		4			
Serine.....g	0.282		0	FLC		4			
Hydroxyproline.....g	0.002		0	FLC		4			
Others:									
Alcohol, ethyl.....g	0.0		0	FLC		4			
Caffeine.....mg	1		0	FLC		4			
Theobromine.....mg	9		0	FLC		4			

Blanks in the Mean column indicate lack of reliable data. The Number of Data Points column is the number of analyses upon which the mean is based. Number of Data Points of zero indicates the mean was either calculated (as for Energy) or estimated, usually from a recipe, another form of the same food, or similar food.

Common Measures:

Calories Factors: Protein

Fat

Carbohydrate

Food Group: 03 Baby Foods

USDA National Nutrient Database for Standard Reference, Release 28 (2015)

NDB No. 03023

Finger snacks, GERBER GRADUATE PUFFS, apple and cinnamon

Refuse:0%

Nutrients and Units	Amount in 100 grams of edible portion				Amount in edible portion of common measures of food				
	Mean	Std. Error	Number of Data Points	Deriv Code	Source Code	Confidence Code	Measure 1	Measure 2	Measure 3
Proximates:									
Water.....g	3.62	0.144	5	A	1				
Energy.....kcal	389		0	NC	4				
Energy.....kJ	1626		0	NC	4				
Protein.....g	6.19	0.063	5	A	1				
Total lipid (fat).....g	2.30		0	LC	8				
Ash.....g	2.11	0.025	5	A	1				
Carbohydrate, by difference.....g	85.79		0	NC	4				
Fiber, total dietary.....g	3.8	0.350	3	A	1				
Sugars, total.....g	17.84	0.393	3	A	1				
Sucrose.....g	14.90	0.396	3	A	1				
Glucose (dextrose).....g	1.13	0.014	3	A	1				
Fructose.....g	1.81	0.015	3	A	1				
Lactose.....g	0.00	0.000	3	A	1				
Maltose.....g	0.00	0.000	3	A	1				
Galactose.....g	0.00	0.000	3	A	1				
Starch.....g	59.17	0.240	3	A	1				
Minerals:									
Calcium, Ca.....mg	535	10.773	5	A	1				
Iron, Fe.....mg	24.74	0.674	5	A	1				
Magnesium, Mg.....mg	60	0.523	5	A	1				
Phosphorus, P.....mg	448	6.696	5	A	1				
Potassium, K.....mg	196	2.267	5	A	1				
Sodium, Na.....mg	13	1.273	5	A	1				
Zinc, Zn.....mg	17.46	0.254	5	A	1				
Copper, Cu.....mg	0.213	0.002	5	A	1				
Manganese, Mn.....mg	1.646	0.009	5	A	1				
Selenium, Se.....µg	6.2	0.265	3	A	1				
Vitamins:									
Vitamin C, total ascorbic acid.....mg	1.3		0	FLC	4				
Thiamin.....mg	1.563	0.079	3	A	1				
Riboflavin.....mg	2.267	0.067	3	A	1				
Niacin.....mg	28.767	0.674	3	A	1				
Pantothenic acid.....mg	0.635		2	A	1				
Vitamin B-6.....mg	1.800	0.231	3	A	1				
Folate, total.....µg	16	2.239	3	A	1				
Folic acid.....µg	0		0	NR	4				
Folate, food.....µg	16	2.239	3	A	1				
Folate, DFE.....µg	16		0	NC	4				
Choline, total.....mg	11.5		0	FLC	4				
Betaine.....mg									
Vitamin B-12.....µg	0.00		0	FLC	4				
Vitamin B-12, added.....µg	0.00		0	NR	4				
Vitamin A, RAE.....µg	1		0	NC	4				
Retinol.....µg	0		0	FLC	4				
Carotene, beta.....µg	6		0	FLC	4				
Carotene, alpha.....µg	0		0	FLC	4				
Cryptoxanthin, beta.....µg	4		0	FLC	4				
Vitamin A, IU.....IU	13		0	NC	4				
Lycopene.....µg	0		0	FLC	4				
Lutein + zeaxanthin.....µg	45		0	FLC	4				
Vitamin E (alpha-tocopherol).....mg	10.33	0.874	3	A	1				
Vitamin E, added.....mg	0.00		0	NR	4				
Tocopherol, beta.....mg	0.41	0.043	3	A	1				
Tocopherol, gamma.....mg	10.73	1.973	3	A	1				
Tocopherol, delta.....mg	5.93	0.961	3	A	1				
Tocotrienol, alpha.....mg	0.17	0.010	3	A	1				
Tocotrienol, beta.....mg	0.20	0.030	3	A	1				

Nutrients and Units	Amount in 100 grams of edible portion					Amount in edible portion of common measures of food			
	Mean	Std. Error	Number of Data Points	Deriv Code	Source Code	Confidence Code	Measure 1	Measure 2	Measure 3
Tocotrienol, gamma.....mg	0.00	0.000	3	A	1				
Tocotrienol, delta.....mg	0.00	0.000	3	A	1				
Vitamin D (D2 + D3).....µg	0.0		0	FLC	4				
Vitamin D2 (ergocalciferol).....µg									
Vitamin D3 (cholecalciferol).....µg									
Vitamin D.....IU	0		0	FLC	4				
Vitamin K (phylloquinone).....µg	1.3		0	FLC	4				
Dihydrophyloquinone.....µg									
Menaquinone-4.....µg									
Lipids:									
Fatty acids, total saturated.....g	0.143		0	NC	4				
4:0.....g	0.002	0.002	3	A	1				
6:0.....g	0.002	0.001	3	A	1				
8:0.....g	0.002	0.001	3	A	1				
10:0.....g	0.000	0.000	3	A	1				
12:0.....g	0.002	0.001	3	A	1				
13:0.....g									
14:0.....g	0.004	0.001	3	A	1				
15:0.....g	0.002	0.000	3	A	1				
16:0.....g	0.115	0.004	3	A	1				
17:0.....g	0.000	0.000	3	A	1				
18:0.....g	0.012	0.001	3	A	1				
20:0.....g	0.001	0.001	3	A	1				
22:0.....g	0.001	0.000	3	A	1				
24:0.....g	0.001	0.000	3	A	1				
Fatty acids, total monounsaturated.....g	0.306		0	NC	4				
14:1.....g	0.000	0.000	3	A	1				
15:1.....g	0.000	0.000	3	A	1				
16:1 undifferentiated.....g	0.001		0	AS	1				
16:1 c.....g	0.001	0.000	3	A	1				
16:1 t.....g	0.000	0.000	3	A	1				
17:1.....g	0.000	0.000	3	A	1				
18:1 undifferentiated.....g	0.151		0	AS	1				
18:1 c.....g	0.151	0.003	3	A	1				
18:1 t.....g	0.000	0.000	3	A	1				
18:1-11 t (18:1t n-7).....g									
20:1.....g	0.003	0.001	3	A	1				
22:1 undifferentiated.....g	0.000		0	AS	1				
22:1 c.....g	0.000	0.000	3	A	1				
22:1 t.....g	0.000	0.000	3	A	1				
24:1 c.....g	0.000	0.000	3	A	1				
Fatty acids, total polyunsaturated.....g	0.527		0	NC	4				
18:2 undifferentiated.....g	0.252		0	AS	1				
18:2 n-6 c,c.....g	0.252	0.008	3	A	1				
18:2 CLAs.....g	0.000	0.000	3	A	1				
18:2 t,t.....g									
18:2 i.....g									
18:2 t not further defined.....g	0.000	0.000	3	A	1				
18:3 undifferentiated.....g	0.011		0	AS	1				
18:3 n-3 c,c,c (ALA).....g	0.011	0.000	3	A	1				
18:3 n-6 c,c,c.....g	0.000	0.000	3	A	1				
18:3i.....g	0.000	0.000	3	A	1				
18:4.....g	0.000	0.000	3	A	1				
20:2 n-6 c,c.....g	0.000	0.000	3	A	1				
20:3 undifferentiated.....g	0.000		0	AS	1				
20:3 n-3.....g	0.000	0.000	3	A	1				
20:3 n-6.....g	0.000	0.000	3	A	1				
20:4 undifferentiated.....g	0.000	0.000	3	A	1				
20:4 n-6.....g									
20:5 n-3 (EPA).....g	0.000	0.000	3	A	1				
21:5.....g									
22:4.....g	0.000	0.000	3	A	1				
22:5 n-3 (DPA).....g	0.000	0.000	3	A	1				

NDB No. 03023

Finger snacks, GERBER GRADUATE PUFFS, apple and cinnamon

Nutrients and Units	Amount in 100 grams of edible portion					Amount in edible portion of common measures of food			
	Mean	Std. Error	Number of Data Points	Deriv Code	Source Code	Confidence Code	Measure 1	Measure 2	Measure 3
22:6 n-3 (DHA).....g	0.000	0.000	3	A	1				
Fatty acids, total trans.....g	0.000		0	NC	4				
Fatty acids, total trans-monoenoic.....g	0.000		0	NC	4				
Fatty acids, total trans-polyenoic.....g	0.000		0	NC	4				
Cholesterol.....mg	0		0	FLC	4				
Phytosterols.....mg									
Amino Acids:									
Tryptophan.....g	0.058		0	FLC	4				
Threonine.....g	0.156		0	FLC	4				
Isoleucine.....g	0.183		0	FLC	4				
Leucine.....g	0.368		0	FLC	4				
Lysine.....g	0.156		0	FLC	4				
Methionine.....g	0.104		0	FLC	4				
Cystine.....g	0.087		0	FLC	4				
Phenylalanine.....g	0.248		0	FLC	4				
Tyrosine.....g	0.205		0	FLC	4				
Valine.....g	0.256		0	FLC	4				
Arginine.....g	0.357		0	FLC	4				
Histidine.....g	0.121		0	FLC	4				
Alanine.....g	0.239		0	FLC	4				
Aspartic acid.....g	0.404		0	FLC	4				
Glutamic acid.....g	1.047		0	FLC	4				
Glycine.....g	0.209		0	FLC	4				
Proline.....g	0.360		0	FLC	4				
Serine.....g	0.239		0	FLC	4				
Hydroxyproline.....g									
Others:									
Alcohol, ethyl.....g	0.0		0	FLC	4				
Caffeine.....mg	0		0	FLC	4				
Theobromine.....mg	0		0	FLC	4				

Blanks in the Mean column indicate lack of reliable data. The Number of Data Points column is the number of analyses upon which the mean is based. Number of Data Points of zero indicates the mean was either calculated (as for Energy) or estimated, usually from a recipe, another form of the same food, or similar food.

Common Measures:

Calories Factors: Protein

Fat

Carbohydrate

Food Group: 03 Baby Foods

USDA National Nutrient Database for Standard Reference, Release 28 (2015)

NDB No. 43075

Fluid replacement, electrolyte solution (include PEDIALYTE)

Nutrients and Units	Amount in 100 grams of edible portion				Amount in edible portion of common measures of food				
	Mean	Std. Error	Number of Data Points	Deriv Code	Source Code	Confidence Code	Measure 1	Measure 2	Measure 3
Lipids:									
Fatty acids, total saturated.....g	0.000		0		4		0.000	0.000	
4:0.....g	0.000		0		4		0.000	0.000	
6:0.....g	0.000		0		4		0.000	0.000	
8:0.....g	0.000		0		4		0.000	0.000	
10:0.....g	0.000		0		4		0.000	0.000	
12:0.....g	0.000		0		4		0.000	0.000	
13:0.....g									
14:0.....g	0.000		0		4		0.000	0.000	
15:0.....g									
16:0.....g	0.000		0		4		0.000	0.000	
17:0.....g									
18:0.....g	0.000		0		4		0.000	0.000	
20:0.....g									
22:0.....g									
24:0.....g									
Fatty acids, total monounsaturated.....g	0.000		0		4		0.000	0.000	
14:1.....g									
15:1.....g									
16:1 undifferentiated.....g	0.000		0		4		0.000	0.000	
17:1.....g									
18:1 undifferentiated.....g	0.000		0		4		0.000	0.000	
20:1.....g	0.000		0		4		0.000	0.000	
22:1 undifferentiated.....g	0.000		0		4		0.000	0.000	
24:1 c.....g									
Fatty acids, total polyunsaturated.....g	0.000		0		4		0.000	0.000	
18:2 undifferentiated.....g	0.000		0		4		0.000	0.000	
18:3 undifferentiated.....g	0.000		0		4		0.000	0.000	
18:4.....g	0.000		0		4		0.000	0.000	
20:2 n-6 c,c.....g									
20:3 undifferentiated.....g									
20:4 undifferentiated.....g	0.000		0		4		0.000	0.000	
20:5 n-3 (EPA).....g	0.000		0		4		0.000	0.000	
21:5.....g									
22:4.....g									
22:5 n-3 (DPA).....g	0.000		0		4		0.000	0.000	
22:6 n-3 (DHA).....g	0.000		0		4		0.000	0.000	
Fatty acids, total trans.....g									
Cholesterol.....mg	0		0		7		0	0	
Phytosterols.....mg									
Others:									
Alcohol, ethyl.....g	0.0		0		7		0.0	0.0	
Caffeine.....mg	0		0	Z	7		0	0	
Theobromine.....mg	0		0	Z	7		0	0	

Blanks in the Mean column indicate lack of reliable data. The Number of Data Points column is the number of analyses upon which the mean is based. Number of Data Points of zero indicates the mean was either calculated (as for Energy) or estimated, usually from a recipe, another form of the same food, or similar food.

Common Measures:

Measure 1 = 31.2g: 1 fl oz

Measure 2 = 250g: 1 cup (8 fl oz)

Calories Factors: Protein

Fat

Carbohydrate

Food Group: 03 Baby Foods

USDA National Nutrient Database for Standard Reference, Release 28 (2015)

NDB No. 33868

Infant Formula, GERBER GOOD START 2, GENTLE PLUS, powder

Nutrients and Units	Amount in 100 grams of edible portion				Amount in edible portion of common measures of food				
	Mean	Std. Error	Number of Data Points	Deriv Code	Source Code	Confidence Code	Measure 1	Measure 2	Measure 3
Lipids:									
Fatty acids, total saturated.....g	10.517		0	NC	4		0.989		
4:0.....g	0.000		0	BFFN	4		0.000		
6:0.....g	0.070		0	BFFN	4		0.007		
8:0.....g	0.418		0	BFFN	4		0.039		
10:0.....g	0.279		0	BFFN	4		0.026		
12:0.....g	2.229		0	BFFN	4		0.210		
13:0.....g									
14:0.....g	0.975		0	BFFN	4		0.092		
15:0.....g									
16:0.....g	5.572		0	BFFN	4		0.524		
17:0.....g									
18:0.....g	0.975		0	BFFN	4		0.092		
20:0.....g									
22:0.....g									
24:0.....g									
Fatty acids, total monounsaturated.....g	9.126		0	NC	4		0.858		
14:1.....g									
15:1.....g									
16:1 undifferentiated.....g	0.072		0	BFFN	4		0.007		
17:1.....g									
18:1 undifferentiated.....g	8.985		0	BFFN	4		0.845		
20:1.....g	0.070		0	BFFN	4		0.007		
22:1 undifferentiated.....g	0.000		0	BFFN	4		0.000		
24:1 c.....g									
Fatty acids, total polyunsaturated.....g	4.862		0	NC	4		0.457		
18:2 undifferentiated.....g	4.179		0	BFFN	4		0.393		
18:3 undifferentiated.....g	0.474		0	BFFN	4		0.045		
18:4.....g	0.000		0	BFFN	4		0.000		
20:2 n-6 c,c.....g									
20:3 undifferentiated.....g									
20:4 undifferentiated.....g	0.139		0	BFFN	4		0.013		
20:5 n-3 (EPA).....g	0.000		0	BFFN	4		0.000		
21:5.....g									
22:4.....g									
22:5 n-3 (DPA).....g	0.000		0	BFFN	4		0.000		
22:6 n-3 (DHA).....g	0.070		0	BFFN	4		0.007		
Fatty acids, total trans.....g									
Cholesterol.....mg	0		0	MC	9		0		
Phytosterols.....mg									
Others:									
Alcohol, ethyl.....g	0.0		0	MC	9		0.0		
Caffeine.....mg	0		0	MC	9		0		
Theobromine.....mg	0		0	BFFN	4		0		

Blanks in the Mean column indicate lack of reliable data. The Number of Data Points column is the number of analyses upon which the mean is based. Number of Data Points of zero indicates the mean was either calculated (as for Energy) or estimated, usually from a recipe, another form of the same food, or similar food.

Common Measures:

Measure 1 = 9.4g: 1 scoop

Calories Factors: Protein

Fat

Carbohydrate

Food Group: 03 Baby Foods

USDA National Nutrient Database for Standard Reference, Release 28 (2015)

Nutrients and Units	Amount in 100 grams of edible portion				Amount in edible portion of common measures of food		
	Mean	Std. Error	Number		Measure 1	Measure 2	Measure 3
			of Data Points	Deriv Code			
Lipids:							
Fatty acids, total saturated.....g	0.975		0	NC	4	0.296	1.482
4:0.....g	0.000		0	BFFN	4	0.000	0.000
6:0.....g	0.006		0	BFFN	4	0.002	0.010
8:0.....g	0.039		0	BFFN	4	0.012	0.059
10:0.....g	0.026		0	BFFN	4	0.008	0.039
12:0.....g	0.207		0	BFFN	4	0.063	0.314
13:0.....g							
14:0.....g	0.090		0	BFFN	4	0.027	0.137
15:0.....g							
16:0.....g	0.517		0	BFFN	4	0.157	0.785
17:0.....g							
18:0.....g	0.090		0	BFFN	4	0.027	0.137
20:0.....g							
22:0.....g							
24:0.....g							
Fatty acids, total monounsaturated.....g	0.846		0	NC	4	0.257	1.286
14:1.....g							
15:1.....g							
16:1 undifferentiated.....g	0.007		0	BFFN	4	0.002	0.010
17:1.....g							
18:1 undifferentiated.....g	0.833		0	BFFN	4	0.253	1.266
20:1.....g	0.006		0	BFFN	4	0.002	0.010
22:1 undifferentiated.....g	0.000		0	BFFN	4	0.000	0.000
24:1 c.....g							
Fatty acids, total polyunsaturated.....g	0.451		0	NC	4	0.137	0.685
18:2 undifferentiated.....g	0.387		0	BFFN	4	0.118	0.589
18:3 undifferentiated.....g	0.044		0	BFFN	4	0.013	0.067
18:4.....g	0.000		0	BFFN	4	0.000	0.000
20:2 n-6 c,c.....g							
20:3 undifferentiated.....g							
20:4 undifferentiated.....g	0.013		0	BFFN	4	0.004	0.020
20:5 n-3 (EPA).....g	0.000		0	BFFN	4	0.000	0.000
21:5.....g							
22:4.....g							
22:5 n-3 (DPA).....g	0.000		0	BFFN	4	0.000	0.000
22:6 n-3 (DHA).....g	0.006		0	BFFN	4	0.002	0.010
Fatty acids, total trans.....g							
Cholesterol.....mg	0		0	MC	9	0	0
Phytosterols.....mg							
Others:							
Alcohol, ethyl.....g	0.0		0	MC	9	0.0	0.0
Caffeine.....mg	0		0	MC	9	0	0
Theobromine.....mg	0		0	NR	4	0	0

Blanks in the Mean column indicate lack of reliable data. The Number of Data Points column is the number of analyses upon which the mean is based. Number of Data Points of zero indicates the mean was either calculated (as for Energy) or estimated, usually from a recipe, another form of the same food, or similar food.

Common Measures:

Measure 1 = 30.4g: 1 fl oz

Measure 2 = 152g: 5 fl oz

Calories Factors: Protein

Fat

Carbohydrate

Food Group: 03 Baby Foods

NDB No. 03963

Infant Formula, MEAD JOHNSON, ENFAMIL GENTLEASE LIPIL, with iron, prepared from powder

Nutrients and Units	Amount in 100 grams of edible portion				Amount in edible portion of common measures of food				
	Mean	Std. Error	Number of Data Points	Deriv Code	Source Code	Confidence Code	Measure 1	Measure 2	Measure 3
Lipids:									
Fatty acids, total saturated.....g	1.500		0	MC	9		0.458		
4:0.....g	0.000		0	MC	9		0.000		
6:0.....g	0.010		0	MC	9		0.003		
8:0.....g	0.060		0	MC	9		0.018		
10:0.....g	0.040		0	MC	9		0.012		
12:0.....g	0.320		0	MC	9		0.098		
13:0.....g									
14:0.....g	0.140		0	MC	9		0.043		
15:0.....g									
16:0.....g	0.800		0	MC	9		0.244		
17:0.....g									
18:0.....g	0.140		0	MC	9		0.043		
20:0.....g									
22:0.....g									
24:0.....g									
Fatty acids, total monounsaturated.....g	1.300		0	MC	9		0.397		
14:1.....g									
15:1.....g									
16:1 undifferentiated.....g	0.010		0	MC	9		0.003		
17:1.....g									
18:1 undifferentiated.....g	1.290		0	MC	9		0.393		
20:1.....g	0.010		0	MC	9		0.003		
22:1 undifferentiated.....g	0.000		0	MC	9		0.000		
24:1 c.....g									
Fatty acids, total polyunsaturated.....g	0.700		0	MC	9		0.214		
18:2 undifferentiated.....g	0.600		0	MC	9		0.183		
18:3 undifferentiated.....g	0.068		0	NR	4		0.021		
18:4.....g	0.000		0	MC	9		0.000		
20:2 n-6 c,c.....g									
20:3 undifferentiated.....g									
20:4 undifferentiated.....g	0.020		0	MC	9		0.006		
20:5 n-3 (EPA).....g	0.000		0	MC	9		0.000		
21:5.....g									
22:4.....g									
22:5 n-3 (DPA).....g	0.000		0	MC	9		0.000		
22:6 n-3 (DHA).....g	0.010		0	MC	9		0.003		
Fatty acids, total trans.....g									
Cholesterol.....mg	0		0	MC	9		0		
Phytosterols.....mg									
Others:									
Alcohol, ethyl.....g	0.0		0	MC	9		0.0		
Caffeine.....mg	0		0	MC	9		0		
Theobromine.....mg	0		0	MC	9		0		

Blanks in the Mean column indicate lack of reliable data. The Number of Data Points column is the number of analyses upon which the mean is based. Number of Data Points of zero indicates the mean was either calculated (as for Energy) or estimated, usually from a recipe, another form of the same food, or similar food.

Common Measures:

Measure 1 = 30.5g: 1 fl oz

Calories Factors: Protein

Fat

Carbohydrate

Food Group: 03 Baby Foods

USDA National Nutrient Database for Standard Reference, Release 28 (2015)

Nutrients and Units	Amount in 100 grams of edible portion					Amount in edible portion of common measures of food			
	Mean	Std. Error	Number of Data Points	Deriv Code	Source Code	Confidence Code	Measure 1	Measure 2	Measure 3
Lipids:									
Fatty acids, total saturated.....g	1.578		0	BFFN	4		0.486		
4:0.....g	0.000		0	BFFN	4		0.000		
6:0.....g	0.010		0	BFFN	4		0.003		
8:0.....g	0.585		0	BFFN	4		0.180		
10:0.....g	0.240		0	BFFN	4		0.074		
12:0.....g	0.270		0	BFFN	4		0.083		
13:0.....g									
14:0.....g	0.110		0	BFFN	4		0.034		
15:0.....g									
16:0.....g	0.228		0	BFFN	4		0.070		
17:0.....g									
18:0.....g	0.121		0	BFFN	4		0.037		
20:0.....g									
22:0.....g									
24:0.....g									
Fatty acids, total monounsaturated.....g	1.330		0	BFFN	4		0.410		
14:1.....g									
15:1.....g									
16:1 undifferentiated.....g	0.000		0	BFFN	4		0.000		
17:1.....g									
18:1 undifferentiated.....g	1.330		0	BFFN	4		0.410		
20:1.....g	0.000		0	Z	7		0.000		
22:1 undifferentiated.....g	0.000		0	Z	7		0.000		
24:1 c.....g									
Fatty acids, total polyunsaturated.....g	0.862		0	BFFN	4		0.266		
18:2 undifferentiated.....g	0.673		0	MA	12		0.207		
18:3 undifferentiated.....g	0.067		0	MA	12		0.021		
18:4.....g	0.000		0	Z	7		0.000		
20:2 n-6 c,c.....g									
20:3 undifferentiated.....g									
20:4 undifferentiated.....g	0.024		0	MA	12		0.007		
20:5 n-3 (EPA).....g	0.000		0	NR	4		0.000		
21:5.....g									
22:4.....g									
22:5 n-3 (DPA).....g	0.000		0	Z	7		0.000		
22:6 n-3 (DHA).....g	0.012		0	MA	12		0.004		
Fatty acids, total trans.....g									
Cholesterol.....mg	1		0	O	4		0		
Phytosterols.....mg									
Others:									
Alcohol, ethyl.....g	0.0		0	Z	7		0.0		
Caffeine.....mg	0		0	BFFN	4		0		
Theobromine.....mg	0		0	BFFN	4		0		

Blanks in the Mean column indicate lack of reliable data. The Number of Data Points column is the number of analyses upon which the mean is based. Number of Data Points of zero indicates the mean was either calculated (as for Energy) or estimated, usually from a recipe, another form of the same food, or similar food.

Common Measures:

Measure 1 = 30.8g: 1 fl oz

Footnotes:

1 Contains arachidonic acid (ARA, nutrient number 620) and docosahexaenoic acid (DHA, nutrient number 621), fatty acids found in human breast milk.

Calories Factors: Protein

Fat

Carbohydrate

Food Group: 03 Baby Foods

NDB No. 03980

Infant Formula, MEAD JOHNSON, ENFAMIL, GENTLEASE, powder

Nutrients and Units	Amount in 100 grams of edible portion				Amount in edible portion of common measures of food				
	Mean	Std. Error	Number of Data Points	Deriv Code	Source Code	Confidence Code	Measure 1	Measure 2	Measure 3
Lipids:									
Fatty acids, total saturated.....g	11.649		0	NC	4		1.013		
4:0.....g	0.000		0	BFFN	4		0.000		
6:0.....g	0.077		0	BFFN	4		0.007		
8:0.....g	0.463		0	BFFN	4		0.040		
10:0.....g	0.309		0	BFFN	4		0.027		
12:0.....g	2.469		0	BFFN	4		0.215		
13:0.....g									
14:0.....g	1.080		0	BFFN	4		0.094		
15:0.....g									
16:0.....g	6.171		0	BFFN	4		0.537		
17:0.....g									
18:0.....g	1.080		0	BFFN	4		0.094		
20:0.....g									
22:0.....g									
24:0.....g									
Fatty acids, total monounsaturated.....g	10.108		0	NC	4		0.879		
14:1.....g									
15:1.....g									
16:1 undifferentiated.....g	0.079		0	BFFN	4		0.007		
17:1.....g									
18:1 undifferentiated.....g	9.951		0	BFFN	4		0.866		
20:1.....g	0.077		0	BFFN	4		0.007		
22:1 undifferentiated.....g	0.000		0	BFFN	4		0.000		
24:1 c.....g									
Fatty acids, total polyunsaturated.....g	5.071		0	NC	4		0.441		
18:2 undifferentiated.....g	4.400		1	MA	12		0.383		
18:3 undifferentiated.....g	0.410		1	MA	12		0.036		
18:4.....g	0.000		0	BFFN	4		0.000		
20:2 n-6 c,c.....g									
20:3 undifferentiated.....g									
20:4 undifferentiated.....g	0.175		1	MA	12		0.015		
20:5 n-3 (EPA).....g	0.000		0	BFFN	4		0.000		
21:5.....g									
22:4.....g									
22:5 n-3 (DPA).....g	0.000		0	BFFN	4		0.000		
22:6 n-3 (DHA).....g	0.086		1	MA	12		0.007		
Fatty acids, total trans.....g									
Cholesterol.....mg	0		0	Z	7		0		
Phytosterols.....mg									
Others:									
Alcohol, ethyl.....g	0.0		0	Z	7		0.0		
Caffeine.....mg	0		0	Z	7		0		
Theobromine.....mg	0		0	Z	7		0		

Blanks in the Mean column indicate lack of reliable data. The Number of Data Points column is the number of analyses upon which the mean is based. Number of Data Points of zero indicates the mean was either calculated (as for Energy) or estimated, usually from a recipe, another form of the same food, or similar food.

Common Measures:

Measure 1 = 8.7g: 1 scoop

Calories Factors: Protein

Fat

Carbohydrate

Food Group: 03 Baby Foods

USDA National Nutrient Database for Standard Reference, Release 28 (2015)

Nutrients and Units	Amount in 100 grams of edible portion				Amount in edible portion of common measures of food				
	Mean	Std. Error	Number of Data Points	Deriv Code	Source Code	Confidence Code	Measure 1	Measure 2	Measure 3
Lipids:									
Fatty acids, total saturated.....g	2.824		0	BFSN	4		0.887		
4:0.....g	0.000		0	BFSN	4		0.000		
6:0.....g	0.018		0	BFSN	4		0.006		
8:0.....g	0.112		0	BFSN	4		0.035		
10:0.....g	0.074		0	BFSN	4		0.023		
12:0.....g	0.601		0	BFSN	4		0.189		
13:0.....g									
14:0.....g	0.278		0	BFSN	4		0.087		
15:0.....g									
16:0.....g	1.462		0	BFSN	4		0.459		
17:0.....g									
18:0.....g	0.279		0	BFSN	4		0.088		
20:0.....g									
22:0.....g									
24:0.....g									
Fatty acids, total monounsaturated.....g	2.527		0	BFSN	4		0.794		
14:1.....g									
15:1.....g									
16:1 undifferentiated.....g	0.019		0	BFSN	4		0.006		
17:1.....g									
18:1 undifferentiated.....g	2.471		0	BFSN	4		0.776		
20:1.....g	0.019		0	BFSN	4		0.006		
22:1 undifferentiated.....g	0.019		0	BFSN	4		0.006		
24:1 c.....g									
Fatty acids, total polyunsaturated.....g	1.319		0	BFSN	4		0.414		
18:2 undifferentiated.....g	1.152		0	BFSN	4		0.362		
18:3 undifferentiated.....g	0.112		0	BFSN	4		0.035		
18:4.....g	0.000		0	BFSN	4		0.000		
20:2 n-6 c,c.....g									
20:3 undifferentiated.....g									
20:4 undifferentiated.....g	0.037		0	BFSN	4		0.012		
20:5 n-3 (EPA).....g	0.000		0	BFSN	4		0.000		
21:5.....g									
22:4.....g									
22:5 n-3 (DPA).....g	0.000		0	BFSN	4		0.000		
22:6 n-3 (DHA).....g	0.019		0	BFSN	4		0.006		
Fatty acids, total trans.....g									
Cholesterol.....mg	0		0	BFSN	4		0		
Phytosterols.....mg									
Others:									
Alcohol, ethyl.....g	0.0		0	BFSN	4		0.0		
Caffeine.....mg	0		0	BFSN	4		0		
Theobromine.....mg	0		0	BFSN	4		0		

Blanks in the Mean column indicate lack of reliable data. The Number of Data Points column is the number of analyses upon which the mean is based. Number of Data Points of zero indicates the mean was either calculated (as for Energy) or estimated, usually from a recipe, another form of the same food, or similar food.

Common Measures:

Measure 1 = 31.4g: 1 fl oz

Calories Factors: Protein

Fat

Carbohydrate

Food Group: 03 Baby Foods

NDB No. 33863

Infant Formula, MEAD JOHNSON, ENFAMIL, Premium LIPIL, Infant, powder

Nutrients and Units	Amount in 100 grams of edible portion					Amount in edible portion of common measures of food			
	Mean	Std. Error	Number of Data Points	Deriv Code	Source Code	Confidence Code	Measure 1	Measure 2	Measure 3
Lipids:									
Fatty acids, total saturated.....g	11.161		0	BFFN	4		0.971		
4:0.....g	0.000		0	BFFN	4		0.000		
6:0.....g	0.071		0	BFFN	4		0.006		
8:0.....g	0.441		0	BFFN	4		0.038		
10:0.....g	0.294		0	BFFN	4		0.026		
12:0.....g	2.376		0	BFFN	4		0.207		
13:0.....g									
14:0.....g	1.099		0	BFFN	4		0.096		
15:0.....g									
16:0.....g	5.778		0	BFFN	4		0.503		
17:0.....g									
18:0.....g	1.102		0	BFFN	4		0.096		
20:0.....g									
22:0.....g									
24:0.....g									
Fatty acids, total monounsaturated.....g	9.987		0	BFFN	4		0.869		
14:1.....g									
15:1.....g									
16:1 undifferentiated.....g	0.073		0	BFFN	4		0.006		
17:1.....g									
18:1 undifferentiated.....g	9.766		0	BFFN	4		0.850		
20:1.....g	0.073		0	BFFN	4		0.006		
22:1 undifferentiated.....g	0.073		0	BFFN	4		0.006		
24:1 c.....g									
Fatty acids, total polyunsaturated.....g	5.213		0	BFFN	4		0.454		
18:2 undifferentiated.....g	4.551		0	BFFN	4		0.396		
18:3 undifferentiated.....g	0.441		0	BFFN	4		0.038		
18:4.....g	0.000		0	BFFN	4		0.000		
20:2 n-6 c,c.....g									
20:3 undifferentiated.....g									
20:4 undifferentiated.....g	0.147		0	BFFN	4		0.013		
20:5 n-3 (EPA).....g	0.000		0	BFFN	4		0.000		
21:5.....g									
22:4.....g									
22:5 n-3 (DPA).....g	0.000		0	BFFN	4		0.000		
22:6 n-3 (DHA).....g	0.073		0	BFFN	4		0.006		
Fatty acids, total trans.....g									
Cholesterol.....mg	0		0	NR	4		0		
Phytosterols.....mg									
Others:									
Alcohol, ethyl.....g	0.0		0	NR	4		0.0		
Caffeine.....mg	0		0	NR	4		0		
Theobromine.....mg	0		0	NR	4		0		

Blanks in the Mean column indicate lack of reliable data. The Number of Data Points column is the number of analyses upon which the mean is based. Number of Data Points of zero indicates the mean was either calculated (as for Energy) or estimated, usually from a recipe, another form of the same food, or similar food.

Common Measures:

Measure 1 = 8.7g: 1 scoop

Calories Factors: Protein

Fat

Carbohydrate

Food Group: 03 Baby Foods

USDA National Nutrient Database for Standard Reference, Release 28 (2015)

NDB No. 33865

Infant Formula, MEAD JOHNSON, ENFAMIL, Premium, Infant, Liquid concentrate, not reconstituted

Nutrients and Units	Amount in 100 grams of edible portion				Amount in edible portion of common measures of food				
	Mean	Std. Error	Number of Data Points	Deriv Code	Source Code	Confidence Code	Measure 1	Measure 2	Measure 3
Lipids:									
Fatty acids, total saturated.....g	2.943		0	NC	4		0.924		
4:0.....g	0.000		0	BFSN	4		0.000		
6:0.....g	0.019		0	BFSN	4		0.006		
8:0.....g	0.116		0	BFSN	4		0.037		
10:0.....g	0.078		0	BFSN	4		0.024		
12:0.....g	0.626		0	BFSN	4		0.197		
13:0.....g									
14:0.....g	0.290		0	BFSN	4		0.091		
15:0.....g									
16:0.....g	1.524		0	BFSN	4		0.478		
17:0.....g									
18:0.....g	0.291		0	BFSN	4		0.091		
20:0.....g									
22:0.....g									
24:0.....g									
Fatty acids, total monounsaturated.....g	2.633		0	NC	4		0.827		
14:1.....g									
15:1.....g									
16:1 undifferentiated.....g	0.019		0	BFSN	4		0.006		
17:1.....g									
18:1 undifferentiated.....g	2.575		0	BFSN	4		0.809		
20:1.....g	0.019		0	BFSN	4		0.006		
22:1 undifferentiated.....g	0.019		0	BFSN	4		0.006		
24:1 c.....g									
Fatty acids, total polyunsaturated.....g	1.355		0	NC	4		0.426		
18:2 undifferentiated.....g	1.200		0	BFSN	4		0.377		
18:3 undifferentiated.....g	0.117		0	NR	4		0.037		
18:4.....g	0.000		0	BFSN	4		0.000		
20:2 n-6 c,c.....g									
20:3 undifferentiated.....g									
20:4 undifferentiated.....g	0.039		0	BFSN	4		0.012		
20:5 n-3 (EPA).....g	0.000		0	BFSN	4		0.000		
21:5.....g									
22:4.....g									
22:5 n-3 (DPA).....g	0.000		0	BFSN	4		0.000		
22:6 n-3 (DHA).....g	0.000		0	NR	4		0.000		
Fatty acids, total trans.....g									
Cholesterol.....mg	0		0	BFSN	4		0		
Phytosterols.....mg									
Others:									
Alcohol, ethyl.....g	0.0		0	BFSN	4		0.0		
Caffeine.....mg	0		0	BFSN	4		0		
Theobromine.....mg	0		0	BFSN	4		0		

Blanks in the Mean column indicate lack of reliable data. The Number of Data Points column is the number of analyses upon which the mean is based. Number of Data Points of zero indicates the mean was either calculated (as for Energy) or estimated, usually from a recipe, another form of the same food, or similar food.

Common Measures:

Measure 1 = 31.4g: 1 fl oz

Calories Factors: Protein

Fat

Carbohydrate

Food Group: 03 Baby Foods

USDA National Nutrient Database for Standard Reference, Release 28 (2015)

Nutrients and Units	Amount in 100 grams of edible portion				Amount in edible portion of common measures of food				
	Mean	Std. Error	Number of Data Points	Deriv Code	Source Code	Confidence Code	Measure 1	Measure 2	Measure 3
Lipids:									
Fatty acids, total saturated.....g	11.161		0	BFFN	4		0.971		
4:0.....g	0.000		0	BFFN	4		0.000		
6:0.....g	0.071		0	BFFN	4		0.006		
8:0.....g	0.441		0	BFFN	4		0.038		
10:0.....g	0.294		0	BFFN	4		0.026		
12:0.....g	2.376		0	BFFN	4		0.207		
13:0.....g									
14:0.....g	1.099		0	BFFN	4		0.096		
15:0.....g									
16:0.....g	5.778		0	BFFN	4		0.503		
17:0.....g									
18:0.....g	1.102		0	BFFN	4		0.096		
20:0.....g									
22:0.....g									
24:0.....g									
Fatty acids, total monounsaturated.....g	9.987		0	BFFN	4		0.869		
14:1.....g									
15:1.....g									
16:1 undifferentiated.....g	0.073		0	BFFN	4		0.006		
17:1.....g									
18:1 undifferentiated.....g	9.766		0	BFFN	4		0.850		
20:1.....g	0.073		0	BFFN	4		0.006		
22:1 undifferentiated.....g	0.073		0	BFFN	4		0.006		
24:1 c.....g									
Fatty acids, total polyunsaturated.....g	5.213		0	BFFN	4		0.454		
18:2 undifferentiated.....g	4.551		0	BFFN	4		0.396		
18:3 undifferentiated.....g	0.441		0	BFFN	4		0.038		
18:4.....g	0.000		0	BFFN	4		0.000		
20:2 n-6 c,c.....g									
20:3 undifferentiated.....g									
20:4 undifferentiated.....g	0.147		0	BFFN	4		0.013		
20:5 n-3 (EPA).....g	0.000		0	BFFN	4		0.000		
21:5.....g									
22:4.....g									
22:5 n-3 (DPA).....g	0.000		0	BFFN	4		0.000		
22:6 n-3 (DHA).....g	0.000		0	NR	4		0.000		
Fatty acids, total trans.....g									
Cholesterol.....mg	0		0	NR	4		0		
Phytosterols.....mg									
Others:									
Alcohol, ethyl.....g	0.0		0	NR	4		0.0		
Caffeine.....mg	0		0	NR	4		0		
Theobromine.....mg	0		0	NR	4		0		

Blanks in the Mean column indicate lack of reliable data. The Number of Data Points column is the number of analyses upon which the mean is based. Number of Data Points of zero indicates the mean was either calculated (as for Energy) or estimated, usually from a recipe, another form of the same food, or similar food.

Common Measures:

Measure 1 = 8.7g: 1 scoop

Calories Factors: Protein

Fat

Carbohydrate

Food Group: 03 Baby Foods

Nutrients and Units	Amount in 100 grams of edible portion				Amount in edible portion of common measures of food				
	Mean	Std. Error	Number of Data Points	Deriv Code	Source Code	Confidence Code	Measure 1	Measure 2	Measure 3
Lipids:									
Fatty acids, total saturated.....g	1.027		0	NC	4		0.313	1.562	
4:0.....g	0.000		0	NR	4		0.000	0.000	
6:0.....g	0.007		0	NR	4		0.002	0.010	
8:0.....g	0.041		0	NR	4		0.012	0.062	
10:0.....g	0.027		0	NR	4		0.008	0.041	
12:0.....g	0.219		0	NR	4		0.067	0.332	
13:0.....g									
14:0.....g	0.101		0	NR	4		0.031	0.154	
15:0.....g									
16:0.....g	0.532		0	NR	4		0.162	0.809	
17:0.....g									
18:0.....g	0.101		0	NR	4		0.031	0.154	
20:0.....g									
22:0.....g									
24:0.....g									
Fatty acids, total monounsaturated.....g	0.919		0	NC	4		0.280	1.397	
14:1.....g									
15:1.....g									
16:1 undifferentiated.....g	0.007		0	NR	4		0.002	0.010	
17:1.....g									
18:1 undifferentiated.....g	0.899		0	NR	4		0.274	1.367	
20:1.....g	0.007		0	NR	4		0.002	0.010	
22:1 undifferentiated.....g	0.007		0	NR	4		0.002	0.010	
24:1 c.....g									
Fatty acids, total polyunsaturated.....g	0.480		0	NC	4		0.146	0.729	
18:2 undifferentiated.....g	0.419		0	NR	4		0.128	0.637	
18:3 undifferentiated.....g	0.041		0	NR	4		0.012	0.062	
18:4.....g	0.000		0	NR	4		0.000	0.000	
20:2 n-6 c,c.....g									
20:3 undifferentiated.....g									
20:4 undifferentiated.....g	0.014		0	NR	4		0.004	0.021	
20:5 n-3 (EPA).....g	0.000		0	NR	4		0.000	0.000	
21:5.....g									
22:4.....g									
22:5 n-3 (DPA).....g	0.000		0	NR	4		0.000	0.000	
22:6 n-3 (DHA).....g	0.007		0	NR	4		0.002	0.010	
Fatty acids, total trans.....g									
Cholesterol.....mg	0		0	NR	4		0	0	
Phytosterols.....mg									
Others:									
Alcohol, ethyl.....g	0.0		0	NR	4		0.0	0.0	
Caffeine.....mg	0		0	NR	4		0	0	
Theobromine.....mg	0		0	NR	4		0	0	

Blanks in the Mean column indicate lack of reliable data. The Number of Data Points column is the number of analyses upon which the mean is based. Number of Data Points of zero indicates the mean was either calculated (as for Energy) or estimated, usually from a recipe, another form of the same food, or similar food.

Common Measures:

Measure 1 = 30.5g: 1 fl oz

Measure 2 = 152g: 5 fl oz

Calories Factors: Protein

Fat

Carbohydrate

Food Group: 03 Baby Foods

NDB No. 33862

Infant Formula, MEAD JOHNSON, ENFAMIL, Premium, Newborn, powder

Nutrients and Units	Amount in 100 grams of edible portion				Amount in edible portion of common measures of food				
	Mean	Std. Error	Number of Data Points	Deriv Code	Source Code	Confidence Code	Measure 1	Measure 2	Measure 3
Lipids:									
Fatty acids, total saturated.....g	7.787		0	NC	4		0.748		
4:0.....g	0.000		0	BFFN	4		0.000		
6:0.....g	0.050		0	BFFN	4		0.005		
8:0.....g	0.308		0	BFFN	4		0.030		
10:0.....g	0.205		0	BFFN	4		0.020		
12:0.....g	1.658		0	BFFN	4		0.159		
13:0.....g									
14:0.....g	0.767		0	BFFN	4		0.074		
15:0.....g									
16:0.....g	4.032		0	BFFN	4		0.387		
17:0.....g									
18:0.....g	0.769		0	BFFN	4		0.074		
20:0.....g									
22:0.....g									
24:0.....g									
Fatty acids, total monounsaturated.....g	6.968		0	NC	4		0.669		
14:1.....g									
15:1.....g									
16:1 undifferentiated.....g	0.051		0	BFFN	4		0.005		
17:1.....g									
18:1 undifferentiated.....g	6.814		0	BFFN	4		0.654		
20:1.....g	0.051		0	BFFN	4		0.005		
22:1 undifferentiated.....g	0.051		0	BFFN	4		0.005		
24:1 c.....g									
Fatty acids, total polyunsaturated.....g	3.586		0	NC	4		0.344		
18:2 undifferentiated.....g	3.176		0	BFFN	4		0.305		
18:3 undifferentiated.....g	0.308		0	BFFN	4		0.030		
18:4.....g	0.000		0	BFFN	4		0.000		
20:2 n-6 c,c.....g									
20:3 undifferentiated.....g									
20:4 undifferentiated.....g	0.103		0	BFFN	4		0.010		
20:5 n-3 (EPA).....g	0.000		0	MC	9		0.000		
21:5.....g									
22:4.....g									
22:5 n-3 (DPA).....g	0.000		0	MC	9		0.000		
22:6 n-3 (DHA).....g	0.000		0	NR	4		0.000		
Fatty acids, total trans.....g									
Cholesterol.....mg	0		0	MC	9		0		
Phytosterols.....mg									
Others:									
Alcohol, ethyl.....g	0.0		0	MC	9		0.0		
Caffeine.....mg	0		0	NR	4		0		
Theobromine.....mg	0		0	NR	4		0		

Blanks in the Mean column indicate lack of reliable data. The Number of Data Points column is the number of analyses upon which the mean is based. Number of Data Points of zero indicates the mean was either calculated (as for Energy) or estimated, usually from a recipe, another form of the same food, or similar food.

Common Measures:

Measure 1 = 9.6g: 1 scoop

Calories Factors: Protein

Fat

Carbohydrate

Food Group: 03 Baby Foods

USDA National Nutrient Database for Standard Reference, Release 28 (2015)

Nutrients and Units	Amount in 100 grams of edible portion				Amount in edible portion of common measures of food			
	Mean	Std. Error	Number of Data Points			Measure 1	Measure 2	Measure 3
			Deriv Code	Source Code	Confidence Code			
Lipids:								
Fatty acids, total saturated.....g	1.001		0	NC	4	0.305	1.521	
4:0.....g	0.000		0	NR	4	0.000	0.000	
6:0.....g	0.006		0	NR	4	0.002	0.010	
8:0.....g	0.040		0	NR	4	0.012	0.060	
10:0.....g	0.026		0	NR	4	0.008	0.040	
12:0.....g	0.213		0	NR	4	0.065	0.324	
13:0.....g								
14:0.....g	0.099		0	NR	4	0.030	0.150	
15:0.....g								
16:0.....g	0.518		0	NR	4	0.158	0.788	
17:0.....g								
18:0.....g	0.099		0	NR	4	0.030	0.150	
20:0.....g								
22:0.....g								
24:0.....g								
Fatty acids, total monounsaturated.....g	0.896		0	NC	4	0.273	1.361	
14:1.....g								
15:1.....g								
16:1 undifferentiated.....g	0.007		0	NR	4	0.002	0.010	
17:1.....g								
18:1 undifferentiated.....g	0.876		0	NR	4	0.267	1.331	
20:1.....g	0.007		0	NR	4	0.002	0.010	
22:1 undifferentiated.....g	0.007		0	NR	4	0.002	0.010	
24:1 c.....g								
Fatty acids, total polyunsaturated.....g	0.467		0	NC	4	0.143	0.711	
18:2 undifferentiated.....g	0.408		0	NR	4	0.124	0.620	
18:3 undifferentiated.....g	0.040		0	NR	4	0.012	0.060	
18:4.....g	0.000		0	NR	4	0.000	0.000	
20:2 n-6 c,c.....g								
20:3 undifferentiated.....g								
20:4 undifferentiated.....g	0.013		0	NR	4	0.004	0.020	
20:5 n-3 (EPA).....g	0.000		0	NR	4	0.000	0.000	
21:5.....g								
22:4.....g								
22:5 n-3 (DPA).....g	0.000		0	NR	4	0.000	0.000	
22:6 n-3 (DHA).....g	0.007		0	NR	4	0.002	0.010	
Fatty acids, total trans.....g								
Cholesterol.....mg	0		0	NR	4	0	0	
Phytosterols.....mg								
Others:								
Alcohol, ethyl.....g	0.0		0	NR	4	0.0	0.0	
Caffeine.....mg	0		0	NR	4	0	0	
Theobromine.....mg	0		0	NR	4	0	0	

Blanks in the Mean column indicate lack of reliable data. The Number of Data Points column is the number of analyses upon which the mean is based. Number of Data Points of zero indicates the mean was either calculated (as for Energy) or estimated, usually from a recipe, another form of the same food, or similar food.

Common Measures:

Measure 1 = 30.5g: 1 fl oz

Measure 2 = 152g: 5 fl oz

Calories Factors: Protein

Fat

Carbohydrate

Food Group: 03 Baby Foods

Nutrients and Units	Amount in 100 grams of edible portion					Amount in edible portion of common measures of food			
	Mean	Std. Error	Number of Data Points	Deriv Code	Source Code	Confidence Code	Measure 1	Measure 2	Measure 3
Lipids:									
Fatty acids, total saturated.....g	14.282		0	NC	4		1.243		
4:0.....g	0.000		0	BFFN	4		0.000		
6:0.....g	0.000		0	BFFN	4		0.000		
8:0.....g	7.231		0	BFFN	4		0.629		
10:0.....g	5.351		0	BFFN	4		0.466		
12:0.....g	0.179		0	BFFN	4		0.016		
13:0.....g									
14:0.....g	0.054		0	BFFN	4		0.005		
15:0.....g									
16:0.....g	1.064		0	BFFN	4		0.093		
17:0.....g									
18:0.....g	0.404		0	BFFN	4		0.035		
20:0.....g									
22:0.....g									
24:0.....g									
Fatty acids, total monounsaturated.....g	2.276		0	NC	4		0.198		
14:1.....g									
15:1.....g									
16:1 undifferentiated.....g	0.023		0	BFFN	4		0.002		
17:1.....g									
18:1 undifferentiated.....g	2.229		0	BFFN	4		0.194		
20:1.....g	0.023		0	BFFN	4		0.002		
22:1 undifferentiated.....g	0.000		0	BFFN	4		0.000		
24:1 c.....g									
Fatty acids, total polyunsaturated.....g	8.877		0	NC	4		0.772		
18:2 undifferentiated.....g	8.194		0	BFFN	4		0.713		
18:3 undifferentiated.....g	0.458		0	BFFN	4		0.040		
18:4.....g	0.000		0	BFFN	4		0.000		
20:2 n-6 c,c.....g									
20:3 undifferentiated.....g									
20:4 undifferentiated.....g	0.140		0	BFFN	4		0.012		
20:5 n-3 (EPA).....g	0.000		0	BFFN	4		0.000		
21:5.....g									
22:4.....g									
22:5 n-3 (DPA).....g	0.000		0	BFFN	4		0.000		
22:6 n-3 (DHA).....g	0.085		0	BFFN	4		0.007		
Fatty acids, total trans.....g									
Cholesterol.....mg	8		0	BFFN	4		1		
Phytosterols.....mg									
Others:									
Alcohol, ethyl.....g	0.0		0	Z	7		0.0		
Caffeine.....mg	0		0	NR	4		0		
Theobromine.....mg	0		0	Z	7		0		

Blanks in the Mean column indicate lack of reliable data. The Number of Data Points column is the number of analyses upon which the mean is based. Number of Data Points of zero indicates the mean was either calculated (as for Energy) or estimated, usually from a recipe, another form of the same food, or similar food.

Common Measures:

Measure 1 = 8.7g: 1 scoop

Footnotes:

1 Contains arachidonic acid (ARA, nutrient number 620) and docosahexaenoic acid (DHA, nutrient number 621), fatty acids found in human breast milk.

Calories Factors: Protein

Fat

Carbohydrate

Food Group: 03 Baby Foods

Nutrients and Units	Amount in 100 grams of edible portion				Amount in edible portion of common measures of food			
	Mean	Std. Error	Number of Data Points			Measure 1	Measure 2	Measure 3
			Deriv Code	Source Code	Confidence Code			
Tocotrienol, delta.....mg								
Vitamin D (D2 + D3).....µg	1.2		0	MC	9	0.4		
Vitamin D.....IU	48		0	MC	9	15		
Vitamin K (phylloquinone).....µg	7.5		0	MC	9	2.3		
Dihydrophylloquinone.....µg								
Menaquinone-4.....µg								
Lipids:								
Fatty acids, total saturated.....g	2.447		0	NC	4	0.746		
4:0.....g	0.000		0	MA	12	0.000		
6:0.....g	0.013		0	MA	12	0.004		
8:0.....g	1.039		0	MA	12	0.317		
10:0.....g	0.576		0	MA	12	0.176		
12:0.....g	0.333		0	MA	12	0.102		
13:0.....g								
14:0.....g	0.144		0	MA	12	0.044		
15:0.....g								
16:0.....g	0.232		0	MA	12	0.071		
17:0.....g								
18:0.....g	0.110		0	MA	12	0.033		
20:0.....g								
22:0.....g								
24:0.....g								
Fatty acids, total monounsaturated.....g	0.387		0	NC	4	0.118		
14:1.....g								
15:1.....g								
16:1 undifferentiated.....g	0.000		0	MA	12	0.000		
17:1.....g								
18:1 undifferentiated.....g	0.387		0	MA	12	0.118		
20:1.....g	0.000		0	MA	12	0.000		
22:1 undifferentiated.....g	0.000		0	MA	12	0.000		
24:1 c.....g								
Fatty acids, total polyunsaturated.....g	0.844		0	NC	4	0.257		
18:2 undifferentiated.....g	0.729		0	MA	12	0.222		
18:3 undifferentiated.....g	0.081		0	MA	12	0.025		
18:4.....g	0.000		0	MA	12	0.000		
20:2 n-6 c,c.....g								
20:3 undifferentiated.....g								
20:4 undifferentiated.....g	0.022		0	MC	9	0.007		
20:5 n-3 (EPA).....g	0.000		0	MA	12	0.000		
21:5.....g								
22:4.....g								
22:5 n-3 (DPA).....g	0.000		0	MA	12	0.000		
22:6 n-3 (DHA).....g	0.012		0	MC	9	0.004		
Fatty acids, total trans.....g								
Cholesterol.....mg	2		0	MA	12	1		
Phytosterols.....mg								
Others:								
Alcohol, ethyl.....g	0.0		0	Z	7	0.0		
Caffeine.....mg	0		0	Z	7	0		
Theobromine.....mg	0		0	Z	7	0		

Blanks in the Mean column indicate lack of reliable data. The Number of Data Points column is the number of analyses upon which the mean is based. Number of Data Points of zero indicates the mean was either calculated (as for Energy) or estimated, usually from a recipe, another form of the same food, or similar food.

Common Measures:

Measure 1 = 30.5g: 1 fl oz

Footnotes:

1 Contains arachidonic acid (ARA, nutrient number 620) and docosahexaenoic acid (DHA, nutrient number 621), fatty acids found in human breast milk.

NDB No. 03944

Infant formula, ABBOTT NUTRITION, SIMILAC NEOSURE, ready-to-feed, with ARA and DHA (1)

Calories Factors: Protein

Fat

Carbohydrate

Food Group: 03 Baby Foods

USDA National Nutrient Database for Standard Reference, Release 28 (2015)

Nutrients and Units	Amount in 100 grams of edible portion					Amount in edible portion of common measures of food		
	Mean	Std. Error	Number of Data Points			Measure 1	Measure 2	Measure 3
			Deriv Code	Source Code	Confidence Code			
Tocotrienol, delta.....mg								
Vitamin D (D2 + D3).....µg	1.9		0	T	4		0.6	
Vitamin D.....IU	76		0	T	4		24	
Vitamin K (phylloquinone).....µg	10.2		0	T	4		3.2	
Dihydrophylloquinone.....µg								
Menaquinone-4.....µg								
Lipids:								
Fatty acids, total saturated.....g	2.401		0	MA	12		0.754	
4:0.....g	0.000		0	MA	12		0.000	
6:0.....g	0.014		0	MA	12		0.004	
8:0.....g	0.214		0	MA	12		0.067	
10:0.....g	0.152		0	MA	12		0.048	
12:0.....g	0.943		0	MA	12		0.296	
13:0.....g								
14:0.....g	0.355		0	MA	12		0.111	
15:0.....g								
16:0.....g	0.500		0	MA	12		0.157	
17:0.....g								
18:0.....g	0.223		0	MA	12		0.070	
20:0.....g								
22:0.....g								
24:0.....g								
Fatty acids, total monounsaturated.....g	2.551		0	MA	12		0.801	
14:1.....g								
15:1.....g								
16:1 undifferentiated.....g	0.005		0	MA	12		0.002	
17:1.....g								
18:1 undifferentiated.....g	2.533		0	MA	12		0.795	
20:1.....g	0.013		0	MA	12		0.004	
22:1 undifferentiated.....g	0.000		0	MA	12		0.000	
24:1 c.....g								
Fatty acids, total polyunsaturated.....g	1.555		0	MA	12		0.488	
18:2 undifferentiated.....g	1.405		0	MA	12		0.441	
18:3 undifferentiated.....g	0.150		0	MA	12		0.047	
18:4.....g	0.000		0	MA	12		0.000	
20:2 n-6 c,c.....g								
20:3 undifferentiated.....g								
20:4 undifferentiated.....g	0.046		0	NR	4		0.014	
20:5 n-3 (EPA).....g	0.000		0	MA	12		0.000	
21:5.....g								
22:4.....g								
22:5 n-3 (DPA).....g	0.000		0	MA	12		0.000	
22:6 n-3 (DHA).....g	0.023		0	NR	4		0.007	
Fatty acids, total trans.....g								
Cholesterol.....mg	3		0	ML	5		1	
Phytosterols.....mg								
Others:								
Alcohol, ethyl.....g	0.0		0	Z	7		0.0	
Caffeine.....mg	0		0	Z	7		0	
Theobromine.....mg	0		0	Z	7		0	

Blanks in the Mean column indicate lack of reliable data. The Number of Data Points column is the number of analyses upon which the mean is based. Number of Data Points of zero indicates the mean was either calculated (as for Energy) or estimated, usually from a recipe, another form of the same food, or similar food.

Common Measures:

Measure 1 = 31.4g: 1 fl oz

Footnotes:

1 Contains arachidonic acid (ARA, nutrient number 620) and docosahexaenoic acid (DHA, nutrient number 621), fatty acids found in human breast milk.

NDB No. 03951

Infant formula, ABBOTT NUTRITION, SIMILAC, ADVANCE, with iron, liquid concentrate, not reconstituted (1)

Calories Factors: Protein

Fat

Carbohydrate

Food Group: 03 Baby Foods

USDA National Nutrient Database for Standard Reference, Release 28 (2015)

Nutrients and Units	Amount in 100 grams of edible portion				Amount in edible portion of common measures of food			
	Mean	Std. Error	Number of Data Points			Measure 1	Measure 2	Measure 3
			Deriv Code	Source Code	Confidence Code			
Tocotrienol, delta.....mg								
Vitamin D (D2 + D3).....µg	7.9		0	T	4		0.7	
Vitamin D.....IU	316		0	T	4		27	
Vitamin K (phylloquinone).....µg	42.1		0	T	4		3.6	
Dihydrophylloquinone.....µg								
Menaquinone-4.....µg								
Lipids:								
Fatty acids, total saturated.....g	9.873		0	MA	12		0.839	
4:0.....g	0.000		0	MA	12		0.000	
6:0.....g	0.059		0	MA	12		0.005	
8:0.....g	0.879		0	MA	12		0.075	
10:0.....g	0.626		0	MA	12		0.053	
12:0.....g	3.876		0	MA	12		0.329	
13:0.....g								
14:0.....g	1.459		0	MA	12		0.124	
15:0.....g								
16:0.....g	2.056		0	MA	12		0.175	
17:0.....g								
18:0.....g	0.916		0	MA	12		0.078	
20:0.....g								
22:0.....g								
24:0.....g								
Fatty acids, total monounsaturated.....g	10.491		0	MA	12		0.892	
14:1.....g								
15:1.....g								
16:1 undifferentiated.....g	0.019		0	MA	12		0.002	
17:1.....g								
18:1 undifferentiated.....g	10.419		0	MA	12		0.886	
20:1.....g	0.054		0	MA	12		0.005	
22:1 undifferentiated.....g	0.000		0	MA	12		0.000	
24:1 c.....g								
Fatty acids, total polyunsaturated.....g	6.396		0	MA	12		0.544	
18:2 undifferentiated.....g	5.778		0	MA	12		0.491	
18:3 undifferentiated.....g	0.618		0	MA	12		0.053	
18:4.....g	0.000		0	MA	12		0.000	
20:2 n-6 c,c.....g								
20:3 undifferentiated.....g								
20:4 undifferentiated.....g	0.187		0	NR	4		0.016	
20:5 n-3 (EPA).....g	0.000		0	MA	12		0.000	
21:5.....g								
22:4.....g								
22:5 n-3 (DPA).....g	0.000		0	MA	12		0.000	
22:6 n-3 (DHA).....g	0.096		0	NR	4		0.008	
Fatty acids, total trans.....g								
Cholesterol.....mg	14		0	ML	5		1	
Phytosterols.....mg								
Others:								
Alcohol, ethyl.....g	0.0		0	Z	7		0.0	
Caffeine.....mg	0		0	Z	7		0	
Theobromine.....mg	0		0	Z	7		0	

Blanks in the Mean column indicate lack of reliable data. The Number of Data Points column is the number of analyses upon which the mean is based. Number of Data Points of zero indicates the mean was either calculated (as for Energy) or estimated, usually from a recipe, another form of the same food, or similar food.

Common Measures:

Measure 1 = 8.5g: 1 scoop

Footnotes:

1 Contains arachidonic acid (ARA, nutrient number 620) and docosahexaenoic acid (DHA, nutrient number 621), fatty acids found in human breast milk.

NDB No. 03950

Infant formula, ABBOTT NUTRITION, SIMILAC, ADVANCE, with iron, powder, not reconstituted (1)

Calories Factors: Protein

Fat

Carbohydrate

Food Group: 03 Baby Foods

USDA National Nutrient Database for Standard Reference, Release 28 (2015)

Nutrients and Units	Amount in 100 grams of edible portion				Amount in edible portion of common measures of food				
	Mean	Std. Error	Number of Data Points	Deriv Code	Source Code	Confidence Code	Measure 1	Measure 2	Measure 3
Tocotrienol, delta.....mg									
Vitamin D (D2 + D3).....µg	1.0		0	T	4		0.3		
Vitamin D.....IU	39		0	T	4		12		
Vitamin K (phyloquinone).....µg	5.3		0	T	4		1.6		
Dihydrophyloquinone.....µg									
Menaquinone-4.....µg									
Lipids:									
Fatty acids, total saturated.....g	1.237		1	MA	12		0.376		
4:0.....g	0.000		1	MA	12		0.000		
6:0.....g	0.007		1	MA	12		0.002		
8:0.....g	0.110		1	MA	12		0.033		
10:0.....g	0.078		1	MA	12		0.024		
12:0.....g	0.486		1	MA	12		0.148		
13:0.....g									
14:0.....g	0.183		1	MA	12		0.056		
15:0.....g									
16:0.....g	0.258		1	MA	12		0.078		
17:0.....g									
18:0.....g	0.115		1	MA	12		0.035		
20:0.....g									
22:0.....g									
24:0.....g									
Fatty acids, total monounsaturated.....g	1.314		1	MA	12		0.399		
14:1.....g									
15:1.....g									
16:1 undifferentiated.....g	0.002		1	MA	12		0.001		
17:1.....g									
18:1 undifferentiated.....g	1.305		1	MA	12		0.397		
20:1.....g	0.007		1	MA	12		0.002		
22:1 undifferentiated.....g	0.000		1	MA	12		0.000		
24:1 c.....g									
Fatty acids, total polyunsaturated.....g	0.801		1	MA	12		0.244		
18:2 undifferentiated.....g	0.724		1	MA	12		0.220		
18:3 undifferentiated.....g	0.077		1	MA	12		0.023		
18:4.....g	0.000		1	MA	12		0.000		
20:2 n-6 c,c.....g									
20:3 undifferentiated.....g									
20:4 undifferentiated.....g	0.023		0	MC	9		0.007		
20:5 n-3 (EPA).....g	0.000		1	MA	12		0.000		
21:5.....g									
22:4.....g									
22:5 n-3 (DPA).....g	0.000		1	MA	12		0.000		
22:6 n-3 (DHA).....g	0.012		0	MC	9		0.004		
Fatty acids, total trans.....g									
Cholesterol.....mg	2		1	MA	12		1		
Phytosterols.....mg									
Others:									
Alcohol, ethyl.....g	0.0		0	Z	7		0.0		
Caffeine.....mg	0		0	Z	7		0		
Theobromine.....mg	0		0	Z	7		0		

Blanks in the Mean column indicate lack of reliable data. The Number of Data Points column is the number of analyses upon which the mean is based. Number of Data Points of zero indicates the mean was either calculated (as for Energy) or estimated, usually from a recipe, another form of the same food, or similar food.

Common Measures:

Measure 1 = 30.4g: 1 fl oz

Footnotes:

1 Contains arachidonic acid (ARA, nutrient number 620) and docosahexaenoic acid (DHA, nutrient number 621), fatty acids found in human breast milk.

NDB No. 03949

Infant formula, ABBOTT NUTRITION, SIMILAC, ADVANCE, with iron, ready-to-feed (1)

Calories Factors: Protein

Fat

Carbohydrate

Food Group: 03 Baby Foods

USDA National Nutrient Database for Standard Reference, Release 28 (2015)

Nutrients and Units	Amount in 100 grams of edible portion				Amount in edible portion of common measures of food			
	Mean	Std. Error	Number of Data Deriv Source Confidence			Measure 1	Measure 2	Measure 3
			Points	Code	Code			
Tocotrienol, delta.....mg								
Vitamin D (D2 + D3).....µg	0.7		0	T	4		0.2	
Vitamin D.....IU	29		0	T	4		9	
Vitamin K (phylloquinone).....µg	9.8		0	T	4		3.0	
Dihydrophylloquinone.....µg								
Menaquinone-4.....µg								
Lipids:								
Fatty acids, total saturated.....g	1.838		1	MA	12		0.561	
4:0.....g	0.000		1	MA	12		0.000	
6:0.....g	0.000		1	MA	12		0.000	
8:0.....g	0.931		1	MA	12		0.284	
10:0.....g	0.689		1	MA	12		0.210	
12:0.....g	0.023		1	MA	12		0.007	
13:0.....g								
14:0.....g	0.007		1	MA	12		0.002	
15:0.....g								
16:0.....g	0.137		1	MA	12		0.042	
17:0.....g								
18:0.....g	0.052		1	MA	12		0.016	
20:0.....g								
22:0.....g								
24:0.....g								
Fatty acids, total monounsaturated.....g	0.294		1	MA	12		0.090	
14:1.....g								
15:1.....g								
16:1 undifferentiated.....g	0.003		1	MA	12		0.001	
17:1.....g								
18:1 undifferentiated.....g	0.287		1	MA	12		0.088	
20:1.....g	0.003		1	MA	12		0.001	
22:1 undifferentiated.....g	0.000		1	MA	12		0.000	
24:1 c.....g								
Fatty acids, total polyunsaturated.....g	1.126		0	MA	12		0.343	
18:2 undifferentiated.....g	1.055		1	MA	12		0.322	
18:3 undifferentiated.....g	0.059		1	MA	12		0.018	
18:4.....g	0.000		1	MA	12		0.000	
20:2 n-6 c,c.....g								
20:3 undifferentiated.....g								
20:4 undifferentiated.....g	0.018		0	MA	12		0.005	
20:5 n-3 (EPA).....g	0.000		1	MA	12		0.000	
21:5.....g								
22:4.....g								
22:5 n-3 (DPA).....g	0.000		1	MA	12		0.000	
22:6 n-3 (DHA).....g	0.011		0	MA	12		0.003	
Fatty acids, total trans.....g								
Cholesterol.....mg	1		1	MA	12		0	
Phytosterols.....mg								
Others:								
Alcohol, ethyl.....g	0.0		0	Z	7		0.0	
Caffeine.....mg	0		0	Z	7		0	
Theobromine.....mg	0		0	Z	7		0	

Blanks in the Mean column indicate lack of reliable data. The Number of Data Points column is the number of analyses upon which the mean is based. Number of Data Points of zero indicates the mean was either calculated (as for Energy) or estimated, usually from a recipe, another form of the same food, or similar food.

Common Measures:

Measure 1 = 30.5g: 1 fl oz

Footnotes:

1 Contains arachidonic acid (ARA, nutrient number 620) and docosahexaenoic acid (DHA, nutrient number 621), fatty acids found in human breast milk.

NDB No. 03935

Infant formula, ABBOTT NUTRITION, SIMILAC, ALIMENTUM, ADVANCE, ready-to-feed, with ARA and DHA (1)

Calories Factors: Protein

Fat

Carbohydrate

Food Group: 03 Baby Foods

USDA National Nutrient Database for Standard Reference, Release 28 (2015)

Nutrients and Units	Amount in 100 grams of edible portion				Amount in edible portion of common measures of food				
	Mean	Std. Error	Number		Source Code	Confidence Code	Measure 1	Measure 2	Measure 3
			of Data Points	Deriv Code					
Tocotrienol, delta.....mg									
Vitamin D (D2 + D3).....µg	0.7		0	T	4		0.2		
Vitamin D.....IU	29		0	T	4		9		
Vitamin K (phylloquinone).....µg	9.8		0	T	4		3.0		
Dihydrophylloquinone.....µg									
Menaquinone-4.....µg									
Lipids:									
Fatty acids, total saturated.....g	1.838		1	MA	12		0.561		
4:0.....g	0.000		1	MA	12		0.000		
6:0.....g	0.000		1	MA	12		0.000		
8:0.....g	0.931		1	MA	12		0.284		
10:0.....g	0.689		1	MA	12		0.210		
12:0.....g	0.023		1	MA	12		0.007		
13:0.....g									
14:0.....g	0.007		1	MA	12		0.002		
15:0.....g									
16:0.....g	0.137		1	MA	12		0.042		
17:0.....g									
18:0.....g	0.052		1	MA	12		0.016		
20:0.....g									
22:0.....g									
24:0.....g									
Fatty acids, total monounsaturated.....g	0.294		1	MA	12		0.090		
14:1.....g									
15:1.....g									
16:1 undifferentiated.....g	0.003		1	MA	12		0.001		
17:1.....g									
18:1 undifferentiated.....g	0.287		1	MA	12		0.088		
20:1.....g	0.003		1	MA	12		0.001		
22:1 undifferentiated.....g	0.000		1	MA	12		0.000		
24:1 c.....g									
Fatty acids, total polyunsaturated.....g	1.113		1	MA	12		0.339		
18:2 undifferentiated.....g	1.055		1	MA	12		0.322		
18:3 undifferentiated.....g	0.059		1	MA	12		0.018		
18:4.....g	0.000		1	MA	12		0.000		
20:2 n-6 c,c.....g									
20:3 undifferentiated.....g									
20:4 undifferentiated.....g	0.000		1	MA	12		0.000		
20:5 n-3 (EPA).....g	0.000		1	MA	12		0.000		
21:5.....g									
22:4.....g									
22:5 n-3 (DPA).....g	0.000		1	MA	12		0.000		
22:6 n-3 (DHA).....g	0.000		1	MA	12		0.000		
Fatty acids, total trans.....g									
Cholesterol.....mg	1		1	MA	12		0		
Phytosterols.....mg									
Others:									
Alcohol, ethyl.....g	0.0		0	Z	7		0.0		
Caffeine.....mg	0		0	Z	7		0		
Theobromine.....mg	0		0	Z	7		0		

Blanks in the Mean column indicate lack of reliable data. The Number of Data Points column is the number of analyses upon which the mean is based. Number of Data Points of zero indicates the mean was either calculated (as for Energy) or estimated, usually from a recipe, another form of the same food, or similar food.

Common Measures:

Measure 1 = 30.5g: 1 fl oz

Calories Factors: Protein

Fat

Carbohydrate

NDB No. 03846

Infant formula, ABBOTT NUTRITION, SIMILAC, ALIMENTUM, with iron, ready-to-feed

Food Group: 03 Baby Foods

USDA National Nutrient Database for Standard Reference, Release 28 (2015)

Nutrients and Units	Amount in 100 grams of edible portion				Amount in edible portion of common measures of food				
	Mean	Std. Error	Number of Data Points		Source Code	Confidence Code	Measure 1	Measure 2	Measure 3
			Deriv Code	Points					
Lipids:									
Fatty acids, total saturated.....g	1.477		0	NC	4		0.449	2.260	
4:0.....g	0.000		0	BFFN	4		0.000	0.000	
6:0.....g	0.009		0	BFFN	4		0.003	0.014	
8:0.....g	0.058		0	BFFN	4		0.018	0.089	
10:0.....g	0.039		0	BFFN	4		0.012	0.059	
12:0.....g	0.318		0	BFFN	4		0.097	0.487	
13:0.....g									
14:0.....g	0.145		0	BFFN	4		0.044	0.222	
15:0.....g									
16:0.....g	0.762		0	BFFN	4		0.232	1.166	
17:0.....g									
18:0.....g	0.145		0	BFFN	4		0.044	0.222	
20:0.....g									
22:0.....g									
24:0.....g									
Fatty acids, total monounsaturated.....g	1.293		0	NC	4		0.393	1.978	
14:1.....g									
15:1.....g									
16:1 undifferentiated.....g	0.009		0	BFFN	4		0.003	0.014	
17:1.....g									
18:1 undifferentiated.....g	1.284		0	BFFN	4		0.390	1.964	
20:1.....g	0.000		0	BFFN	4		0.000	0.000	
22:1 undifferentiated.....g	0.000		0	BFFN	4		0.000	0.000	
24:1 c.....g									
Fatty acids, total polyunsaturated.....g	0.685		0	NC	4		0.208	1.049	
18:2 undifferentiated.....g	0.598		0	BFFN	4		0.182	0.916	
18:3 undifferentiated.....g	0.058		0	BFFN	4		0.018	0.089	
18:4.....g	0.000		0	BFFN	4		0.000	0.000	
20:2 n-6 c,c.....g									
20:3 undifferentiated.....g									
20:4 undifferentiated.....g	0.019		0	BFFN	4		0.006	0.030	
20:5 n-3 (EPA).....g	0.000		0	BFFN	4		0.000	0.000	
21:5.....g									
22:4.....g									
22:5 n-3 (DPA).....g	0.000		0	BFFN	4		0.000	0.000	
22:6 n-3 (DHA).....g	0.009		0	BFFN	4		0.003	0.014	
Fatty acids, total trans.....g									
Cholesterol.....mg	0		0	MC	9		0	0	
Phytosterols.....mg									
Others:									
Alcohol, ethyl.....g	0.0		0	MC	9		0.0	0.0	
Caffeine.....mg	0		0	MC	9		0	0	
Theobromine.....mg	0		0	BFFN	4		0	0	

Blanks in the Mean column indicate lack of reliable data. The Number of Data Points column is the number of analyses upon which the mean is based. Number of Data Points of zero indicates the mean was either calculated (as for Energy) or estimated, usually from a recipe, another form of the same food, or similar food.

Common Measures:

Measure 1 = 30.4g: 1 fl oz

Measure 2 = 153g: 5 fl oz

Calories Factors: Protein

Fat

Carbohydrate

Food Group: 03 Baby Foods

NDB No. 03999

Infant formula, ABBOTT NUTRITION, SIMILAC, For Spit Up, powder, with ARA and DHA

Nutrients and Units	Amount in 100 grams of edible portion				Amount in edible portion of common measures of food				
	Mean	Std. Error	Number of Data Points	Deriv Code	Source Code	Confidence Code	Measure 1	Measure 2	Measure 3
Lipids:									
Fatty acids, total saturated.....g	18.025		0	BFFN	4		1.712		
4:0.....g	0.000		0	BFFN	4		0.000		
6:0.....g	0.092		0	BFFN	4		0.009		
8:0.....g	7.655		0	BFFN	4		0.727		
10:0.....g	4.246		0	BFFN	4		0.403		
12:0.....g	2.452		0	BFFN	4		0.233		
13:0.....g									
14:0.....g	1.063		0	BFFN	4		0.101		
15:0.....g									
16:0.....g	1.708		0	BFFN	4		0.162		
17:0.....g									
18:0.....g	0.808		0	BFFN	4		0.077		
20:0.....g									
22:0.....g									
24:0.....g									
Fatty acids, total monounsaturated.....g	2.849		0	BFFN	4		0.271		
14:1.....g									
15:1.....g									
16:1 undifferentiated.....g	0.000		0	BFFN	4		0.000		
17:1.....g									
18:1 undifferentiated.....g	2.849		0	BFFN	4		0.271		
20:1.....g	0.000		0	BFFN	4		0.000		
22:1 undifferentiated.....g	0.000		0	BFFN	4		0.000		
24:1 c.....g									
Fatty acids, total polyunsaturated.....g	6.218		0	BFFN	4		0.591		
18:2 undifferentiated.....g	5.373		0	BFFN	4		0.510		
18:3 undifferentiated.....g	0.595		0	BFFN	4		0.057		
18:4.....g	0.000		0	BFFN	4		0.000		
20:2 n-6 c,c.....g									
20:3 undifferentiated.....g									
20:4 undifferentiated.....g	0.164		0	BFFN	4		0.016		
20:5 n-3 (EPA).....g	0.000		0	BFFN	4		0.000		
21:5.....g									
22:4.....g									
22:5 n-3 (DPA).....g	0.000		0	BFFN	4		0.000		
22:6 n-3 (DHA).....g	0.085		0	BFFN	4		0.008		
Fatty acids, total trans.....g									
Cholesterol.....mg	0		0	MC	9		0		
Phytosterols.....mg									
Others:									
Alcohol, ethyl.....g	0.0		0	MC	9		0.0		
Caffeine.....mg	0		0	MC	9		0		
Theobromine.....mg	0		0	BFFN	4		0		

Blanks in the Mean column indicate lack of reliable data. The Number of Data Points column is the number of analyses upon which the mean is based. Number of Data Points of zero indicates the mean was either calculated (as for Energy) or estimated, usually from a recipe, another form of the same food, or similar food.

Common Measures:

Measure 1 = 9.5g: 1 scoop

Calories Factors: Protein

Fat

Carbohydrate

Food Group: 03 Baby Foods

USDA National Nutrient Database for Standard Reference, Release 28 (2015)

Nutrients and Units	Amount in 100 grams of edible portion				Amount in edible portion of common measures of food		
	Mean	Std. Error	Number		Measure 1	Measure 2	Measure 3
			of Data Points	Deriv Code			
Lipids:							
Fatty acids, total saturated.....g	2.300		0	NC	4	0.699	3.496
4:0.....g	0.000		0	BFFN	4	0.000	0.000
6:0.....g	0.012		0	BFFN	4	0.004	0.018
8:0.....g	0.977		0	BFFN	4	0.297	1.485
10:0.....g	0.542		0	BFFN	4	0.165	0.824
12:0.....g	0.313		0	BFFN	4	0.095	0.476
13:0.....g							
14:0.....g	0.136		0	BFFN	4	0.041	0.206
15:0.....g							
16:0.....g	0.218		0	BFFN	4	0.066	0.331
17:0.....g							
18:0.....g	0.103		0	BFFN	4	0.031	0.157
20:0.....g							
22:0.....g							
24:0.....g							
Fatty acids, total monounsaturated.....g	0.364		0	NC	4	0.111	0.553
14:1.....g							
15:1.....g							
16:1 undifferentiated.....g	0.000		0	BFFN	4	0.000	0.000
17:1.....g							
18:1 undifferentiated.....g	0.364		0	BFFN	4	0.111	0.553
20:1.....g	0.000		0	BFFN	4	0.000	0.000
22:1 undifferentiated.....g	0.000		0	BFFN	4	0.000	0.000
24:1 c.....g							
Fatty acids, total polyunsaturated.....g	0.793		0	NC	4	0.241	1.206
18:2 undifferentiated.....g	0.686		0	BFFN	4	0.208	1.042
18:3 undifferentiated.....g	0.076		0	BFFN	4	0.023	0.115
18:4.....g	0.000		0	BFFN	4	0.000	0.000
20:2 n-6 c,c.....g							
20:3 undifferentiated.....g							
20:4 undifferentiated.....g	0.021		0	BFFN	4	0.006	0.032
20:5 n-3 (EPA).....g	0.000		0	NR	4	0.000	0.000
21:5.....g							
22:4.....g							
22:5 n-3 (DPA).....g	0.000		0	NR	4	0.000	0.000
22:6 n-3 (DHA).....g	0.011		0	BFFN	4	0.003	0.016
Fatty acids, total trans.....g							
Cholesterol.....mg	0		0	MC	9	0	0
Phytosterols.....mg							
Others:							
Alcohol, ethyl.....g	0.0		0	MC	9	0.0	0.0
Caffeine.....mg	0		0	NR	4	0	0
Theobromine.....mg	0		0	NR	4	0	0

Blanks in the Mean column indicate lack of reliable data. The Number of Data Points column is the number of analyses upon which the mean is based. Number of Data Points of zero indicates the mean was either calculated (as for Energy) or estimated, usually from a recipe, another form of the same food, or similar food.

Common Measures:

Measure 1 = 30.4g: 1 fl oz

Measure 2 = 152g: 5 fl oz

Calories Factors: Protein

Fat

Carbohydrate

Food Group: 03 Baby Foods

Nutrients and Units	Amount in 100 grams of edible portion				Amount in edible portion of common measures of food				
	Mean	Std. Error	Number of Data Points	Deriv Code	Source Code	Confidence Code	Measure 1	Measure 2	Measure 3
Lipids:									
Fatty acids, total saturated.....g	11.430		0	NC	4		1.097		
4:0.....g	0.000		0	BFFN	4		0.000		
6:0.....g	0.073		0	BFFN	4		0.007		
8:0.....g	0.451		0	BFFN	4		0.043		
10:0.....g	0.301		0	BFFN	4		0.029		
12:0.....g	2.433		0	BFFN	4		0.234		
13:0.....g									
14:0.....g	1.125		0	BFFN	4		0.108		
15:0.....g									
16:0.....g	5.917		0	BFFN	4		0.568		
17:0.....g									
18:0.....g	1.129		0	BFFN	4		0.108		
20:0.....g									
22:0.....g									
24:0.....g									
Fatty acids, total monounsaturated.....g	10.227		0	NC	4		0.982		
14:1.....g									
15:1.....g									
16:1 undifferentiated.....g	0.075		0	BFFN	4		0.007		
17:1.....g									
18:1 undifferentiated.....g	10.001		0	BFFN	4		0.960		
20:1.....g	0.075		0	BFFN	4		0.007		
22:1 undifferentiated.....g	0.075		0	BFFN	4		0.007		
24:1 c.....g									
Fatty acids, total polyunsaturated.....g	5.338		0	NC	4		0.512		
18:2 undifferentiated.....g	4.661		0	BFFN	4		0.447		
18:3 undifferentiated.....g	0.451		0	BFFN	4		0.043		
18:4.....g	0.000		0	BFFN	4		0.000		
20:2 n-6 c,c.....g									
20:3 undifferentiated.....g									
20:4 undifferentiated.....g	0.150		0	BFFN	4		0.014		
20:5 n-3 (EPA).....g	0.000		0	NR	4		0.000		
21:5.....g									
22:4.....g									
22:5 n-3 (DPA).....g	0.000		0	NR	4		0.000		
22:6 n-3 (DHA).....g	0.075		0	BFFN	4		0.007		
Fatty acids, total trans.....g									
Cholesterol.....mg	0		0	NR	4		0		
Phytosterols.....mg									
Others:									
Alcohol, ethyl.....g	0.0		0	NR	4		0.0		
Caffeine.....mg	0		0	NC	4		0		
Theobromine.....mg	0		0	BFFN	4		0		

Blanks in the Mean column indicate lack of reliable data. The Number of Data Points column is the number of analyses upon which the mean is based. Number of Data Points of zero indicates the mean was either calculated (as for Energy) or estimated, usually from a recipe, another form of the same food, or similar food.

Common Measures:

Measure 1 = 9.6g: 1 scoop

Calories Factors: Protein

Fat

Carbohydrate

Food Group: 03 Baby Foods

Nutrients and Units	Amount in 100 grams of edible portion					Amount in edible portion of common measures of food			
	Mean	Std. Error	Number of Data Points	Deriv Code	Source Code	Confidence Code	Measure 1	Measure 2	Measure 3
Lipids:									
Fatty acids, total saturated.....g	1.018		0	NC	4		1.558		
4:0.....g	0.000		0	NR	4		0.000		
6:0.....g	0.007		0	BFFN	4		0.010		
8:0.....g	0.040		0	BFFN	4		0.062		
10:0.....g	0.027		0	BFFN	4		0.041		
12:0.....g	0.217		0	BFFN	4		0.332		
13:0.....g									
14:0.....g	0.100		0	BFFN	4		0.153		
15:0.....g									
16:0.....g	0.527		0	BFFN	4		0.807		
17:0.....g									
18:0.....g	0.101		0	BFFN	4		0.154		
20:0.....g									
22:0.....g									
24:0.....g									
Fatty acids, total monounsaturated.....g	0.911		0	NC	4		1.394		
14:1.....g									
15:1.....g									
16:1 undifferentiated.....g	0.007		0	BFFN	4		0.010		
17:1.....g									
18:1 undifferentiated.....g	0.891		0	BFFN	4		1.363		
20:1.....g	0.007		0	BFFN	4		0.010		
22:1 undifferentiated.....g	0.007		0	BFFN	4		0.010		
24:1 c.....g									
Fatty acids, total polyunsaturated.....g	0.476		0	NC	4		0.728		
18:2 undifferentiated.....g	0.415		0	BFFN	4		0.635		
18:3 undifferentiated.....g	0.040		0	BFFN	4		0.062		
18:4.....g	0.000		0	BFFN	4		0.000		
20:2 n-6 c,c.....g									
20:3 undifferentiated.....g									
20:4 undifferentiated.....g	0.013		0	BFFN	4		0.021		
20:5 n-3 (EPA).....g	0.000		0	BFFN	4		0.000		
21:5.....g									
22:4.....g									
22:5 n-3 (DPA).....g	0.000		0	BFFN	4		0.000		
22:6 n-3 (DHA).....g	0.007		0	BFFN	4		0.010		
Fatty acids, total trans.....g									
Cholesterol.....mg	0		0	MC	9		0		
Phytosterols.....mg									
Others:									
Alcohol, ethyl.....g	0.0		0	MC	9		0.0		
Caffeine.....mg	0		0	MC	9		0		
Theobromine.....mg	0		0	BFFN	4		0		

Blanks in the Mean column indicate lack of reliable data. The Number of Data Points column is the number of analyses upon which the mean is based. Number of Data Points of zero indicates the mean was either calculated (as for Energy) or estimated, usually from a recipe, another form of the same food, or similar food.

Common Measures:

Measure 1 = 153g: 5 fl oz

Calories Factors: Protein

Fat

Carbohydrate

Food Group: 03 Baby Foods

Nutrients and Units	Amount in 100 grams of edible portion				Amount in edible portion of common measures of food				
	Mean	Std. Error	Number		Source Code	Confidence Code	Measure 1	Measure 2	Measure 3
			of Data Points	Deriv Code					
Lipids:									
Fatty acids, total saturated.....g	2.262		0	MA	12		0.710		
4:0.....g	0.000		0	MA	12		0.000		
6:0.....g	0.017		0	MA	12		0.005		
8:0.....g	0.174		0	MA	12		0.055		
10:0.....g	0.120		0	MA	12		0.038		
12:0.....g	0.874		0	MA	12		0.274		
13:0.....g									
14:0.....g	0.343		0	MA	12		0.108		
15:0.....g									
16:0.....g	0.509		0	MA	12		0.160		
17:0.....g									
18:0.....g	0.225		0	MA	12		0.071		
20:0.....g									
22:0.....g									
24:0.....g									
Fatty acids, total monounsaturated.....g	2.660		0	MA	12		0.835		
14:1.....g									
15:1.....g									
16:1 undifferentiated.....g	0.005		0	MA	12		0.002		
17:1.....g									
18:1 undifferentiated.....g	2.641		0	MA	12		0.829		
20:1.....g	0.015		0	MA	12		0.005		
22:1 undifferentiated.....g	0.000		0	MA	12		0.000		
24:1 c.....g									
Fatty acids, total polyunsaturated.....g	1.625		0	MA	12		0.510		
18:2 undifferentiated.....g	1.458		0	MA	12		0.458		
18:3 undifferentiated.....g	0.166		0	MA	12		0.052		
18:4.....g	0.000		0	MA	12		0.000		
20:2 n-6 c,c.....g									
20:3 undifferentiated.....g									
20:4 undifferentiated.....g	0.046		0	MA	12		0.014		
20:5 n-3 (EPA).....g	0.000		0	MA	12		0.000		
21:5.....g									
22:4.....g									
22:5 n-3 (DPA).....g	0.000		0	MA	12		0.000		
22:6 n-3 (DHA).....g	0.023		0	MA	12		0.007		
Fatty acids, total trans.....g									
Cholesterol.....mg	0		0	ML	5		0		
Phytosterols.....mg									
Others:									
Alcohol, ethyl.....g	0.0		0	Z	7		0.0		
Caffeine.....mg	0		0	Z	7		0		
Theobromine.....mg	0		0	Z	7		0		

Blanks in the Mean column indicate lack of reliable data. The Number of Data Points column is the number of analyses upon which the mean is based. Number of Data Points of zero indicates the mean was either calculated (as for Energy) or estimated, usually from a recipe, another form of the same food, or similar food.

Common Measures:

Measure 1 = 31.4g: 1 fl oz

Footnotes:

1 Contains arachidonic acid (ARA, nutrient number 620) and docosahexaenoic acid (DHA, nutrient number 621), fatty acids found in human breast milk.

Calories Factors: Protein

Fat

Carbohydrate

Food Group: 03 Baby Foods

Nutrients and Units	Amount in 100 grams of edible portion				Amount in edible portion of common measures of food				
	Mean	Std. Error	Number		Source Code	Confidence Code	Measure 1	Measure 2	Measure 3
			of Data Points	Deriv Code					
Lipids:									
Fatty acids, total saturated.....g	9.167		1	MA	12		0.798		
4:0.....g	0.000		1	MA	12		0.000		
6:0.....g	0.067		1	MA	12		0.006		
8:0.....g	0.707		1	MA	12		0.062		
10:0.....g	0.487		1	MA	12		0.042		
12:0.....g	3.541		1	MA	12		0.308		
13:0.....g									
14:0.....g	1.389		1	MA	12		0.121		
15:0.....g									
16:0.....g	2.064		1	MA	12		0.180		
17:0.....g									
18:0.....g	0.913		1	MA	12		0.079		
20:0.....g									
22:0.....g									
24:0.....g									
Fatty acids, total monounsaturated.....g	10.778		1	MA	12		0.938		
14:1.....g									
15:1.....g									
16:1 undifferentiated.....g	0.019		1	MA	12		0.002		
17:1.....g									
18:1 undifferentiated.....g	10.701		1	MA	12		0.931		
20:1.....g	0.059		1	MA	12		0.005		
22:1 undifferentiated.....g	0.000		1	MA	12		0.000		
24:1 c.....g									
Fatty acids, total polyunsaturated.....g	6.584		1	MA	12		0.573		
18:2 undifferentiated.....g	5.910		1	MA	12		0.514		
18:3 undifferentiated.....g	0.674		1	MA	12		0.059		
18:4.....g	0.000		1	MA	12		0.000		
20:2 n-6 c,c.....g									
20:3 undifferentiated.....g									
20:4 undifferentiated.....g	0.187		0	MA	12		0.016		
20:5 n-3 (EPA).....g	0.000		1	MA	12		0.000		
21:5.....g									
22:4.....g									
22:5 n-3 (DPA).....g	0.000		1	MA	12		0.000		
22:6 n-3 (DHA).....g	0.096		0	MA	12		0.008		
Fatty acids, total trans.....g									
Cholesterol.....mg	0		1	MA	12		0		
Phytosterols.....mg									
Others:									
Alcohol, ethyl.....g	0.0		0	Z	7		0.0		
Caffeine.....mg	0		0	Z	7		0		
Theobromine.....mg	0		0	Z	7		0		

Blanks in the Mean column indicate lack of reliable data. The Number of Data Points column is the number of analyses upon which the mean is based. Number of Data Points of zero indicates the mean was either calculated (as for Energy) or estimated, usually from a recipe, another form of the same food, or similar food.

Common Measures:

Measure 1 = 8.7g: 1 scoop

Footnotes:

1 Contains arachidonic acid (ARA, nutrient number 620) and docosahexaenoic acid (DHA, nutrient number 621), fatty acids found in human breast milk.

Calories Factors: Protein

Fat

Carbohydrate

Food Group: 03 Baby Foods

Nutrients and Units	Amount in 100 grams of edible portion				Amount in edible portion of common measures of food				
	Mean	Std. Error	Number		Source Code	Confidence Code	Measure 1	Measure 2	Measure 3
			of Data Points	Deriv Code					
Lipids:									
Fatty acids, total saturated.....g	1.166		1	MA	12		0.356		
4:0.....g	0.000		1	MA	12		0.000		
6:0.....g	0.009		1	MA	12		0.003		
8:0.....g	0.090		1	MA	12		0.027		
10:0.....g	0.062		1	MA	12		0.019		
12:0.....g	0.450		1	MA	12		0.137		
13:0.....g									
14:0.....g	0.177		1	MA	12		0.054		
15:0.....g									
16:0.....g	0.262		1	MA	12		0.080		
17:0.....g									
18:0.....g	0.116		1	MA	12		0.035		
20:0.....g									
22:0.....g									
24:0.....g									
Fatty acids, total monounsaturated.....g	1.371		1	MA	12		0.418		
14:1.....g									
15:1.....g									
16:1 undifferentiated.....g	0.002		1	MA	12		0.001		
17:1.....g									
18:1 undifferentiated.....g	1.361		1	MA	12		0.415		
20:1.....g	0.007		1	MA	12		0.002		
22:1 undifferentiated.....g	0.000		1	MA	12		0.000		
24:1 c.....g									
Fatty acids, total polyunsaturated.....g	0.838		1	MA	12		0.256		
18:2 undifferentiated.....g	0.752		1	MA	12		0.229		
18:3 undifferentiated.....g	0.086		1	MA	12		0.026		
18:4.....g	0.000		1	MA	12		0.000		
20:2 n-6 c,c.....g									
20:3 undifferentiated.....g									
20:4 undifferentiated.....g	0.023		0	MA	12		0.007		
20:5 n-3 (EPA).....g	0.000		1	MA	12		0.000		
21:5.....g									
22:4.....g									
22:5 n-3 (DPA).....g	0.000		1	MA	12		0.000		
22:6 n-3 (DHA).....g	0.012		0	MA	12		0.004		
Fatty acids, total trans.....g									
Cholesterol.....mg	0		1	MA	12		0		
Phytosterols.....mg									
Others:									
Alcohol, ethyl.....g	0.0		0	Z	7		0.0		
Caffeine.....mg	0		0	Z	7		0		
Theobromine.....mg	0		0	Z	7		0		

Blanks in the Mean column indicate lack of reliable data. The Number of Data Points column is the number of analyses upon which the mean is based. Number of Data Points of zero indicates the mean was either calculated (as for Energy) or estimated, usually from a recipe, another form of the same food, or similar food.

Common Measures:

Measure 1 = 30.5g: 1 fl oz

Footnotes:

1 Contains arachidonic acid (ARA, nutrient number 620) and docosahexaenoic acid (DHA, nutrient number 621), fatty acids found in human breast milk.

Calories Factors: Protein

Fat

Carbohydrate

Food Group: 03 Baby Foods

NDB No. 03842

Infant formula, ABBOTT NUTRITION, SIMILAC, ISOMIL, with iron, liquid concentrate

Nutrients and Units	Amount in 100 grams of edible portion				Amount in edible portion of common measures of food				
	Mean	Std. Error	Number of Data Points	Deriv Code	Source Code	Confidence Code	Measure 1	Measure 2	Measure 3
Lipids:									
Fatty acids, total saturated.....g	2.262		0	MA	12		0.710		
4:0.....g	0.000		0	MA	12		0.000		
6:0.....g	0.017		0	MA	12		0.005		
8:0.....g	0.174		0	MA	12		0.055		
10:0.....g	0.120		0	MA	12		0.038		
12:0.....g	0.874		0	MA	12		0.274		
13:0.....g									
14:0.....g	0.343		0	MA	12		0.108		
15:0.....g									
16:0.....g	0.509		0	MA	12		0.160		
17:0.....g									
18:0.....g	0.225		0	MA	12		0.071		
20:0.....g									
22:0.....g									
24:0.....g									
Fatty acids, total monounsaturated.....g	2.660		0	MA	12		0.835		
14:1.....g									
15:1.....g									
16:1 undifferentiated.....g	0.005		0	MA	12		0.002		
17:1.....g									
18:1 undifferentiated.....g	2.641		0	MA	12		0.829		
20:1.....g	0.015		0	MA	12		0.005		
22:1 undifferentiated.....g	0.000		0	MA	12		0.000		
24:1 c.....g									
Fatty acids, total polyunsaturated.....g	1.625		0	MA	12		0.510		
18:2 undifferentiated.....g	1.458		0	MA	12		0.458		
18:3 undifferentiated.....g	0.166		0	MA	12		0.052		
18:4.....g	0.000		0	MA	12		0.000		
20:2 n-6 c,c.....g									
20:3 undifferentiated.....g									
20:4 undifferentiated.....g	0.000		0	MA	12		0.000		
20:5 n-3 (EPA).....g	0.000		0	MA	12		0.000		
21:5.....g									
22:4.....g									
22:5 n-3 (DPA).....g	0.000		0	MA	12		0.000		
22:6 n-3 (DHA).....g	0.000		0	MA	12		0.000		
Fatty acids, total trans.....g									
Cholesterol.....mg	0		0	ML	5		0		
Phytosterols.....mg									
Others:									
Alcohol, ethyl.....g	0.0		0	Z	7		0.0		
Caffeine.....mg	0		0	Z	7		0		
Theobromine.....mg	0		0	Z	7		0		

Blanks in the Mean column indicate lack of reliable data. The Number of Data Points column is the number of analyses upon which the mean is based. Number of Data Points of zero indicates the mean was either calculated (as for Energy) or estimated, usually from a recipe, another form of the same food, or similar food.

Common Measures:

Measure 1 = 31.4g: 1 fl oz

Footnotes:

1 Added vitamin E is RRR alpha tocopherol.

Calories Factors: Protein

Fat

Carbohydrate

Food Group: 03 Baby Foods

USDA National Nutrient Database for Standard Reference, Release 28 (2015)

NDB No. 03843

Infant formula, ABBOTT NUTRITION, SIMILAC, ISOMIL, with iron, powder, not reconstituted

Nutrients and Units	Amount in 100 grams of edible portion				Amount in edible portion of common measures of food				
	Mean	Std. Error	Number of Data Points	Deriv Code	Source Code	Confidence Code	Measure 1	Measure 2	Measure 3
Lipids:									
Fatty acids, total saturated.....g	9.167		1	MA	12		0.798		
4:0.....g	0.000		1	MA	12		0.000		
6:0.....g	0.067		1	MA	12		0.006		
8:0.....g	0.707		1	MA	12		0.062		
10:0.....g	0.487		1	MA	12		0.042		
12:0.....g	3.541		1	MA	12		0.308		
13:0.....g									
14:0.....g	1.389		1	MA	12		0.121		
15:0.....g									
16:0.....g	2.064		1	MA	12		0.180		
17:0.....g									
18:0.....g	0.913		1	MA	12		0.079		
20:0.....g									
22:0.....g									
24:0.....g									
Fatty acids, total monounsaturated.....g	10.778		1	MA	12		0.938		
14:1.....g									
15:1.....g									
16:1 undifferentiated.....g	0.019		1	MA	12		0.002		
17:1.....g									
18:1 undifferentiated.....g	10.701		1	MA	12		0.931		
20:1.....g	0.059		1	MA	12		0.005		
22:1 undifferentiated.....g	0.000		1	MA	12		0.000		
24:1 c.....g									
Fatty acids, total polyunsaturated.....g	6.584		1	MA	12		0.573		
18:2 undifferentiated.....g	5.910		1	MA	12		0.514		
18:3 undifferentiated.....g	0.674		1	MA	12		0.059		
18:4.....g	0.000		1	MA	12		0.000		
20:2 n-6 c,c.....g									
20:3 undifferentiated.....g									
20:4 undifferentiated.....g	0.000		1	MA	12		0.000		
20:5 n-3 (EPA).....g	0.000		1	MA	12		0.000		
21:5.....g									
22:4.....g									
22:5 n-3 (DPA).....g	0.000		1	MA	12		0.000		
22:6 n-3 (DHA).....g	0.000		1	MA	12		0.000		
Fatty acids, total trans.....g									
Cholesterol.....mg	0		1	MA	12		0		
Phytosterols.....mg									
Others:									
Alcohol, ethyl.....g	0.0		0	Z	7		0.0		
Caffeine.....mg	0		0	Z	7		0		
Theobromine.....mg	0		0	Z	7		0		

Blanks in the Mean column indicate lack of reliable data. The Number of Data Points column is the number of analyses upon which the mean is based. Number of Data Points of zero indicates the mean was either calculated (as for Energy) or estimated, usually from a recipe, another form of the same food, or similar food.

Common Measures:

Measure 1 = 8.7g: 1 scoop

Footnotes:

1 Added vitamin E is RRR alpha-tocopherol.

Calories Factors: Protein

Fat

Carbohydrate

Food Group: 03 Baby Foods

USDA National Nutrient Database for Standard Reference, Release 28 (2015)

NDB No. 03841

Infant formula, ABBOTT NUTRITION, SIMILAC, ISOMIL, with iron, ready-to-feed

Nutrients and Units	Amount in 100 grams of edible portion					Amount in edible portion of common measures of food			
	Mean	Std. Error	Number of Data Points	Deriv Code	Source Code	Confidence Code	Measure 1	Measure 2	Measure 3
Lipids:									
Fatty acids, total saturated.....g	1.166		1	MA	12		0.356		
4:0.....g	0.000		1	MA	12		0.000		
6:0.....g	0.009		1	MA	12		0.003		
8:0.....g	0.090		1	MA	12		0.027		
10:0.....g	0.062		1	MA	12		0.019		
12:0.....g	0.450		1	MA	12		0.137		
13:0.....g									
14:0.....g	0.177		1	MA	12		0.054		
15:0.....g									
16:0.....g	0.262		1	MA	12		0.080		
17:0.....g									
18:0.....g	0.116		1	MA	12		0.035		
20:0.....g									
22:0.....g									
24:0.....g									
Fatty acids, total monounsaturated.....g	1.371		1	MA	12		0.418		
14:1.....g									
15:1.....g									
16:1 undifferentiated.....g	0.002		1	MA	12		0.001		
17:1.....g									
18:1 undifferentiated.....g	1.361		1	MA	12		0.415		
20:1.....g	0.007		1	MA	12		0.002		
22:1 undifferentiated.....g	0.000		1	MA	12		0.000		
24:1 c.....g									
Fatty acids, total polyunsaturated.....g	0.838		1	MA	12		0.256		
18:2 undifferentiated.....g	0.752		1	MA	12		0.229		
18:3 undifferentiated.....g	0.086		1	MA	12		0.026		
18:4.....g	0.000		1	MA	12		0.000		
20:2 n-6 c,c.....g									
20:3 undifferentiated.....g									
20:4 undifferentiated.....g	0.000		1	MA	12		0.000		
20:5 n-3 (EPA).....g	0.000		1	MA	12		0.000		
21:5.....g									
22:4.....g									
22:5 n-3 (DPA).....g	0.000		1	MA	12		0.000		
22:6 n-3 (DHA).....g	0.000		1	MA	12		0.000		
Fatty acids, total trans.....g									
Cholesterol.....mg	0		1	MA	12		0		
Phytosterols.....mg									
Others:									
Alcohol, ethyl.....g	0.0		0	Z	7		0.0		
Caffeine.....mg	0		0	Z	7		0		
Theobromine.....mg	0		0	Z	7		0		

Blanks in the Mean column indicate lack of reliable data. The Number of Data Points column is the number of analyses upon which the mean is based. Number of Data Points of zero indicates the mean was either calculated (as for Energy) or estimated, usually from a recipe, another form of the same food, or similar food.

Common Measures:

Measure 1 = 30.5g: 1 fl oz

Footnotes:

1 Added vitamin E is RRR alpha tocopherol

Calories Factors: Protein

Fat

Carbohydrate

Food Group: 03 Baby Foods

USDA National Nutrient Database for Standard Reference, Release 28 (2015)

Nutrients and Units	Amount in 100 grams of edible portion					Amount in edible portion of common measures of food		
	Mean	Std. Error	Number of Data Points			Measure 1	Measure 2	Measure 3
			Deriv Code	Source Code	Confidence Code			
Tocotrienol, delta.....mg								
Vitamin D (D2 + D3).....µg	2.9		0	T	4		0.9	
Vitamin D.....IU	117		0	T	4		36	
Vitamin K (phylloquinone).....µg	9.4		0	T	4		2.9	
Dihydrophylloquinone.....µg								
Menaquinone-4.....µg								
Lipids:								
Fatty acids, total saturated.....g	2.544		0	MA	12		0.776	
4:0.....g	0.000		0	MA	12		0.000	
6:0.....g	0.013		0	MA	12		0.004	
8:0.....g	1.080		0	MA	12		0.329	
10:0.....g	0.599		0	MA	12		0.183	
12:0.....g	0.346		0	MA	12		0.106	
13:0.....g								
14:0.....g	0.150		0	MA	12		0.046	
15:0.....g								
16:0.....g	0.241		0	MA	12		0.074	
17:0.....g								
18:0.....g	0.114		0	MA	12		0.035	
20:0.....g								
22:0.....g								
24:0.....g								
Fatty acids, total monounsaturated.....g	0.402		0	MA	12		0.123	
14:1.....g								
15:1.....g								
16:1 undifferentiated.....g	0.000		0	MA	12		0.000	
17:1.....g								
18:1 undifferentiated.....g	0.402		0	MA	12		0.123	
20:1.....g	0.000		0	MA	12		0.000	
22:1 undifferentiated.....g	0.000		0	MA	12		0.000	
24:1 c.....g								
Fatty acids, total polyunsaturated.....g	0.842		0	MA	12		0.257	
18:2 undifferentiated.....g	0.758		0	MA	12		0.231	
18:3 undifferentiated.....g	0.084		0	MA	12		0.026	
18:4.....g	0.000		0	MA	12		0.000	
20:2 n-6 c,c.....g								
20:3 undifferentiated.....g								
20:4 undifferentiated.....g	0.018		0	MA	12		0.005	
20:5 n-3 (EPA).....g	0.000		0	MA	12		0.000	
21:5.....g								
22:4.....g								
22:5 n-3 (DPA).....g	0.000		0	MA	12		0.000	
22:6 n-3 (DHA).....g	0.011		0	MA	12		0.003	
Fatty acids, total trans.....g								
Cholesterol.....mg	2		0	MA	12		1	
Phytosterols.....mg								
Others:								
Alcohol, ethyl.....g	0.0		0	Z	7		0.0	
Caffeine.....mg	0		0	Z	7		0	
Theobromine.....mg	0		0	Z	7		0	

Blanks in the Mean column indicate lack of reliable data. The Number of Data Points column is the number of analyses upon which the mean is based. Number of Data Points of zero indicates the mean was either calculated (as for Energy) or estimated, usually from a recipe, another form of the same food, or similar food.

Common Measures:

Measure 1 = 30.5g: 1 fl oz

Footnotes:

- 1 Added vitamin E is RRR alpha tocopherol
- 2 Contains arachidonic acid (ARA, nutrient number 620) and docosahexaenoic acid (DHA, nutrient number 621), fatty acids found in human breast milk.

NDB No. 03839

Infant formula, ABBOTT NUTRITION, SIMILAC, NATURAL CARE, ADVANCE, ready-to-feed, with ARA and DHA (1)

Calories Factors: Protein

Fat

Carbohydrate

Food Group: 03 Baby Foods

USDA National Nutrient Database for Standard Reference, Release 28 (2015)

Nutrients and Units	Amount in 100 grams of edible portion				Amount in edible portion of common measures of food				
	Mean	Std. Error	Number		Source Code	Confidence Code	Measure 1	Measure 2	Measure 3
			of Data Points	Deriv Code					
Tocotrienol, delta.....mg									
Vitamin D (D2 + D3).....µg	9.0		0	NR	4		2.7		
Vitamin D.....IU	361		0	NR	4		110		
Vitamin K (phylloquinone).....µg	56.7		0	MC	9		17.3		
Dihydrophylloquinone.....µg									
Menaquinone-4.....µg									
Lipids:									
Fatty acids, total saturated.....g	9.871		0	NC	4		3.011		
4:0.....g	0.000		0	MA	12		0.000		
6:0.....g	0.059		0	NR	4		0.018		
8:0.....g	0.879		0	NR	4		0.268		
10:0.....g	0.626		0	NR	4		0.191		
12:0.....g	3.876		0	NR	4		1.182		
13:0.....g									
14:0.....g	1.459		0	NR	4		0.445		
15:0.....g									
16:0.....g	2.056		0	NR	4		0.627		
17:0.....g									
18:0.....g	0.916		0	NR	4		0.279		
20:0.....g									
22:0.....g									
24:0.....g									
Fatty acids, total monounsaturated.....g	10.492		0	NC	4		3.200		
14:1.....g									
15:1.....g									
16:1 undifferentiated.....g	0.019		0	NR	4		0.006		
17:1.....g									
18:1 undifferentiated.....g	10.419		0	NR	4		3.178		
20:1.....g	0.054		0	NR	4		0.016		
22:1 undifferentiated.....g	0.000		0	MA	12		0.000		
24:1 c.....g									
Fatty acids, total polyunsaturated.....g	6.660		0	NC	4		2.031		
18:2 undifferentiated.....g	5.778		0	NR	4		1.762		
18:3 undifferentiated.....g	0.618		0	NR	4		0.188		
18:4.....g	0.000		0	MA	12		0.000		
20:2 n-6 c,c.....g									
20:3 undifferentiated.....g									
20:4 undifferentiated.....g	0.174		0	MC	9		0.053		
20:5 n-3 (EPA).....g	0.000		0	MA	12		0.000		
21:5.....g									
22:4.....g									
22:5 n-3 (DPA).....g	0.000		0	MA	12		0.000		
22:6 n-3 (DHA).....g	0.090		0	MC	9		0.028		
Fatty acids, total trans.....g									
Cholesterol.....mg	14		0	NR	4		4		
Phytosterols.....mg									
Others:									
Alcohol, ethyl.....g	0.0		0	Z	7		0.0		
Caffeine.....mg	0		0	Z	7		0		
Theobromine.....mg	0		0	Z	7		0		

Blanks in the Mean column indicate lack of reliable data. The Number of Data Points column is the number of analyses upon which the mean is based. Number of Data Points of zero indicates the mean was either calculated (as for Energy) or estimated, usually from a recipe, another form of the same food, or similar food.

Common Measures:

Measure 1 = 30.5g: 1 fl oz

Footnotes:

- 1 Contains arachidonic acid (ARA, nutrient number 620) and docosahexaenoic acid (DHA, nutrient number 621), fatty acids found in human breast milk.
- 2 Added vitamin E is RRR alpha tocopherol.

NDB No. 03945

Infant formula, ABBOTT NUTRITION, SIMILAC, NEOSURE, powder, with ARA and DHA (1)

Calories Factors: Protein

Fat

Carbohydrate

Food Group: 03 Baby Foods

USDA National Nutrient Database for Standard Reference, Release 28 (2015)

NDB No. 03837

Infant formula, ABBOTT NUTRITION, SIMILAC, PM 60/40, powder not reconstituted

Nutrients and Units	Amount in 100 grams of edible portion				Amount in edible portion of common measures of food			
	Mean	Std. Error	Number of Data Points			Measure 1	Measure 2	Measure 3
			Deriv Code	Source Code	Confidence Code			
Tocotrienol, delta.....mg								
Vitamin D (D2 + D3).....µg	7.7		0	T	4	0.7		
Vitamin D.....IU	308		0	T	4	27		
Vitamin K (phylloquinone).....µg	41.1		0	T	4	3.6		
Dihydrophylloquinone.....µg								
Menaquinone-4.....µg								
Lipids:								
Fatty acids, total saturated.....g	12.214		1	MA	12	1.063		
4:0.....g	0.000		1	MA	12	0.000		
6:0.....g	0.069		1	MA	12	0.006		
8:0.....g	0.769		1	MA	12	0.067		
10:0.....g	0.618		1	MA	12	0.054		
12:0.....g	4.843		1	MA	12	0.421		
13:0.....g								
14:0.....g	1.974		1	MA	12	0.172		
15:0.....g								
16:0.....g	3.105		1	MA	12	0.270		
17:0.....g								
18:0.....g	0.835		1	MA	12	0.073		
20:0.....g								
22:0.....g								
24:0.....g								
Fatty acids, total monounsaturated.....g	5.242		1	MA	12	0.456		
14:1.....g								
15:1.....g								
16:1 undifferentiated.....g	0.028		1	MA	12	0.002		
17:1.....g								
18:1 undifferentiated.....g	5.157		1	MA	12	0.449		
20:1.....g	0.057		1	MA	12	0.005		
22:1 undifferentiated.....g	0.000		1	MA	12	0.000		
24:1 c.....g								
Fatty acids, total polyunsaturated.....g	10.835		1	MA	12	0.943		
18:2 undifferentiated.....g	10.456		1	MA	12	0.910		
18:3 undifferentiated.....g	0.379		1	MA	12	0.033		
18:4.....g	0.000		1	MA	12	0.000		
20:2 n-6 c,c.....g								
20:3 undifferentiated.....g								
20:4 undifferentiated.....g	0.000		1	MA	12	0.000		
20:5 n-3 (EPA).....g	0.000		1	MA	12	0.000		
21:5.....g								
22:4.....g								
22:5 n-3 (DPA).....g	0.000		1	MA	12	0.000		
22:6 n-3 (DHA).....g	0.000		1	MA	12	0.000		
Fatty acids, total trans.....g								
Cholesterol.....mg	17		0	ML	5	1		
Phytosterols.....mg								
Others:								
Alcohol, ethyl.....g	0.0		0	Z	7	0.0		
Caffeine.....mg	0		0	O	4	0		
Theobromine.....mg	0		0	O	4	0		

Blanks in the Mean column indicate lack of reliable data. The Number of Data Points column is the number of analyses upon which the mean is based. Number of Data Points of zero indicates the mean was either calculated (as for Energy) or estimated, usually from a recipe, another form of the same food, or similar food.

Common Measures:

Measure 1 = 8.7g: 1 scoop

Calories Factors: Protein

Fat

Carbohydrate

NDB No. 03837

Infant formula, ABBOTT NUTRITION, SIMILAC, PM 60/40, powder not reconstituted

Food Group: 03 Baby Foods

USDA National Nutrient Database for Standard Reference, Release 28 (2015)

Nutrients and Units	Amount in 100 grams of edible portion				Amount in edible portion of common measures of food				
	Mean	Std. Error	Number		Source Code	Confidence Code	Measure 1	Measure 2	Measure 3
			of Data Points	Deriv Code					
Lipids:									
Fatty acids, total saturated.....g	2.430		0	NC	4		0.741		
4:0.....g	0.000		0	MA	12		0.000		
6:0.....g	0.012		0	MA	12		0.004		
8:0.....g	1.032		0	MA	12		0.315		
10:0.....g	0.572		0	MA	12		0.175		
12:0.....g	0.331		0	MA	12		0.101		
13:0.....g									
14:0.....g	0.143		0	MA	12		0.044		
15:0.....g									
16:0.....g	0.230		0	MA	12		0.070		
17:0.....g									
18:0.....g	0.109		0	MA	12		0.033		
20:0.....g									
22:0.....g									
24:0.....g									
Fatty acids, total monounsaturated.....g	0.384		0	NC	4		0.117		
14:1.....g									
15:1.....g									
16:1 undifferentiated.....g	0.000		0	MA	12		0.000		
17:1.....g									
18:1 undifferentiated.....g	0.384		0	MA	12		0.117		
20:1.....g	0.000		0	MA	12		0.000		
22:1 undifferentiated.....g	0.000		0	MA	12		0.000		
24:1 c.....g									
Fatty acids, total polyunsaturated.....g	0.832		0	NC	4		0.254		
18:2 undifferentiated.....g	0.724		0	MA	12		0.221		
18:3 undifferentiated.....g	0.080		0	MA	12		0.024		
18:4.....g	0.000		0	MA	12		0.000		
20:2 n-6 c,c.....g									
20:3 undifferentiated.....g									
20:4 undifferentiated.....g	0.017		0	MA	12		0.005		
20:5 n-3 (EPA).....g	0.000		0	MA	12		0.000		
21:5.....g									
22:4.....g									
22:5 n-3 (DPA).....g	0.000		0	MA	12		0.000		
22:6 n-3 (DHA).....g	0.011		0	MA	12		0.003		
Fatty acids, total trans.....g									
Cholesterol.....mg	2		0	MA	12		1		
Phytosterols.....mg									
Others:									
Alcohol, ethyl.....g	0.0		0	Z	7		0.0		
Caffeine.....mg	0		0	Z	7		0		
Theobromine.....mg	0		0	Z	7		0		

Blanks in the Mean column indicate lack of reliable data. The Number of Data Points column is the number of analyses upon which the mean is based. Number of Data Points of zero indicates the mean was either calculated (as for Energy) or estimated, usually from a recipe, another form of the same food, or similar food.

Common Measures:

Measure 1 = 30.5g: 1 fl oz

Footnotes:

1 Contains arachidonic acid (ARA, nutrient number 620) and docosahexaenoic acid (DHA, nutrient number 621), fatty acids found in human breast milk.

Calories Factors: Protein

Fat

Carbohydrate

Food Group: 03 Baby Foods

Nutrients and Units	Amount in 100 grams of edible portion				Amount in edible portion of common measures of food		
	Mean	Std. Error	Number		Measure 1	Measure 2	Measure 3
			of Data Points	Deriv Code			
Lipids:							
Fatty acids, total saturated.....g	4.522		0	NC	4	1.379	
4:0.....g	0.000		0	NC	4	0.000	
6:0.....g	0.023		0	NC	4	0.007	
8:0.....g	1.921		0	NC	4	0.586	
10:0.....g	1.065		0	NC	4	0.325	
12:0.....g	0.615		0	NR	4	0.188	
13:0.....g							
14:0.....g	0.267		0	NR	4	0.081	
15:0.....g							
16:0.....g	0.429		0	NR	4	0.131	
17:0.....g							
18:0.....g	0.203		0	NR	4	0.062	
20:0.....g							
22:0.....g							
24:0.....g							
Fatty acids, total monounsaturated.....g	0.715		0	NC	4	0.218	
14:1.....g							
15:1.....g							
16:1 undifferentiated.....g	0.000		0	NC	4	0.000	
17:1.....g							
18:1 undifferentiated.....g	0.715		0	NR	4	0.218	
20:1.....g	0.000		0	NC	4	0.000	
22:1 undifferentiated.....g	0.000		0	NC	4	0.000	
24:1 c.....g							
Fatty acids, total polyunsaturated.....g	1.548		0	NC	4	0.472	
18:2 undifferentiated.....g	1.348		0	NC	4	0.411	
18:3 undifferentiated.....g	0.149		0	NC	4	0.045	
18:4.....g	0.000		0	NC	4	0.000	
20:2 n-6 c,c.....g							
20:3 undifferentiated.....g							
20:4 undifferentiated.....g	0.031		0	NC	4	0.009	
20:5 n-3 (EPA).....g	0.000		0	NC	4	0.000	
21:5.....g							
22:4.....g							
22:5 n-3 (DPA).....g	0.000		0	NC	4	0.000	
22:6 n-3 (DHA).....g	0.020		0	NC	4	0.006	
Fatty acids, total trans.....g							
Cholesterol.....mg	4		0	NR	4	1	
Phytosterols.....mg							
Others:							
Alcohol, ethyl.....g	0.0		0	Z	7	0.0	
Caffeine.....mg	0		0	Z	7	0	
Theobromine.....mg	0		0	Z	7	0	

Blanks in the Mean column indicate lack of reliable data. The Number of Data Points column is the number of analyses upon which the mean is based. Number of Data Points of zero indicates the mean was either calculated (as for Energy) or estimated, usually from a recipe, another form of the same food, or similar food.

Common Measures:

Measure 1 = 30.5g: 1 fl oz

Footnotes:

1 Contains arachidonic acid (ARA, nutrient number 620) and docosahexaenoic acid (DHA, nutrient number 621), fatty acids found in human breast milk.

Calories Factors: Protein

Fat

Carbohydrate

Food Group: 03 Baby Foods

Nutrients and Units	Amount in 100 grams of edible portion				Amount in edible portion of common measures of food				
	Mean	Std. Error	Number of Data Points		Source Code	Confidence Code	Measure 1	Measure 2	Measure 3
			Deriv Code	Points					
Lipids:									
Fatty acids, total saturated.....g	18.305		0	NC	4		5.583		
4:0.....g	0.000		0	MA	12		0.000		
6:0.....g	0.093		0	NR	4		0.029		
8:0.....g	7.774		0	NR	4		2.371		
10:0.....g	4.312		0	NR	4		1.315		
12:0.....g	2.491		0	NR	4		0.760		
13:0.....g									
14:0.....g	1.079		0	NR	4		0.329		
15:0.....g									
16:0.....g	1.735		0	NR	4		0.529		
17:0.....g									
18:0.....g	0.820		0	NR	4		0.250		
20:0.....g									
22:0.....g									
24:0.....g									
Fatty acids, total monounsaturated.....g	2.894		0	NC	4		0.883		
14:1.....g									
15:1.....g									
16:1 undifferentiated.....g	0.000		0	MA	12		0.000		
17:1.....g									
18:1 undifferentiated.....g	2.894		0	NR	4		0.883		
20:1.....g	0.000		0	MA	12		0.000		
22:1 undifferentiated.....g	0.000		0	MA	12		0.000		
24:1 c.....g									
Fatty acids, total polyunsaturated.....g	6.270		0	NC	4		1.912		
18:2 undifferentiated.....g	5.457		0	NR	4		1.664		
18:3 undifferentiated.....g	0.605		0	NR	4		0.184		
18:4.....g	0.000		0	MA	12		0.000		
20:2 n-6 c,c.....g									
20:3 undifferentiated.....g									
20:4 undifferentiated.....g	0.130		0	NR	4		0.040		
20:5 n-3 (EPA).....g	0.000		0	MA	12		0.000		
21:5.....g									
22:4.....g									
22:5 n-3 (DPA).....g	0.000		0	MA	12		0.000		
22:6 n-3 (DHA).....g	0.079		0	NR	4		0.024		
Fatty acids, total trans.....g									
Cholesterol.....mg	15		0	NR	4		5		
Phytosterols.....mg									
Others:									
Alcohol, ethyl.....g	0.0		0	Z	7		0.0		
Caffeine.....mg	0		0	Z	7		0		
Theobromine.....mg	0		0	Z	7		0		

Blanks in the Mean column indicate lack of reliable data. The Number of Data Points column is the number of analyses upon which the mean is based. Number of Data Points of zero indicates the mean was either calculated (as for Energy) or estimated, usually from a recipe, another form of the same food, or similar food.

Common Measures:

Measure 1 = 30.5g: 1 fl oz

Footnotes:

1 Contains arachidonic acid (ARA, nutrient number 620) and docosahexaenoic acid (DHA, nutrient number 621), fatty acids found in human breast milk.

Calories Factors: Protein

Fat

Carbohydrate

Food Group: 03 Baby Foods

Nutrients and Units	Amount in 100 grams of edible portion				Amount in edible portion of common measures of food			
	Mean	Std. Error	Number of Data Points			Measure 1	Measure 2	Measure 3
			Deriv Code	Source Code	Confidence Code			
Tocotrienol, delta.....mg								
Vitamin D (D2 + D3).....µg	2.7		0	MC	9		0.8	
Vitamin D.....IU	106		0	MC	9		33	
Vitamin K (phylloquinone).....µg	9.4		0	T	4		2.9	
Dihydrophylloquinone.....µg								
Menaquinone-4.....µg								
Lipids:								
Fatty acids, total saturated.....g	2.120		0	NC	4		0.653	
4:0.....g	0.000		0	MA	12		0.000	
6:0.....g	0.008		0	MA	12		0.002	
8:0.....g	0.930		0	MA	12		0.286	
10:0.....g	0.457		0	MA	12		0.141	
12:0.....g	0.297		0	MA	12		0.092	
13:0.....g								
14:0.....g	0.127		0	MA	12		0.039	
15:0.....g								
16:0.....g	0.206		0	MA	12		0.063	
17:0.....g								
18:0.....g	0.095		0	MA	12		0.029	
20:0.....g								
22:0.....g								
24:0.....g								
Fatty acids, total monounsaturated.....g	0.324		0	NC	4		0.100	
14:1.....g								
15:1.....g								
16:1 undifferentiated.....g	0.000		0	MA	12		0.000	
17:1.....g								
18:1 undifferentiated.....g	0.324		0	MA	12		0.100	
20:1.....g	0.000		0	MA	12		0.000	
22:1 undifferentiated.....g	0.000		0	MA	12		0.000	
24:1 c.....g								
Fatty acids, total polyunsaturated.....g	0.737		0	NC	4		0.227	
18:2 undifferentiated.....g	0.641		0	MA	12		0.197	
18:3 undifferentiated.....g	0.072		0	MA	12		0.022	
18:4.....g	0.000		0	MA	12		0.000	
20:2 n-6 c,c.....g								
20:3 undifferentiated.....g								
20:4 undifferentiated.....g	0.015		0	MA	12		0.005	
20:5 n-3 (EPA).....g	0.000		0	MA	12		0.000	
21:5.....g								
22:4.....g								
22:5 n-3 (DPA).....g	0.000		0	MA	12		0.000	
22:6 n-3 (DHA).....g	0.009		0	MA	12		0.003	
Fatty acids, total trans.....g								
Cholesterol.....mg	2		0	ML	5		1	
Phytosterols.....mg								
Others:								
Alcohol, ethyl.....g	0.0		0	Z	7		0.0	
Caffeine.....mg	0		0	Z	7		0	
Theobromine.....mg	0		0	Z	7		0	

Blanks in the Mean column indicate lack of reliable data. The Number of Data Points column is the number of analyses upon which the mean is based. Number of Data Points of zero indicates the mean was either calculated (as for Energy) or estimated, usually from a recipe, another form of the same food, or similar food.

Common Measures:

Measure 1 = 30.8g: 1 fl oz

Footnotes:

- 1 Added vitamin E is RRR alpha tocopherol
- 2 Contains arachidonic acid (ARA, nutrient number 620) and docosahexaenoic acid (DHA, nutrient number 621), fatty acids found in human breast milk.

NDB No. 03840

Infant formula, ABBOTT NUTRITION, SIMILAC, SPECIAL CARE, ADVANCE 24, with iron, ready-to-feed, with ARA and DHA (1)

Calories Factors: Protein

Fat

Carbohydrate

Food Group: 03 Baby Foods

USDA National Nutrient Database for Standard Reference, Release 28 (2015)

Nutrients and Units	Amount in 100 grams of edible portion						Amount in edible portion of common measures of food		
	Mean	Std. Error	Number of Data Points			Confidence Code	Measure 1	Measure 2	Measure 3
			Deriv Code	Source Code					
Tocotrienol, delta.....mg									
Vitamin D (D2 + D3).....µg	1.9		0	T	4		0.6		
Vitamin D.....IU	76		0	T	4		24		
Vitamin K (phylloquinone).....µg	10.2		0	T	4		3.2		
Dihydrophylloquinone.....µg									
Menaquinone-4.....µg									
Lipids:									
Fatty acids, total saturated.....g	2.401		0	MA	12		0.754		
4:0.....g	0.000		0	MA	12		0.000		
6:0.....g	0.014		0	MA	12		0.004		
8:0.....g	0.214		0	MA	12		0.067		
10:0.....g	0.152		0	MA	12		0.048		
12:0.....g	0.943		0	MA	12		0.296		
13:0.....g									
14:0.....g	0.355		0	MA	12		0.111		
15:0.....g									
16:0.....g	0.500		0	MA	12		0.157		
17:0.....g									
18:0.....g	0.223		0	MA	12		0.070		
20:0.....g									
22:0.....g									
24:0.....g									
Fatty acids, total monounsaturated.....g	2.551		0	MA	12		0.801		
14:1.....g									
15:1.....g									
16:1 undifferentiated.....g	0.005		0	MA	12		0.002		
17:1.....g									
18:1 undifferentiated.....g	2.533		0	MA	12		0.795		
20:1.....g	0.013		0	MA	12		0.004		
22:1 undifferentiated.....g	0.000		0	MA	12		0.000		
24:1 c.....g									
Fatty acids, total polyunsaturated.....g	1.555		0	MA	12		0.488		
18:2 undifferentiated.....g	1.405		0	MA	12		0.441		
18:3 undifferentiated.....g	0.150		0	MA	12		0.047		
18:4.....g	0.000		0	MA	12		0.000		
20:2 n-6 c,c.....g									
20:3 undifferentiated.....g									
20:4 undifferentiated.....g	0.000		0	MA	12		0.000		
20:5 n-3 (EPA).....g	0.000		0	MA	12		0.000		
21:5.....g									
22:4.....g									
22:5 n-3 (DPA).....g	0.000		0	MA	12		0.000		
22:6 n-3 (DHA).....g	0.000		0	MA	12		0.000		
Fatty acids, total trans.....g									
Cholesterol.....mg	3		0	ML	5		1		
Phytosterols.....mg									
Others:									
Alcohol, ethyl.....g	0.0		0	Z	7		0.0		
Caffeine.....mg	0		0	Z	7		0		
Theobromine.....mg	0		0	Z	7		0		

Blanks in the Mean column indicate lack of reliable data. The Number of Data Points column is the number of analyses upon which the mean is based. Number of Data Points of zero indicates the mean was either calculated (as for Energy) or estimated, usually from a recipe, another form of the same food, or similar food.

Common Measures:

Measure 1 = 31.4g: 1 fl oz

Footnotes:

1 Added vitamin E is RRR alpha tocopherol

NDB No. 03856

Infant formula, ABBOTT NUTRITION, SIMILAC, low iron, liquid concentrate, not reconstituted

Calories Factors: Protein

Fat

Carbohydrate

Food Group: 03 Baby Foods

USDA National Nutrient Database for Standard Reference, Release 28 (2015)

NDB No. 03858

Infant formula, ABBOTT NUTRITION, SIMILAC, low iron, powder, not reconstituted

Nutrients and Units	Amount in 100 grams of edible portion						Amount in edible portion of common measures of food			
	Mean	Std. Error	Number of Data Points			Source Code	Confidence Code	Measure 1	Measure 2	Measure 3
			Points	Deriv Code	Code					
Tocotrienol, delta.....mg										
Vitamin D (D2 + D3).....µg	7.9		0	T	4			0.7		
Vitamin D.....IU	316		0	T	4			27		
Vitamin K (phylloquinone).....µg	42.1		0	T	4			3.7		
Dihydrophylloquinone.....µg										
Menaquinone-4.....µg										
Lipids:										
Fatty acids, total saturated.....g	9.873		0	MA	12			0.859		
4:0.....g	0.000		0	MA	12			0.000		
6:0.....g	0.059		0	MA	12			0.005		
8:0.....g	0.879		0	MA	12			0.076		
10:0.....g	0.626		0	MA	12			0.054		
12:0.....g	3.878		0	MA	12			0.337		
13:0.....g										
14:0.....g	1.459		0	MA	12			0.127		
15:0.....g										
16:0.....g	2.056		0	MA	12			0.179		
17:0.....g										
18:0.....g	0.916		0	MA	12			0.080		
20:0.....g										
22:0.....g										
24:0.....g										
Fatty acids, total monounsaturated.....g	10.491		0	MA	12			0.913		
14:1.....g										
15:1.....g										
16:1 undifferentiated.....g	0.019		0	MA	12			0.002		
17:1.....g										
18:1 undifferentiated.....g	10.419		0	MA	12			0.906		
20:1.....g	0.054		0	MA	12			0.005		
22:1 undifferentiated.....g	0.000		0	MA	12			0.000		
24:1 c.....g										
Fatty acids, total polyunsaturated.....g	6.396		0	MA	12			0.556		
18:2 undifferentiated.....g	5.778		0	MA	12			0.503		
18:3 undifferentiated.....g	0.618		0	MA	12			0.054		
18:4.....g	0.000		0	MA	12			0.000		
20:2 n-6 c,c.....g										
20:3 undifferentiated.....g										
20:4 undifferentiated.....g	0.000		0	MA	12			0.000		
20:5 n-3 (EPA).....g	0.000		0	MA	12			0.000		
21:5.....g										
22:4.....g										
22:5 n-3 (DPA).....g	0.000		0	MA	12			0.000		
22:6 n-3 (DHA).....g	0.000		0	MA	12			0.000		
Fatty acids, total trans.....g										
Cholesterol.....mg	14		0	ML	5			1		
Phytosterols.....mg										
Others:										
Alcohol, ethyl.....g	0.0		0	Z	7			0.0		
Caffeine.....mg	0		0	Z	7			0		
Theobromine.....mg	0		0	Z	7			0		

Blanks in the Mean column indicate lack of reliable data. The Number of Data Points column is the number of analyses upon which the mean is based. Number of Data Points of zero indicates the mean was either calculated (as for Energy) or estimated, usually from a recipe, another form of the same food, or similar food.

Common Measures:

Measure 1 = 8.7g: 1 scoop

Footnotes:

1 Added vitamin E is RRR alpha tocopherol

NDB No. 03858

Infant formula, ABBOTT NUTRITION, SIMILAC, low iron, powder, not reconstituted

Calories Factors: Protein

Fat

Carbohydrate

Food Group: 03 Baby Foods

USDA National Nutrient Database for Standard Reference, Release 28 (2015)

NDB No. 03855

Infant formula, ABBOTT NUTRITION, SIMILAC, low iron, ready-to-feed

Nutrients and Units	Amount in 100 grams of edible portion					Amount in edible portion of common measures of food			
	Mean	Std. Error	Number of Data Points	Deriv Code	Source Code	Confidence Code	Measure 1	Measure 2	Measure 3
Lipids:									
Fatty acids, total saturated.....g	1.237		0	MA	12		0.383		
4:0.....g	0.000		0	MA	12		0.000		
6:0.....g	0.007		0	MA	12		0.002		
8:0.....g	0.110		0	MA	12		0.034		
10:0.....g	0.078		0	MA	12		0.024		
12:0.....g	0.486		0	MA	12		0.151		
13:0.....g									
14:0.....g	0.183		0	MA	12		0.057		
15:0.....g									
16:0.....g	0.258		0	MA	12		0.080		
17:0.....g									
18:0.....g	0.115		0	MA	12		0.036		
20:0.....g									
22:0.....g									
24:0.....g									
Fatty acids, total monounsaturated.....g	1.314		0	MA	12		0.407		
14:1.....g									
15:1.....g									
16:1 undifferentiated.....g	0.002		0	MA	12		0.001		
17:1.....g									
18:1 undifferentiated.....g	1.305		0	MA	12		0.405		
20:1.....g	0.007		0	MA	12		0.002		
22:1 undifferentiated.....g	0.000		0	MA	12		0.000		
24:1 c.....g									
Fatty acids, total polyunsaturated.....g	0.801		0	MA	12		0.248		
18:2 undifferentiated.....g	0.724		0	MA	12		0.224		
18:3 undifferentiated.....g	0.077		0	MA	12		0.024		
18:4.....g	0.000		0	MA	12		0.000		
20:2 n-6 c,c.....g									
20:3 undifferentiated.....g									
20:4 undifferentiated.....g	0.000		0	MA	12		0.000		
20:5 n-3 (EPA).....g	0.000		0	MA	12		0.000		
21:5.....g									
22:4.....g									
22:5 n-3 (DPA).....g	0.000		0	MA	12		0.000		
22:6 n-3 (DHA).....g	0.000		0	MA	12		0.000		
Fatty acids, total trans.....g									
Cholesterol.....mg	2		0	ML	5		1		
Phytosterols.....mg									
Others:									
Alcohol, ethyl.....g	0.0		0	Z	7		0.0		
Caffeine.....mg	0		0	Z	7		0		
Theobromine.....mg	0		0	Z	7		0		

Blanks in the Mean column indicate lack of reliable data. The Number of Data Points column is the number of analyses upon which the mean is based. Number of Data Points of zero indicates the mean was either calculated (as for Energy) or estimated, usually from a recipe, another form of the same food, or similar food.

Common Measures:

Measure 1 = 31.0g; 1 fl oz

Footnotes:

1 Added vitamin E is RRR alpha tocopherol

Calories Factors: Protein

Fat

Carbohydrate

Food Group: 03 Baby Foods

USDA National Nutrient Database for Standard Reference, Release 28 (2015)

NDB No. 03851

Infant formula, ABBOTT NUTRITION, SIMILAC, with iron, liquid concentrate, not reconstituted

Nutrients and Units	Amount in 100 grams of edible portion						Amount in edible portion of common measures of food			
	Mean	Std. Error	Number of Data Points			Source Code	Confidence Code	Measure 1	Measure 2	Measure 3
			Points	Deriv Code	Code					
Tocotrienol, delta.....mg										
Vitamin D (D2 + D3).....µg	1.9		0	T	4			0.6		
Vitamin D.....IU	76		0	T	4			24		
Vitamin K (phylloquinone).....µg	10.2		0	T	4			3.2		
Dihydrophylloquinone.....µg										
Menaquinone-4.....µg										
Lipids:										
Fatty acids, total saturated.....g	2.401		0	MA	12			0.754		
4:0.....g	0.000		0	MA	12			0.000		
6:0.....g	0.014		0	MA	12			0.004		
8:0.....g	0.214		0	MA	12			0.067		
10:0.....g	0.152		0	MA	12			0.048		
12:0.....g	0.943		0	MA	12			0.296		
13:0.....g										
14:0.....g	0.355		0	MA	12			0.111		
15:0.....g										
16:0.....g	0.500		0	MA	12			0.157		
17:0.....g										
18:0.....g	0.223		0	MA	12			0.070		
20:0.....g										
22:0.....g										
24:0.....g										
Fatty acids, total monounsaturated.....g	2.551		0	MA	12			0.801		
14:1.....g										
15:1.....g										
16:1 undifferentiated.....g	0.005		0	MA	12			0.002		
17:1.....g										
18:1 undifferentiated.....g	2.533		0	MA	12			0.795		
20:1.....g	0.013		0	MA	12			0.004		
22:1 undifferentiated.....g	0.000		0	MA	12			0.000		
24:1 c.....g										
Fatty acids, total polyunsaturated.....g	1.555		0	MA	12			0.488		
18:2 undifferentiated.....g	1.405		0	MA	12			0.441		
18:3 undifferentiated.....g	0.150		0	MA	12			0.047		
18:4.....g	0.000		0	MA	12			0.000		
20:2 n-6 c,c.....g										
20:3 undifferentiated.....g										
20:4 undifferentiated.....g	0.000		0	MA	12			0.000		
20:5 n-3 (EPA).....g	0.000		0	MA	12			0.000		
21:5.....g										
22:4.....g										
22:5 n-3 (DPA).....g	0.000		0	MA	12			0.000		
22:6 n-3 (DHA).....g	0.000		0	MA	12			0.000		
Fatty acids, total trans.....g										
Cholesterol.....mg	3		0	ML	5			1		
Phytosterols.....mg										
Others:										
Alcohol, ethyl.....g	0.0		0	Z	7			0.0		
Caffeine.....mg	0		0	Z	7			0		
Theobromine.....mg	0		0	Z	7			0		

Blanks in the Mean column indicate lack of reliable data. The Number of Data Points column is the number of analyses upon which the mean is based. Number of Data Points of zero indicates the mean was either calculated (as for Energy) or estimated, usually from a recipe, another form of the same food, or similar food.

Common Measures:

Measure 1 = 31.4g: 1 fl oz

Footnotes:

1 Added vitamin E is RRR alpha tocopherol

NDB No. 03851

Infant formula, ABBOTT NUTRITION, SIMILAC, with iron, liquid concentrate, not reconstituted

Calories Factors: Protein

Fat

Carbohydrate

Food Group: 03 Baby Foods

USDA National Nutrient Database for Standard Reference, Release 28 (2015)

NDB No. 03853

Infant formula, ABBOTT NUTRITION, SIMILAC, with iron, powder, not reconstituted

Nutrients and Units	Amount in 100 grams of edible portion						Amount in edible portion of common measures of food		
	Mean	Std. Error	Number of Data Points	Deriv Code	Source Code	Confidence Code	Measure 1	Measure 2	Measure 3
Tocotrienol, delta.....mg									
Vitamin D (D2 + D3).....µg	7.9		0	T	4		0.7		
Vitamin D.....IU	316		0	T	4		27		
Vitamin K (phylloquinone).....µg	42.1		0	T	4		3.6		
Dihydrophylloquinone.....µg									
Menaquinone-4.....µg									
Lipids:									
Fatty acids, total saturated.....g	9.873		0	MA	12		0.839		
4:0.....g	0.000		0	MA	12		0.000		
6:0.....g	0.059		0	MA	12		0.005		
8:0.....g	0.879		0	MA	12		0.075		
10:0.....g	0.626		0	MA	12		0.053		
12:0.....g	3.876		0	MA	12		0.329		
13:0.....g									
14:0.....g	1.459		0	MA	12		0.124		
15:0.....g									
16:0.....g	2.056		0	MA	12		0.175		
17:0.....g									
18:0.....g	0.916		0	MA	12		0.078		
20:0.....g									
22:0.....g									
24:0.....g									
Fatty acids, total monounsaturated.....g	10.491		0	MA	12		0.892		
14:1.....g									
15:1.....g									
16:1 undifferentiated.....g	0.019		0	MA	12		0.002		
17:1.....g									
18:1 undifferentiated.....g	10.419		0	MA	12		0.886		
20:1.....g	0.054		0	MA	12		0.005		
22:1 undifferentiated.....g	0.000		0	MA	12		0.000		
24:1 c.....g									
Fatty acids, total polyunsaturated.....g	6.396		0	MA	12		0.544		
18:2 undifferentiated.....g	5.778		0	MA	12		0.491		
18:3 undifferentiated.....g	0.618		0	MA	12		0.053		
18:4.....g	0.000		0	MA	12		0.000		
20:2 n-6 c,c.....g									
20:3 undifferentiated.....g									
20:4 undifferentiated.....g	0.000		0	MA	12		0.000		
20:5 n-3 (EPA).....g	0.000		0	MA	12		0.000		
21:5.....g									
22:4.....g									
22:5 n-3 (DPA).....g	0.000		0	MA	12		0.000		
22:6 n-3 (DHA).....g	0.000		0	MA	12		0.000		
Fatty acids, total trans.....g									
Cholesterol.....mg	14		0	ML	5		1		
Phytosterols.....mg									
Others:									
Alcohol, ethyl.....g	0.0		0	Z	7		0.0		
Caffeine.....mg	0		0	Z	7		0		
Theobromine.....mg	0		0	Z	7		0		

Blanks in the Mean column indicate lack of reliable data. The Number of Data Points column is the number of analyses upon which the mean is based. Number of Data Points of zero indicates the mean was either calculated (as for Energy) or estimated, usually from a recipe, another form of the same food, or similar food.

Common Measures:

Measure 1 = 8.5g: 1 scoop

Footnotes:

1 Added vitamin E is RRR alpha tocopherol

NDB No. 03853

Infant formula, ABBOTT NUTRITION, SIMILAC, with iron, powder, not reconstituted

Calories Factors: Protein

Fat

Carbohydrate

Food Group: 03 Baby Foods

USDA National Nutrient Database for Standard Reference, Release 28 (2015)

Nutrients and Units	Amount in 100 grams of edible portion						Amount in edible portion of common measures of food			
	Mean	Std. Error	Number of Data Points			Source Code	Confidence Code	Measure 1	Measure 2	Measure 3
			Points	Deriv Code	Code					
Tocotrienol, delta.....mg										
Vitamin D (D2 + D3).....µg	1.0		0	T	4			0.3		
Vitamin D.....IU	39		0	T	4			12		
Vitamin K (phylloquinone).....µg	5.3		0	T	4			1.6		
Dihydrophylloquinone.....µg										
Menaquinone-4.....µg										
Lipids:										
Fatty acids, total saturated.....g	1.237		1	MA	12			0.376		
4:0.....g	0.000		1	MA	12			0.000		
6:0.....g	0.007		1	MA	12			0.002		
8:0.....g	0.110		1	MA	12			0.033		
10:0.....g	0.078		1	MA	12			0.024		
12:0.....g	0.486		1	MA	12			0.148		
13:0.....g										
14:0.....g	0.183		1	MA	12			0.056		
15:0.....g										
16:0.....g	0.258		1	MA	12			0.078		
17:0.....g										
18:0.....g	0.115		1	MA	12			0.035		
20:0.....g										
22:0.....g										
24:0.....g										
Fatty acids, total monounsaturated.....g	1.314		1	MA	12			0.399		
14:1.....g										
15:1.....g										
16:1 undifferentiated.....g	0.002		1	MA	12			0.001		
17:1.....g										
18:1 undifferentiated.....g	1.305		1	MA	12			0.397		
20:1.....g	0.007		1	MA	12			0.002		
22:1 undifferentiated.....g	0.000		1	MA	12			0.000		
24:1 c.....g										
Fatty acids, total polyunsaturated.....g	0.801		1	MA	12			0.244		
18:2 undifferentiated.....g	0.724		1	MA	12			0.220		
18:3 undifferentiated.....g	0.077		1	MA	12			0.023		
18:4.....g	0.000		1	MA	12			0.000		
20:2 n-6 c,c.....g										
20:3 undifferentiated.....g										
20:4 undifferentiated.....g	0.000		1	MA	12			0.000		
20:5 n-3 (EPA).....g	0.000		1	MA	12			0.000		
21:5.....g										
22:4.....g										
22:5 n-3 (DPA).....g	0.000		1	MA	12			0.000		
22:6 n-3 (DHA).....g	0.000		1	MA	12			0.000		
Fatty acids, total trans.....g										
Cholesterol.....mg	2		1	MA	12			1		
Phytosterols.....mg										
Others:										
Alcohol, ethyl.....g	0.0		0	Z	7			0.0		
Caffeine.....mg	0		0	Z	7			0		
Theobromine.....mg	0		0	Z	7			0		

Blanks in the Mean column indicate lack of reliable data. The Number of Data Points column is the number of analyses upon which the mean is based. Number of Data Points of zero indicates the mean was either calculated (as for Energy) or estimated, usually from a recipe, another form of the same food, or similar food.

Common Measures:

Measure 1 = 30.4g: 1 fl oz

Footnotes:

1 Added vitamin E is RRR alpha tocopherol

NDB No. 03850

Infant formula, ABBOTT NUTRITION, SIMILAC, with iron, ready-to-feed

Calories Factors: Protein

Fat

Carbohydrate

Food Group: 03 Baby Foods

USDA National Nutrient Database for Standard Reference, Release 28 (2015)

NDB No. 33872

Infant formula, GERBER, GOOD START 2 SOY, with iron, powder

Nutrients and Units	Amount in 100 grams of edible portion				Amount in edible portion of common measures of food				
	Mean	Std. Error	Number of Data Points	Deriv Code	Source Code	Confidence Code	Measure 1	Measure 2	Measure 3
Lipids:									
Fatty acids, total saturated.....g	11.043		0	BFFN	4		1.038		
4:0.....g	0.000		0	BFFN	4		0.000		
6:0.....g	0.030		0	BFFN	4		0.003		
8:0.....g	0.402		0	BFFN	4		0.038		
10:0.....g	0.303		0	BFFN	4		0.028		
12:0.....g	2.409		0	BFFN	4		0.226		
13:0.....g									
14:0.....g	1.004		0	BFFN	4		0.094		
15:0.....g									
16:0.....g	5.823		0	BFFN	4		0.547		
17:0.....g									
18:0.....g	1.004		0	BFFN	4		0.094		
20:0.....g									
22:0.....g									
24:0.....g									
Fatty acids, total monounsaturated.....g	8.132		0	BFFN	4		0.764		
14:1.....g									
15:1.....g									
16:1 undifferentiated.....g	0.050		0	NR	4		0.005		
17:1.....g									
18:1 undifferentiated.....g	7.931		0	BFFN	4		0.746		
20:1.....g	0.040		0	BFFN	4		0.004		
22:1 undifferentiated.....g	0.010		0	BFFN	4		0.001		
24:1 c.....g									
Fatty acids, total polyunsaturated.....g	6.024		0	BFFN	4		0.566		
18:2 undifferentiated.....g	4.718		0	BFFN	4		0.444		
18:3 undifferentiated.....g	0.500		0	NR	4		0.047		
18:4.....g	0.000		0	BFFN	4		0.000		
20:2 n-6 c,c.....g									
20:3 undifferentiated.....g									
20:4 undifferentiated.....g	0.000		0	BFFN	4		0.000		
20:5 n-3 (EPA).....g	0.000		0	BFFN	4		0.000		
21:5.....g									
22:4.....g									
22:5 n-3 (DPA).....g	0.000		0	BFFN	4		0.000		
22:6 n-3 (DHA).....g	0.000		0	BFFN	4		0.000		
Fatty acids, total trans.....g									
Cholesterol.....mg	0		0	BFFN	4		0		
Phytosterols.....mg									
Others:									
Alcohol, ethyl.....g	0.0		0	NC	4		0.0		
Caffeine.....mg	0		0	NC	4		0		
Theobromine.....mg	0		0	NR	4		0		

Blanks in the Mean column indicate lack of reliable data. The Number of Data Points column is the number of analyses upon which the mean is based. Number of Data Points of zero indicates the mean was either calculated (as for Energy) or estimated, usually from a recipe, another form of the same food, or similar food.

Common Measures:

Measure 1 = 9.4g: 1 scoop

Calories Factors: Protein

Fat

Carbohydrate

Food Group: 03 Baby Foods

USDA National Nutrient Database for Standard Reference, Release 28 (2015)

Nutrients and Units	Amount in 100 grams of edible portion				Amount in edible portion of common measures of food				
	Mean	Std. Error	Number of Data Points	Deriv Code	Source Code	Confidence Code	Measure 1	Measure 2	Measure 3
Lipids:									
Fatty acids, total saturated.....g	1.399		0	BFFN	4		0.425	2.126	
4:0.....g	0.000		0	NR	4		0.000	0.000	
6:0.....g	0.004		0	BFFN	4		0.001	0.006	
8:0.....g	0.050		0	BFFN	4		0.015	0.076	
10:0.....g	0.039		0	BFFN	4		0.012	0.059	
12:0.....g	0.307		0	BFFN	4		0.093	0.467	
13:0.....g									
14:0.....g	0.128		0	BFFN	4		0.039	0.195	
15:0.....g									
16:0.....g	0.743		0	BFFN	4		0.226	1.129	
17:0.....g									
18:0.....g	0.128		0	BFFN	4		0.039	0.195	
20:0.....g									
22:0.....g									
24:0.....g									
Fatty acids, total monounsaturated.....g	1.187		0	BFFN	4		0.361	1.805	
14:1.....g									
15:1.....g									
16:1 undifferentiated.....g	0.006		0	BFFN	4		0.002	0.010	
17:1.....g									
18:1 undifferentiated.....g	1.079		0	BFFN	4		0.328	1.640	
20:1.....g	0.051		0	BFFN	4		0.015	0.077	
22:1 undifferentiated.....g	0.051		0	BFFN	4		0.016	0.078	
24:1 c.....g									
Fatty acids, total polyunsaturated.....g	0.694		0	BFFN	4		0.211	1.055	
18:2 undifferentiated.....g	0.602		0	BFFN	4		0.183	0.915	
18:3 undifferentiated.....g	0.064		0	BFFN	4		0.019	0.097	
18:4.....g	0.000		0	NR	4		0.000	0.000	
20:2 n-6 c,c.....g									
20:3 undifferentiated.....g									
20:4 undifferentiated.....g	0.019		0	BFFN	4		0.006	0.029	
20:5 n-3 (EPA).....g	0.000		0	NR	4		0.000	0.000	
21:5.....g									
22:4.....g									
22:5 n-3 (DPA).....g	0.000		0	NR	4		0.000	0.000	
22:6 n-3 (DHA).....g	0.009		0	BFFN	4		0.003	0.014	
Fatty acids, total trans.....g									
Cholesterol.....mg	0		0	NR	4		0	0	
Phytosterols.....mg									
Others:									
Alcohol, ethyl.....g	0.0		0	O	4		0.0	0.0	
Caffeine.....mg	0		0	NR	4		0	0	
Theobromine.....mg	0		0	NR	4		0	0	

Blanks in the Mean column indicate lack of reliable data. The Number of Data Points column is the number of analyses upon which the mean is based. Number of Data Points of zero indicates the mean was either calculated (as for Energy) or estimated, usually from a recipe, another form of the same food, or similar food.

Common Measures:

Measure 1 = 30.4g: 1 fl oz

Measure 2 = 152g: 5 fl oz

Calories Factors: Protein

Fat

Carbohydrate

Food Group: 03 Baby Foods

NDB No. 33869

Infant formula, GERBER, GOOD START 2, PROTECT PLUS, powder

Nutrients and Units	Amount in 100 grams of edible portion					Amount in edible portion of common measures of food			
	Mean	Std. Error	Number of Data Points	Deriv Code	Source Code	Confidence Code	Measure 1	Measure 2	Measure 3
Lipids:									
Fatty acids, total saturated.....g	11.016		0	BFFN	4		1.036		
4:0.....g	0.000		0	BFFN	4		0.000		
6:0.....g	0.073		0	BFFN	4		0.007		
8:0.....g	0.438		0	BFFN	4		0.041		
10:0.....g	0.292		0	BFFN	4		0.027		
12:0.....g	2.335		0	BFFN	4		0.219		
13:0.....g									
14:0.....g	1.021		0	BFFN	4		0.096		
15:0.....g									
16:0.....g	5.836		0	BFFN	4		0.549		
17:0.....g									
18:0.....g	1.021		0	BFFN	4		0.096		
20:0.....g									
22:0.....g									
24:0.....g									
Fatty acids, total monounsaturated.....g	9.559		0	BFFN	4		0.899		
14:1.....g									
15:1.....g									
16:1 undifferentiated.....g	0.075		0	BFFN	4		0.007		
17:1.....g									
18:1 undifferentiated.....g	9.411		0	BFFN	4		0.885		
20:1.....g	0.073		0	BFFN	4		0.007		
22:1 undifferentiated.....g	0.000		0	BFFN	4		0.000		
24:1 c.....g									
Fatty acids, total polyunsaturated.....g	5.092		0	BFFN	4		0.479		
18:2 undifferentiated.....g	4.377		0	BFFN	4		0.411		
18:3 undifferentiated.....g	0.496		0	BFFN	4		0.047		
18:4.....g	0.000		0	BFFN	4		0.000		
20:2 n-6 c,c.....g									
20:3 undifferentiated.....g									
20:4 undifferentiated.....g	0.146		0	BFFN	4		0.014		
20:5 n-3 (EPA).....g	0.000		0	BFFN	4		0.000		
21:5.....g									
22:4.....g									
22:5 n-3 (DPA).....g	0.000		0	BFFN	4		0.000		
22:6 n-3 (DHA).....g	0.073		0	BFFN	4		0.007		
Fatty acids, total trans.....g									
Cholesterol.....mg	0		0	NR	4		0		
Phytosterols.....mg									
Others:									
Alcohol, ethyl.....g	0.0		0	NR	4		0.0		
Caffeine.....mg	0		0	NR	4		0		
Theobromine.....mg	0		0	BFFN	4		0		

Blanks in the Mean column indicate lack of reliable data. The Number of Data Points column is the number of analyses upon which the mean is based. Number of Data Points of zero indicates the mean was either calculated (as for Energy) or estimated, usually from a recipe, another form of the same food, or similar food.

Common Measures:

Measure 1 = 9.4g: 1 scoop

Calories Factors: Protein

Fat

Carbohydrate

Food Group: 03 Baby Foods

USDA National Nutrient Database for Standard Reference, Release 28 (2015)

NDB No. 03990

Infant formula, GERBER, GOOD START 2, PROTECT PLUS, ready-to-feed

Nutrients and Units	Amount in 100 grams of edible portion					Amount in edible portion of common measures of food		
	Mean	Std. Error	Number of Data Deriv Source Confidence			Measure 1	Measure 2	Measure 3
			Points	Code	Code			
Lipids:								
Fatty acids, total saturated.....g	1.443		0	NC	4	0.439	2.193	
4:0.....g	0.000		0	NR	4	0.000	0.000	
6:0.....g	0.010		0	BFFN	4	0.003	0.015	
8:0.....g	0.057		0	BFFN	4	0.017	0.087	
10:0.....g	0.038		0	BFFN	4	0.012	0.058	
12:0.....g	0.306		0	BFFN	4	0.093	0.465	
13:0.....g								
14:0.....g	0.134		0	BFFN	4	0.041	0.203	
15:0.....g								
16:0.....g	0.764		0	BFFN	4	0.232	1.162	
17:0.....g								
18:0.....g	0.134		0	BFFN	4	0.041	0.203	
20:0.....g								
22:0.....g								
24:0.....g								
Fatty acids, total monounsaturated.....g	1.252		0	NC	4	0.381	1.903	
14:1.....g								
15:1.....g								
16:1 undifferentiated.....g	0.010		0	BFFN	4	0.003	0.015	
17:1.....g								
18:1 undifferentiated.....g	1.233		0	BFFN	4	0.375	1.874	
20:1.....g	0.010		0	BFFN	4	0.003	0.015	
22:1 undifferentiated.....g	0.000		0	BFFN	4	0.000	0.000	
24:1 c.....g								
Fatty acids, total polyunsaturated.....g	0.667		0	NC	4	0.203	1.014	
18:2 undifferentiated.....g	0.573		0	BFFN	4	0.174	0.871	
18:3 undifferentiated.....g	0.065		0	BFFN	4	0.020	0.099	
18:4.....g	0.000		0	NR	4	0.000	0.000	
20:2 n-6 c,c.....g								
20:3 undifferentiated.....g								
20:4 undifferentiated.....g	0.019		0	BFFN	4	0.006	0.029	
20:5 n-3 (EPA).....g	0.000		0	BFFN	4	0.000	0.000	
21:5.....g								
22:4.....g								
22:5 n-3 (DPA).....g	0.000		0	NR	4	0.000	0.000	
22:6 n-3 (DHA).....g	0.010		0	BFFN	4	0.003	0.015	
Fatty acids, total trans.....g								
Cholesterol.....mg	0		0	MC	9	0	0	
Phytosterols.....mg								
Others:								
Alcohol, ethyl.....g	0.0		0	NR	4	0.0	0.0	
Caffeine.....mg	0		0	NR	4	0	0	
Theobromine.....mg	0		0	NR	4	0	0	

Blanks in the Mean column indicate lack of reliable data. The Number of Data Points column is the number of analyses upon which the mean is based. Number of Data Points of zero indicates the mean was either calculated (as for Energy) or estimated, usually from a recipe, another form of the same food, or similar food.

Common Measures:

Measure 1 = 30.4g: 1 fl oz

Measure 2 = 152g: 5 fl oz

Calories Factors: Protein

Fat

Carbohydrate

Food Group: 03 Baby Foods

USDA National Nutrient Database for Standard Reference, Release 28 (2015)

NDB No. 33867

Infant formula, GERBER, GOOD START, PROTECT PLUS, powder

Nutrients and Units	Amount in 100 grams of edible portion					Amount in edible portion of common measures of food			
	Mean	Std. Error	Number of Data Points	Deriv Code	Source Code	Confidence Code	Measure 1	Measure 2	Measure 3
Lipids:									
Fatty acids, total saturated.....g	10.936		0	BFFN	4		1.028		
4:0.....g	0.000		0	BFFN	4		0.000		
6:0.....g	0.072		0	BFFN	4		0.007		
8:0.....g	0.435		0	BFFN	4		0.041		
10:0.....g	0.290		0	BFFN	4		0.027		
12:0.....g	2.318		0	BFFN	4		0.218		
13:0.....g									
14:0.....g	1.014		0	BFFN	4		0.095		
15:0.....g									
16:0.....g	5.794		0	BFFN	4		0.545		
17:0.....g									
18:0.....g	1.014		0	BFFN	4		0.095		
20:0.....g									
22:0.....g									
24:0.....g									
Fatty acids, total monounsaturated.....g	9.490		0	BFFN	4		0.892		
14:1.....g									
15:1.....g									
16:1 undifferentiated.....g	0.075		0	BFFN	4		0.007		
17:1.....g									
18:1 undifferentiated.....g	9.343		0	BFFN	4		0.878		
20:1.....g	0.072		0	BFFN	4		0.007		
22:1 undifferentiated.....g	0.000		0	BFFN	4		0.000		
24:1 c.....g									
Fatty acids, total polyunsaturated.....g	5.055		0	BFFN	4		0.475		
18:2 undifferentiated.....g	4.346		0	BFFN	4		0.408		
18:3 undifferentiated.....g	0.492		0	BFFN	4		0.046		
18:4.....g	0.000		0	BFFN	4		0.000		
20:2 n-6 c,c.....g									
20:3 undifferentiated.....g									
20:4 undifferentiated.....g	0.145		0	BFFN	4		0.014		
20:5 n-3 (EPA).....g	0.000		0	BFFN	4		0.000		
21:5.....g									
22:4.....g									
22:5 n-3 (DPA).....g	0.000		0	BFFN	4		0.000		
22:6 n-3 (DHA).....g	0.072		0	BFFN	4		0.007		
Fatty acids, total trans.....g									
Cholesterol.....mg	0		0	NR	4		0		
Phytosterols.....mg									
Others:									
Alcohol, ethyl.....g	0.0		0	MC	9		0.0		
Caffeine.....mg	0		0	NR	4		0		
Theobromine.....mg	0		0	NR	4		0		

Blanks in the Mean column indicate lack of reliable data. The Number of Data Points column is the number of analyses upon which the mean is based. Number of Data Points of zero indicates the mean was either calculated (as for Energy) or estimated, usually from a recipe, another form of the same food, or similar food.

Common Measures:

Measure 1 = 9.4g: 1 scoop

Calories Factors: Protein

Fat

Carbohydrate

Food Group: 03 Baby Foods

USDA National Nutrient Database for Standard Reference, Release 28 (2015)

Nutrients and Units	Amount in 100 grams of edible portion				Amount in edible portion of common measures of food				
	Mean	Std. Error	Number		Source Code	Confidence Code	Measure 1	Measure 2	Measure 3
			of Data Points	Deriv Code					
Lipids:									
Fatty acids, total saturated.....g	1.443		0	NC	4		0.439	2.193	
4:0.....g	0.000		0	NR	4		0.000	0.000	
6:0.....g	0.010		0	BFFN	4		0.003	0.015	
8:0.....g	0.057		0	BFFN	4		0.017	0.087	
10:0.....g	0.038		0	BFFN	4		0.012	0.058	
12:0.....g	0.306		0	BFFN	4		0.093	0.465	
13:0.....g									
14:0.....g	0.134		0	BFFN	4		0.041	0.203	
15:0.....g									
16:0.....g	0.764		0	BFFN	4		0.232	1.162	
17:0.....g									
18:0.....g	0.134		0	BFFN	4		0.041	0.203	
20:0.....g									
22:0.....g									
24:0.....g									
Fatty acids, total monounsaturated.....g	1.252		0	NC	4		0.381	1.903	
14:1.....g									
15:1.....g									
16:1 undifferentiated.....g	0.010		0	BFFN	4		0.003	0.015	
17:1.....g									
18:1 undifferentiated.....g	1.233		0	BFFN	4		0.375	1.874	
20:1.....g	0.010		0	BFFN	4		0.003	0.015	
22:1 undifferentiated.....g	0.000		0	BFFN	4		0.000	0.000	
24:1 c.....g									
Fatty acids, total polyunsaturated.....g	0.667		0	NC	4		0.203	1.014	
18:2 undifferentiated.....g	0.573		0	BFFN	4		0.174	0.871	
18:3 undifferentiated.....g	0.065		0	BFFN	4		0.020	0.099	
18:4.....g	0.000		0	NR	4		0.000	0.000	
20:2 n-6 c,c.....g									
20:3 undifferentiated.....g									
20:4 undifferentiated.....g	0.019		0	BFFN	4		0.006	0.029	
20:5 n-3 (EPA).....g	0.000		0	BFFN	4		0.000	0.000	
21:5.....g									
22:4.....g									
22:5 n-3 (DPA).....g	0.000		0	NR	4		0.000	0.000	
22:6 n-3 (DHA).....g	0.010		0	BFFN	4		0.003	0.015	
Fatty acids, total trans.....g									
Cholesterol.....mg	0		0	MC	9		0	0	
Phytosterols.....mg									
Others:									
Alcohol, ethyl.....g	0.0		0	NR	4		0.0	0.0	
Caffeine.....mg	0		0	NR	4		0	0	
Theobromine.....mg	0		0	NR	4		0	0	

Blanks in the Mean column indicate lack of reliable data. The Number of Data Points column is the number of analyses upon which the mean is based. Number of Data Points of zero indicates the mean was either calculated (as for Energy) or estimated, usually from a recipe, another form of the same food, or similar food.

Common Measures:

Measure 1 = 30.4g: 1 fl oz

Measure 2 = 152g: 5 fl oz

Calories Factors: Protein

Fat

Carbohydrate

Food Group: 03 Baby Foods

Nutrients and Units	Amount in 100 grams of edible portion				Amount in edible portion of common measures of food				
	Mean	Std. Error	Number of Data Points		Source Code	Confidence Code	Measure 1	Measure 2	Measure 3
			Deriv Code	Points					
Lipids:									
Fatty acids, total saturated.....g	1.453		0	NR	4		1.540	0.443	
4:0.....g	0.000		0	BFZN	4		0.000	0.000	
6:0.....g	0.009		0	MC	9		0.010	0.003	
8:0.....g	0.057		0	MC	9		0.060	0.017	
10:0.....g	0.038		0	MC	9		0.040	0.012	
12:0.....g	0.311		0	MC	9		0.330	0.095	
13:0.....g									
14:0.....g	0.142		0	MC	9		0.151	0.043	
15:0.....g									
16:0.....g	0.745		0	MC	9		0.790	0.227	
17:0.....g									
18:0.....g	0.142		0	MC	9		0.151	0.043	
20:0.....g									
22:0.....g									
24:0.....g									
Fatty acids, total monounsaturated.....g	1.255		0	MC	9		1.330	0.383	
14:1.....g									
15:1.....g									
16:1 undifferentiated.....g	0.009		0	MC	9		0.010	0.003	
17:1.....g									
18:1 undifferentiated.....g	1.255		0	MC	9		1.330	0.383	
20:1.....g	0.000		0	BFZN	4		0.000	0.000	
22:1 undifferentiated.....g	0.000		0	BFZN	4		0.000	0.000	
24:1 c.....g									
Fatty acids, total polyunsaturated.....g	0.670		0	MC	9		0.710	0.204	
18:2 undifferentiated.....g	0.585		0	MC	9		0.620	0.178	
18:3 undifferentiated.....g	0.057		0	MC	9		0.060	0.017	
18:4.....g	0.000		0	BFZN	4		0.000	0.000	
20:2 n-6 c,c.....g									
20:3 undifferentiated.....g									
20:4 undifferentiated.....g	0.019		0	MC	9		0.020	0.006	
20:5 n-3 (EPA).....g	0.000		0	BFZN	4		0.000	0.000	
21:5.....g									
22:4.....g									
22:5 n-3 (DPA).....g	0.000		0	BFZN	4		0.000	0.000	
22:6 n-3 (DHA).....g	0.009		0	NR	4		0.010	0.003	
Fatty acids, total trans.....g									
Cholesterol.....mg	1		0	MC	9		1	0	
Phytosterols.....mg									
Others:									
Alcohol, ethyl.....g	0.0		0	BFZN	4		0.0	0.0	
Caffeine.....mg	0		0	BFZN	4		0	0	
Theobromine.....mg	0		0	BFZN	4		0	0	

Blanks in the Mean column indicate lack of reliable data. The Number of Data Points column is the number of analyses upon which the mean is based. Number of Data Points of zero indicates the mean was either calculated (as for Energy) or estimated, usually from a recipe, another form of the same food, or similar food.

Common Measures:

Measure 1 = 106g: 1 serving 100 ml

Measure 2 = 30.5g: 1 fl oz

Footnotes:

1 Contains arachidonic acid (ARA, nutrient number 620) and docosahexaenoic acid (DHA, nutrient number 621), fatty acids found in human breast milk.

Calories Factors: Protein

Fat

Carbohydrate

NDB No. 03815

Infant formula, MEAD JOHNSON, ENFAMIL LIPIL, with iron, ready-to-feed, with ARA and DHA (1)

Food Group: 03 Baby Foods

USDA National Nutrient Database for Standard Reference, Release 28 (2015)

Nutrients and Units	Amount in 100 grams of edible portion				Amount in edible portion of common measures of food			
	Mean	Std. Error	Number of Data Deriv Source Confidence			Measure 1	Measure 2	Measure 3
			Points	Code	Code			
Lipids:								
Fatty acids, total saturated.....g	10.942		0	NC	4		0.952	11.598
4:0.....g	0.000		0	MC	9		0.000	0.000
6:0.....g	0.029		0	MC	9		0.003	0.031
8:0.....g	0.396		0	MC	9		0.034	0.419
10:0.....g	0.299		0	MC	9		0.026	0.317
12:0.....g	2.412		0	MC	9		0.210	2.557
13:0.....g								
14:0.....g	1.071		0	MC	9		0.093	1.135
15:0.....g								
16:0.....g	5.693		0	MC	9		0.495	6.034
17:0.....g								
18:0.....g	1.042		0	MC	9		0.091	1.105
20:0.....g								
22:0.....g								
24:0.....g								
Fatty acids, total monounsaturated.....g	9.292		0	NC	4		0.808	9.849
14:1.....g								
15:1.....g								
16:1 undifferentiated.....g	0.029		0	MC	9		0.003	0.031
17:1.....g								
18:1 undifferentiated.....g	9.263		0	MC	9		0.806	9.819
20:1.....g	0.000		0	MC	9		0.000	0.000
22:1 undifferentiated.....g	0.000		0	MC	9		0.000	0.000
24:1 c.....g								
Fatty acids, total polyunsaturated.....g	5.124		0	NC	4		0.446	5.431
18:2 undifferentiated.....g	4.439		0	MC	9		0.386	4.705
18:3 undifferentiated.....g	0.434		0	MC	9		0.038	0.460
18:4.....g	0.000		0	MC	9		0.000	0.000
20:2 n-6 c,c.....g								
20:3 undifferentiated.....g								
20:4 undifferentiated.....g	0.164		0	MC	9		0.014	0.174
20:5 n-3 (EPA).....g	0.000		0	MC	9		0.000	0.000
21:5.....g								
22:4.....g								
22:5 n-3 (DPA).....g	0.000		0	BFZN	4		0.000	0.000
22:6 n-3 (DHA).....g	0.087		0	NR	4		0.008	0.092
Fatty acids, total trans.....g								
Cholesterol.....mg	17		0	MC	9		1	18
Phytosterols.....mg								
Others:								
Alcohol, ethyl.....g	0.0		0	BFZN	4		0.0	0.0
Caffeine.....mg	0		0	BFZN	4		0	0
Theobromine.....mg	0		0	BFZN	4		0	0

Blanks in the Mean column indicate lack of reliable data. The Number of Data Points column is the number of analyses upon which the mean is based. Number of Data Points of zero indicates the mean was either calculated (as for Energy) or estimated, usually from a recipe, another form of the same food, or similar food.

Common Measures:

Measure 1 = 8.7g: 1 scoop

Measure 2 = 106g: 1 serving 100 ml

Footnotes:

1 Contains arachidonic acid (ARA, nutrient number 620) and docosahexaenoic acid (DHA, nutrient number 621), fatty acids found in human breast milk.

Calories Factors: Protein

Fat

Carbohydrate

NDB No. 03943

Infant formula, MEAD JOHNSON, ENFAMIL, AR LIPIL, powder, with ARA and DHA (1)

Food Group: 03 Baby Foods

USDA National Nutrient Database for Standard Reference, Release 28 (2015)

Nutrients and Units	Amount in 100 grams of edible portion					Amount in edible portion of common measures of food		
	Mean	Std. Error	Number of Data Deriv Source Confidence			Measure 1	Measure 2	Measure 3
			Points	Code	Code			
Lipids:								
Fatty acids, total saturated.....g	1.453		0	NR	4	1.540	0.443	
4:0.....g	0.000		0	MC	9	0.000	0.000	
6:0.....g	0.009		0	NR	4	0.010	0.003	
8:0.....g	0.057		0	NR	4	0.060	0.017	
10:0.....g	0.038		0	NR	4	0.040	0.012	
12:0.....g	0.311		0	NR	4	0.330	0.095	
13:0.....g								
14:0.....g	0.142		0	NR	4	0.151	0.043	
15:0.....g								
16:0.....g	0.745		0	NR	4	0.790	0.227	
17:0.....g								
18:0.....g	0.142		0	NR	4	0.151	0.043	
20:0.....g								
22:0.....g								
24:0.....g								
Fatty acids, total monounsaturated.....g	1.255		0	NR	4	1.330	0.383	
14:1.....g								
15:1.....g								
16:1 undifferentiated.....g	0.009		0	NR	4	0.010	0.003	
17:1.....g								
18:1 undifferentiated.....g	1.255		0	NR	4	1.330	0.383	
20:1.....g	0.000		0	BFZN	4	0.000	0.000	
22:1 undifferentiated.....g	0.000		0	BFZN	4	0.000	0.000	
24:1 c.....g								
Fatty acids, total polyunsaturated.....g	0.670		0	NR	4	0.710	0.204	
18:2 undifferentiated.....g	0.585		0	NR	4	0.620	0.178	
18:3 undifferentiated.....g	0.057		0	NR	4	0.060	0.017	
18:4.....g	0.000		0	BFZN	4	0.000	0.000	
20:2 n-6 c,c.....g								
20:3 undifferentiated.....g								
20:4 undifferentiated.....g	0.023		0	MC	9	0.025	0.007	
20:5 n-3 (EPA).....g	0.000		0	MC	9	0.000	0.000	
21:5.....g								
22:4.....g								
22:5 n-3 (DPA).....g	0.000		0	BFZN	4	0.000	0.000	
22:6 n-3 (DHA).....g	0.012		0	MC	9	0.012	0.004	
Fatty acids, total trans.....g								
Cholesterol.....mg	1		0	MC	9	1	0	
Phytosterols.....mg								
Others:								
Alcohol, ethyl.....g	0.0		0	BFZN	4	0.0	0.0	
Caffeine.....mg	0		0	BFZN	4	0	0	
Theobromine.....mg	0		0	BFZN	4	0	0	

Blanks in the Mean column indicate lack of reliable data. The Number of Data Points column is the number of analyses upon which the mean is based. Number of Data Points of zero indicates the mean was either calculated (as for Energy) or estimated, usually from a recipe, another form of the same food, or similar food.

Common Measures:

Measure 1 = 106g: 1 serving 100 ml

Measure 2 = 30.5g: 1 fl oz

Footnotes:

1 Contains arachidonic acid (ARA, nutrient number 620) and docosahexaenoic acid (DHA, nutrient number 621), fatty acids found in human breast milk.

Calories Factors: Protein

Fat

Carbohydrate

NDB No. 03942

Infant formula, MEAD JOHNSON, ENFAMIL, AR LIPIL, ready-to-feed, with ARA and DHA (1)

Food Group: 03 Baby Foods

USDA National Nutrient Database for Standard Reference, Release 28 (2015)

NDB No. 03849

Infant formula, MEAD JOHNSON, ENFAMIL, ENFACARE LIPIL, with iron, powder, with ARA and DHA (1)

Nutrients and Units	Amount in 100 grams of edible portion				Amount in edible portion of common measures of food			
	Mean	Std. Error	Number of Data Points			Measure 1	Measure 2	Measure 3
			Deriv Code	Source Code	Confidence Code			
Lipids:								
Fatty acids, total saturated.....g	11.370		0	NC	4		1.069	
4:0.....g	0.000		0	NR	4		0.000	
6:0.....g	0.030		0	NR	4		0.003	
8:0.....g	0.430		0	NR	4		0.040	
10:0.....g	0.320		0	NR	4		0.030	
12:0.....g	2.500		0	NR	4		0.235	
13:0.....g								
14:0.....g	1.110		0	NR	4		0.104	
15:0.....g								
16:0.....g	5.900		0	NR	4		0.555	
17:0.....g								
18:0.....g	1.080		0	NR	4		0.102	
20:0.....g								
22:0.....g								
24:0.....g								
Fatty acids, total monounsaturated.....g	10.300		0	NC	4		0.968	
14:1.....g								
15:1.....g								
16:1 undifferentiated.....g	0.000		0	NR	4		0.000	
17:1.....g								
18:1 undifferentiated.....g	10.300		0	NR	4		0.968	
20:1.....g	0.000		0	BFFN	4		0.000	
22:1 undifferentiated.....g	0.000		0	BFFN	4		0.000	
24:1 c.....g								
Fatty acids, total polyunsaturated.....g	5.402		0	NC	4		0.508	
18:2 undifferentiated.....g	4.700		0	NR	4		0.442	
18:3 undifferentiated.....g	0.450		0	NR	4		0.042	
18:4.....g	0.000		0	BFFN	4		0.000	
20:2 n-6 c,c.....g								
20:3 undifferentiated.....g								
20:4 undifferentiated.....g	0.168		1	MA	12		0.016	
20:5 n-3 (EPA).....g	0.000		0	BFFN	4		0.000	
21:5.....g								
22:4.....g								
22:5 n-3 (DPA).....g	0.000		0	BFFN	4		0.000	
22:6 n-3 (DHA).....g	0.084		1	MA	12		0.008	
Fatty acids, total trans.....g								
Cholesterol.....mg	16		0	BFFN	4		2	
Phytosterols.....mg								
Others:								
Alcohol, ethyl.....g	0.0		0	BFSN	4		0.0	
Caffeine.....mg	0		0	NR	4		0	
Theobromine.....mg	0		0	NR	4		0	

Blanks in the Mean column indicate lack of reliable data. The Number of Data Points column is the number of analyses upon which the mean is based. Number of Data Points of zero indicates the mean was either calculated (as for Energy) or estimated, usually from a recipe, another form of the same food, or similar food.

Common Measures:

Measure 1 = 9.4g: 1 scoop

Footnotes:

1 Contains arachidonic acid (ARA, nutrient number 620) and docosahexaenoic acid (DHA, nutrient number 621), fatty acids found in human breast milk.

Calories Factors: Protein

Fat

Carbohydrate

Food Group: 03 Baby Foods

USDA National Nutrient Database for Standard Reference, Release 28 (2015)

NDB No. 33866

Infant formula, MEAD JOHNSON, ENFAMIL, ENFAGROW, GENTLEASE, Toddler, LIPIL, powder

Nutrients and Units	Amount in 100 grams of edible portion				Amount in edible portion of common measures of food				
	Mean	Std. Error	Number of Data Points	Deriv Code	Source Code	Confidence Code	Measure 1	Measure 2	Measure 3
Lipids:									
Fatty acids, total saturated.....g	11.760		0	BFFN	4		1.129		
4:0.....g	0.000		0	BFFN	4		0.000		
6:0.....g	0.077		0	BFFN	4		0.007		
8:0.....g	0.462		0	BFFN	4		0.044		
10:0.....g	0.308		0	BFFN	4		0.030		
12:0.....g	2.533		0	BFFN	4		0.243		
13:0.....g									
14:0.....g	1.151		0	BFFN	4		0.110		
15:0.....g									
16:0.....g	6.079		0	BFFN	4		0.584		
17:0.....g									
18:0.....g	1.151		0	BFFN	4		0.110		
20:0.....g									
22:0.....g									
24:0.....g									
Fatty acids, total monounsaturated.....g	0.231		0	BFFN	4		0.022		
14:1.....g									
15:1.....g									
16:1 undifferentiated.....g	0.077		0	BFFN	4		0.007		
17:1.....g									
18:1 undifferentiated.....g	0.000		0	BFFN	4		0.000		
20:1.....g	0.077		0	BFFN	4		0.007		
22:1 undifferentiated.....g	0.077		0	BFFN	4		0.007		
24:1 c.....g									
Fatty acids, total polyunsaturated.....g	5.464		0	BFFN	4		0.525		
18:2 undifferentiated.....g	4.771		0	BFFN	4		0.458		
18:3 undifferentiated.....g	0.462		0	BFFN	4		0.044		
18:4.....g	0.000		0	BFFN	4		0.000		
20:2 n-6 c,c.....g									
20:3 undifferentiated.....g									
20:4 undifferentiated.....g	0.154		0	BFFN	4		0.015		
20:5 n-3 (EPA).....g	0.000		0	BFFN	4		0.000		
21:5.....g									
22:4.....g									
22:5 n-3 (DPA).....g	0.000		0	BFFN	4		0.000		
22:6 n-3 (DHA).....g	0.077		0	BFFN	4		0.007		
Fatty acids, total trans.....g									
Cholesterol.....mg	0		0	MC	9		0		
Phytosterols.....mg									
Others:									
Alcohol, ethyl.....g	0.0		0	MC	9		0.0		
Caffeine.....mg	0		0	NR	4		0		
Theobromine.....mg	0		0	BFFN	4		0		

Blanks in the Mean column indicate lack of reliable data. The Number of Data Points column is the number of analyses upon which the mean is based. Number of Data Points of zero indicates the mean was either calculated (as for Energy) or estimated, usually from a recipe, another form of the same food, or similar food.

Common Measures:

Measure 1 = 9.6g: 1 scoop

Calories Factors: Protein

Fat

Carbohydrate

Food Group: 03 Baby Foods

USDA National Nutrient Database for Standard Reference, Release 28 (2015)

NDB No. 03981

Infant formula, MEAD JOHNSON, ENFAMIL, ENFAGROW, GENTLEASE, Toddler, ready-to-feed

Nutrients and Units	Amount in 100 grams of edible portion				Amount in edible portion of common measures of food			
	Mean	Std. Error	Number of Data Deriv Source Confidence			Measure 1	Measure 2	Measure 3
			Points	Code	Code			
Lipids:								
Fatty acids, total saturated.....g	1.602		0	NC	4		2.435	
4:0.....g	0.000		0	NR	4		0.000	
6:0.....g	0.010		0	NR	4		0.016	
8:0.....g	0.063		0	NR	4		0.096	
10:0.....g	0.042		0	NR	4		0.064	
12:0.....g	0.345		0	NR	4		0.524	
13:0.....g								
14:0.....g	0.157		0	NR	4		0.238	
15:0.....g								
16:0.....g	0.828		0	NR	4		1.259	
17:0.....g								
18:0.....g	0.157		0	NR	4		0.238	
20:0.....g								
22:0.....g								
24:0.....g								
Fatty acids, total monounsaturated.....g	0.031		0	NC	4		0.048	
14:1.....g								
15:1.....g								
16:1 undifferentiated.....g	0.010		0	NR	4		0.016	
17:1.....g								
18:1 undifferentiated.....g	0.000		0	NR	4		0.000	
20:1.....g	0.010		0	NR	4		0.016	
22:1 undifferentiated.....g	0.010		0	NR	4		0.016	
24:1 c.....g								
Fatty acids, total polyunsaturated.....g	0.744		0	NC	4		1.131	
18:2 undifferentiated.....g	0.650		0	NR	4		0.988	
18:3 undifferentiated.....g	0.063		0	NR	4		0.096	
18:4.....g	0.000		0	NR	4		0.000	
20:2 n-6 c,c.....g								
20:3 undifferentiated.....g								
20:4 undifferentiated.....g	0.021		0	NR	4		0.032	
20:5 n-3 (EPA).....g	0.000		0	NR	4		0.000	
21:5.....g								
22:4.....g								
22:5 n-3 (DPA).....g	0.000		0	NR	4		0.000	
22:6 n-3 (DHA).....g	0.010		0	NR	4		0.016	
Fatty acids, total trans.....g								
Cholesterol.....mg	0		0	NR	4		0	
Phytosterols.....mg								
Others:								
Alcohol, ethyl.....g	0.0		0	NR	4		0.0	
Caffeine.....mg	0		0	NR	4		0	
Theobromine.....mg	0		0	NR	4		0	

Blanks in the Mean column indicate lack of reliable data. The Number of Data Points column is the number of analyses upon which the mean is based. Number of Data Points of zero indicates the mean was either calculated (as for Energy) or estimated, usually from a recipe, another form of the same food, or similar food.

Common Measures:

Measure 1 = 152g: 5 fl oz

Calories Factors: Protein

Fat

Carbohydrate

Food Group: 03 Baby Foods

USDA National Nutrient Database for Standard Reference, Release 28 (2015)

NDB No. 33870

Infant formula, MEAD JOHNSON, ENFAMIL, ENFAGROW, Soy, Toddler, LIPIL, powder

Nutrients and Units	Amount in 100 grams of edible portion				Amount in edible portion of common measures of food				
	Mean	Std. Error	Number of Data Points	Deriv Code	Source Code	Confidence Code	Measure 1	Measure 2	Measure 3
Lipids:									
Fatty acids, total saturated.....g	6.218		0	BFFN	4		0.585		
4:0.....g	0.000		0	BFFN	4		0.000		
6:0.....g	0.494		0	BFFN	4		0.046		
8:0.....g	0.197		0	BFFN	4		0.019		
10:0.....g	0.148		0	BFFN	4		0.014		
12:0.....g	1.232		0	BFFN	4		0.116		
13:0.....g									
14:0.....g	0.543		0	BFFN	4		0.051		
15:0.....g									
16:0.....g	3.061		0	BFFN	4		0.288		
17:0.....g									
18:0.....g	0.543		0	BFFN	4		0.051		
20:0.....g									
22:0.....g									
24:0.....g									
Fatty acids, total monounsaturated.....g	5.283		0	BFFN	4		0.497		
14:1.....g									
15:1.....g									
16:1 undifferentiated.....g	0.049		0	BFFN	4		0.005		
17:1.....g									
18:1 undifferentiated.....g	5.134		0	BFFN	4		0.483		
20:1.....g	0.049		0	BFFN	4		0.005		
22:1 undifferentiated.....g	0.049		0	BFFN	4		0.005		
24:1 c.....g									
Fatty acids, total polyunsaturated.....g	2.765		0	BFFN	4		0.260		
18:2 undifferentiated.....g	2.370		0	BFFN	4		0.223		
18:3 undifferentiated.....g	0.247		0	BFFN	4		0.023		
18:4.....g	0.000		0	BFFN	4		0.000		
20:2 n-6 c,c.....g									
20:3 undifferentiated.....g									
20:4 undifferentiated.....g	0.099		0	BFFN	4		0.009		
20:5 n-3 (EPA).....g	0.000		0	BFFN	4		0.000		
21:5.....g									
22:4.....g									
22:5 n-3 (DPA).....g	0.000		0	BFFN	4		0.000		
22:6 n-3 (DHA).....g	0.049		0	BFFN	4		0.005		
Fatty acids, total trans.....g									
Cholesterol.....mg	0		0	MC	9		0		
Phytosterols.....mg									
Others:									
Alcohol, ethyl.....g	0.0		0	MC	9		0.0		
Caffeine.....mg	0		0	MC	9		0		
Theobromine.....mg	0		0	NR	4		0		

Blanks in the Mean column indicate lack of reliable data. The Number of Data Points column is the number of analyses upon which the mean is based. Number of Data Points of zero indicates the mean was either calculated (as for Energy) or estimated, usually from a recipe, another form of the same food, or similar food.

Common Measures:

Measure 1 = 9.4g: 1 scoop

Calories Factors: Protein

Fat

Carbohydrate

Food Group: 03 Baby Foods

USDA National Nutrient Database for Standard Reference, Release 28 (2015)

Nutrients and Units	Amount in 100 grams of edible portion				Amount in edible portion of common measures of food				
	Mean	Std. Error	Number of Data Points	Deriv Code	Source Code	Confidence Code	Measure 1	Measure 2	Measure 3
Lipids:									
Fatty acids, total saturated.....g	0.855		0	NC	4		0.260	1.300	
4:0.....g	0.000		0	NR	4		0.000	0.000	
6:0.....g	0.068		0	NR	4		0.021	0.103	
8:0.....g	0.027		0	NR	4		0.008	0.041	
10:0.....g	0.020		0	NR	4		0.006	0.031	
12:0.....g	0.169		0	NR	4		0.052	0.258	
13:0.....g									
14:0.....g	0.075		0	NR	4		0.023	0.114	
15:0.....g									
16:0.....g	0.421		0	NR	4		0.128	0.640	
17:0.....g									
18:0.....g	0.075		0	NR	4		0.023	0.114	
20:0.....g									
22:0.....g									
24:0.....g									
Fatty acids, total monounsaturated.....g	0.727		0	NC	4		0.221	1.105	
14:1.....g									
15:1.....g									
16:1 undifferentiated.....g	0.007		0	NR	4		0.002	0.010	
17:1.....g									
18:1 undifferentiated.....g	0.706		0	NR	4		0.215	1.074	
20:1.....g	0.007		0	NR	4		0.002	0.010	
22:1 undifferentiated.....g	0.007		0	NR	4		0.002	0.010	
24:1 c.....g									
Fatty acids, total polyunsaturated.....g	0.380		0	NC	4		0.116	0.578	
18:2 undifferentiated.....g	0.326		0	NR	4		0.099	0.496	
18:3 undifferentiated.....g	0.034		0	NR	4		0.010	0.052	
18:4.....g	0.000		0	NR	4		0.000	0.000	
20:2 n-6 c,c.....g									
20:3 undifferentiated.....g									
20:4 undifferentiated.....g	0.014		0	NR	4		0.004	0.021	
20:5 n-3 (EPA).....g	0.000		0	NR	4		0.000	0.000	
21:5.....g									
22:4.....g									
22:5 n-3 (DPA).....g	0.000		0	NR	4		0.000	0.000	
22:6 n-3 (DHA).....g	0.007		0	NR	4		0.002	0.010	
Fatty acids, total trans.....g									
Cholesterol.....mg	0		0	NR	4		0	0	
Phytosterols.....mg									
Others:									
Alcohol, ethyl.....g	0.0		0	NR	4		0.0	0.0	
Caffeine.....mg	0		0	NR	4		0	0	
Theobromine.....mg	0		0	NR	4		0	0	

Blanks in the Mean column indicate lack of reliable data. The Number of Data Points column is the number of analyses upon which the mean is based. Number of Data Points of zero indicates the mean was either calculated (as for Energy) or estimated, usually from a recipe, another form of the same food, or similar food.

Common Measures:

Measure 1 = 30.4g: 1 fl oz

Measure 2 = 152g: 5 fl oz

Calories Factors: Protein

Fat

Carbohydrate

Food Group: 03 Baby Foods

Nutrients and Units	Amount in 100 grams of edible portion					Amount in edible portion of common measures of food		
	Mean	Std. Error	Number of Data Points			Measure 1	Measure 2	Measure 3
			Deriv Code	Source Code	Confidence Code			
Tocotrienol, delta.....mg								
Vitamin D (D2 + D3).....µg	7.8		0	O	4	0.7		
Vitamin D.....IU	310		0	MC	9	26		
Vitamin K (phylloquinone).....µg	42.0		0	BFZN	4	3.6		
Dihydrophyloquinone.....µg								
Menaquinone-4.....µg								
Lipids:								
Fatty acids, total saturated.....g	11.900		0	MC	9	1.012		
4:0.....g	0.000		0	BFZN	4	0.000		
6:0.....g	0.030		0	BFZN	4	0.003		
8:0.....g	0.440		0	MC	9	0.037		
10:0.....g	0.330		0	MC	9	0.028		
12:0.....g	2.500		0	MC	9	0.213		
13:0.....g								
14:0.....g	1.150		0	MC	9	0.098		
15:0.....g								
16:0.....g	6.200		0	MC	9	0.527		
17:0.....g								
18:0.....g	1.150		0	MC	9	0.098		
20:0.....g								
22:0.....g								
24:0.....g								
Fatty acids, total monounsaturated.....g	10.400		0	MC	9	0.884		
14:1.....g								
15:1.....g								
16:1 undifferentiated.....g	0.030		0	BFZN	4	0.003		
17:1.....g								
18:1 undifferentiated.....g	10.400		0	MC	9	0.884		
20:1.....g	0.000		0	BFZN	4	0.000		
22:1 undifferentiated.....g	0.000		0	BFZN	4	0.000		
24:1 c.....g								
Fatty acids, total polyunsaturated.....g	5.500		0	MC	9	0.468		
18:2 undifferentiated.....g	4.800		0	MC	9	0.408		
18:3 undifferentiated.....g	0.460		0	MC	9	0.039		
18:4.....g	0.000		0	BFZN	4	0.000		
20:2 n-6 c,c.....g								
20:3 undifferentiated.....g								
20:4 undifferentiated.....g	0.180		0	MC	9	0.015		
20:5 n-3 (EPA).....g	0.000		0	BFZN	4	0.000		
21:5.....g								
22:4.....g								
22:5 n-3 (DPA).....g	0.000		0	BFZN	4	0.000		
22:6 n-3 (DHA).....g	0.090		0	MC	9	0.008		
Fatty acids, total trans.....g								
Cholesterol.....mg	7		0	MC	9	1		
Phytosterols.....mg								
Others:								
Alcohol, ethyl.....g	0.0		0	BFZN	4	0.0		
Caffeine.....mg	0		0	BFZN	4	0		
Theobromine.....mg	0		0	BFZN	4	0		

Blanks in the Mean column indicate lack of reliable data. The Number of Data Points column is the number of analyses upon which the mean is based. Number of Data Points of zero indicates the mean was either calculated (as for Energy) or estimated, usually from a recipe, another form of the same food, or similar food.

Common Measures:

Measure 1 = 8.5g: 1 scoop

Footnotes:

1 Contains arachidonic acid (ARA, nutrient number 620) and docosahexaenoic acid (DHA, nutrient number 621), fatty acids found in human breast milk.

NDB No. 03827

Infant formula, MEAD JOHNSON, ENFAMIL, LACTOFREE LIPIL, with iron, powder, with ARA and DHA (1)

Calories Factors: Protein

Fat

Carbohydrate

Food Group: 03 Baby Foods

USDA National Nutrient Database for Standard Reference, Release 28 (2015)

NDB No. 03830

Infant formula, MEAD JOHNSON, ENFAMIL, LACTOFREE, LIPIL, with iron, liquid concentrate, not reconstituted, with ARA and DHA ()

Nutrients and Units	Amount in 100 grams of edible portion				Amount in edible portion of common measures of food				
	Mean	Std. Error	Number of Data Points	Deriv Code	Source Code	Confidence Code	Measure 1	Measure 2	Measure 3
Tocotrienol, beta.....mg									
Tocotrienol, gamma.....mg									
Tocotrienol, delta.....mg									
Vitamin D (D2 + D3).....µg	1.9		0	O	4		0.6		
Vitamin D.....µg	77		0	MC	9		24		
Vitamin K (phylloquinone).....µg	10.2		0	MC	9		3.2		
Dihydrophyloquinone.....µg									
Menaquinone-4.....µg									
Lipids:									
Fatty acids, total saturated.....g	3.059		0	MC	9		0.957		
4:0.....g	0.000		0	BFZN	4		0.000		
6:0.....g	0.019		0	MC	9		0.006		
8:0.....g	0.120		0	MC	9		0.038		
10:0.....g	0.080		0	MC	9		0.025		
12:0.....g	0.655		0	MC	9		0.205		
13:0.....g									
14:0.....g	0.299		0	MC	9		0.094		
15:0.....g									
16:0.....g	1.569		0	MC	9		0.491		
17:0.....g									
18:0.....g	0.299		0	MC	9		0.094		
20:0.....g									
22:0.....g									
24:0.....g									
Fatty acids, total monounsaturated.....g	2.642		0	MC	9		0.827		
14:1.....g									
15:1.....g									
16:1 undifferentiated.....g	0.019		0	MC	9		0.006		
17:1.....g									
18:1 undifferentiated.....g	2.642		0	MC	9		0.827		
20:1.....g	0.000		0	BFZN	4		0.000		
22:1 undifferentiated.....g	0.000		0	MC	9		0.000		
24:1 c.....g									
Fatty acids, total polyunsaturated.....g	1.411		0	MC	9		0.442		
18:2 undifferentiated.....g	1.232		0	MC	9		0.386		
18:3 undifferentiated.....g	0.120		0	MC	9		0.038		
18:4.....g	0.000		0	MC	9		0.000		
20:2 n-6 c,c.....g									
20:3 undifferentiated.....g									
20:4 undifferentiated.....g	0.040		0	MC	9		0.013		
20:5 n-3 (EPA).....g	0.000		0	MC	9		0.000		
21:5.....g									
22:4.....g									
22:5 n-3 (DPA).....g	0.000		0	BFZN	4		0.000		
22:6 n-3 (DHA).....g	0.019		0	MC	9		0.006		
Fatty acids, total trans.....g									
Cholesterol.....mg	2		0	MC	9		1		
Phytosterols.....mg									
Others:									
Alcohol, ethyl.....g	0.0		0	BFZN	4		0.0		
Caffeine.....mg	0		0	BFZN	4		0		
Theobromine.....mg	0		0	BFZN	4		0		

Blanks in the Mean column indicate lack of reliable data. The Number of Data Points column is the number of analyses upon which the mean is based. Number of Data Points of zero indicates the mean was either calculated (as for Energy) or estimated, usually from a recipe, another form of the same food, or similar food.

Common Measures:

Measure 1 = 31.3g: 1 fl oz

NDB No. 03830

Infant formula, MEAD JOHNSON, ENFAMIL, LACTOFREE, LIPIL, with iron, liquid concentrate, not reconstituted, with ARA and DHA ()

Footnotes:

- 1 Contains arachidonic acid (ARA, nutrient number 620) and docosahexaenoic acid (DHA, nutrient number 621), fatty acids found in human breast milk.

Calories Factors: Protein

Fat

Carbohydrate

Food Group: 03 Baby Foods

USDA National Nutrient Database for Standard Reference, Release 28 (2015)

NDB No. 03868

Infant formula, MEAD JOHNSON, ENFAMIL, LACTOFREE, ready-to-feed

Nutrients and Units	Amount in 100 grams of edible portion				Amount in edible portion of common measures of food				
	Mean	Std. Error	Number of Data Points	Deriv Code	Source Code	Confidence Code	Measure 1	Measure 2	Measure 3
Lipids:									
Fatty acids, total saturated.....g	1.495		0	MC	9		0.456		
4:0.....g	0.000		0	MA	12		0.000		
6:0.....g	0.003		0	MC	9		0.001		
8:0.....g	0.058		0	MC	9		0.018		
10:0.....g	0.039		0	MC	9		0.012		
12:0.....g	0.320		0	MC	9		0.098		
13:0.....g									
14:0.....g	0.146		0	MC	9		0.045		
15:0.....g									
16:0.....g	0.767		0	MC	9		0.234		
17:0.....g									
18:0.....g	0.146		0	MC	9		0.045		
20:0.....g									
22:0.....g									
24:0.....g									
Fatty acids, total monounsaturated.....g	1.291		0	MC	9		0.394		
14:1.....g									
15:1.....g									
16:1 undifferentiated.....g	0.003		0	MC	9		0.001		
17:1.....g									
18:1 undifferentiated.....g	1.291		0	MC	9		0.394		
20:1.....g	0.000		0	MA	12		0.000		
22:1 undifferentiated.....g	0.000		0	MA	12		0.000		
24:1 c.....g									
Fatty acids, total polyunsaturated.....g	0.689		0	MA	12		0.210		
18:2 undifferentiated.....g	0.602		0	MC	9		0.184		
18:3 undifferentiated.....g	0.066		0	MA	12		0.020		
18:4.....g	0.000		0	MA	12		0.000		
20:2 n-6 c,c.....g									
20:3 undifferentiated.....g									
20:4 undifferentiated.....g	0.000		0	MA	12		0.000		
20:5 n-3 (EPA).....g	0.000		0	MA	12		0.000		
21:5.....g									
22:4.....g									
22:5 n-3 (DPA).....g	0.000		0	MA	12		0.000		
22:6 n-3 (DHA).....g	0.000		0	MA	12		0.000		
Fatty acids, total trans.....g									
Cholesterol.....mg	1		0	MA	12		0		
Phytosterols.....mg									
Others:									
Alcohol, ethyl.....g	0.0		0	Z	7		0.0		
Caffeine.....mg	0		0	Z	7		0		
Theobromine.....mg	0		0	Z	7		0		

Blanks in the Mean column indicate lack of reliable data. The Number of Data Points column is the number of analyses upon which the mean is based. Number of Data Points of zero indicates the mean was either calculated (as for Energy) or estimated, usually from a recipe, another form of the same food, or similar food.

Common Measures:

Measure 1 = 30.5g: 1 fl oz

Calories Factors: Protein

Fat

Carbohydrate

Food Group: 03 Baby Foods

USDA National Nutrient Database for Standard Reference, Release 28 (2015)

NDB No. 03869

Infant formula, MEAD JOHNSON, ENFAMIL, LACTOFREE, with iron, powder, not reconstituted

Nutrients and Units	Amount in 100 grams of edible portion				Amount in edible portion of common measures of food			
	Mean	Std. Error	Number of Data Points			Measure 1	Measure 2	Measure 3
			Deriv Code	Source Code	Confidence Code			
Tocotrienol, delta.....mg								
Vitamin D (D2 + D3).....µg	7.8		0	NR	4	0.7		
Vitamin D.....IU	310		0	MC	9	26		
Vitamin K (phylloquinone).....µg	42.0		0	T	4	3.6		
Dihydrophylloquinone.....µg								
Menaquinone-4.....µg								
Lipids:								
Fatty acids, total saturated.....g	12.020		0	NC	4	1.022		
4:0.....g	0.000		0	MA	12	0.000		
6:0.....g	0.030		0	MA	12	0.003		
8:0.....g	0.440		0	MC	9	0.037		
10:0.....g	0.350		0	MA	12	0.030		
12:0.....g	2.700		0	MA	12	0.230		
13:0.....g								
14:0.....g	1.150		0	MC	9	0.098		
15:0.....g								
16:0.....g	6.200		0	MC	9	0.527		
17:0.....g								
18:0.....g	1.150		0	MC	9	0.098		
20:0.....g								
22:0.....g								
24:0.....g								
Fatty acids, total monounsaturated.....g	10.430		0	NC	4	0.887		
14:1.....g								
15:1.....g								
16:1 undifferentiated.....g	0.030		0	MA	12	0.003		
17:1.....g								
18:1 undifferentiated.....g	10.400		0	MC	9	0.884		
20:1.....g	0.000		0	MA	12	0.000		
22:1 undifferentiated.....g	0.000		0	MA	12	0.000		
24:1 c.....g								
Fatty acids, total polyunsaturated.....g	5.260		0	NC	4	0.447		
18:2 undifferentiated.....g	4.800		0	MC	9	0.408		
18:3 undifferentiated.....g	0.460		0	MC	9	0.039		
18:4.....g	0.000		0	MA	12	0.000		
20:2 n-6 c,c.....g								
20:3 undifferentiated.....g								
20:4 undifferentiated.....g	0.000		0	MC	9	0.000		
20:5 n-3 (EPA).....g	0.000		0	MA	12	0.000		
21:5.....g								
22:4.....g								
22:5 n-3 (DPA).....g	0.000		0	MA	12	0.000		
22:6 n-3 (DHA).....g	0.000		0	MA	12	0.000		
Fatty acids, total trans.....g								
Cholesterol.....mg	8		0	MA	12	1		
Phytosterols.....mg								
Others:								
Alcohol, ethyl.....g	0.0		0	Z	7	0.0		
Caffeine.....mg	0		0	Z	7	0		
Theobromine.....mg	0		0	Z	7	0		

Blanks in the Mean column indicate lack of reliable data. The Number of Data Points column is the number of analyses upon which the mean is based. Number of Data Points of zero indicates the mean was either calculated (as for Energy) or estimated, usually from a recipe, another form of the same food, or similar food.

Common Measures:

Measure 1 = 8.5g: 1 scoop

Calories Factors: Protein

Fat

Carbohydrate

NDB No. 03869

Infant formula, MEAD JOHNSON, ENFAMIL, LACTOFREE, with iron, powder, not reconstituted

Food Group: 03 Baby Foods

USDA National Nutrient Database for Standard Reference, Release 28 (2015)

NDB No. 03818

Infant formula, MEAD JOHNSON, ENFAMIL, LIPIL, low iron, liquid concentrate, with ARA and DHA (1)

Nutrients and Units	Amount in 100 grams of edible portion					Amount in edible portion of common measures of food			
	Mean	Std. Error	Number of Data Points	Deriv Code	Source Code	Confidence Code	Measure 1	Measure 2	Measure 3
Lipids:									
Fatty acids, total saturated.....g	3.078		0	MC	9		0.963		
4:0.....g	0.000		0	BFZN	4		0.000		
6:0.....g	0.019		0	MC	9		0.006		
8:0.....g	0.121		0	MC	9		0.038		
10:0.....g	0.080		0	MC	9		0.025		
12:0.....g	0.666		0	MC	9		0.208		
13:0.....g									
14:0.....g	0.301		0	MC	9		0.094		
15:0.....g									
16:0.....g	1.578		0	MC	9		0.494		
17:0.....g									
18:0.....g	0.301		0	MC	9		0.094		
20:0.....g									
22:0.....g									
24:0.....g									
Fatty acids, total monounsaturated.....g	2.659		0	MC	9		0.832		
14:1.....g									
15:1.....g									
16:1 undifferentiated.....g	0.019		0	MC	9		0.006		
17:1.....g									
18:1 undifferentiated.....g	2.659		0	MC	9		0.832		
20:1.....g	0.000		0	BFZN	4		0.000		
22:1 undifferentiated.....g	0.000		0	BFZN	4		0.000		
24:1 c.....g									
Fatty acids, total polyunsaturated.....g	1.419		0	MC	9		0.444		
18:2 undifferentiated.....g	1.239		0	MC	9		0.388		
18:3 undifferentiated.....g	0.121		0	MC	9		0.038		
18:4.....g	0.000		0	BFZN	4		0.000		
20:2 n-6 c,c.....g									
20:3 undifferentiated.....g									
20:4 undifferentiated.....g	0.041		0	MC	9		0.013		
20:5 n-3 (EPA).....g	0.000		0	BFZN	4		0.000		
21:5.....g									
22:4.....g									
22:5 n-3 (DPA).....g	0.000		0	BFZN	4		0.000		
22:6 n-3 (DHA).....g	0.019		0	MC	9		0.006		
Fatty acids, total trans.....g									
Cholesterol.....mg	2		0	BFZN	4		1		
Phytosterols.....mg									
Others:									
Alcohol, ethyl.....g	0.0		0	BFZN	4		0.0		
Caffeine.....mg	0		0	NR	4		0		
Theobromine.....mg	0		0	NR	4		0		

Blanks in the Mean column indicate lack of reliable data. The Number of Data Points column is the number of analyses upon which the mean is based. Number of Data Points of zero indicates the mean was either calculated (as for Energy) or estimated, usually from a recipe, another form of the same food, or similar food.

Common Measures:

Measure 1 = 31.3g; 1 fl oz

Footnotes:

1 Contains arachidonic acid (ARA, nutrient number 620) and docosahexaenoic acid (DHA, nutrient number 621), fatty acids found in human breast milk.

Calories Factors: Protein

Fat

Carbohydrate

Food Group: 03 Baby Foods

USDA National Nutrient Database for Standard Reference, Release 28 (2015)

NDB No. 03825

Infant formula, MEAD JOHNSON, ENFAMIL, LIPIL, low iron, ready to feed, with ARA and DHA (1)

Nutrients and Units	Amount in 100 grams of edible portion				Amount in edible portion of common measures of food				
	Mean	Std. Error	Number of Data Points		Source Code	Confidence Code	Measure 1	Measure 2	Measure 3
			Deriv Code	Points					
Tocotrienol, delta.....mg									
Vitamin D (D2 + D3).....µg	1.0		0	NR	4		1.1	0.3	
Vitamin D.....IU	40		0	MC	9		42	12	
Vitamin K (phylloquinone).....µg	5.2		0	MC	9		5.5	1.6	
Dihydrophyloquinone.....µg									
Menaquinone-4.....µg									
Lipids:									
Fatty acids, total saturated.....g	1.453		0	NR	4		1.540	0.443	
4:0.....g	0.000		0	BFZN	4		0.000	0.000	
6:0.....g	0.009		0	NR	4		0.010	0.003	
8:0.....g	0.057		0	NR	4		0.060	0.017	
10:0.....g	0.038		0	NR	4		0.040	0.012	
12:0.....g	0.311		0	NR	4		0.330	0.095	
13:0.....g									
14:0.....g	0.142		0	NR	4		0.151	0.043	
15:0.....g									
16:0.....g	0.745		0	NR	4		0.790	0.227	
17:0.....g									
18:0.....g	0.142		0	NR	4		0.151	0.043	
20:0.....g									
22:0.....g									
24:0.....g									
Fatty acids, total monounsaturated.....g	1.255		0	NR	4		1.330	0.383	
14:1.....g									
15:1.....g									
16:1 undifferentiated.....g	0.009		0	NR	4		0.010	0.003	
17:1.....g									
18:1 undifferentiated.....g	1.255		0	NR	4		1.330	0.383	
20:1.....g	0.000		0	BFZN	4		0.000	0.000	
22:1 undifferentiated.....g	0.000		0	BFZN	4		0.000	0.000	
24:1 c.....g									
Fatty acids, total polyunsaturated.....g	0.670		0	NR	4		0.710	0.204	
18:2 undifferentiated.....g	0.585		0	NR	4		0.620	0.178	
18:3 undifferentiated.....g	0.057		0	NR	4		0.060	0.017	
18:4.....g	0.000		0	BFZN	4		0.000	0.000	
20:2 n-6 c,c.....g									
20:3 undifferentiated.....g									
20:4 undifferentiated.....g	0.019		0	MC	9		0.020	0.006	
20:5 n-3 (EPA).....g	0.000		0	BFZN	4		0.000	0.000	
21:5.....g									
22:4.....g									
22:5 n-3 (DPA).....g	0.000		0	BFZN	4		0.000	0.000	
22:6 n-3 (DHA).....g	0.009		0	NR	4		0.010	0.003	
Fatty acids, total trans.....g									
Cholesterol.....mg	1		0	MC	9		1	0	
Phytosterols.....mg									
Others:									
Alcohol, ethyl.....g	0.0		0	BFZN	4		0.0	0.0	
Caffeine.....mg	0		0	Z	7		0	0	
Theobromine.....mg									

Blanks in the Mean column indicate lack of reliable data. The Number of Data Points column is the number of analyses upon which the mean is based. Number of Data Points of zero indicates the mean was either calculated (as for Energy) or estimated, usually from a recipe, another form of the same food, or similar food.

Common Measures:

Measure 1 = 106g: 1 serving 100 ml

Measure 2 = 30.5g: 1 fl oz

NDB No. 03825

Infant formula, MEAD JOHNSON, ENFAMIL, LIPIL, low iron, ready to feed, with ARA and DHA (1)

Footnotes:

- 1 Contains arachidonic acid (ARA, nutrient number 620) and docosahexaenoic acid (DHA, nutrient number 621), fatty acids found in human breast milk.

Calories Factors: Protein

Fat

Carbohydrate

Food Group: 03 Baby Foods

USDA National Nutrient Database for Standard Reference, Release 28 (2015)

Nutrients and Units	Amount in 100 grams of edible portion					Amount in edible portion of common measures of food			
	Mean	Std. Error	Number of Data Points	Deriv Code	Source Code	Confidence Code	Measure 1	Measure 2	Measure 3
Lipids:									
Fatty acids, total saturated.....g	1.453		0	NR	4		1.540	0.443	
4:0.....g	0.000		0	MC	9		0.000	0.000	
6:0.....g	0.009		0	NR	4		0.010	0.003	
8:0.....g	0.057		0	NR	4		0.060	0.017	
10:0.....g	0.038		0	NR	4		0.040	0.012	
12:0.....g	0.311		0	NR	4		0.330	0.095	
13:0.....g									
14:0.....g	0.142		0	NR	4		0.151	0.043	
15:0.....g									
16:0.....g	0.745		0	NR	4		0.790	0.227	
17:0.....g									
18:0.....g	0.142		0	NR	4		0.151	0.043	
20:0.....g									
22:0.....g									
24:0.....g									
Fatty acids, total monounsaturated.....g	1.255		0	NR	4		1.330	0.383	
14:1.....g									
15:1.....g									
16:1 undifferentiated.....g	0.009		0	NR	4		0.010	0.003	
17:1.....g									
18:1 undifferentiated.....g	1.255		0	NR	4		1.330	0.383	
20:1.....g	0.000		0	BFZN	4		0.000	0.000	
22:1 undifferentiated.....g	0.000		0	BFZN	4		0.000	0.000	
24:1 c.....g									
Fatty acids, total polyunsaturated.....g	0.670		0	NR	4		0.710	0.204	
18:2 undifferentiated.....g	0.585		0	NR	4		0.620	0.178	
18:3 undifferentiated.....g	0.057		0	NR	4		0.060	0.017	
18:4.....g	0.000		0	BFZN	4		0.000	0.000	
20:2 n-6 c,c.....g									
20:3 undifferentiated.....g									
20:4 undifferentiated.....g	0.019		0	MC	9		0.020	0.006	
20:5 n-3 (EPA).....g	0.000		0	MC	9		0.000	0.000	
21:5.....g									
22:4.....g									
22:5 n-3 (DPA).....g	0.000		0	BFZN	4		0.000	0.000	
22:6 n-3 (DHA).....g	0.009		0	NR	4		0.010	0.003	
Fatty acids, total trans.....g									
Cholesterol.....mg	1		0	MC	9		1	0	
Phytosterols.....mg									
Others:									
Alcohol, ethyl.....g	0.0		0	BFZN	4		0.0	0.0	
Caffeine.....mg	0		0	BFZN	4		0	0	
Theobromine.....mg	0		0	BFZN	4		0	0	

Blanks in the Mean column indicate lack of reliable data. The Number of Data Points column is the number of analyses upon which the mean is based. Number of Data Points of zero indicates the mean was either calculated (as for Energy) or estimated, usually from a recipe, another form of the same food, or similar food.

Common Measures:

Measure 1 = 106g: 1 serving 100 ml

Measure 2 = 30.5g: 1 fl oz

Footnotes:

1 Contains arachidonic acid (ARA, nutrient number 620) and docosahexaenoic acid (DHA, nutrient number 621), fatty acids found in human breast milk.

Calories Factors: Protein

Fat

Carbohydrate

NDB No. 03832

Infant formula, MEAD JOHNSON, ENFAMIL, LIPIL, ready-to-feed, with ARA and DHA (1)

Food Group: 03 Baby Foods

USDA National Nutrient Database for Standard Reference, Release 28 (2015)

Nutrients and Units	Amount in 100 grams of edible portion				Amount in edible portion of common measures of food			
	Mean	Std. Error	Number of Data Points			Measure 1	Measure 2	Measure 3
			Deriv Code	Source Code	Confidence Code			
Tocotrienol, delta.....mg								
Vitamin D (D2 + D3).....µg	2.0		0	O	4		0.6	
Vitamin D.....IU	78		0	BFZN	4		24	
Vitamin K (phylloquinone).....µg	10.3		0	BFZN	4		3.2	
Dihydrophylloquinone.....µg								
Menaquinone-4.....µg								
Lipids:								
Fatty acids, total saturated.....g	3.080		0	MC	9		0.964	
4:0.....g	0.000		0	BFZN	4		0.000	
6:0.....g	0.019		0	MC	9		0.006	
8:0.....g	0.121		0	MC	9		0.038	
10:0.....g	0.080		0	MC	9		0.025	
12:0.....g	0.658		0	MC	9		0.206	
13:0.....g								
14:0.....g	0.301		0	MC	9		0.094	
15:0.....g								
16:0.....g	1.577		0	MC	9		0.494	
17:0.....g								
18:0.....g	0.301		0	MC	9		0.094	
20:0.....g								
22:0.....g								
24:0.....g								
Fatty acids, total monounsaturated.....g	2.656		0	MC	9		0.831	
14:1.....g								
15:1.....g								
16:1 undifferentiated.....g	0.019		0	MC	9		0.006	
17:1.....g								
18:1 undifferentiated.....g	2.656		0	MC	9		0.831	
20:1.....g	0.000		0	BFZN	4		0.000	
22:1 undifferentiated.....g	0.000		0	BFZN	4		0.000	
24:1 c.....g								
Fatty acids, total polyunsaturated.....g	1.418		0	MC	9		0.444	
18:2 undifferentiated.....g	1.238		0	MC	9		0.387	
18:3 undifferentiated.....g	0.121		0	MC	9		0.038	
18:4.....g	0.000		0	BFZN	4		0.000	
20:2 n-6 c,c.....g								
20:3 undifferentiated.....g								
20:4 undifferentiated.....g	0.040		0	MC	9		0.013	
20:5 n-3 (EPA).....g	0.000		0	BFZN	4		0.000	
21:5.....g								
22:4.....g								
22:5 n-3 (DPA).....g	0.000		0	BFZN	4		0.000	
22:6 n-3 (DHA).....g	0.019		0	MC	9		0.006	
Fatty acids, total trans.....g								
Cholesterol.....mg	1		0	BFZN	4		0	
Phytosterols.....mg								
Others:								
Alcohol, ethyl.....g	0.0		0	BFZN	4		0.0	
Caffeine.....mg	0		0	BFZN	4		0	
Theobromine.....mg	0		0	BFZN	4		0	

Blanks in the Mean column indicate lack of reliable data. The Number of Data Points column is the number of analyses upon which the mean is based. Number of Data Points of zero indicates the mean was either calculated (as for Energy) or estimated, usually from a recipe, another form of the same food, or similar food.

Common Measures:

Measure 1 = 31.3g: 1 fl oz

Footnotes:

1 Contains arachidonic acid (ARA, nutrient number 620) and docosahexaenoic acid (DHA, nutrient number 621), fatty acids found in human breast milk.

NDB No. 03812

Infant formula, MEAD JOHNSON, ENFAMIL, LIPIL, with iron, liquid concentrate, with ARA and DHA (1)

Calories Factors: Protein

Fat

Carbohydrate

Food Group: 03 Baby Foods

USDA National Nutrient Database for Standard Reference, Release 28 (2015)

Nutrients and Units	Amount in 100 grams of edible portion					Amount in edible portion of common measures of food		
	Mean	Std. Error	Number of Data Points			Measure 1	Measure 2	Measure 3
			Deriv Code	Source Code	Confidence Code			
Tocotrienol, delta.....mg								
Vitamin D (D2 + D3).....µg	7.8		0	BFZN	4	0.7		
Vitamin D.....IU	310		0	BFZN	4	26		
Vitamin K (phylloquinone).....µg	41.0		0	BFZN	4	3.5		
Dihydrophyloquinone.....µg								
Menaquinone-4.....µg								
Lipids:								
Fatty acids, total saturated.....g	11.221		0	NC	4	0.954		
4:0.....g	0.000		0	BFZN	4	0.000		
6:0.....g	0.030		0	BFZN	4	0.003		
8:0.....g	0.424		0	MC	9	0.036		
10:0.....g	0.316		0	MC	9	0.027		
12:0.....g	2.467		0	MC	9	0.210		
13:0.....g								
14:0.....g	1.095		0	MC	9	0.093		
15:0.....g								
16:0.....g	5.823		0	MC	9	0.495		
17:0.....g								
18:0.....g	1.066		0	MC	9	0.091		
20:0.....g								
22:0.....g								
24:0.....g								
Fatty acids, total monounsaturated.....g	9.899		0	NC	4	0.841		
14:1.....g								
15:1.....g								
16:1 undifferentiated.....g	0.030		0	MC	9	0.003		
17:1.....g								
18:1 undifferentiated.....g	9.869		0	MC	9	0.839		
20:1.....g	0.000		0	BFZN	4	0.000		
22:1 undifferentiated.....g	0.000		0	BFZN	4	0.000		
24:1 c.....g								
Fatty acids, total polyunsaturated.....g	5.240		0	NC	4	0.445		
18:2 undifferentiated.....g	4.540		0	MC	9	0.386		
18:3 undifferentiated.....g	0.444		0	NR	4	0.038		
18:4.....g	0.000		0	BFZN	4	0.000		
20:2 n-6 c,c.....g								
20:3 undifferentiated.....g								
20:4 undifferentiated.....g	0.168		0	MC	9	0.014		
20:5 n-3 (EPA).....g	0.000		0	BFZN	4	0.000		
21:5.....g								
22:4.....g								
22:5 n-3 (DPA).....g	0.000		0	BFZN	4	0.000		
22:6 n-3 (DHA).....g	0.089		0	MC	9	0.008		
Fatty acids, total trans.....g								
Cholesterol.....mg	17		0	MC	9	1		
Phytosterols.....mg								
Others:								
Alcohol, ethyl.....g	0.0		0	BFZN	4	0.0		
Caffeine.....mg	0		0	BFZN	4	0		
Theobromine.....mg	0		0	BFZN	4	0		

Blanks in the Mean column indicate lack of reliable data. The Number of Data Points column is the number of analyses upon which the mean is based. Number of Data Points of zero indicates the mean was either calculated (as for Energy) or estimated, usually from a recipe, another form of the same food, or similar food.

Common Measures:

Measure 1 = 8.5g: 1 scoop

Footnotes:

1 Contains arachidonic acid (ARA, nutrient number 620) and docosahexaenoic acid (DHA, nutrient number 621), fatty acids found in human breast milk.

NDB No. 03808

Infant formula, MEAD JOHNSON, ENFAMIL, LIPIL, with iron, powder, with ARA and DHA (1)

Calories Factors: Protein

Fat

Carbohydrate

Food Group: 03 Baby Foods

USDA National Nutrient Database for Standard Reference, Release 28 (2015)

NDB No. 03983

Infant formula, MEAD JOHNSON, ENFAMIL, NUTRAMIGEN AA, ready-to-feed

Nutrients and Units	Amount in 100 grams of edible portion				Amount in edible portion of common measures of food		
	Mean	Std. Error	Number		Measure 1	Measure 2	Measure 3
			of Data Points	Deriv Code			
Lipids:							
Fatty acids, total saturated.....g	1.592		0	NC	4	0.484	2.419
4:0.....g	0.000		0	NR	4	0.000	0.000
6:0.....g	0.010		0	NR	4	0.003	0.016
8:0.....g	0.063		0	NR	4	0.019	0.095
10:0.....g	0.042		0	NR	4	0.013	0.063
12:0.....g	0.344		0	NR	4	0.105	0.523
13:0.....g							
14:0.....g	0.153		0	NR	4	0.047	0.233
15:0.....g							
16:0.....g	0.824		0	NR	4	0.250	1.252
17:0.....g							
18:0.....g	0.156		0	NR	4	0.047	0.237
20:0.....g							
22:0.....g							
24:0.....g							
Fatty acids, total monounsaturated.....g	0.031		0	NC	4	0.010	0.048
14:1.....g							
15:1.....g							
16:1 undifferentiated.....g	0.010		0	NR	4	0.003	0.016
17:1.....g							
18:1 undifferentiated.....g	0.000		0	NR	4	0.000	0.000
20:1.....g	0.010		0	NR	4	0.003	0.016
22:1 undifferentiated.....g	0.010		0	NR	4	0.003	0.016
24:1 c.....g							
Fatty acids, total polyunsaturated.....g	0.741		0	NC	4	0.225	1.126
18:2 undifferentiated.....g	0.647		0	NR	4	0.197	0.983
18:3 undifferentiated.....g	0.063		0	NR	4	0.019	0.095
18:4.....g	0.000		0	NR	4	0.000	0.000
20:2 n-6 c,c.....g							
20:3 undifferentiated.....g							
20:4 undifferentiated.....g	0.021		0	NR	4	0.006	0.032
20:5 n-3 (EPA).....g	0.000		0	NR	4	0.000	0.000
21:5.....g							
22:4.....g							
22:5 n-3 (DPA).....g	0.000		0	NR	4	0.000	0.000
22:6 n-3 (DHA).....g	0.010		0	NR	4	0.003	0.016
Fatty acids, total trans.....g							
Cholesterol.....mg	0		0	NR	4	0	0
Phytosterols.....mg							
Others:							
Alcohol, ethyl.....g	0.0		0	NR	4	0.0	0.0
Caffeine.....mg	0		0	NR	4	0	0
Theobromine.....mg	0		0	NR	4	0	0

Blanks in the Mean column indicate lack of reliable data. The Number of Data Points column is the number of analyses upon which the mean is based. Number of Data Points of zero indicates the mean was either calculated (as for Energy) or estimated, usually from a recipe, another form of the same food, or similar food.

Common Measures:

Measure 1 = 30.4g: 1 fl oz

Measure 2 = 152g: 5 fl oz

Calories Factors: Protein

Fat

Carbohydrate

Food Group: 03 Baby Foods

USDA National Nutrient Database for Standard Reference, Release 28 (2015)

Nutrients and Units	Amount in 100 grams of edible portion				Amount in edible portion of common measures of food			
	Mean	Std. Error	Number of Data Deriv Source Confidence			Measure 1	Measure 2	Measure 3
			Points	Code	Code			
Lipids:								
Fatty acids, total saturated.....g	10.990		0	NC	4		0.989	
4:0.....g	0.000		0	BFZN	4		0.000	
6:0.....g	0.030		0	BFZN	4		0.003	
8:0.....g	0.410		0	MC	9		0.037	
10:0.....g	0.310		0	MC	9		0.028	
12:0.....g	2.400		0	MC	9		0.216	
13:0.....g								
14:0.....g	1.070		0	MC	9		0.096	
15:0.....g								
16:0.....g	5.700		0	MC	9		0.513	
17:0.....g								
18:0.....g	1.070		0	MC	9		0.096	
20:0.....g								
22:0.....g								
24:0.....g								
Fatty acids, total monounsaturated.....g	9.630		0	NC	4		0.867	
14:1.....g								
15:1.....g								
16:1 undifferentiated.....g	0.030		0	MC	9		0.003	
17:1.....g								
18:1 undifferentiated.....g	9.600		0	MC	9		0.864	
20:1.....g	0.000		0	BFZN	4		0.000	
22:1 undifferentiated.....g	0.000		0	BFZN	4		0.000	
24:1 c.....g								
Fatty acids, total polyunsaturated.....g	5.180		0	NC	4		0.466	
18:2 undifferentiated.....g	4.500		0	MC	9		0.405	
18:3 undifferentiated.....g	0.430		0	MC	9		0.039	
18:4.....g	0.000		0	BFZN	4		0.000	
20:2 n-6 c,c.....g								
20:3 undifferentiated.....g								
20:4 undifferentiated.....g	0.170		0	MC	9		0.015	
20:5 n-3 (EPA).....g	0.000		0	BFZN	4		0.000	
21:5.....g								
22:4.....g								
22:5 n-3 (DPA).....g	0.000		0	BFZN	4		0.000	
22:6 n-3 (DHA).....g	0.080		0	MC	9		0.007	
Fatty acids, total trans.....g								
Cholesterol.....mg	0		0	BFZN	4		0	
Phytosterols.....mg								
Others:								
Alcohol, ethyl.....g	0.0		0	BFZN	4		0.0	
Caffeine.....mg	0		0	BFZN	4		0	
Theobromine.....mg	0		0	BFZN	4		0	

Blanks in the Mean column indicate lack of reliable data. The Number of Data Points column is the number of analyses upon which the mean is based. Number of Data Points of zero indicates the mean was either calculated (as for Energy) or estimated, usually from a recipe, another form of the same food, or similar food.

Common Measures:

Measure 1 = 9.0g: 1 scoop

Footnotes:

1 Contains arachidonic acid (ARA, nutrient number 620) and docosahexaenoic acid (DHA, nutrient number 621), fatty acids found in human breast milk.

Calories Factors: Protein

Fat

Carbohydrate

Food Group: 03 Baby Foods

NDB No. 33873

Infant formula, MEAD JOHNSON, ENFAMIL, NUTRAMIGEN, AA LIPIL, powder, not reconstituted

Nutrients and Units	Amount in 100 grams of edible portion				Amount in edible portion of common measures of food				
	Mean	Std. Error	Number of Data Points	Deriv Code	Source Code	Confidence Code	Measure 1	Measure 2	Measure 3
Lipids:									
Fatty acids, total saturated.....g	10.813		0	NC	4		1.016		
4:0.....g	0.000		0	BFFN	4		0.000		
6:0.....g	0.030		0	BFFN	4		0.003		
8:0.....g	0.403		0	BFFN	4		0.038		
10:0.....g	0.305		0	BFFN	4		0.029		
12:0.....g	2.361		0	BFFN	4		0.222		
13:0.....g									
14:0.....g	1.053		0	BFFN	4		0.099		
15:0.....g									
16:0.....g	5.608		0	BFFN	4		0.527		
17:0.....g									
18:0.....g	1.053		0	BFFN	4		0.099		
20:0.....g									
22:0.....g									
24:0.....g									
Fatty acids, total monounsaturated.....g	9.475		0	NC	4		0.891		
14:1.....g									
15:1.....g									
16:1 undifferentiated.....g	0.030		0	BFFN	4		0.003		
17:1.....g									
18:1 undifferentiated.....g	9.445		0	BFFN	4		0.888		
20:1.....g	0.000		0	BFFN	4		0.000		
22:1 undifferentiated.....g	0.000		0	BFFN	4		0.000		
24:1 c.....g									
Fatty acids, total polyunsaturated.....g	5.096		0	NC	4		0.479		
18:2 undifferentiated.....g	4.427		0	BFFN	4		0.416		
18:3 undifferentiated.....g	0.423		0	BFFN	4		0.040		
18:4.....g	0.000		0	BFFN	4		0.000		
20:2 n-6 c,c.....g									
20:3 undifferentiated.....g									
20:4 undifferentiated.....g	0.167		0	BFFN	4		0.016		
20:5 n-3 (EPA).....g	0.000		0	BFFN	4		0.000		
21:5.....g									
22:4.....g									
22:5 n-3 (DPA).....g	0.000		0	BFFN	4		0.000		
22:6 n-3 (DHA).....g	0.079		0	BFFN	4		0.007		
Fatty acids, total trans.....g									
Cholesterol.....mg	0		0	MC	9		0		
Phytosterols.....mg									
Others:									
Alcohol, ethyl.....g	0.0		0	MC	9		0.0		
Caffeine.....mg	0		0	NR	4		0		
Theobromine.....mg	0		0	NR	4		0		

Blanks in the Mean column indicate lack of reliable data. The Number of Data Points column is the number of analyses upon which the mean is based. Number of Data Points of zero indicates the mean was either calculated (as for Energy) or estimated, usually from a recipe, another form of the same food, or similar food.

Common Measures:

Measure 1 = 9.4g: 1 scoop

Calories Factors: Protein

Fat

Carbohydrate

Food Group: 03 Baby Foods

USDA National Nutrient Database for Standard Reference, Release 28 (2015)

NDB No. 03844

Infant formula, MEAD JOHNSON, ENFAMIL, NUTRAMIGEN, LIPIL, with iron, liquid concentrate not reconstituted, with ARA and DHA)

Nutrients and Units	Amount in 100 grams of edible portion				Amount in edible portion of common measures of food				
	Mean	Std. Error	Number of Data Points	Deriv Code	Source Code	Confidence Code	Measure 1	Measure 2	Measure 3
Menaquinone-4.....µg									
Lipids:									
Fatty acids, total saturated.....g	2.798		0	MC	9		0.884		
4:0.....g	0.000		0	BFZN	4		0.000		
6:0.....g	0.017		0	MC	9		0.005		
8:0.....g	0.110		0	MC	9		0.035		
10:0.....g	0.073		0	MC	9		0.023		
12:0.....g	0.599		0	MC	9		0.189		
13:0.....g									
14:0.....g	0.273		0	MC	9		0.086		
15:0.....g									
16:0.....g	1.434		0	MC	9		0.453		
17:0.....g									
18:0.....g	0.273		0	MC	9		0.086		
20:0.....g									
22:0.....g									
24:0.....g									
Fatty acids, total monounsaturated.....g	2.486		0	MC	9		0.786		
14:1.....g									
15:1.....g									
16:1 undifferentiated.....g	0.017		0	MC	9		0.005		
17:1.....g									
18:1 undifferentiated.....g	2.416		0	MC	9		0.763		
20:1.....g	0.000		0	BFZN	4		0.000		
22:1 undifferentiated.....g	0.000		0	BFZN	4		0.000		
24:1 c.....g									
Fatty acids, total polyunsaturated.....g	1.327		0	MC	9		0.419		
18:2 undifferentiated.....g	1.126		0	MC	9		0.356		
18:3 undifferentiated.....g	0.109		0	MC	9		0.034		
18:4.....g	0.000		0	BFZN	4		0.000		
20:2 n-6 c,c.....g									
20:3 undifferentiated.....g									
20:4 undifferentiated.....g	0.037		0	MC	9		0.012		
20:5 n-3 (EPA).....g	0.000		0	BFZN	4		0.000		
21:5.....g									
22:4.....g									
22:5 n-3 (DPA).....g	0.000		0	BFZN	4		0.000		
22:6 n-3 (DHA).....g	0.017		0	MC	9		0.005		
Fatty acids, total trans.....g									
Cholesterol.....mg	0		0	MC	9		0		
Phytosterols.....mg									
Others:									
Alcohol, ethyl.....g	0.0		0	BFZN	4		0.0		
Caffeine.....mg	0		0	BFZN	4		0		
Theobromine.....mg	0		0	BFZN	4		0		

Blanks in the Mean column indicate lack of reliable data. The Number of Data Points column is the number of analyses upon which the mean is based. Number of Data Points of zero indicates the mean was either calculated (as for Energy) or estimated, usually from a recipe, another form of the same food, or similar food.

Common Measures:

Measure 1 = 31.6g: 1 fl oz

Footnotes:

1 Contains arachidonic acid (ARA, nutrient number 620) and docosahexaenoic acid (DHA, nutrient number 621), fatty acids found in human breast milk.

Calories Factors: Protein

Fat

Carbohydrate

NDB No. 03844

Infant formula, MEAD JOHNSON, ENFAMIL, NUTRAMIGEN, LIPIL, with iron, liquid concentrate not reconstituted, with ARA and DHA
)

Food Group: 03 Baby Foods

USDA National Nutrient Database for Standard Reference, Release 28 (2015)

Nutrients and Units	Amount in 100 grams of edible portion					Amount in edible portion of common measures of food		
	Mean	Std. Error	Number of Data Deriv Source Confidence			Measure 1	Measure 2	Measure 3
			Points	Code	Code			
Lipids:								
Fatty acids, total saturated.....g	1.453		0	MC	9	1.555	0.443	
4:0.....g	0.000		0	BFZN	4	0.000	0.000	
6:0.....g	0.009		0	MC	9	0.010	0.003	
8:0.....g	0.057		0	MC	9	0.061	0.017	
10:0.....g	0.038		0	MC	9	0.041	0.012	
12:0.....g	0.311		0	MC	9	0.333	0.095	
13:0.....g								
14:0.....g	0.142		0	MC	9	0.152	0.043	
15:0.....g								
16:0.....g	0.745		0	MC	9	0.797	0.227	
17:0.....g								
18:0.....g	0.142		0	MC	9	0.152	0.043	
20:0.....g								
22:0.....g								
24:0.....g								
Fatty acids, total monounsaturated.....g	1.255		0	NR	4	1.343	0.383	
14:1.....g								
15:1.....g								
16:1 undifferentiated.....g	0.009		0	MC	9	0.010	0.003	
17:1.....g								
18:1 undifferentiated.....g	1.255		0	NR	4	1.343	0.383	
20:1.....g	0.000		0	BFZN	4	0.000	0.000	
22:1 undifferentiated.....g	0.000		0	BFZN	4	0.000	0.000	
24:1 c.....g								
Fatty acids, total polyunsaturated.....g	0.670		0	MC	9	0.717	0.204	
18:2 undifferentiated.....g	0.585		0	MC	9	0.626	0.178	
18:3 undifferentiated.....g	0.057		0	MC	9	0.061	0.017	
18:4.....g	0.000		0	MC	9	0.000	0.000	
20:2 n-6 c,c.....g								
20:3 undifferentiated.....g								
20:4 undifferentiated.....g	0.019		0	MC	9	0.020	0.006	
20:5 n-3 (EPA).....g	0.000		0	BFZN	4	0.000	0.000	
21:5.....g								
22:4.....g								
22:5 n-3 (DPA).....g	0.000		0	BFZN	4	0.000	0.000	
22:6 n-3 (DHA).....g	0.009		0	NR	4	0.010	0.003	
Fatty acids, total trans.....g								
Cholesterol.....mg	0		0	BFZN	4	0	0	
Phytosterols.....mg								
Others:								
Alcohol, ethyl.....g	0.0		0	BFZN	4	0.0	0.0	
Caffeine.....mg	0		0	BFZN	4	0	0	
Theobromine.....mg	0		0	BFZN	4	0	0	

Blanks in the Mean column indicate lack of reliable data. The Number of Data Points column is the number of analyses upon which the mean is based. Number of Data Points of zero indicates the mean was either calculated (as for Energy) or estimated, usually from a recipe, another form of the same food, or similar food.

Common Measures:

Measure 1 = 107g: 1 serving 100 ml

Measure 2 = 30.5g: 1 fl oz

Footnotes:

1 Contains arachidonic acid (ARA, nutrient number 620) and docosahexaenoic acid (DHA, nutrient number 621), fatty acids found in human breast milk.

Calories Factors: Protein

Fat

Carbohydrate

NDB No. 03845

Infant formula, MEAD JOHNSON, ENFAMIL, NUTRAMIGEN, LIPIL, with iron, ready-to-feed, with ARA and DHA (1)

Food Group: 03 Baby Foods

USDA National Nutrient Database for Standard Reference, Release 28 (2015)

NDB No. 03816

Infant formula, MEAD JOHNSON, ENFAMIL, NUTRAMIGEN, with iron, liquid concentrate, not reconstituted

Nutrients and Units	Amount in 100 grams of edible portion				Amount in edible portion of common measures of food			
	Mean	Std. Error	Number of Data Deriv Source Confidence			Measure 1	Measure 2	Measure 3
			Points	Code	Code			
Lipids:								
Fatty acids, total saturated.....g	2.879		0	MC	9		0.907	
4:0.....g	0.000		0	MC	9		0.000	
6:0.....g	0.007		0	MC	9		0.002	
8:0.....g	0.112		0	MC	9		0.035	
10:0.....g	0.075		0	MC	9		0.024	
12:0.....g	0.617		0	MC	9		0.194	
13:0.....g								
14:0.....g	0.280		0	MC	9		0.088	
15:0.....g								
16:0.....g	1.477		0	MC	9		0.465	
17:0.....g								
18:0.....g	0.280		0	MC	9		0.088	
20:0.....g								
22:0.....g								
24:0.....g								
Fatty acids, total monounsaturated.....g	2.493		0	MC	9		0.785	
14:1.....g								
15:1.....g								
16:1 undifferentiated.....g	0.007		0	MC	9		0.002	
17:1.....g								
18:1 undifferentiated.....g	2.486		0	MC	9		0.783	
20:1.....g	0.000		0	MC	9		0.000	
22:1 undifferentiated.....g	0.000		0	MC	9		0.000	
24:1 c.....g								
Fatty acids, total polyunsaturated.....g	1.159		0	MC	9		0.365	
18:2 undifferentiated.....g	1.159		0	MC	9		0.365	
18:3 undifferentiated.....g	0.118		0	MC	9		0.037	
18:4.....g	0.000		0	MC	9		0.000	
20:2 n-6 c,c.....g								
20:3 undifferentiated.....g								
20:4 undifferentiated.....g	0.000		0	MC	9		0.000	
20:5 n-3 (EPA).....g	0.000		0	MC	9		0.000	
21:5.....g								
22:4.....g								
22:5 n-3 (DPA).....g	0.000		0	MC	9		0.000	
22:6 n-3 (DHA).....g	0.000		0	MC	9		0.000	
Fatty acids, total trans.....g								
Cholesterol.....mg	0		0	MC	9		0	
Phytosterols.....mg								
Others:								
Alcohol, ethyl.....g	0.0		0	MC	9		0.0	
Caffeine.....mg	0		0	Z	7		0	
Theobromine.....mg	0		0	Z	7		0	

Blanks in the Mean column indicate lack of reliable data. The Number of Data Points column is the number of analyses upon which the mean is based. Number of Data Points of zero indicates the mean was either calculated (as for Energy) or estimated, usually from a recipe, another form of the same food, or similar food.

Common Measures:

Measure 1 = 31.5g: 1 fl oz

Calories Factors: Protein

Fat

Carbohydrate

Food Group: 03 Baby Foods

USDA National Nutrient Database for Standard Reference, Release 28 (2015)

NDB No. 03814

Infant formula, MEAD JOHNSON, ENFAMIL, NUTRAMIGEN, with iron, powder, not reconstituted

Nutrients and Units	Amount in 100 grams of edible portion				Amount in edible portion of common measures of food				
	Mean	Std. Error	Number		Source Code	Confidence Code	Measure 1	Measure 2	Measure 3
			of Data Points	Deriv Code					
Lipids:									
Fatty acids, total saturated.....g	10.990		0	NC	4		1.055		
4:0.....g	0.000		0	MA	12		0.000		
6:0.....g	0.030		0	MA	12		0.003		
8:0.....g	0.410		0	MC	9		0.039		
10:0.....g	0.310		0	MC	9		0.030		
12:0.....g	2.400		0	MC	9		0.230		
13:0.....g									
14:0.....g	1.070		0	MC	9		0.103		
15:0.....g									
16:0.....g	5.700		0	MC	9		0.547		
17:0.....g									
18:0.....g	1.070		0	MC	9		0.103		
20:0.....g									
22:0.....g									
24:0.....g									
Fatty acids, total monounsaturated.....g	9.520		0	NC	4		0.914		
14:1.....g									
15:1.....g									
16:1 undifferentiated.....g	0.020		0	MA	12		0.002		
17:1.....g									
18:1 undifferentiated.....g	9.500		0	MA	12		0.912		
20:1.....g	0.000		0	MA	12		0.000		
22:1 undifferentiated.....g	0.000		0	MA	12		0.000		
24:1 c.....g									
Fatty acids, total polyunsaturated.....g	4.930		0	NC	4		0.473		
18:2 undifferentiated.....g	4.500		0	MC	9		0.432		
18:3 undifferentiated.....g	0.430		0	MC	9		0.041		
18:4.....g	0.000		0	MA	12		0.000		
20:2 n-6 c,c.....g									
20:3 undifferentiated.....g									
20:4 undifferentiated.....g	0.000		0	MA	12		0.000		
20:5 n-3 (EPA).....g	0.000		0	MA	12		0.000		
21:5.....g									
22:4.....g									
22:5 n-3 (DPA).....g	0.000		0	MA	12		0.000		
22:6 n-3 (DHA).....g	0.000		0	MA	12		0.000		
Fatty acids, total trans.....g									
Cholesterol.....mg	0		0	MC	9		0		
Phytosterols.....mg									
Others:									
Alcohol, ethyl.....g	0.0		0	Z	7		0.0		
Caffeine.....mg	0		0	Z	7		0		
Theobromine.....mg	0		0	Z	7		0		

Blanks in the Mean column indicate lack of reliable data. The Number of Data Points column is the number of analyses upon which the mean is based. Number of Data Points of zero indicates the mean was either calculated (as for Energy) or estimated, usually from a recipe, another form of the same food, or similar food.

Common Measures:

Measure 1 = 9.6g: 1 scoop

Calories Factors: Protein

Fat

Carbohydrate

Food Group: 03 Baby Foods

USDA National Nutrient Database for Standard Reference, Release 28 (2015)

NDB No. 03813

Infant formula, MEAD JOHNSON, ENFAMIL, NUTRAMIGEN, with iron, ready-to-feed

Nutrients and Units	Amount in 100 grams of edible portion					Amount in edible portion of common measures of food		
	Mean	Std. Error	Number of Data Points			Measure 1	Measure 2	Measure 3
			Deriv Code	Source Code	Confidence Code			
Lipids:								
Fatty acids, total saturated.....g	1.364		0	NR	4	1.459	0.420	
4:0.....g	0.000		0	MA	12	0.000	0.000	
6:0.....g	0.009		0	MC	9	0.010	0.003	
8:0.....g	0.047		0	MC	9	0.050	0.014	
10:0.....g	0.037		0	MC	9	0.040	0.011	
12:0.....g	0.299		0	MC	9	0.320	0.092	
13:0.....g								
14:0.....g	0.131		0	MC	9	0.140	0.040	
15:0.....g								
16:0.....g	0.701		0	MC	9	0.750	0.216	
17:0.....g								
18:0.....g	0.131		0	MC	9	0.140	0.040	
20:0.....g								
22:0.....g								
24:0.....g								
Fatty acids, total monounsaturated.....g	1.206		0	MC	9	1.290	0.371	
14:1.....g								
15:1.....g								
16:1 undifferentiated.....g	0.003		0	MC	9	0.003	0.001	
17:1.....g								
18:1 undifferentiated.....g	1.206		0	MC	9	1.290	0.371	
20:1.....g	0.000		0	MA	12	0.000	0.000	
22:1 undifferentiated.....g	0.000		0	MA	12	0.000	0.000	
24:1 c.....g								
Fatty acids, total polyunsaturated.....g	0.617		0	MC	9	0.660	0.190	
18:2 undifferentiated.....g	0.561		0	MC	9	0.600	0.173	
18:3 undifferentiated.....g	0.056		0	MC	9	0.060	0.017	
18:4.....g	0.000		0	MA	12	0.000	0.000	
20:2 n-6 c,c.....g								
20:3 undifferentiated.....g								
20:4 undifferentiated.....g	0.000		0	MA	12	0.000	0.000	
20:5 n-3 (EPA).....g	0.000		0	MA	12	0.000	0.000	
21:5.....g								
22:4.....g								
22:5 n-3 (DPA).....g	0.000		0	MA	12	0.000	0.000	
22:6 n-3 (DHA).....g	0.000		0	MA	12	0.000	0.000	
Fatty acids, total trans.....g								
Cholesterol.....mg	0		0	MA	12	0	0	
Phytosterols.....mg								
Others:								
Alcohol, ethyl.....g	0.0		0	Z	7	0.0	0.0	
Caffeine.....mg	0		0	Z	7	0	0	
Theobromine.....mg	0		0	Z	7	0	0	

Blanks in the Mean column indicate lack of reliable data. The Number of Data Points column is the number of analyses upon which the mean is based. Number of Data Points of zero indicates the mean was either calculated (as for Energy) or estimated, usually from a recipe, another form of the same food, or similar food.

Common Measures:

Measure 1 = 107g: 1 Serving 100 ml

Measure 2 = 30.8g: 1 fl oz

Calories Factors: Protein

Fat

Carbohydrate

Food Group: 03 Baby Foods

USDA National Nutrient Database for Standard Reference, Release 28 (2015)

Nutrients and Units	Amount in 100 grams of edible portion				Amount in edible portion of common measures of food			
	Mean	Std. Error	Number of Data Deriv Source Confidence			Measure 1	Measure 2	Measure 3
			Points	Code	Code			
Tocotrienol, delta.....mg								
Vitamin D (D2 + D3).....µg	7.5		0	BFZN	4		0.7	
Vitamin D.....IU	300		0	BFZN	4		26	
Vitamin K (phylloquinone).....µg	40.0		0	MC	9		3.5	
Dihydrophyloquinone.....µg								
Menaquinone-4.....µg								
Lipids:								
Fatty acids, total saturated.....g	11.370		0	NR	4		1.001	
4:0.....g	0.000		0	MC	9		0.000	
6:0.....g	0.030		0	NR	4		0.003	
8:0.....g	0.430		0	NR	4		0.038	
10:0.....g	0.320		0	NR	4		0.028	
12:0.....g	2.500		0	MC	9		0.220	
13:0.....g								
14:0.....g	1.110		0	MC	9		0.098	
15:0.....g								
16:0.....g	5.900		0	MC	9		0.519	
17:0.....g								
18:0.....g	1.080		0	MC	9		0.095	
20:0.....g								
22:0.....g								
24:0.....g								
Fatty acids, total monounsaturated.....g	10.320		0	MC	9		0.908	
14:1.....g								
15:1.....g								
16:1 undifferentiated.....g	0.020		0	MC	9		0.002	
17:1.....g								
18:1 undifferentiated.....g	10.300		0	MC	9		0.906	
20:1.....g	0.000		0	BFZN	4		0.000	
22:1 undifferentiated.....g	0.000		0	BFZN	4		0.000	
24:1 c.....g								
Fatty acids, total polyunsaturated.....g	5.200		0	MC	9		0.458	
18:2 undifferentiated.....g	4.700		0	MC	9		0.414	
18:3 undifferentiated.....g	0.340		0	MC	9		0.030	
18:4.....g	0.000		0	BFZN	4		0.000	
20:2 n-6 c,c.....g								
20:3 undifferentiated.....g								
20:4 undifferentiated.....g	0.170		0	MC	9		0.015	
20:5 n-3 (EPA).....g	0.000		0	BFZN	4		0.000	
21:5.....g								
22:4.....g								
22:5 n-3 (DPA).....g	0.000		0	BFZN	4		0.000	
22:6 n-3 (DHA).....g	0.085		0	MC	9		0.007	
Fatty acids, total trans.....g								
Cholesterol.....mg	0		0	BFZN	4		0	
Phytosterols.....mg								
Others:								
Alcohol, ethyl.....g	0.0		0	BFZN	4		0.0	
Caffeine.....mg	0		0	BFZN	4		0	
Theobromine.....mg	0		0	BFZN	4		0	

Blanks in the Mean column indicate lack of reliable data. The Number of Data Points column is the number of analyses upon which the mean is based. Number of Data Points of zero indicates the mean was either calculated (as for Energy) or estimated, usually from a recipe, another form of the same food, or similar food.

Common Measures:

Measure 1 = 8.8g: 1 scoop

Footnotes:

1 Contains arachidonic acid (ARA, nutrient number 620) and docosahexaenoic acid (DHA, nutrient number 621), fatty acids found in human breast milk.

NDB No. 03852

Infant formula, MEAD JOHNSON, ENFAMIL, PROSOBEE LIPIL, with iron, powder, not reconstituted, with ARA and DHA (1)

Calories Factors: Protein

Fat

Carbohydrate

Food Group: 03 Baby Foods

USDA National Nutrient Database for Standard Reference, Release 28 (2015)

Nutrients and Units	Amount in 100 grams of edible portion					Amount in edible portion of common measures of food			
	Mean	Std. Error	Number of Data Points	Deriv Code	Source Code	Confidence Code	Measure 1	Measure 2	Measure 3
Lipids:									
Fatty acids, total saturated.....g	2.969		0	NC	4		0.929		
4:0.....g	0.000		0	BFZN	4		0.000		
6:0.....g	0.019		0	MC	9		0.006		
8:0.....g	0.117		0	MC	9		0.037		
10:0.....g	0.078		0	MC	9		0.024		
12:0.....g	0.640		0	MC	9		0.200		
13:0.....g									
14:0.....g	0.292		0	MC	9		0.091		
15:0.....g									
16:0.....g	1.532		0	MC	9		0.480		
17:0.....g									
18:0.....g	0.292		0	MC	9		0.091		
20:0.....g									
22:0.....g									
24:0.....g									
Fatty acids, total monounsaturated.....g	2.598		0	NC	4		0.813		
14:1.....g									
15:1.....g									
16:1 undifferentiated.....g	0.019		0	MC	9		0.006		
17:1.....g									
18:1 undifferentiated.....g	2.580		0	MC	9		0.807		
20:1.....g	0.000		0	BFZN	4		0.000		
22:1 undifferentiated.....g	0.000		0	BFZN	4		0.000		
24:1 c.....g									
Fatty acids, total polyunsaturated.....g	1.378		0	NC	4		0.431		
18:2 undifferentiated.....g	1.203		0	MC	9		0.377		
18:3 undifferentiated.....g	0.117		0	MC	9		0.037		
18:4.....g	0.000		0	BFZN	4		0.000		
20:2 n-6 c,c.....g									
20:3 undifferentiated.....g									
20:4 undifferentiated.....g	0.039		0	MC	9		0.012		
20:5 n-3 (EPA).....g	0.000		0	BFZN	4		0.000		
21:5.....g									
22:4.....g									
22:5 n-3 (DPA).....g	0.000		0	BFZN	4		0.000		
22:6 n-3 (DHA).....g	0.019		0	MC	9		0.006		
Fatty acids, total trans.....g									
Cholesterol.....mg	0		0	BFZN	4		0		
Phytosterols.....mg									
Others:									
Alcohol, ethyl.....g	0.0		0	BFZN	4		0.0		
Caffeine.....mg	0		0	BFZN	4		0		
Theobromine.....mg	0		0	BFZN	4		0		

Blanks in the Mean column indicate lack of reliable data. The Number of Data Points column is the number of analyses upon which the mean is based. Number of Data Points of zero indicates the mean was either calculated (as for Energy) or estimated, usually from a recipe, another form of the same food, or similar food.

Common Measures:

Measure 1 = 31.3g: 1 fl oz

Footnotes:

1 Contains arachidonic acid (ARA, nutrient number 620) and docosahexaenoic acid (DHA, nutrient number 621), fatty acids found in human breast milk.

Calories Factors: Protein

Fat

Carbohydrate

Food Group: 03 Baby Foods

NDB No. 03826

Infant formula, MEAD JOHNSON, ENFAMIL, PROSOBEE, with iron, powder, not reconstituted

Nutrients and Units	Amount in 100 grams of edible portion				Amount in edible portion of common measures of food				
	Mean	Std. Error	Number		Source Code	Confidence Code	Measure 1	Measure 2	Measure 3
			of Data Points	Deriv Code					
Lipids:									
Fatty acids, total saturated.....g	11.370		0	NR	4		1.001		
4:0.....g	0.000		0	MC	9		0.000		
6:0.....g	0.030		0	MC	9		0.003		
8:0.....g	0.430		0	MC	9		0.038		
10:0.....g	0.320		0	MC	9		0.028		
12:0.....g	2.500		0	MA	12		0.220		
13:0.....g									
14:0.....g	1.110		0	MA	12		0.098		
15:0.....g									
16:0.....g	5.900		0	MA	12		0.519		
17:0.....g									
18:0.....g	1.080		0	MC	9		0.095		
20:0.....g									
22:0.....g									
24:0.....g									
Fatty acids, total monounsaturated.....g	10.320		0	MC	9		0.908		
14:1.....g									
15:1.....g									
16:1 undifferentiated.....g	0.020		0	MC	9		0.002		
17:1.....g									
18:1 undifferentiated.....g	10.300		0	MA	12		0.906		
20:1.....g	0.000		0	MA	12		0.000		
22:1 undifferentiated.....g	0.000		0	MA	12		0.000		
24:1 c.....g									
Fatty acids, total polyunsaturated.....g	5.200		0	MC	9		0.458		
18:2 undifferentiated.....g	4.700		0	MC	9		0.414		
18:3 undifferentiated.....g	0.450		0	MC	9		0.040		
18:4.....g	0.000		0	MC	9		0.000		
20:2 n-6 c,c.....g									
20:3 undifferentiated.....g									
20:4 undifferentiated.....g	0.000		0	MC	9		0.000		
20:5 n-3 (EPA).....g	0.000		0	MC	9		0.000		
21:5.....g									
22:4.....g									
22:5 n-3 (DPA).....g	0.000		0	MC	9		0.000		
22:6 n-3 (DHA).....g	0.000		0	MC	9		0.000		
Fatty acids, total trans.....g									
Cholesterol.....mg	0		0	MC	9		0		
Phytosterols.....mg									
Others:									
Alcohol, ethyl.....g	0.0		0	Z	7		0.0		
Caffeine.....mg	0		0	NR	4		0		
Theobromine.....mg	0		0	Z	7		0		

Blanks in the Mean column indicate lack of reliable data. The Number of Data Points column is the number of analyses upon which the mean is based. Number of Data Points of zero indicates the mean was either calculated (as for Energy) or estimated, usually from a recipe, another form of the same food, or similar food.

Common Measures:

Measure 1 = 8.8g: 1 scoop

Calories Factors: Protein

Fat

Carbohydrate

Food Group: 03 Baby Foods

USDA National Nutrient Database for Standard Reference, Release 28 (2015)

Nutrients and Units	Amount in 100 grams of edible portion				Amount in edible portion of common measures of food				
	Mean	Std. Error	Number of Data Points	Deriv Code	Source Code	Confidence Code	Measure 1	Measure 2	Measure 3
Lipids:									
Fatty acids, total saturated.....g	1.679		0	NC	4		0.510	2.552	
4:0.....g	0.000		0	NR	4		0.000	0.000	
6:0.....g	0.010		0	NR	4		0.003	0.016	
8:0.....g	1.020		0	NR	4		0.310	1.550	
10:0.....g	0.381		0	NR	4		0.116	0.579	
12:0.....g	0.010		0	NR	4		0.003	0.016	
13:0.....g									
14:0.....g	0.010		0	NR	4		0.003	0.016	
15:0.....g									
16:0.....g	0.155		0	NR	4		0.047	0.235	
17:0.....g									
18:0.....g	0.093		0	NR	4		0.028	0.141	
20:0.....g									
22:0.....g									
24:0.....g									
Fatty acids, total monounsaturated.....g	0.021		0	NC	4		0.006	0.031	
14:1.....g									
15:1.....g									
16:1 undifferentiated.....g	0.000		0	NR	4		0.000	0.000	
17:1.....g									
18:1 undifferentiated.....g	0.000		0	NR	4		0.000	0.000	
20:1.....g	0.010		0	NR	4		0.003	0.016	
22:1 undifferentiated.....g	0.010		0	NR	4		0.003	0.016	
24:1 c.....g									
Fatty acids, total polyunsaturated.....g	1.164		0	NC	4		0.354	1.769	
18:2 undifferentiated.....g	1.051		0	NR	4		0.319	1.597	
18:3 undifferentiated.....g	0.082		0	NR	4		0.025	0.125	
18:4.....g	0.000		0	NR	4		0.000	0.000	
20:2 n-6 c,c.....g									
20:3 undifferentiated.....g									
20:4 undifferentiated.....g	0.021		0	NR	4		0.006	0.031	
20:5 n-3 (EPA).....g	0.000		0	NR	4		0.000	0.000	
21:5.....g									
22:4.....g									
22:5 n-3 (DPA).....g	0.000		0	NR	4		0.000	0.000	
22:6 n-3 (DHA).....g	0.010		0	NR	4		0.003	0.016	
Fatty acids, total trans.....g									
Cholesterol.....mg	0		0	NR	4		0	0	
Phytosterols.....mg									
Others:									
Alcohol, ethyl.....g	0.0		0	NR	4		0.0	0.0	
Caffeine.....mg	0		0	NR	4		0	0	
Theobromine.....mg	0		0	NR	4		0	0	

Blanks in the Mean column indicate lack of reliable data. The Number of Data Points column is the number of analyses upon which the mean is based. Number of Data Points of zero indicates the mean was either calculated (as for Energy) or estimated, usually from a recipe, another form of the same food, or similar food.

Common Measures:

Measure 1 = 30.4g: 1 fl oz

Measure 2 = 152g: 5 fl oz

Calories Factors: Protein

Fat

Carbohydrate

Food Group: 03 Baby Foods

Nutrients and Units	Amount in 100 grams of edible portion				Amount in edible portion of common measures of food			
	Mean	Std. Error	Number of Data Points			Measure 1	Measure 2	Measure 3
			Deriv Code	Source Code	Confidence Code			
Lipids:								
Fatty acids, total saturated.....g	1.679		0	NC	4	0.510	2.552	
4:0.....g	0.000		0	NR	4	0.000	0.000	
6:0.....g	0.010		0	NR	4	0.003	0.016	
8:0.....g	1.020		0	NR	4	0.310	1.550	
10:0.....g	0.381		0	NR	4	0.116	0.579	
12:0.....g	0.010		0	NR	4	0.003	0.016	
13:0.....g								
14:0.....g	0.010		0	NR	4	0.003	0.016	
15:0.....g								
16:0.....g	0.155		0	NR	4	0.047	0.235	
17:0.....g								
18:0.....g	0.093		0	NR	4	0.028	0.141	
20:0.....g								
22:0.....g								
24:0.....g								
Fatty acids, total monounsaturated.....g	0.021		0	NC	4	0.006	0.031	
14:1.....g								
15:1.....g								
16:1 undifferentiated.....g	0.000		0	NR	4	0.000	0.000	
17:1.....g								
18:1 undifferentiated.....g	0.000		0	NR	4	0.000	0.000	
20:1.....g	0.010		0	NR	4	0.003	0.016	
22:1 undifferentiated.....g	0.010		0	NR	4	0.003	0.016	
24:1 c.....g								
Fatty acids, total polyunsaturated.....g	1.164		0	NC	4	0.354	1.769	
18:2 undifferentiated.....g	1.051		0	NR	4	0.319	1.597	
18:3 undifferentiated.....g	0.082		0	NR	4	0.025	0.125	
18:4.....g	0.000		0	NR	4	0.000	0.000	
20:2 n-6 c,c.....g								
20:3 undifferentiated.....g								
20:4 undifferentiated.....g	0.021		0	NR	4	0.006	0.031	
20:5 n-3 (EPA).....g	0.000		0	NR	4	0.000	0.000	
21:5.....g								
22:4.....g								
22:5 n-3 (DPA).....g	0.000		0	NR	4	0.000	0.000	
22:6 n-3 (DHA).....g	0.010		0	NR	4	0.003	0.016	
Fatty acids, total trans.....g								
Cholesterol.....mg	0		0	NR	4	0	0	
Phytosterols.....mg								
Others:								
Alcohol, ethyl.....g	0.0		0	NR	4	0.0	0.0	
Caffeine.....mg	0		0	NR	4	0	0	
Theobromine.....mg	0		0	NR	4	0	0	

Blanks in the Mean column indicate lack of reliable data. The Number of Data Points column is the number of analyses upon which the mean is based. Number of Data Points of zero indicates the mean was either calculated (as for Energy) or estimated, usually from a recipe, another form of the same food, or similar food.

Common Measures:

Measure 1 = 30.4g: 1 fl oz

Measure 2 = 152g: 5 fl oz

Calories Factors: Protein

Fat

Carbohydrate

Food Group: 03 Baby Foods

NDB No. 03985

Infant formula, MEAD JOHNSON, ENFAMIL, Premature, 24 calo ready-to-feed

Nutrients and Units	Amount in 100 grams of edible portion				Amount in edible portion of common measures of food				
	Mean	Std. Error	Number of Data Points	Deriv Code	Source Code	Confidence Code	Measure 1	Measure 2	Measure 3
Lipids:									
Fatty acids, total saturated.....g	1.339		0	NC	4		0.407	2.035	
4:0.....g	0.000		0	NR	4		0.000	0.000	
6:0.....g	0.010		0	NR	4		0.003	0.016	
8:0.....g	1.020		0	NR	4		0.310	1.550	
10:0.....g	0.041		0	NR	4		0.013	0.063	
12:0.....g	0.010		0	NR	4		0.003	0.016	
13:0.....g									
14:0.....g	0.010		0	NR	4		0.003	0.016	
15:0.....g									
16:0.....g	0.155		0	NR	4		0.047	0.235	
17:0.....g									
18:0.....g	0.093		0	NR	4		0.028	0.141	
20:0.....g									
22:0.....g									
24:0.....g									
Fatty acids, total monounsaturated.....g	0.021		0	NC	4		0.006	0.031	
14:1.....g									
15:1.....g									
16:1 undifferentiated.....g	0.000		0	NR	4		0.000	0.000	
17:1.....g									
18:1 undifferentiated.....g	0.000		0	NR	4		0.000	0.000	
20:1.....g	0.010		0	NR	4		0.003	0.016	
22:1 undifferentiated.....g	0.010		0	NR	4		0.003	0.016	
24:1 c.....g									
Fatty acids, total polyunsaturated.....g	1.169		0	NC	4		0.355	1.777	
18:2 undifferentiated.....g	1.056		0	NR	4		0.321	1.605	
18:3 undifferentiated.....g	0.082		0	NR	4		0.025	0.125	
18:4.....g	0.000		0	NR	4		0.000	0.000	
20:2 n-6 c,c.....g									
20:3 undifferentiated.....g									
20:4 undifferentiated.....g	0.021		0	NR	4		0.006	0.031	
20:5 n-3 (EPA).....g	0.000		0	NR	4		0.000	0.000	
21:5.....g									
22:4.....g									
22:5 n-3 (DPA).....g	0.000		0	NR	4		0.000	0.000	
22:6 n-3 (DHA).....g	0.010		0	NR	4		0.003	0.016	
Fatty acids, total trans.....g									
Cholesterol.....mg	0		0	NR	4		0	0	
Phytosterols.....mg									
Others:									
Alcohol, ethyl.....g	0.0		0	NR	4		0.0	0.0	
Caffeine.....mg	0		0	NR	4		0	0	
Theobromine.....mg	0		0	NR	4		0	0	

Blanks in the Mean column indicate lack of reliable data. The Number of Data Points column is the number of analyses upon which the mean is based. Number of Data Points of zero indicates the mean was either calculated (as for Energy) or estimated, usually from a recipe, another form of the same food, or similar food.

Common Measures:

Measure 1 = 30.4g: 1 fl oz

Measure 2 = 152g: 5 fl oz

Calories Factors: Protein

Fat

Carbohydrate

Food Group: 03 Baby Foods

USDA National Nutrient Database for Standard Reference, Release 28 (2015)

Nutrients and Units	Amount in 100 grams of edible portion				Amount in edible portion of common		
	Mean	Std. Error	Number		Measure 1	Measure 2	Measure 3
			of Data Points	Deriv Code			
Lipids:							
Fatty acids, total saturated.....g	1.339		0	NC	4	0.402	2.035
4:0.....g	0.000		0	NR	4	0.000	0.000
6:0.....g	0.010		0	NR	4	0.003	0.016
8:0.....g	1.020		0	NR	4	0.306	1.550
10:0.....g	0.041		0	NR	4	0.012	0.063
12:0.....g	0.010		0	NR	4	0.003	0.016
13:0.....g							
14:0.....g	0.010		0	NR	4	0.003	0.016
15:0.....g							
16:0.....g	0.155		0	NR	4	0.046	0.235
17:0.....g							
18:0.....g	0.093		0	NR	4	0.028	0.141
20:0.....g							
22:0.....g							
24:0.....g							
Fatty acids, total monounsaturated.....g	0.850		0	NR	4	0.255	1.292
14:1.....g							
15:1.....g							
16:1 undifferentiated.....g	0.000		0	NR	4	0.000	0.000
17:1.....g							
18:1 undifferentiated.....g	0.000		0	NR	4	0.000	0.000
20:1.....g	0.010		0	NR	4	0.003	0.016
22:1 undifferentiated.....g	0.010		0	NR	4	0.003	0.016
24:1 c.....g							
Fatty acids, total polyunsaturated.....g	1.169		0	NC	4	0.351	1.777
18:2 undifferentiated.....g	1.056		0	NR	4	0.317	1.605
18:3 undifferentiated.....g	0.082		0	NR	4	0.025	0.125
18:4.....g	0.000		0	NR	4	0.000	0.000
20:2 n-6 c,c.....g							
20:3 undifferentiated.....g							
20:4 undifferentiated.....g	0.021		0	NR	4	0.006	0.031
20:5 n-3 (EPA).....g	0.000		0	NR	4	0.000	0.000
21:5.....g							
22:4.....g							
22:5 n-3 (DPA).....g	0.000		0	NR	4	0.000	0.000
22:6 n-3 (DHA).....g	0.010		0	NR	4	0.003	0.016
Fatty acids, total trans.....g							
Cholesterol.....mg	0		0	NR	4	0	0
Phytosterols.....mg							
Others:							
Alcohol, ethyl.....g	0.0		0	NR	4	0.0	0.0
Caffeine.....mg	0		0	NR	4	0	0
Theobromine.....mg	0		0	NR	4	0	0

Blanks in the Mean column indicate lack of reliable data. The Number of Data Points column is the number of analyses upon which the mean is based. Number of Data Points of zero indicates the mean was either calculated (as for Energy) or estimated, usually from a recipe, another form of the same food, or similar food.

Common Measures:

Measure 1 = 30g: 5 fl oz

Measure 2 = 152g: 5 fl oz

Calories Factors: Protein

Fat

Carbohydrate

Food Group: 03 Baby Foods

NDB No. 03809

Infant formula, MEAD JOHNSON, ENFAMIL, low iron, powder, not reconstituted

Nutrients and Units	Amount in 100 grams of edible portion					Amount in edible portion of common measures of food		
	Mean	Std. Error	Number of Data Deriv Source			Measure 1	Measure 2	Measure 3
			Points	Code	Code			
Tocotrienol, delta.....mg								
Vitamin D (D2 + D3).....µg	7.8		0	T	4		0.6	
Vitamin D.....IU	310		0	T	4		26	
Vitamin K (phylloquinone).....µg	41.0		0	T	4		3.4	
Dihydrophylloquinone.....µg								
Menaquinone-4.....µg								
Lipids:								
Fatty acids, total saturated.....g	11.500		0	MC	9		0.955	
4:0.....g	0.000		0	MA	12		0.000	
6:0.....g	0.030		0	MA	12		0.002	
8:0.....g	0.420		0	MC	9		0.035	
10:0.....g	0.320		0	MC	9		0.027	
12:0.....g	2.500		0	MC	9		0.208	
13:0.....g								
14:0.....g	1.110		0	MC	9		0.092	
15:0.....g								
16:0.....g	6.200		0	MA	12		0.515	
17:0.....g								
18:0.....g	1.200		0	MA	12		0.100	
20:0.....g								
22:0.....g								
24:0.....g								
Fatty acids, total monounsaturated.....g	10.000		0	MC	9		0.830	
14:1.....g								
15:1.....g								
16:1 undifferentiated.....g	0.030		0	MA	12		0.002	
17:1.....g								
18:1 undifferentiated.....g	10.000		0	MC	9		0.830	
20:1.....g	0.000		0	MA	12		0.000	
22:1 undifferentiated.....g	0.000		0	MA	12		0.000	
24:1 c.....g								
Fatty acids, total polyunsaturated.....g	5.300		0	MA	12		0.440	
18:2 undifferentiated.....g	4.600		0	MC	9		0.382	
18:3 undifferentiated.....g	0.450		0	MC	9		0.037	
18:4.....g	0.000		0	MA	12		0.000	
20:2 n-6 c,c.....g								
20:3 undifferentiated.....g								
20:4 undifferentiated.....g	0.000		0	MA	12		0.000	
20:5 n-3 (EPA).....g	0.000		0	MA	12		0.000	
21:5.....g								
22:4.....g								
22:5 n-3 (DPA).....g	0.000		0	MA	12		0.000	
22:6 n-3 (DHA).....g	0.000		0	MA	12		0.000	
Fatty acids, total trans.....g								
Cholesterol.....mg	17		0	MC	9		1	
Phytosterols.....mg								
Others:								
Alcohol, ethyl.....g	0.0		0	Z	7		0.0	
Caffeine.....mg	0		0	Z	7		0	
Theobromine.....mg	0		0	Z	7		0	

Blanks in the Mean column indicate lack of reliable data. The Number of Data Points column is the number of analyses upon which the mean is based. Number of Data Points of zero indicates the mean was either calculated (as for Energy) or estimated, usually from a recipe, another form of the same food, or similar food.

Common Measures:

Measure 1 = 8.3g: 1 scoop

Calories Factors: Protein

Fat

Carbohydrate

NDB No. 03809

Infant formula, MEAD JOHNSON, ENFAMIL, low iron, powder, not reconstituted

Food Group: 03 Baby Foods

USDA National Nutrient Database for Standard Reference, Release 28 (2015)

Nutrients and Units	Amount in 100 grams of edible portion				Amount in edible portion of common measures of food				
	Mean	Std. Error	Number		Source Code	Confidence Code	Measure 1	Measure 2	Measure 3
			of Data Points	Deriv Code					
Tocotrienol, delta.....mg									
Vitamin D (D2 + D3).....µg	1.0		0	MC	9		0.3	1.5	
Vitamin D.....IU	40		0	MC	9		12	60	
Vitamin K (phylloquinone).....µg	5.2		0	MC	9		1.6	7.9	
Dihydrophylloquinone.....µg									
Menaquinone-4.....µg									
Lipids:									
Fatty acids, total saturated.....g	1.479		0	MC	9		0.451	2.248	
4:0.....g	0.000		0	MC	9		0.000	0.000	
6:0.....g	0.003		0	MC	9		0.001	0.005	
8:0.....g	0.058		0	MC	9		0.018	0.088	
10:0.....g	0.039		0	MA	12		0.012	0.059	
12:0.....g	0.320		0	MC	9		0.098	0.486	
13:0.....g									
14:0.....g	0.146		0	MC	9		0.045	0.222	
15:0.....g									
16:0.....g	0.767		0	MC	9		0.234	1.166	
17:0.....g									
18:0.....g	0.146		0	MC	9		0.045	0.222	
20:0.....g									
22:0.....g									
24:0.....g									
Fatty acids, total monounsaturated.....g	1.291		0	MC	9		0.394	1.962	
14:1.....g									
15:1.....g									
16:1 undifferentiated.....g	0.000		0	MA	12		0.000	0.000	
17:1.....g									
18:1 undifferentiated.....g	1.291		0	MC	9		0.394	1.962	
20:1.....g	0.000		0	MA	12		0.000	0.000	
22:1 undifferentiated.....g	0.000		0	MA	12		0.000	0.000	
24:1 c.....g									
Fatty acids, total polyunsaturated.....g	0.689		0	MC	9		0.210	1.047	
18:2 undifferentiated.....g	0.602		0	MC	9		0.184	0.915	
18:3 undifferentiated.....g	0.058		0	MC	9		0.018	0.088	
18:4.....g	0.000		0	MA	12		0.000	0.000	
20:2 n-6 c,c.....g									
20:3 undifferentiated.....g									
20:4 undifferentiated.....g	0.000		0	MA	12		0.000	0.000	
20:5 n-3 (EPA).....g	0.000		0	MA	12		0.000	0.000	
21:5.....g									
22:4.....g									
22:5 n-3 (DPA).....g	0.000		0	MA	12		0.000	0.000	
22:6 n-3 (DHA).....g	0.000		0	MA	12		0.000	0.000	
Fatty acids, total trans.....g									
Cholesterol.....mg	1		0	MA	12		0	2	
Phytosterols.....mg									
Others:									
Alcohol, ethyl.....g	0.0		0	Z	7		0.0	0.0	
Caffeine.....mg	0		0	Z	7		0	0	
Theobromine.....mg	0		0	Z	7		0	0	

Blanks in the Mean column indicate lack of reliable data. The Number of Data Points column is the number of analyses upon which the mean is based. Number of Data Points of zero indicates the mean was either calculated (as for Energy) or estimated, usually from a recipe, another form of the same food, or similar food.

Common Measures:

Measure 1 = 30.5g: 1 fl oz

Measure 2 = 152g: 5 fl oz

Calories Factors: Protein

Fat

Carbohydrate

NDB No. 03806

Infant formula, MEAD JOHNSON, ENFAMIL, low iron, ready-to-feed

Food Group: 03 Baby Foods

USDA National Nutrient Database for Standard Reference, Release 28 (2015)

NDB No. 03805

Infant formula, MEAD JOHNSON, ENFAMIL, with iron, powder

Nutrients and Units	Amount in 100 grams of edible portion						Amount in edible portion of common measures of food			
	Mean	Std. Error	Number of Data Points			Source Code	Confidence Code	Measure 1	Measure 2	Measure 3
			Deriv Code	Points	Code					
Tocotrienol, delta.....mg										
Vitamin D (D2 + D3).....µg	7.8		0	NR	4			0.6		
Vitamin D.....IU	310		0	S	4			26		
Vitamin K (phylloquinone).....µg	41.0		0	S	4			3.4		
Dihydrophyloquinone.....µg										
Menaquinone-4.....µg										
Lipids:										
Fatty acids, total saturated.....g	11.500		0	MC	9			0.955		
4:0.....g	0.000		0	MA	12			0.000		
6:0.....g	0.030		0	MA	12			0.002		
8:0.....g	0.430		0	MC	9			0.036		
10:0.....g	0.320		0	MC	9			0.027		
12:0.....g	2.500		0	MC	9			0.208		
13:0.....g										
14:0.....g	1.110		0	MC	9			0.092		
15:0.....g										
16:0.....g	5.900		0	MC	9			0.490		
17:0.....g										
18:0.....g	1.080		0	MC	9			0.090		
20:0.....g										
22:0.....g										
24:0.....g										
Fatty acids, total monounsaturated.....g	10.300		0	MC	9			0.855		
14:1.....g										
15:1.....g										
16:1 undifferentiated.....g	0.000		0	MC	9			0.000		
17:1.....g										
18:1 undifferentiated.....g	10.300		0	MC	9			0.855		
20:1.....g	0.000		0	MA	12			0.000		
22:1 undifferentiated.....g	0.000		0	MA	12			0.000		
24:1 c.....g										
Fatty acids, total polyunsaturated.....g	5.200		0	MC	9			0.432		
18:2 undifferentiated.....g	4.700		0	MC	9			0.390		
18:3 undifferentiated.....g	0.450		0	MC	9			0.037		
18:4.....g	0.000		0	MA	12			0.000		
20:2 n-6 c,c.....g										
20:3 undifferentiated.....g										
20:4 undifferentiated.....g	0.000		0	MA	12			0.000		
20:5 n-3 (EPA).....g	0.000		0	MA	12			0.000		
21:5.....g										
22:4.....g										
22:5 n-3 (DPA).....g	0.000		0	MA	12			0.000		
22:6 n-3 (DHA).....g	0.000		0	MA	12			0.000		
Fatty acids, total trans.....g										
Cholesterol.....mg	17		0	MC	9			1		
Phytosterols.....mg										
Others:										
Alcohol, ethyl.....g	0.0		0	Z	7			0.0		
Caffeine.....mg	0		0	Z	7			0		
Theobromine.....mg	0		0	Z	7			0		

Blanks in the Mean column indicate lack of reliable data. The Number of Data Points column is the number of analyses upon which the mean is based. Number of Data Points of zero indicates the mean was either calculated (as for Energy) or estimated, usually from a recipe, another form of the same food, or similar food.

Common Measures:

Measure 1 = 8.3g: 1 scoop

Calories Factors: Protein

Fat

Carbohydrate

NDB No. 03805

Infant formula, MEAD JOHNSON, ENFAMIL, with iron, powder

Food Group: 03 Baby Foods

USDA National Nutrient Database for Standard Reference, Release 28 (2015)

NDB No. 03803

Infant formula, MEAD JOHNSON, ENFAMIL, with iron, ready-to-feed

Nutrients and Units	Amount in 100 grams of edible portion				Amount in edible portion of common measures of food			
	Mean	Std. Error	Number of Data Deriv Source Confidence			Measure 1	Measure 2	Measure 3
			Points	Code	Code			
Tocotrienol, delta.....mg								
Vitamin D (D2 + D3).....µg	1.0		0	NR	4		0.3	
Vitamin D.....IU	40		0	MC	9		12	
Vitamin K (phylloquinone).....µg	5.2		0	MC	9		1.6	
Dihydrophylloquinone.....µg								
Menaquinone-4.....µg								
Lipids:								
Fatty acids, total saturated.....g	1.469		0	MA	12		0.448	
4:0.....g	0.000		0	MC	9		0.000	
6:0.....g	0.003		0	MC	9		0.001	
8:0.....g	0.058		0	MC	9		0.018	
10:0.....g	0.039		0	MC	9		0.012	
12:0.....g	0.320		0	MC	9		0.098	
13:0.....g								
14:0.....g	0.146		0	MC	9		0.045	
15:0.....g								
16:0.....g	0.767		0	MC	9		0.234	
17:0.....g								
18:0.....g	0.136		0	MC	9		0.041	
20:0.....g								
22:0.....g								
24:0.....g								
Fatty acids, total monounsaturated.....g	1.330		0	MC	9		0.406	
14:1.....g								
15:1.....g								
16:1 undifferentiated.....g	0.000		0	MA	12		0.000	
17:1.....g								
18:1 undifferentiated.....g	1.313		0	MA	12		0.400	
20:1.....g	0.000		0	MA	12		0.000	
22:1 undifferentiated.....g	0.000		0	MA	12		0.000	
24:1 c.....g								
Fatty acids, total polyunsaturated.....g	0.670		0	MC	9		0.204	
18:2 undifferentiated.....g	0.612		0	MC	9		0.187	
18:3 undifferentiated.....g	0.058		0	MC	9		0.018	
18:4.....g	0.000		0	MA	12		0.000	
20:2 n-6 c,c.....g								
20:3 undifferentiated.....g								
20:4 undifferentiated.....g	0.000		0	MA	12		0.000	
20:5 n-3 (EPA).....g	0.000		0	MA	12		0.000	
21:5.....g								
22:4.....g								
22:5 n-3 (DPA).....g	0.000		0	MA	12		0.000	
22:6 n-3 (DHA).....g	0.000		0	MA	12		0.000	
Fatty acids, total trans.....g								
Cholesterol.....mg	1		0	MC	9		0	
Phytosterols.....mg								
Others:								
Alcohol, ethyl.....g	0.0		0	Z	7		0.0	
Caffeine.....mg	0		0	Z	7		0	
Theobromine.....mg	0		0	Z	7		0	

Blanks in the Mean column indicate lack of reliable data. The Number of Data Points column is the number of analyses upon which the mean is based. Number of Data Points of zero indicates the mean was either calculated (as for Energy) or estimated, usually from a recipe, another form of the same food, or similar food.

Common Measures:

Measure 1 = 30.5g: 1 fl oz

Calories Factors: Protein

Fat

Carbohydrate

NDB No. 03803

Infant formula, MEAD JOHNSON, ENFAMIL, with iron, ready-to-feed

Food Group: 03 Baby Foods

USDA National Nutrient Database for Standard Reference, Release 28 (2015)

NDB No. 03929

Infant formula, MEAD JOHNSON, NEXT STEP PROSOBEE, powder, not reconstituted

Nutrients and Units	Amount in 100 grams of edible portion					Amount in edible portion of common measures of food			
	Mean	Std. Error	Number of Data Points	Deriv Code	Source Code	Confidence Code	Measure 1	Measure 2	Measure 3
Lipids:									
Fatty acids, total saturated.....g	8.905		0	NC	4		0.828		
4:0.....g	0.000		0	BFFY	4		0.000		
6:0.....g	0.020		0	MC	9		0.002		
8:0.....g	0.330		0	MC	9		0.031		
10:0.....g	0.250		0	MC	9		0.023		
12:0.....g	1.910		0	MC	9		0.178		
13:0.....g									
14:0.....g	0.860		0	MC	9		0.080		
15:0.....g									
16:0.....g	4.600		0	MC	9		0.428		
17:0.....g									
18:0.....g	0.860		0	MC	9		0.080		
20:0.....g									
22:0.....g									
24:0.....g									
Fatty acids, total monounsaturated.....g	7.800		0	MC	9		0.725		
14:1.....g									
15:1.....g									
16:1 undifferentiated.....g	0.020		0	MC	9		0.002		
17:1.....g									
18:1 undifferentiated.....g	7.800		0	MC	9		0.725		
20:1.....g	0.000		0	BFFY	4		0.000		
22:1 undifferentiated.....g	0.000		0	BFFY	4		0.000		
24:1 c.....g									
Fatty acids, total polyunsaturated.....g	4.200		0	MC	9		0.391		
18:2 undifferentiated.....g	3.600		0	MC	9		0.335		
18:3 undifferentiated.....g	0.340		0	MC	9		0.032		
18:4.....g	0.000		0	BFFY	4		0.000		
20:2 n-6 c,c.....g									
20:3 undifferentiated.....g									
20:4 undifferentiated.....g	0.160		0	MC	9		0.015		
20:5 n-3 (EPA).....g	0.000		0	BFFY	4		0.000		
21:5.....g									
22:4.....g									
22:5 n-3 (DPA).....g	0.000		0	BFFY	4		0.000		
22:6 n-3 (DHA).....g	0.000		0	BFFY	4		0.000		
Fatty acids, total trans.....g									
Cholesterol.....mg	0		0	BFFY	4		0		
Phytosterols.....mg									
Others:									
Alcohol, ethyl.....g	0.0		0	Z	7		0.0		
Caffeine.....mg	0		0	Z	7		0		
Theobromine.....mg	0		0	Z	7		0		

Blanks in the Mean column indicate lack of reliable data. The Number of Data Points column is the number of analyses upon which the mean is based. Number of Data Points of zero indicates the mean was either calculated (as for Energy) or estimated, usually from a recipe, another form of the same food, or similar food.

Common Measures:

Measure 1 = 9.3g: 1 scoop

Calories Factors: Protein

Fat

Carbohydrate

Food Group: 03 Baby Foods

USDA National Nutrient Database for Standard Reference, Release 28 (2015)

NDB No. 03861

Infant formula, MEAD JOHNSON, NEXT STEP, PROSOBEE LIPIL, powder, with ARA and DHA (1)

Nutrients and Units	Amount in 100 grams of edible portion					Amount in edible portion of common measures of food			
	Mean	Std. Error	Number of Data Points	Deriv Code	Source Code	Confidence Code	Measure 1	Measure 2	Measure 3
Lipids:									
Fatty acids, total saturated.....g	8.905		0	BFZN	4		2.493		
4:0.....g	0.000		0	BFZN	4		0.000		
6:0.....g	0.023		0	BFZN	4		0.007		
8:0.....g	0.334		0	BFZN	4		0.094		
10:0.....g	0.250		0	MC	9		0.070		
12:0.....g	1.944		0	BFZN	4		0.544		
13:0.....g									
14:0.....g	0.863		0	BFZN	4		0.242		
15:0.....g									
16:0.....g	4.589		0	BFZN	4		1.285		
17:0.....g									
18:0.....g	0.902		0	BFZN	4		0.253		
20:0.....g									
22:0.....g									
24:0.....g									
Fatty acids, total monounsaturated.....g	7.800		0	MC	9		2.184		
14:1.....g									
15:1.....g									
16:1 undifferentiated.....g	0.020		0	MC	9		0.006		
17:1.....g									
18:1 undifferentiated.....g	7.800		0	MC	9		2.184		
20:1.....g	0.000		0	BFZN	4		0.000		
22:1 undifferentiated.....g	0.000		0	BFZN	4		0.000		
24:1 c.....g									
Fatty acids, total polyunsaturated.....g	4.200		0	MC	9		1.176		
18:2 undifferentiated.....g	3.600		0	MC	9		1.008		
18:3 undifferentiated.....g	0.373		0	BFZN	4		0.105		
18:4.....g	0.000		0	BFZN	4		0.000		
20:2 n-6 c,c.....g									
20:3 undifferentiated.....g									
20:4 undifferentiated.....g	0.161		0	MA	12		0.045		
20:5 n-3 (EPA).....g	0.000		0	BFZN	4		0.000		
21:5.....g									
22:4.....g									
22:5 n-3 (DPA).....g	0.000		0	BFZN	4		0.000		
22:6 n-3 (DHA).....g	0.081		0	MA	12		0.023		
Fatty acids, total trans.....g									
Cholesterol.....mg	0		0	BFZN	4		0		
Phytosterols.....mg									
Others:									
Alcohol, ethyl.....g	0.0		0	BFZN	4		0.0		
Caffeine.....mg	0		0	BFZN	4		0		
Theobromine.....mg	0		0	BFZN	4		0		

Blanks in the Mean column indicate lack of reliable data. The Number of Data Points column is the number of analyses upon which the mean is based. Number of Data Points of zero indicates the mean was either calculated (as for Energy) or estimated, usually from a recipe, another form of the same food, or similar food.

Common Measures:

Measure 1 = 28g: 3 scoop

Footnotes:

1 Contains arachidonic acid (ARA, nutrient number 620) and docosahexaenoic acid (DHA, nutrient number 621), fatty acids found in human breast milk.

Calories Factors: Protein

Fat

Carbohydrate

Food Group: 03 Baby Foods

USDA National Nutrient Database for Standard Reference, Release 28 (2015)

Nutrients and Units	Amount in 100 grams of edible portion				Amount in edible portion of common measures of food				
	Mean	Std. Error	Number of Data Points	Deriv Code	Source Code	Confidence Code	Measure 1	Measure 2	Measure 3
Lipids:									
Fatty acids, total saturated.....g	1.242		0	MC	9		1.279	0.379	
4:0.....g	0.000		0	MC	9		0.000	0.000	
6:0.....g	0.009		0	MC	9		0.009	0.003	
8:0.....g	0.049		0	MC	9		0.050	0.015	
10:0.....g	0.039		0	MC	9		0.040	0.012	
12:0.....g	0.262		0	MC	9		0.270	0.080	
13:0.....g									
14:0.....g	0.116		0	MC	9		0.119	0.035	
15:0.....g									
16:0.....g	0.640		0	MC	9		0.659	0.195	
17:0.....g									
18:0.....g	0.116		0	MC	9		0.119	0.035	
20:0.....g									
22:0.....g									
24:0.....g									
Fatty acids, total monounsaturated.....g	1.078		0	MC	9		1.110	0.329	
14:1.....g									
15:1.....g									
16:1 undifferentiated.....g	0.009		0	MC	9		0.009	0.003	
17:1.....g									
18:1 undifferentiated.....g	1.077		0	MC	9		1.109	0.328	
20:1.....g	0.000		0	MC	9		0.000	0.000	
22:1 undifferentiated.....g	0.000		0	MC	9		0.000	0.000	
24:1 c.....g									
Fatty acids, total polyunsaturated.....g	0.573		0	MC	9		0.590	0.175	
18:2 undifferentiated.....g	0.495		0	MC	9		0.510	0.151	
18:3 undifferentiated.....g	0.049		0	MC	9		0.050	0.015	
18:4.....g	0.000		0	MC	9		0.000	0.000	
20:2 n-6 c,c.....g									
20:3 undifferentiated.....g									
20:4 undifferentiated.....g	0.019		0	MC	9		0.020	0.006	
20:5 n-3 (EPA).....g	0.000		0	MC	9		0.000	0.000	
21:5.....g									
22:4.....g									
22:5 n-3 (DPA).....g	0.000		0	MC	9		0.000	0.000	
22:6 n-3 (DHA).....g	0.009		0	MC	9		0.009	0.003	
Fatty acids, total trans.....g									
Cholesterol.....mg	0		0	BFZN	4		0	0	
Phytosterols.....mg									
Others:									
Alcohol, ethyl.....g	0.0		0	BFZN	4		0.0	0.0	
Caffeine.....mg	0		0	BFZN	4		0	0	
Theobromine.....mg	0		0	BFZN	4		0	0	

Blanks in the Mean column indicate lack of reliable data. The Number of Data Points column is the number of analyses upon which the mean is based. Number of Data Points of zero indicates the mean was either calculated (as for Energy) or estimated, usually from a recipe, another form of the same food, or similar food.

Common Measures:

Measure 1 = 103g: 1 serving 100 ml

Measure 2 = 30.5g: 1 fl oz

Footnotes:

1 Contains arachidonic acid (ARA, nutrient number 620) and docosahexaenoic acid (DHA, nutrient number 621), fatty acids found in human breast milk.

Calories Factors: Protein

Fat

Carbohydrate

NDB No. 03864

Infant formula, MEAD JOHNSON, NEXT STEP, PROSOBEE, LIPIL, ready to feed, with ARA and DHA (1)

Food Group: 03 Baby Foods

USDA National Nutrient Database for Standard Reference, Release 28 (2015)

NDB No. 03821

Infant formula, MEAD JOHNSON, PREGESTIMIL, with iron, powder, not reconstituted

Nutrients and Units	Amount in 100 grams of edible portion				Amount in edible portion of common measures of food				
	Mean	Std. Error	Number of Data Points		Source Code	Confidence Code	Measure 1	Measure 2	Measure 3
			Deriv Code	Points					
Lipids:									
Fatty acids, total saturated.....g	16.800		0	MC	9		1.478		
4:0.....g	0.000		0	MC	9		0.000		
6:0.....g	0.150		0	MC	9		0.013		
8:0.....g	10.900		0	MC	9		0.959		
10:0.....g	4.100		0	MC	9		0.361		
12:0.....g	0.070		0	MC	9		0.006		
13:0.....g									
14:0.....g	0.000		0	MC	9		0.000		
15:0.....g									
16:0.....g	1.150		0	MC	9		0.101		
17:0.....g									
18:0.....g	0.400		0	MC	9		0.035		
20:0.....g									
22:0.....g									
24:0.....g									
Fatty acids, total monounsaturated.....g	4.600		0	MC	9		0.405		
14:1.....g									
15:1.....g									
16:1 undifferentiated.....g	0.000		0	MC	9		0.000		
17:1.....g									
18:1 undifferentiated.....g	4.600		0	MC	9		0.405		
20:1.....g	0.000		0	MC	9		0.000		
22:1 undifferentiated.....g	0.000		0	MC	9		0.000		
24:1 c.....g									
Fatty acids, total polyunsaturated.....g	6.500		0	MC	9		0.572		
18:2 undifferentiated.....g	5.900		0	MC	9		0.519		
18:3 undifferentiated.....g	0.590		0	MC	9		0.052		
18:4.....g	0.000		0	MC	9		0.000		
20:2 n-6 c,c.....g									
20:3 undifferentiated.....g									
20:4 undifferentiated.....g	0.000		0	MC	9		0.000		
20:5 n-3 (EPA).....g	0.000		0	MC	9		0.000		
21:5.....g									
22:4.....g									
22:5 n-3 (DPA).....g	0.000		0	MC	9		0.000		
22:6 n-3 (DHA).....g	0.000		0	MC	9		0.000		
Fatty acids, total trans.....g									
Cholesterol.....mg	2		0	MC	9		0		
Phytosterols.....mg									
Others:									
Alcohol, ethyl.....g	0.0		0	Z	7		0.0		
Caffeine.....mg	0		0	Z	7		0		
Theobromine.....mg	0		0	Z	7		0		

Blanks in the Mean column indicate lack of reliable data. The Number of Data Points column is the number of analyses upon which the mean is based. Number of Data Points of zero indicates the mean was either calculated (as for Energy) or estimated, usually from a recipe, another form of the same food, or similar food.

Common Measures:

Measure 1 = 8.8g: 1 scoop

Calories Factors: Protein

Fat

Carbohydrate

Food Group: 03 Baby Foods

USDA National Nutrient Database for Standard Reference, Release 28 (2015)

NDB No. 03822

Infant formula, MEAD JOHNSON, PREGESTIMIL, with iron, prepared from powder

Nutrients and Units	Amount in 100 grams of edible portion				Amount in edible portion of common measures of food			
	Mean	Std. Error	Number of Data Points			Measure 1	Measure 2	Measure 3
			Deriv Code	Source Code	Confidence Code			
Lipids:								
Fatty acids, total saturated.....g	2.172		0	NC	4	2.237	0.669	
4:0.....g	0.000		0	MC	9	0.000	0.000	
6:0.....g	0.018		0	MC	9	0.019	0.006	
8:0.....g	1.410		0	NR	4	1.453	0.434	
10:0.....g	0.527		0	NR	4	0.543	0.162	
12:0.....g	0.010		0	NR	4	0.010	0.003	
13:0.....g								
14:0.....g	0.000		0	MC	9	0.000	0.000	
15:0.....g								
16:0.....g	0.150		0	NR	4	0.155	0.046	
17:0.....g								
18:0.....g	0.056		0	NR	4	0.058	0.017	
20:0.....g								
22:0.....g								
24:0.....g								
Fatty acids, total monounsaturated.....g	0.583		0	NC	4	0.601	0.180	
14:1.....g								
15:1.....g								
16:1 undifferentiated.....g	0.000		0	MA	12	0.000	0.000	
17:1.....g								
18:1 undifferentiated.....g	0.583		0	NR	4	0.601	0.180	
20:1.....g	0.000		0	MA	12	0.000	0.000	
22:1 undifferentiated.....g	0.000		0	MA	12	0.000	0.000	
24:1 c.....g								
Fatty acids, total polyunsaturated.....g	0.809		0	NC	4	0.833	0.249	
18:2 undifferentiated.....g	0.715		0	NR	4	0.736	0.220	
18:3 undifferentiated.....g	0.094		0	NR	4	0.097	0.029	
18:4.....g	0.000		0	MA	12	0.000	0.000	
20:2 n-6 c,c.....g								
20:3 undifferentiated.....g								
20:4 undifferentiated.....g	0.000		0	MA	12	0.000	0.000	
20:5 n-3 (EPA).....g	0.000		0	MA	12	0.000	0.000	
21:5.....g								
22:4.....g								
22:5 n-3 (DPA).....g	0.000		0	MA	12	0.000	0.000	
22:6 n-3 (DHA).....g	0.000		0	MA	12	0.000	0.000	
Fatty acids, total trans.....g								
Cholesterol.....mg	0		0	MC	9	0	0	
Phytosterols.....mg								
Others:								
Alcohol, ethyl.....g	0.0		0	Z	7	0.0	0.0	
Caffeine.....mg	0		0	Z	7	0	0	
Theobromine.....mg	0		0	Z	7	0	0	

Blanks in the Mean column indicate lack of reliable data. The Number of Data Points column is the number of analyses upon which the mean is based. Number of Data Points of zero indicates the mean was either calculated (as for Energy) or estimated, usually from a recipe, another form of the same food, or similar food.

Common Measures:

Measure 1 = 103g: 1 serving 100 ml

Measure 2 = 30.8g: 1 fl oz

Calories Factors: Protein

Fat

Carbohydrate

Food Group: 03 Baby Foods

USDA National Nutrient Database for Standard Reference, Release 28 (2015)

Nutrients and Units	Amount in 100 grams of edible portion					Amount in edible portion of common measures of food		
	Mean	Std. Error	Number of Data Deriv Source Confidence			Measure 1	Measure 2	Measure 3
			Points	Code	Code			
Lipids:								
Fatty acids, total saturated.....g	1.453		0	MC	9	1.540	0.443	
4:0.....g	0.000		0	MC	9	0.000	0.000	
6:0.....g	0.009		0	MC	9	0.010	0.003	
8:0.....g	0.057		0	MC	9	0.060	0.017	
10:0.....g	0.038		0	MC	9	0.040	0.012	
12:0.....g	0.311		0	MC	9	0.330	0.095	
13:0.....g								
14:0.....g	0.142		0	MC	9	0.151	0.043	
15:0.....g								
16:0.....g	0.745		0	MC	9	0.790	0.227	
17:0.....g								
18:0.....g	0.142		0	MC	9	0.151	0.043	
20:0.....g								
22:0.....g								
24:0.....g								
Fatty acids, total monounsaturated.....g	1.255		0	MC	9	1.330	0.383	
14:1.....g								
15:1.....g								
16:1 undifferentiated.....g	0.009		0	MC	9	0.010	0.003	
17:1.....g								
18:1 undifferentiated.....g	1.255		0	MC	9	1.330	0.383	
20:1.....g	0.000		0	BFZN	4	0.000	0.000	
22:1 undifferentiated.....g	0.000		0	BFZN	4	0.000	0.000	
24:1 c.....g								
Fatty acids, total polyunsaturated.....g	0.671		0	MC	9	0.711	0.205	
18:2 undifferentiated.....g	0.585		0	MC	9	0.620	0.178	
18:3 undifferentiated.....g	0.057		0	MC	9	0.060	0.017	
18:4.....g	0.000		0	BFZN	4	0.000	0.000	
20:2 n-6 c,c.....g								
20:3 undifferentiated.....g								
20:4 undifferentiated.....g	0.019		0	MC	9	0.020	0.006	
20:5 n-3 (EPA).....g	0.000		0	BFZN	4	0.000	0.000	
21:5.....g								
22:4.....g								
22:5 n-3 (DPA).....g	0.000		0	BFZN	4	0.000	0.000	
22:6 n-3 (DHA).....g	0.009		0	MC	9	0.010	0.003	
Fatty acids, total trans.....g								
Cholesterol.....mg	0		0	BFZN	4	0	0	
Phytosterols.....mg								
Others:								
Alcohol, ethyl.....g	0.0		0	BFZN	4	0.0	0.0	
Caffeine.....mg	0		0	BFZN	4	0	0	
Theobromine.....mg	0		0	BFZN	4	0	0	

Blanks in the Mean column indicate lack of reliable data. The Number of Data Points column is the number of analyses upon which the mean is based. Number of Data Points of zero indicates the mean was either calculated (as for Energy) or estimated, usually from a recipe, another form of the same food, or similar food.

Common Measures:

Measure 1 = 106g: 1 serving 100 ml

Measure 2 = 30.5g: 1 fl oz

Footnotes:

1 Contains arachidonic acid (ARA, nutrient number 620) and docosahexaenoic acid (DHA, nutrient number 621), fatty acids found in human breast milk.

Calories Factors: Protein

Fat

Carbohydrate

NDB No. 03857

Infant formula, MEAD JOHNSON, PROSOBEE LIPIL, with iron, ready to feed, with ARA and DHA (1)

Food Group: 03 Baby Foods

USDA National Nutrient Database for Standard Reference, Release 28 (2015)

NDB No. 03824

Infant formula, MEAD JOHNSON, PROSOBEE, with iron, liquid concentrate, not reconstituted

Nutrients and Units	Amount in 100 grams of edible portion				Amount in edible portion of common measures of food			
	Mean	Std. Error	Number of Data Points			Measure 1	Measure 2	Measure 3
			Deriv Code	Source Code	Confidence Code			
Lipids:								
Fatty acids, total saturated.....g	3.038		0	MC	9	0.936		
4:0.....g	0.000		0	MC	9	0.000		
6:0.....g	0.020		0	MC	9	0.006		
8:0.....g	0.120		0	MC	9	0.037		
10:0.....g	0.080		0	MC	9	0.025		
12:0.....g	0.654		0	MC	9	0.201		
13:0.....g								
14:0.....g	0.296		0	MC	9	0.091		
15:0.....g								
16:0.....g	1.568		0	MC	9	0.483		
17:0.....g								
18:0.....g	0.278		0	MC	9	0.086		
20:0.....g								
22:0.....g								
24:0.....g								
Fatty acids, total monounsaturated.....g	2.720		0	MC	9	0.838		
14:1.....g								
15:1.....g								
16:1 undifferentiated.....g	0.000		0	MC	9	0.000		
17:1.....g								
18:1 undifferentiated.....g	2.720		0	MC	9	0.838		
20:1.....g	0.000		0	MC	9	0.000		
22:1 undifferentiated.....g	0.000		0	MC	9	0.000		
24:1 c.....g								
Fatty acids, total polyunsaturated.....g	1.371		0	MC	9	0.422		
18:2 undifferentiated.....g	1.251		0	MC	9	0.385		
18:3 undifferentiated.....g	0.120		0	MC	9	0.037		
18:4.....g	0.000		0	MC	9	0.000		
20:2 n-6 c,c.....g								
20:3 undifferentiated.....g								
20:4 undifferentiated.....g	0.000		0	MC	9	0.000		
20:5 n-3 (EPA).....g	0.000		0	MC	9	0.000		
21:5.....g								
22:4.....g								
22:5 n-3 (DPA).....g	0.000		0	MC	9	0.000		
22:6 n-3 (DHA).....g	0.000		0	MC	9	0.000		
Fatty acids, total trans.....g								
Cholesterol.....mg	0		0	MC	9	0		
Phytosterols.....mg								
Others:								
Alcohol, ethyl.....g	0.0		0	Z	7	0.0		
Caffeine.....mg	0		0	Z	7	0		
Theobromine.....mg	0		0	Z	7	0		

Blanks in the Mean column indicate lack of reliable data. The Number of Data Points column is the number of analyses upon which the mean is based. Number of Data Points of zero indicates the mean was either calculated (as for Energy) or estimated, usually from a recipe, another form of the same food, or similar food.

Common Measures:

Measure 1 = 30.8g: 1 fl oz

Calories Factors: Protein

Fat

Carbohydrate

Food Group: 03 Baby Foods

USDA National Nutrient Database for Standard Reference, Release 28 (2015)

NDB No. 03823

Infant formula, MEAD JOHNSON, PROSOBEE, with iron, ready-to-feed

Nutrients and Units	Amount in 100 grams of edible portion				Amount in edible portion of common measures of food				
	Mean	Std. Error	Number of Data Points		Source Code	Confidence Code	Measure 1	Measure 2	Measure 3
			Deriv Code	Points					
Lipids:									
Fatty acids, total saturated.....g	1.443		0	MC	9		1.530	0.440	
4:0.....g	0.000		0	MC	9		0.000	0.000	
6:0.....g	0.009		0	MC	9		0.010	0.003	
8:0.....g	0.057		0	MC	9		0.060	0.017	
10:0.....g	0.038		0	MC	9		0.040	0.012	
12:0.....g	0.311		0	MC	9		0.330	0.095	
13:0.....g									
14:0.....g	0.141		0	MC	9		0.149	0.043	
15:0.....g									
16:0.....g	0.745		0	MC	9		0.790	0.227	
17:0.....g									
18:0.....g	0.132		0	MC	9		0.140	0.040	
20:0.....g									
22:0.....g									
24:0.....g									
Fatty acids, total monounsaturated.....g	1.292		0	MC	9		1.370	0.394	
14:1.....g									
15:1.....g									
16:1 undifferentiated.....g	0.000		0	MC	9		0.000	0.000	
17:1.....g									
18:1 undifferentiated.....g	1.292		0	MC	9		1.370	0.394	
20:1.....g	0.000		0	MC	9		0.000	0.000	
22:1 undifferentiated.....g	0.000		0	MC	9		0.000	0.000	
24:1 c.....g									
Fatty acids, total polyunsaturated.....g	0.651		0	MC	9		0.690	0.199	
18:2 undifferentiated.....g	0.594		0	MC	9		0.630	0.181	
18:3 undifferentiated.....g	0.057		0	MC	9		0.060	0.017	
18:4.....g	0.000		0	MC	9		0.000	0.000	
20:2 n-6 c,c.....g									
20:3 undifferentiated.....g									
20:4 undifferentiated.....g	0.000		0	MC	9		0.000	0.000	
20:5 n-3 (EPA).....g	0.000		0	MC	9		0.000	0.000	
21:5.....g									
22:4.....g									
22:5 n-3 (DPA).....g	0.000		0	MC	9		0.000	0.000	
22:6 n-3 (DHA).....g	0.000		0	MC	9		0.000	0.000	
Fatty acids, total trans.....g									
Cholesterol.....mg	0		0	Z	7		0	0	
Phytosterols.....mg									
Others:									
Alcohol, ethyl.....g	0.0		0	Z	7		0.0	0.0	
Caffeine.....mg	0		0	Z	7		0	0	
Theobromine.....mg	0		0	Z	7		0	0	

Blanks in the Mean column indicate lack of reliable data. The Number of Data Points column is the number of analyses upon which the mean is based. Number of Data Points of zero indicates the mean was either calculated (as for Energy) or estimated, usually from a recipe, another form of the same food, or similar food.

Common Measures:

Measure 1 = 106g: 1 Serving 100 ml

Measure 2 = 30.5g: 1 fl oz

Calories Factors: Protein

Fat

Carbohydrate

Food Group: 03 Baby Foods

USDA National Nutrient Database for Standard Reference, Release 28 (2015)

NDB No. 03930

Infant formula, MEAD JOHNSON,NEXT STEP PROSOBEE, prepared from powder

Nutrients and Units	Amount in 100 grams of edible portion					Amount in edible portion of common measures of food			
	Mean	Std. Error	Number of Data Points	Deriv Code	Source Code	Confidence Code	Measure 1	Measure 2	Measure 3
Lipids:									
Fatty acids, total saturated.....g	1.243		0	MC	9		0.379		
4:0.....g	0.000		0	MC	9		0.000		
6:0.....g	0.003		0	MC	9		0.001		
8:0.....g	0.049		0	MC	9		0.015		
10:0.....g	0.039		0	MC	9		0.012		
12:0.....g	0.262		0	MC	9		0.080		
13:0.....g									
14:0.....g	0.117		0	MC	9		0.036		
15:0.....g									
16:0.....g	0.641		0	MC	9		0.196		
17:0.....g									
18:0.....g	0.117		0	MC	9		0.036		
20:0.....g									
22:0.....g									
24:0.....g									
Fatty acids, total monounsaturated.....g	1.078		0	MC	9		0.329		
14:1.....g									
15:1.....g									
16:1 undifferentiated.....g	0.003		0	MC	9		0.001		
17:1.....g									
18:1 undifferentiated.....g	1.078		0	MC	9		0.329		
20:1.....g	0.000		0	MC	9		0.000		
22:1 undifferentiated.....g	0.000		0	MC	9		0.000		
24:1 c.....g									
Fatty acids, total polyunsaturated.....g	0.544		0	MA	12		0.166		
18:2 undifferentiated.....g	0.495		0	MC	9		0.151		
18:3 undifferentiated.....g	0.049		0	MC	9		0.015		
18:4.....g	0.000		0	Z	7		0.000		
20:2 n-6 c,c.....g									
20:3 undifferentiated.....g									
20:4 undifferentiated.....g	0.000		0	Z	7		0.000		
20:5 n-3 (EPA).....g	0.000		0	Z	7		0.000		
21:5.....g									
22:4.....g									
22:5 n-3 (DPA).....g	0.000		0	Z	7		0.000		
22:6 n-3 (DHA).....g	0.000		0	Z	7		0.000		
Fatty acids, total trans.....g									
Cholesterol.....mg	0		0	MC	9		0		
Phytosterols.....mg									
Others:									
Alcohol, ethyl.....g	0.0		0	Z	7		0.0		
Caffeine.....mg	0		0	Z	7		0		
Theobromine.....mg	0		0	Z	7		0		

Blanks in the Mean column indicate lack of reliable data. The Number of Data Points column is the number of analyses upon which the mean is based. Number of Data Points of zero indicates the mean was either calculated (as for Energy) or estimated, usually from a recipe, another form of the same food, or similar food.

Common Measures:

Measure 1 = 30.5g: 1 fl oz

Calories Factors: Protein

Fat

Carbohydrate

Food Group: 03 Baby Foods

USDA National Nutrient Database for Standard Reference, Release 28 (2015)

NDB No. 03901

Infant formula, NESTLE, GOOD START 2 ESSENTIALS, with iron, liquid concentrate, not reconstituted

Nutrients and Units	Amount in 100 grams of edible portion				Amount in edible portion of common measures of food		
	Mean	Std. Error	Number		Measure 1	Measure 2	Measure 3
			of Data Points	Deriv Code			
Lipids:							
Fatty acids, total saturated.....g	2.213		0	NC	4		0.706
4:0.....g	0.000		0		12		0.000
6:0.....g	0.000		0		12		0.000
8:0.....g	0.080		0		12		0.026
10:0.....g	0.064		0	MA	12		0.020
12:0.....g	0.484		0	MA	12		0.154
13:0.....g							
14:0.....g	0.209		0	MA	12		0.067
15:0.....g							
16:0.....g	1.184		0	MA	12		0.378
17:0.....g							
18:0.....g	0.193		0	MA	12		0.061
20:0.....g							
22:0.....g							
24:0.....g							
Fatty acids, total monounsaturated.....g	1.582		0	NC	4		0.505
14:1.....g							
15:1.....g							
16:1 undifferentiated.....g	0.010		0	MA	12		0.003
17:1.....g							
18:1 undifferentiated.....g	1.563		0	MA	12		0.499
20:1.....g	0.006		0	MA	12		0.002
22:1 undifferentiated.....g	0.003		0	MA	12		0.001
24:1 c.....g							
Fatty acids, total polyunsaturated.....g	1.213		0	NC	4		0.387
18:2 undifferentiated.....g	1.089		0	MA	12		0.347
18:3 undifferentiated.....g	0.124		0	MA	12		0.040
18:4.....g	0.000		0		12		0.000
20:2 n-6 c,c.....g							
20:3 undifferentiated.....g							
20:4 undifferentiated.....g	0.000		0		12		0.000
20:5 n-3 (EPA).....g	0.000		0		12		0.000
21:5.....g							
22:4.....g							
22:5 n-3 (DPA).....g	0.000		0		12		0.000
22:6 n-3 (DHA).....g	0.000		0		12		0.000
Fatty acids, total trans.....g							
Cholesterol.....mg	2		0	MC	9		1
Phytosterols.....mg							
Others:							
Alcohol, ethyl.....g	0.0		0		7		0.0
Caffeine.....mg	0		0	Z	7		0
Theobromine.....mg	0		0	Z	7		0

Blanks in the Mean column indicate lack of reliable data. The Number of Data Points column is the number of analyses upon which the mean is based. Number of Data Points of zero indicates the mean was either calculated (as for Energy) or estimated, usually from a recipe, another form of the same food, or similar food.

Common Measures:

Measure 1 = 31.9g: 1 fl oz

Calories Factors: Protein

Fat

Carbohydrate

Food Group: 03 Baby Foods

USDA National Nutrient Database for Standard Reference, Release 28 (2015)

NDB No. 03913

Infant formula, NESTLE, GOOD START 2 ESSENTIALS, with iron, powder

Nutrients and Units	Amount in 100 grams of edible portion				Amount in edible portion of common measures of food				
	Mean	Std. Error	Number of Data Points	Deriv Code	Source Code	Confidence Code	Measure 1	Measure 2	Measure 3
Lipids:									
Fatty acids, total saturated.....g	8.540		0		12		0.803		
4:0.....g	0.000		0		12		0.000		
6:0.....g	0.000		0		12		0.000		
8:0.....g	0.300		0		12		0.028		
10:0.....g	0.240		0		12		0.023		
12:0.....g	1.950		0		12		0.183		
13:0.....g									
14:0.....g	0.810		0		12		0.076		
15:0.....g									
16:0.....g	4.530		0		12		0.426		
17:0.....g									
18:0.....g	0.710		0		12		0.067		
20:0.....g									
22:0.....g									
24:0.....g									
Fatty acids, total monounsaturated.....g	6.230		0		12		0.586		
14:1.....g									
15:1.....g									
16:1 undifferentiated.....g	0.000		0		12		0.000		
17:1.....g									
18:1 undifferentiated.....g	6.230		0		12		0.586		
20:1.....g	0.000		0		12		0.000		
22:1 undifferentiated.....g	0.000		0		12		0.000		
24:1 c.....g									
Fatty acids, total polyunsaturated.....g	4.310		0		12		0.405		
18:2 undifferentiated.....g	3.940		0		12		0.370		
18:3 undifferentiated.....g	0.370		0		12		0.035		
18:4.....g	0.000		0		12		0.000		
20:2 n-6 c,c.....g									
20:3 undifferentiated.....g									
20:4 undifferentiated.....g	0.000		0		12		0.000		
20:5 n-3 (EPA).....g	0.000		0		12		0.000		
21:5.....g									
22:4.....g									
22:5 n-3 (DPA).....g	0.000		0		12		0.000		
22:6 n-3 (DHA).....g	0.000		0		12		0.000		
Fatty acids, total trans.....g									
Cholesterol.....mg	6		0	MC	9		1		
Phytosterols.....mg									
Others:									
Alcohol, ethyl.....g	0.0		0		7		0.0		
Caffeine.....mg	0		0	Z	7		0		
Theobromine.....mg	0		0	Z	7		0		

Blanks in the Mean column indicate lack of reliable data. The Number of Data Points column is the number of analyses upon which the mean is based. Number of Data Points of zero indicates the mean was either calculated (as for Energy) or estimated, usually from a recipe, another form of the same food, or similar food.

Common Measures:

Measure 1 = 9.4g: 1 scoop

Calories Factors: Protein

Fat

Carbohydrate

Food Group: 03 Baby Foods

USDA National Nutrient Database for Standard Reference, Release 28 (2015)

NDB No. 03900

Infant formula, NESTLE, GOOD START 2 ESSENTIALS, with iron, ready-to-feed

Nutrients and Units	Amount in 100 grams of edible portion				Amount in edible portion of common measures of food				
	Mean	Std. Error	Number of Data Points	Deriv Code	Source Code	Confidence Code	Measure 1	Measure 2	Measure 3
Lipids:									
Fatty acids, total saturated.....g	1.180		0		12		0.360		
4:0.....g	0.000		0		12		0.000		
6:0.....g	0.000		0		12		0.000		
8:0.....g	0.040		0		12		0.012		
10:0.....g	0.030		0		12		0.009		
12:0.....g	0.270		0		12		0.082		
13:0.....g									
14:0.....g	0.110		0		12		0.034		
15:0.....g									
16:0.....g	0.630		0		12		0.192		
17:0.....g									
18:0.....g	0.100		0		12		0.031		
20:0.....g									
22:0.....g									
24:0.....g									
Fatty acids, total monounsaturated.....g	0.870		0		12		0.265		
14:1.....g									
15:1.....g									
16:1 undifferentiated.....g	0.000		0		12		0.000		
17:1.....g									
18:1 undifferentiated.....g	0.870		0		12		0.265		
20:1.....g	0.000		0		12		0.000		
22:1 undifferentiated.....g	0.000		0		12		0.000		
24:1 c.....g									
Fatty acids, total polyunsaturated.....g	0.600		0		12		0.183		
18:2 undifferentiated.....g	0.550		0		12		0.168		
18:3 undifferentiated.....g	0.050		0		12		0.015		
18:4.....g	0.000		0		12		0.000		
20:2 n-6 c,c.....g									
20:3 undifferentiated.....g									
20:4 undifferentiated.....g	0.000		0		12		0.000		
20:5 n-3 (EPA).....g	0.000		0		12		0.000		
21:5.....g									
22:4.....g									
22:5 n-3 (DPA).....g	0.000		0		12		0.000		
22:6 n-3 (DHA).....g	0.000		0		12		0.000		
Fatty acids, total trans.....g									
Cholesterol.....mg	1		0	MC	9		0		
Phytosterols.....mg									
Others:									
Alcohol, ethyl.....g	0.0		0		7		0.0		
Caffeine.....mg	0		0	Z	7		0		
Theobromine.....mg	0		0	Z	7		0		

Blanks in the Mean column indicate lack of reliable data. The Number of Data Points column is the number of analyses upon which the mean is based. Number of Data Points of zero indicates the mean was either calculated (as for Energy) or estimated, usually from a recipe, another form of the same food, or similar food.

Common Measures:

Measure 1 = 30.5g: 1 fl oz

Calories Factors: Protein

Fat

Carbohydrate

Food Group: 03 Baby Foods

USDA National Nutrient Database for Standard Reference, Release 28 (2015)

NDB No. 03926

Infant formula, NESTLE, GOOD START ESSENTIALS SOY, with iron, liquid concentrate, not reconstituted

Nutrients and Units	Amount in 100 grams of edible portion				Amount in edible portion of common measures of food			
	Mean	Std. Error	Number of Data Points			Measure 1	Measure 2	Measure 3
			Deriv Code	Source Code	Confidence Code			
Lipids:								
Fatty acids, total saturated.....g	2.800		0	MC	9		0.879	
4:0.....g	0.000		0		12		0.000	
6:0.....g	0.008		0	MC	9		0.003	
8:0.....g	0.100		0	MC	9		0.031	
10:0.....g	0.080		0	MC	9		0.025	
12:0.....g	0.600		0	MC	9		0.188	
13:0.....g								
14:0.....g	0.260		0	MC	9		0.082	
15:0.....g								
16:0.....g	1.509		0	MA	12		0.474	
17:0.....g								
18:0.....g	0.240		0	MC	9		0.075	
20:0.....g								
22:0.....g								
24:0.....g								
Fatty acids, total monounsaturated.....g	2.030		0	MC	9		0.637	
14:1.....g								
15:1.....g								
16:1 undifferentiated.....g	0.013		0	MA	12		0.004	
17:1.....g								
18:1 undifferentiated.....g	1.510		0	MC	9		0.474	
20:1.....g	0.007		0	MA	12		0.002	
22:1 undifferentiated.....g	0.003		0	MA	12		0.001	
24:1 c.....g								
Fatty acids, total polyunsaturated.....g	1.317		0	NC	4		0.414	
18:2 undifferentiated.....g	1.200		0	MC	9		0.377	
18:3 undifferentiated.....g	0.124		0	MA	12		0.039	
18:4.....g	0.000		0		12		0.000	
20:2 n-6 c,c.....g								
20:3 undifferentiated.....g								
20:4 undifferentiated.....g	0.000		0		12		0.000	
20:5 n-3 (EPA).....g	0.000		0		12		0.000	
21:5.....g								
22:4.....g								
22:5 n-3 (DPA).....g	0.000		0		12		0.000	
22:6 n-3 (DHA).....g	0.000		0		12		0.000	
Fatty acids, total trans.....g								
Cholesterol.....mg	0		0		4		0	
Phytosterols.....mg								
Others:								
Alcohol, ethyl.....g	0.0		0		7		0.0	
Caffeine.....mg	0		0	Z	7		0	
Theobromine.....mg	0		0	Z	7		0	

Blanks in the Mean column indicate lack of reliable data. The Number of Data Points column is the number of analyses upon which the mean is based. Number of Data Points of zero indicates the mean was either calculated (as for Energy) or estimated, usually from a recipe, another form of the same food, or similar food.

Common Measures:

Measure 1 = 31.4g: 1 fl oz

Calories Factors: Protein

Fat

Carbohydrate

Food Group: 03 Baby Foods

USDA National Nutrient Database for Standard Reference, Release 28 (2015)

NDB No. 03928

Infant formula, NESTLE, GOOD START ESSENTIALS SOY, with iron, powder

Nutrients and Units	Amount in 100 grams of edible portion				Amount in edible portion of common measures of food				
	Mean	Std. Error	Number		Source Code	Confidence Code	Measure 1	Measure 2	Measure 3
			of Data Points	Deriv Code					
Lipids:									
Fatty acids, total saturated.....g	11.000		0	MC	9		0.935		
4:0.....g	0.000		0		12		0.000		
6:0.....g	0.030		0	MA	12		0.003		
8:0.....g	0.400		0	MC	9		0.034		
10:0.....g	0.302		0	MA	12		0.026		
12:0.....g	2.400		0	MC	9		0.204		
13:0.....g									
14:0.....g	1.000		0	MC	9		0.085		
15:0.....g									
16:0.....g	5.800		0	NR	4		0.493		
17:0.....g									
18:0.....g	1.000		0	NR	4		0.085		
20:0.....g									
22:0.....g									
24:0.....g									
Fatty acids, total monounsaturated.....g	8.100		0	NR	4		0.689		
14:1.....g									
15:1.....g									
16:1 undifferentiated.....g	0.050		0	NR	4		0.004		
17:1.....g									
18:1 undifferentiated.....g	7.900		0	NR	4		0.672		
20:1.....g	0.040		0	NR	4		0.003		
22:1 undifferentiated.....g	0.010		0	NR	4		0.001		
24:1 c.....g									
Fatty acids, total polyunsaturated.....g	6.000		0	NR	4		0.510		
18:2 undifferentiated.....g	4.700		0	NR	4		0.400		
18:3 undifferentiated.....g	0.500		0	NR	4		0.043		
18:4.....g	0.000		0		12		0.000		
20:2 n-6 c,c.....g									
20:3 undifferentiated.....g									
20:4 undifferentiated.....g	0.000		0		12		0.000		
20:5 n-3 (EPA).....g	0.000		0		12		0.000		
21:5.....g									
22:4.....g									
22:5 n-3 (DPA).....g	0.000		0		12		0.000		
22:6 n-3 (DHA).....g	0.000		0		12		0.000		
Fatty acids, total trans.....g									
Cholesterol.....mg	0		0		4		0		
Phytosterols.....mg									
Others:									
Alcohol, ethyl.....g	0.0		0		7		0.0		
Caffeine.....mg	0		0	Z	7		0		
Theobromine.....mg	0		0	Z	7		0		

Blanks in the Mean column indicate lack of reliable data. The Number of Data Points column is the number of analyses upon which the mean is based. Number of Data Points of zero indicates the mean was either calculated (as for Energy) or estimated, usually from a recipe, another form of the same food, or similar food.

Common Measures:

Measure 1 = 8.5g: 1 scoop

Calories Factors: Protein

Fat

Carbohydrate

Food Group: 03 Baby Foods

USDA National Nutrient Database for Standard Reference, Release 28 (2015)

NDB No. 03925

Infant formula, NESTLE, GOOD START ESSENTIALS SOY, with iron, ready-to-feed

Nutrients and Units	Amount in 100 grams of edible portion				Amount in edible portion of common measures of food			
	Mean	Std. Error	Number of Data Deriv Source Confidence			Measure 1	Measure 2	Measure 3
			Points	Code	Code			
Lipids:								
Fatty acids, total saturated.....g	1.400		0	MC	9		0.427	
4:0.....g	0.000		0		12		0.000	
6:0.....g	0.000		0		12		0.000	
8:0.....g	0.050		0	MC	9		0.015	
10:0.....g	0.040		0	MC	9		0.012	
12:0.....g	0.300		0	MC	9		0.092	
13:0.....g								
14:0.....g	0.100		0	MC	9		0.031	
15:0.....g								
16:0.....g	0.750		0	MC	9		0.229	
17:0.....g								
18:0.....g	0.100		0	MC	9		0.031	
20:0.....g								
22:0.....g								
24:0.....g								
Fatty acids, total monounsaturated.....g	1.000		0	MC	9		0.305	
14:1.....g								
15:1.....g								
16:1 undifferentiated.....g	0.010		0	MC	9		0.003	
17:1.....g								
18:1 undifferentiated.....g	1.000		0	MC	9		0.305	
20:1.....g	0.000		0	MC	9		0.000	
22:1 undifferentiated.....g	0.000		0	MC	9		0.000	
24:1 c.....g								
Fatty acids, total polyunsaturated.....g	0.800		0	MC	9		0.244	
18:2 undifferentiated.....g	0.600		0	MC	9		0.183	
18:3 undifferentiated.....g	0.100		0	MC	9		0.031	
18:4.....g	0.000		0	MC	9		0.000	
20:2 n-6 c,c.....g								
20:3 undifferentiated.....g								
20:4 undifferentiated.....g	0.000		0		12		0.000	
20:5 n-3 (EPA).....g	0.000		0		12		0.000	
21:5.....g								
22:4.....g								
22:5 n-3 (DPA).....g	0.000		0		12		0.000	
22:6 n-3 (DHA).....g	0.000		0		12		0.000	
Fatty acids, total trans.....g								
Cholesterol.....mg	0		0		4		0	
Phytosterols.....mg								
Others:								
Alcohol, ethyl.....g	0.0		0		7		0.0	
Caffeine.....mg	0		0	Z	7		0	
Theobromine.....mg	0		0	Z	7		0	

Blanks in the Mean column indicate lack of reliable data. The Number of Data Points column is the number of analyses upon which the mean is based. Number of Data Points of zero indicates the mean was either calculated (as for Energy) or estimated, usually from a recipe, another form of the same food, or similar food.

Common Measures:

Measure 1 = 30.5g: 1 fl oz

Calories Factors: Protein

Fat

Carbohydrate

Food Group: 03 Baby Foods

USDA National Nutrient Database for Standard Reference, Release 28 (2015)

Nutrients and Units	Amount in 100 grams of edible portion				Amount in edible portion of common measures of food				
	Mean	Std. Error	Number of Data Points	Deriv Code	Source Code	Confidence Code	Measure 1	Measure 2	Measure 3
Lipids:									
Fatty acids, total saturated.....g	11.000		0	MA	12		1.034		
4:0.....g	0.000		0	MA	12		0.000		
6:0.....g	0.030		0	MA	12		0.003		
8:0.....g	0.400		0	MA	12		0.038		
10:0.....g	0.302		0	MA	12		0.028		
12:0.....g	2.400		0	MA	12		0.226		
13:0.....g									
14:0.....g	1.000		0	MA	12		0.094		
15:0.....g									
16:0.....g	5.800		0	MA	12		0.545		
17:0.....g									
18:0.....g	1.000		0	MA	12		0.094		
20:0.....g									
22:0.....g									
24:0.....g									
Fatty acids, total monounsaturated.....g	8.100		0	MA	12		0.761		
14:1.....g									
15:1.....g									
16:1 undifferentiated.....g	0.050		0	MA	12		0.005		
17:1.....g									
18:1 undifferentiated.....g	7.900		0	MA	12		0.743		
20:1.....g	0.040		0	MA	12		0.004		
22:1 undifferentiated.....g	0.010		0	MA	12		0.001		
24:1 c.....g									
Fatty acids, total polyunsaturated.....g	6.000		0	MA	12		0.564		
18:2 undifferentiated.....g	4.700		0	MA	12		0.442		
18:3 undifferentiated.....g	0.500		0	MA	12		0.047		
18:4.....g	0.000		0	MA	12		0.000		
20:2 n-6 c,c.....g									
20:3 undifferentiated.....g									
20:4 undifferentiated.....g	0.175		0	NR	4		0.016		
20:5 n-3 (EPA).....g	0.000		0	MA	12		0.000		
21:5.....g									
22:4.....g									
22:5 n-3 (DPA).....g	0.000		0	MA	12		0.000		
22:6 n-3 (DHA).....g	0.090		0	NR	4		0.008		
Fatty acids, total trans.....g									
Cholesterol.....mg	6		0	NR	4		1		
Phytosterols.....mg									
Others:									
Alcohol, ethyl.....g	0.0		0	BFZN	4		0.0		
Caffeine.....mg	0		0	BFZN	4		0		
Theobromine.....mg	0		0	BFZN	4		0		

Blanks in the Mean column indicate lack of reliable data. The Number of Data Points column is the number of analyses upon which the mean is based. Number of Data Points of zero indicates the mean was either calculated (as for Energy) or estimated, usually from a recipe, another form of the same food, or similar food.

Common Measures:

Measure 1 = 9.4g: 1 scoop

Footnotes:

1 Contain arachidonic acid (ARA, nutrient number 620) and docosahexaenoic acid (DHA, nutrient number 621) fatty acids found in human breast milk.

Calories Factors: Protein

Fat

Carbohydrate

Food Group: 03 Baby Foods

NDB No. 03966

Infant formula, NESTLE, GOOD START SOY, with DHA and ARA, liquid concentrate

Nutrients and Units	Amount in 100 grams of edible portion				Amount in edible portion of common measures of food				
	Mean	Std. Error	Number of Data Points	Deriv Code	Source Code	Confidence Code	Measure 1	Measure 2	Measure 3
Lipids:									
Fatty acids, total saturated.....g	2.897		0	MA	12		0.846		
4:0.....g	0.000		0	Z	7		0.000		
6:0.....g	0.008		0	MA	12		0.002		
8:0.....g	0.113		0	MA	12		0.033		
10:0.....g	0.079		0	MA	12		0.023		
12:0.....g	0.635		0	MA	12		0.185		
13:0.....g									
14:0.....g	0.264		0	MA	12		0.077		
15:0.....g									
16:0.....g	1.534		0	MA	12		0.448		
17:0.....g									
18:0.....g	0.264		0	MA	12		0.077		
20:0.....g									
22:0.....g									
24:0.....g									
Fatty acids, total monounsaturated.....g	2.198		0	MA	12		0.642		
14:1.....g									
15:1.....g									
16:1 undifferentiated.....g	0.000		0	MA	12		0.000		
17:1.....g									
18:1 undifferentiated.....g	2.090		0	MA	12		0.610		
20:1.....g	0.105		0	MA	12		0.031		
22:1 undifferentiated.....g	0.003		0	MA	12		0.001		
24:1 c.....g									
Fatty acids, total polyunsaturated.....g	1.431		0	MA	12		0.418		
18:2 undifferentiated.....g	1.240		0	MA	12		0.362		
18:3 undifferentiated.....g	0.132		0	MA	12		0.039		
18:4.....g	0.000		0	MA	12		0.000		
20:2 n-6 c,c.....g									
20:3 undifferentiated.....g									
20:4 undifferentiated.....g	0.040		0	MA	12		0.012		
20:5 n-3 (EPA).....g	0.000		0	MA	12		0.000		
21:5.....g									
22:4.....g									
22:5 n-3 (DPA).....g	0.000		0	MA	12		0.000		
22:6 n-3 (DHA).....g	0.019		0	MA	12		0.006		
Fatty acids, total trans.....g									
Cholesterol.....mg	2		0	MA	12		1		
Phytosterols.....mg									
Others:									
Alcohol, ethyl.....g	0.0		0	Z	7		0.0		
Caffeine.....mg	0		0	Z	7		0		
Theobromine.....mg	0		0	Z	7		0		

Blanks in the Mean column indicate lack of reliable data. The Number of Data Points column is the number of analyses upon which the mean is based. Number of Data Points of zero indicates the mean was either calculated (as for Energy) or estimated, usually from a recipe, another form of the same food, or similar food.

Common Measures:

Measure 1 = 29.2g; 1 fl oz

Calories Factors: Protein

Fat

Carbohydrate

Food Group: 03 Baby Foods

USDA National Nutrient Database for Standard Reference, Release 28 (2015)

NDB No. 03859

Infant formula, NESTLE, GOOD START SOY, with DHA and ARA, ready-to-feed (1)

Nutrients and Units	Amount in 100 grams of edible portion				Amount in edible portion of common measures of food				
	Mean	Std. Error	Number of Data Points	Deriv Code	Source Code	Confidence Code	Measure 1	Measure 2	Measure 3
Lipids:									
Fatty acids, total saturated.....g	1.400		0	NC	4		0.406		
4:0.....g	0.000		0	BFZN	4		0.000		
6:0.....g	0.004		0	MA	12		0.001		
8:0.....g	0.050		0	MA	12		0.015		
10:0.....g	0.039		0	MA	12		0.011		
12:0.....g	0.308		0	MA	12		0.089		
13:0.....g									
14:0.....g	0.128		0	MA	12		0.037		
15:0.....g									
16:0.....g	0.744		0	MA	12		0.216		
17:0.....g									
18:0.....g	0.128		0	MA	12		0.037		
20:0.....g									
22:0.....g									
24:0.....g									
Fatty acids, total monounsaturated.....g	1.189		0	NC	4		0.345		
14:1.....g									
15:1.....g									
16:1 undifferentiated.....g	0.006		0	MA	12		0.002		
17:1.....g									
18:1 undifferentiated.....g	1.080		0	NR	4		0.313		
20:1.....g	0.051		0	MA	12		0.015		
22:1 undifferentiated.....g	0.051		0	MA	12		0.015		
24:1 c.....g									
Fatty acids, total polyunsaturated.....g	0.695		0	NC	4		0.201		
18:2 undifferentiated.....g	0.603		0	MA	12		0.175		
18:3 undifferentiated.....g	0.064		0	MA	12		0.019		
18:4.....g	0.000		0	BFZN	4		0.000		
20:2 n-6 c,c.....g									
20:3 undifferentiated.....g									
20:4 undifferentiated.....g	0.019		0	NR	4		0.006		
20:5 n-3 (EPA).....g	0.000		0	BFZN	4		0.000		
21:5.....g									
22:4.....g									
22:5 n-3 (DPA).....g	0.000		0	BFZN	4		0.000		
22:6 n-3 (DHA).....g	0.009		0	NR	4		0.003		
Fatty acids, total trans.....g									
Cholesterol.....mg	2		0	NR	4		1		
Phytosterols.....mg									
Others:									
Alcohol, ethyl.....g	0.0		0	BFZN	4		0.0		
Caffeine.....mg	0		0	BFZN	4		0		
Theobromine.....mg	0		0	BFZN	4		0		

Blanks in the Mean column indicate lack of reliable data. The Number of Data Points column is the number of analyses upon which the mean is based. Number of Data Points of zero indicates the mean was either calculated (as for Energy) or estimated, usually from a recipe, another form of the same food, or similar food.

Common Measures:

Measure 1 = 29g: 1 oz

Footnotes:

1 Contains arachidonic acid (ARA, nutrient number 620) and docosahexaenoic acid (DHA, nutrient number 621), fatty acids found in human breast milk.

Calories Factors: Protein

Fat

Carbohydrate

Food Group: 03 Baby Foods

USDA National Nutrient Database for Standard Reference, Release 28 (2015)

Nutrients and Units	Amount in 100 grams of edible portion				Amount in edible portion of common measures of food			
	Mean	Std. Error	Number of Data Points			Measure 1	Measure 2	Measure 3
			Deriv Code	Source Code	Confidence Code			
Lipids:								
Fatty acids, total saturated.....g	1.470		0	MA	12		0.462	
4:0.....g	0.000		0	MA	12		0.000	
6:0.....g	0.000		0	MA	12		0.000	
8:0.....g	0.050		0	MA	12		0.016	
10:0.....g	0.040		0	MA	12		0.013	
12:0.....g	0.340		0	MA	12		0.107	
13:0.....g								
14:0.....g	0.140		0	MA	12		0.044	
15:0.....g								
16:0.....g	0.780		0	MA	12		0.245	
17:0.....g								
18:0.....g	0.120		0	MA	12		0.038	
20:0.....g								
22:0.....g								
24:0.....g								
Fatty acids, total monounsaturated.....g	1.080		0	MA	12		0.339	
14:1.....g								
15:1.....g								
16:1 undifferentiated.....g	0.000		0	MA	12		0.000	
17:1.....g								
18:1 undifferentiated.....g	1.080		0	MA	12		0.339	
20:1.....g	0.000		0	MA	12		0.000	
22:1 undifferentiated.....g	0.000		0	MA	12		0.000	
24:1 c.....g								
Fatty acids, total polyunsaturated.....g	0.740		0	MA	12		0.232	
18:2 undifferentiated.....g	0.634		0	MA	12		0.199	
18:3 undifferentiated.....g	0.071		0	MA	12		0.022	
18:4.....g	0.000		0	MA	12		0.000	
20:2 n-6 c,c.....g								
20:3 undifferentiated.....g								
20:4 undifferentiated.....g	0.023		0	MA	12		0.007	
20:5 n-3 (EPA).....g	0.000		0	MA	12		0.000	
21:5.....g								
22:4.....g								
22:5 n-3 (DPA).....g	0.000		0	MA	12		0.000	
22:6 n-3 (DHA).....g	0.011		0	MA	12		0.003	
Fatty acids, total trans.....g								
Cholesterol.....mg	4		0	MA	12		1	
Phytosterols.....mg								
Others:								
Alcohol, ethyl.....g	0.0		0	Z	7		0.0	
Caffeine.....mg	0		0	Z	7		0	
Theobromine.....mg	0		0	Z	7		0	

Blanks in the Mean column indicate lack of reliable data. The Number of Data Points column is the number of analyses upon which the mean is based. Number of Data Points of zero indicates the mean was either calculated (as for Energy) or estimated, usually from a recipe, another form of the same food, or similar food.

Common Measures:

Measure 1 = 31.4g: 1 fl oz

Footnotes:

1 Contain arachidonic acid (ARA, nutrient number 620) and docosahexaenoic acid nutrient number 621) fatty acids found to human breast milk

Calories Factors: Protein

Fat

Carbohydrate

Food Group: 03 Baby Foods

NDB No. 03960

Infant formula, NESTLE, GOOD START SUPREME, with iron, DHA and ARA, ready-to-feed

Nutrients and Units	Amount in 100 grams of edible portion				Amount in edible portion of common measures of food				
	Mean	Std. Error	Number of Data Points	Deriv Code	Source Code	Confidence Code	Measure 1	Measure 2	Measure 3
Lipids:									
Fatty acids, total saturated.....g	1.470		0	MA	12		0.448		
4:0.....g	0.000		0	MA	12		0.000		
6:0.....g	0.000		0	MA	12		0.000		
8:0.....g	0.050		0	MA	12		0.015		
10:0.....g	0.040		0	MA	12		0.012		
12:0.....g	0.340		0	MA	12		0.104		
13:0.....g									
14:0.....g	0.140		0	MA	12		0.043		
15:0.....g									
16:0.....g	0.780		0	MA	12		0.238		
17:0.....g									
18:0.....g	0.120		0	MA	12		0.037		
20:0.....g									
22:0.....g									
24:0.....g									
Fatty acids, total monounsaturated.....g	1.080		0	MA	12		0.329		
14:1.....g									
15:1.....g									
16:1 undifferentiated.....g	0.000		0	MA	12		0.000		
17:1.....g									
18:1 undifferentiated.....g	1.080		0	MA	12		0.329		
20:1.....g	0.000		0	MA	12		0.000		
22:1 undifferentiated.....g	0.000		0	MA	12		0.000		
24:1 c.....g									
Fatty acids, total polyunsaturated.....g	0.740		0	MA	12		0.226		
18:2 undifferentiated.....g	0.634		0	MA	12		0.193		
18:3 undifferentiated.....g	0.071		0	MA	12		0.022		
18:4.....g	0.000		0	MA	12		0.000		
20:2 n-6 c,c.....g									
20:3 undifferentiated.....g									
20:4 undifferentiated.....g	0.023		0	NR	4		0.007		
20:5 n-3 (EPA).....g	0.000		0	MA	12		0.000		
21:5.....g									
22:4.....g									
22:5 n-3 (DPA).....g	0.000		0	MA	12		0.000		
22:6 n-3 (DHA).....g	0.011		0	MA	12		0.003		
Fatty acids, total trans.....g									
Cholesterol.....mg	4		0	MA	12		1		
Phytosterols.....mg									
Others:									
Alcohol, ethyl.....g	0.0		0	MA	12		0.0		
Caffeine.....mg	0		0	Z	7		0		
Theobromine.....mg	0		0	Z	7		0		

Blanks in the Mean column indicate lack of reliable data. The Number of Data Points column is the number of analyses upon which the mean is based. Number of Data Points of zero indicates the mean was either calculated (as for Energy) or estimated, usually from a recipe, another form of the same food, or similar food.

Common Measures:

Measure 1 = 30.5g: 1 fl oz

Calories Factors: Protein

Fat

Carbohydrate

Food Group: 03 Baby Foods

USDA National Nutrient Database for Standard Reference, Release 28 (2015)

NDB No. 03801

Infant formula, NESTLE, GOOD START SUPREME, with iron, liquid concentrate, not reconstituted

Nutrients and Units	Amount in 100 grams of edible portion				Amount in edible portion of common measures of food			
	Mean	Std. Error	Number of Data Points			Measure 1	Measure 2	Measure 3
			Deriv Code	Source Code	Confidence Code			
Lipids:								
Fatty acids, total saturated.....g	2.970		0	T	4		0.933	
4:0.....g	0.000		0		12		0.000	
6:0.....g	0.008		0	T	4		0.003	
8:0.....g	0.100		0		12		0.031	
10:0.....g	0.080		0		12		0.025	
12:0.....g	0.603		0	T	4		0.189	
13:0.....g								
14:0.....g	0.270		0		12		0.085	
15:0.....g								
16:0.....g	1.500		0		12		0.471	
17:0.....g								
18:0.....g	0.230		0		12		0.072	
20:0.....g								
22:0.....g								
24:0.....g								
Fatty acids, total monounsaturated.....g	2.060		0		12		0.647	
14:1.....g								
15:1.....g								
16:1 undifferentiated.....g	0.000		0		12		0.000	
17:1.....g								
18:1 undifferentiated.....g	2.060		0		12		0.647	
20:1.....g	0.000		0		12		0.000	
22:1 undifferentiated.....g	0.000		0		12		0.000	
24:1 c.....g								
Fatty acids, total polyunsaturated.....g	1.420		0		12		0.446	
18:2 undifferentiated.....g	1.300		0		12		0.408	
18:3 undifferentiated.....g	0.120		0		12		0.038	
18:4.....g	0.000		0		12		0.000	
20:2 n-6 c,c.....g								
20:3 undifferentiated.....g								
20:4 undifferentiated.....g	0.000		0		12		0.000	
20:5 n-3 (EPA).....g	0.000		0		12		0.000	
21:5.....g								
22:4.....g								
22:5 n-3 (DPA).....g	0.000		0		12		0.000	
22:6 n-3 (DHA).....g	0.000		0		12		0.000	
Fatty acids, total trans.....g								
Cholesterol.....mg	2		0	NR	4		1	
Phytosterols.....mg								
Others:								
Alcohol, ethyl.....g	0.0		0		7		0.0	
Caffeine.....mg	0		0	Z	7		0	
Theobromine.....mg	0		0	Z	7		0	

Blanks in the Mean column indicate lack of reliable data. The Number of Data Points column is the number of analyses upon which the mean is based. Number of Data Points of zero indicates the mean was either calculated (as for Energy) or estimated, usually from a recipe, another form of the same food, or similar food.

Common Measures:

Measure 1 = 31.4g: 1 fl oz

Calories Factors: Protein

Fat

Carbohydrate

Food Group: 03 Baby Foods

USDA National Nutrient Database for Standard Reference, Release 28 (2015)

NDB No. 03802

Infant formula, NESTLE, GOOD START SUPREME, with iron, powder

Nutrients and Units	Amount in 100 grams of edible portion				Amount in edible portion of common measures of food				
	Mean	Std. Error	Number of Data Points	Deriv Code	Source Code	Confidence Code	Measure 1	Measure 2	Measure 3
Lipids:									
Fatty acids, total saturated.....g	11.660		0		12		1.014		
4:0.....g	0.000		0		12		0.000		
6:0.....g	0.000		0		12		0.000		
8:0.....g	0.410		0		12		0.036		
10:0.....g	0.330		0		12		0.029		
12:0.....g	2.660		0		12		0.231		
13:0.....g									
14:0.....g	1.110		0		12		0.097		
15:0.....g									
16:0.....g	6.180		0		12		0.538		
17:0.....g									
18:0.....g	0.970		0		12		0.084		
20:0.....g									
22:0.....g									
24:0.....g									
Fatty acids, total monounsaturated.....g	8.500		0		12		0.740		
14:1.....g									
15:1.....g									
16:1 undifferentiated.....g	0.000		0		12		0.000		
17:1.....g									
18:1 undifferentiated.....g	8.500		0		12		0.740		
20:1.....g	0.000		0		12		0.000		
22:1 undifferentiated.....g	0.000		0		12		0.000		
24:1 c.....g									
Fatty acids, total polyunsaturated.....g	5.880		0		12		0.512		
18:2 undifferentiated.....g	5.370		0		12		0.467		
18:3 undifferentiated.....g	0.510		0		12		0.044		
18:4.....g	0.000		0		12		0.000		
20:2 n-6 c,c.....g									
20:3 undifferentiated.....g									
20:4 undifferentiated.....g	0.000		0		12		0.000		
20:5 n-3 (EPA).....g	0.000		0		12		0.000		
21:5.....g									
22:4.....g									
22:5 n-3 (DPA).....g	0.000		0		12		0.000		
22:6 n-3 (DHA).....g	0.000		0		12		0.000		
Fatty acids, total trans.....g									
Cholesterol.....mg	32		0	MA	12		3		
Phytosterols.....mg									
Others:									
Alcohol, ethyl.....g	0.0		0		7		0.0		
Caffeine.....mg	0		0	Z	7		0		
Theobromine.....mg	0		0	Z	7		0		

Blanks in the Mean column indicate lack of reliable data. The Number of Data Points column is the number of analyses upon which the mean is based. Number of Data Points of zero indicates the mean was either calculated (as for Energy) or estimated, usually from a recipe, another form of the same food, or similar food.

Common Measures:

Measure 1 = 8.7g: 1 scoop

Calories Factors: Protein

Fat

Carbohydrate

Food Group: 03 Baby Foods

USDA National Nutrient Database for Standard Reference, Release 28 (2015)

NDB No. 03800

Infant formula, NESTLE, GOOD START SUPREME, with iron, ready-to-feed

Nutrients and Units	Amount in 100 grams of edible portion				Amount in edible portion of common measures of food				
	Mean	Std. Error	Number of Data Points	Deriv Code	Source Code	Confidence Code	Measure 1	Measure 2	Measure 3
Lipids:									
Fatty acids, total saturated.....g	1.470		0		12		0.448		
4:0.....g	0.000		0		12		0.000		
6:0.....g	0.000		0		12		0.000		
8:0.....g	0.050		0		12		0.015		
10:0.....g	0.040		0		12		0.012		
12:0.....g	0.340		0		12		0.104		
13:0.....g									
14:0.....g	0.140		0		12		0.043		
15:0.....g									
16:0.....g	0.780		0		12		0.238		
17:0.....g									
18:0.....g	0.120		0		12		0.037		
20:0.....g									
22:0.....g									
24:0.....g									
Fatty acids, total monounsaturated.....g	1.080		0		12		0.329		
14:1.....g									
15:1.....g									
16:1 undifferentiated.....g	0.000		0		12		0.000		
17:1.....g									
18:1 undifferentiated.....g	1.080		0		12		0.329		
20:1.....g	0.000		0		12		0.000		
22:1 undifferentiated.....g	0.000		0		12		0.000		
24:1 c.....g									
Fatty acids, total polyunsaturated.....g	0.740		0		12		0.226		
18:2 undifferentiated.....g	0.680		0		12		0.207		
18:3 undifferentiated.....g	0.060		0		12		0.018		
18:4.....g	0.000		0		12		0.000		
20:2 n-6 c,c.....g									
20:3 undifferentiated.....g									
20:4 undifferentiated.....g	0.000		0		12		0.000		
20:5 n-3 (EPA).....g	0.000		0		12		0.000		
21:5.....g									
22:4.....g									
22:5 n-3 (DPA).....g	0.000		0		12		0.000		
22:6 n-3 (DHA).....g	0.000		0		12		0.000		
Fatty acids, total trans.....g									
Cholesterol.....mg	4		0	MA	12		1		
Phytosterols.....mg									
Others:									
Alcohol, ethyl.....g	0.0		0		7		0.0		
Caffeine.....mg	0		0	Z	7		0		
Theobromine.....mg	0		0	Z	7		0		

Blanks in the Mean column indicate lack of reliable data. The Number of Data Points column is the number of analyses upon which the mean is based. Number of Data Points of zero indicates the mean was either calculated (as for Energy) or estimated, usually from a recipe, another form of the same food, or similar food.

Common Measures:

Measure 1 = 30.5g: 1 fl oz

Calories Factors: Protein

Fat

Carbohydrate

Food Group: 03 Baby Foods

USDA National Nutrient Database for Standard Reference, Release 28 (2015)

NDB No. 03937

Infant formula, PBM PRODUCTS, store brand, liquid concentrate, not reconstituted (1)

Nutrients and Units	Amount in 100 grams of edible portion				Amount in edible portion of common measures of food				
	Mean	Std. Error	Number of Data Points	Deriv Code	Source Code	Confidence Code	Measure 1	Measure 2	Measure 3
Lipids:									
Fatty acids, total saturated.....g	3.200		0		4		1.005		
4:0.....g	0.000		0		4		0.000		
6:0.....g	0.000		0		4		0.000		
8:0.....g	0.180		0		4		0.057		
10:0.....g	0.140		0		4		0.044		
12:0.....g	0.960		0		4		0.301		
13:0.....g									
14:0.....g	0.460		0		4		0.144		
15:0.....g									
16:0.....g	0.940		0		4		0.295		
17:0.....g									
18:0.....g	0.500		0		4		0.157		
20:0.....g									
22:0.....g									
24:0.....g									
Fatty acids, total monounsaturated.....g	2.800		0		4		0.879		
14:1.....g									
15:1.....g									
16:1 undifferentiated.....g	0.080		0		4		0.025		
17:1.....g									
18:1 undifferentiated.....g	2.680		0		4		0.842		
20:1.....g	0.020		0		4		0.006		
22:1 undifferentiated.....g	0.000		0		4		0.000		
24:1 c.....g									
Fatty acids, total polyunsaturated.....g	1.000		0		4		0.314		
18:2 undifferentiated.....g	0.900		0		4		0.283		
18:3 undifferentiated.....g	0.100		0		4		0.031		
18:4.....g	0.000		0		4		0.000		
20:2 n-6 c,c.....g									
20:3 undifferentiated.....g									
20:4 undifferentiated.....g	0.044		0	MC	9		0.014		
20:5 n-3 (EPA).....g	0.000		0		4		0.000		
21:5.....g									
22:4.....g									
22:5 n-3 (DPA).....g	0.000		0		4		0.000		
22:6 n-3 (DHA).....g	0.022		0	MC	9		0.007		
Fatty acids, total trans.....g									
Cholesterol.....mg	8		0		4		3		
Phytosterols.....mg									
Others:									
Alcohol, ethyl.....g	0.0		0		7		0.0		
Caffeine.....mg	0		0	Z	7		0		
Theobromine.....mg	0		0	NR	4		0		

Blanks in the Mean column indicate lack of reliable data. The Number of Data Points column is the number of analyses upon which the mean is based. Number of Data Points of zero indicates the mean was either calculated (as for Energy) or estimated, usually from a recipe, another form of the same food, or similar food.

Common Measures:

Measure 1 = 31.4g: 1 fl oz

Footnotes:

1 Contains arachidonic acid (ARA, nutrient number 620) and docosahexaenoic acid (DHA, nutrient number 621), fatty acids found in human breast milk

Calories Factors: Protein

Fat

Carbohydrate

Food Group: 03 Baby Foods

USDA National Nutrient Database for Standard Reference, Release 28 (2015)

NDB No. 03938

Infant formula, PBM PRODUCTS, store brand, powder (1)

Nutrients and Units	Amount in 100 grams of edible portion				Amount in edible portion of common measures of food				
	Mean	Std. Error	Number of Data Points	Deriv Code	Source Code	Confidence Code	Measure 1	Measure 2	Measure 3
Lipids:									
Fatty acids, total saturated.....g	12.761		0	NC	4		1.072		
4:0.....g	0.000		0		12		0.000		
6:0.....g	0.000		0		12		0.000		
8:0.....g	0.731		0		12		0.061		
10:0.....g	0.563		0		12		0.047		
12:0.....g	3.872		0		12		0.325		
13:0.....g									
14:0.....g	1.817		0		12		0.153		
15:0.....g									
16:0.....g	3.783		0		12		0.318		
17:0.....g									
18:0.....g	1.995		0		12		0.168		
20:0.....g									
22:0.....g									
24:0.....g									
Fatty acids, total monounsaturated.....g	11.131		0	NC	4		0.935		
14:1.....g									
15:1.....g									
16:1 undifferentiated.....g	0.336		0		12		0.028		
17:1.....g									
18:1 undifferentiated.....g	10.736		0		12		0.902		
20:1.....g	0.059		0		12		0.005		
22:1 undifferentiated.....g	0.000		0		12		0.000		
24:1 c.....g									
Fatty acids, total polyunsaturated.....g	3.951		0	NC	4		0.332		
18:2 undifferentiated.....g	3.585		0		12		0.301		
18:3 undifferentiated.....g	0.365		0		12		0.031		
18:4.....g	0.000		0		12		0.000		
20:2 n-6 c,c.....g									
20:3 undifferentiated.....g									
20:4 undifferentiated.....g	0.181		0	MC	9		0.015		
20:5 n-3 (EPA).....g	0.000		0		12		0.000		
21:5.....g									
22:4.....g									
22:5 n-3 (DPA).....g	0.000		0		12		0.000		
22:6 n-3 (DHA).....g	0.103		0	MC	9		0.009		
Fatty acids, total trans.....g									
Cholesterol.....mg	32		0		12		3		
Phytosterols.....mg									
Others:									
Alcohol, ethyl.....g	0.0		0		7		0.0		
Caffeine.....mg	0		0	Z	7		0		
Theobromine.....mg	0		0	Z	7		0		

Blanks in the Mean column indicate lack of reliable data. The Number of Data Points column is the number of analyses upon which the mean is based. Number of Data Points of zero indicates the mean was either calculated (as for Energy) or estimated, usually from a recipe, another form of the same food, or similar food.

Common Measures:

Measure 1 = 8.4g: 1 scoop

Footnotes:

1 Contain arachidonic acid(ARA nutrient number is 620) and Docosahexaenoic acid (DHA nutrient number is 621) fatty acids found inhuman breast milk

Calories Factors: Protein

Fat

Carbohydrate

Food Group: 03 Baby Foods

USDA National Nutrient Database for Standard Reference, Release 28 (2015)

Nutrients and Units	Amount in 100 grams of edible portion				Amount in edible portion of common measures of food				
	Mean	Std. Error	Number of Data Points	Deriv Code	Source Code	Confidence Code	Measure 1	Measure 2	Measure 3
Lipids:									
Fatty acids, total saturated.....g	1.600		0		12		0.486		
4:0.....g	0.000		0		12		0.000		
6:0.....g	0.000		0		12		0.000		
8:0.....g	0.090		0		12		0.027		
10:0.....g	0.070		0		12		0.021		
12:0.....g	0.480		0		12		0.146		
13:0.....g									
14:0.....g	0.230		0		12		0.070		
15:0.....g									
16:0.....g	0.470		0		12		0.143		
17:0.....g									
18:0.....g	0.250		0		12		0.076		
20:0.....g									
22:0.....g									
24:0.....g									
Fatty acids, total monounsaturated.....g	1.400		0		12		0.426		
14:1.....g									
15:1.....g									
16:1 undifferentiated.....g	0.040		0		12		0.012		
17:1.....g									
18:1 undifferentiated.....g	1.340		0		12		0.407		
20:1.....g	0.010		0		12		0.003		
22:1 undifferentiated.....g	0.000		0		12		0.000		
24:1 c.....g									
Fatty acids, total polyunsaturated.....g	0.500		0		12		0.152		
18:2 undifferentiated.....g	0.450		0		12		0.137		
18:3 undifferentiated.....g	0.050		0		12		0.015		
18:4.....g	0.000		0		12		0.000		
20:2 n-6 c,c.....g									
20:3 undifferentiated.....g									
20:4 undifferentiated.....g	0.022		0	MC	9		0.007		
20:5 n-3 (EPA).....g	0.000		0		12		0.000		
21:5.....g									
22:4.....g									
22:5 n-3 (DPA).....g	0.000		0		12		0.000		
22:6 n-3 (DHA).....g	0.011		0	MC	9		0.003		
Fatty acids, total trans.....g									
Cholesterol.....mg	4		0		4		1		
Phytosterols.....mg									
Others:									
Alcohol, ethyl.....g	0.0		0		7		0.0		
Caffeine.....mg	0		0	Z	7		0		
Theobromine.....mg	0		0	Z	7		0		

Blanks in the Mean column indicate lack of reliable data. The Number of Data Points column is the number of analyses upon which the mean is based. Number of Data Points of zero indicates the mean was either calculated (as for Energy) or estimated, usually from a recipe, another form of the same food, or similar food.

Common Measures:

Measure 1 = 30.4g: 1 fl oz

Footnotes:

1 Contains arachidonic acid (ARA, nutrient number 620) and docosahexaenoic acid (DHA, nutrient number 621) fatty acids found in human breast milk.

Calories Factors: Protein

Fat

Carbohydrate

Food Group: 03 Baby Foods

NDB No. 03940

Infant formula, PBM PRODUCTS, store brand, soy, liquid concentrate, not reconstituted (1)

Nutrients and Units	Amount in 100 grams of edible portion				Amount in edible portion of common measures of food				
	Mean	Std. Error	Number of Data Points	Deriv Code	Source Code	Confidence Code	Measure 1	Measure 2	Measure 3
Lipids:									
Fatty acids, total saturated.....g	3.200		0		4		1.005		
4:0.....g	0.000		0		4		0.000		
6:0.....g	0.000		0		4		0.000		
8:0.....g	0.180		0		4		0.057		
10:0.....g	0.140		0		4		0.044		
12:0.....g	0.960		0		4		0.301		
13:0.....g									
14:0.....g	0.460		0		4		0.144		
15:0.....g									
16:0.....g	0.940		0		4		0.295		
17:0.....g									
18:0.....g	0.500		0		4		0.157		
20:0.....g									
22:0.....g									
24:0.....g									
Fatty acids, total monounsaturated.....g	2.800		0		4		0.879		
14:1.....g									
15:1.....g									
16:1 undifferentiated.....g	0.080		0		4		0.025		
17:1.....g									
18:1 undifferentiated.....g	2.680		0		4		0.842		
20:1.....g	0.020		0		4		0.006		
22:1 undifferentiated.....g	0.000		0		4		0.000		
24:1 c.....g									
Fatty acids, total polyunsaturated.....g	1.000		0		4		0.314		
18:2 undifferentiated.....g	0.900		0		4		0.283		
18:3 undifferentiated.....g	0.100		0		4		0.031		
18:4.....g	0.000		0		4		0.000		
20:2 n-6 c,c.....g									
20:3 undifferentiated.....g									
20:4 undifferentiated.....g	0.045		0	MC	9		0.014		
20:5 n-3 (EPA).....g	0.000		0		4		0.000		
21:5.....g									
22:4.....g									
22:5 n-3 (DPA).....g	0.000		0		4		0.000		
22:6 n-3 (DHA).....g	0.022		0	MC	9		0.007		
Fatty acids, total trans.....g									
Cholesterol.....mg	0		0		7		0		
Phytosterols.....mg									
Others:									
Alcohol, ethyl.....g	0.0		0		7		0.0		
Caffeine.....mg	0		0	Z	7		0		
Theobromine.....mg	0		0	Z	7		0		

Blanks in the Mean column indicate lack of reliable data. The Number of Data Points column is the number of analyses upon which the mean is based. Number of Data Points of zero indicates the mean was either calculated (as for Energy) or estimated, usually from a recipe, another form of the same food, or similar food.

Common Measures:

Measure 1 = 31.4g: 1 fl oz

Footnotes:

1 Contains arachidonic acid (ARA, nutrient number 620) and docosahexaenoic acid (DHA nutrient number 621) fatty acids found in human breast milk

Calories Factors: Protein

Fat

Carbohydrate

Food Group: 03 Baby Foods

USDA National Nutrient Database for Standard Reference, Release 28 (2015)

NDB No. 03941

Infant formula, PBM PRODUCTS, store brand, soy, powder (1)

Nutrients and Units	Amount in 100 grams of edible portion				Amount in edible portion of common measures of food				
	Mean	Std. Error	Number of Data Points	Deriv Code	Source Code	Confidence Code	Measure 1	Measure 2	Measure 3
Lipids:									
Fatty acids, total saturated.....g	12.370		0	NC	4		1.076		
4:0.....g	0.000		0		12		0.000		
6:0.....g	0.000		0		12		0.000		
8:0.....g	0.710		0		12		0.062		
10:0.....g	0.540		0		12		0.047		
12:0.....g	3.750		0		12		0.326		
13:0.....g									
14:0.....g	1.770		0		12		0.154		
15:0.....g									
16:0.....g	3.670		0		12		0.319		
17:0.....g									
18:0.....g	1.930		0		12		0.168		
20:0.....g									
22:0.....g									
24:0.....g									
Fatty acids, total monounsaturated.....g	10.780		0	NC	4		0.938		
14:1.....g									
15:1.....g									
16:1 undifferentiated.....g	0.320		0		12		0.028		
17:1.....g									
18:1 undifferentiated.....g	10.410		0		12		0.906		
20:1.....g	0.050		0		12		0.004		
22:1 undifferentiated.....g	0.000		0		12		0.000		
24:1 c.....g									
Fatty acids, total polyunsaturated.....g	3.830		0	NC	4		0.333		
18:2 undifferentiated.....g	3.480		0		12		0.303		
18:3 undifferentiated.....g	0.350		0		12		0.030		
18:4.....g	0.000		0		12		0.000		
20:2 n-6 c,c.....g									
20:3 undifferentiated.....g									
20:4 undifferentiated.....g	0.183		0	MC	9		0.016		
20:5 n-3 (EPA).....g	0.000		0		12		0.000		
21:5.....g									
22:4.....g									
22:5 n-3 (DPA).....g	0.000		0		12		0.000		
22:6 n-3 (DHA).....g	0.091		0	MC	9		0.008		
Fatty acids, total trans.....g									
Cholesterol.....mg	0		0		4		0		
Phytosterols.....mg									
Others:									
Alcohol, ethyl.....g	0.0		0		7		0.0		
Caffeine.....mg	0		0	Z	7		0		
Theobromine.....mg	0		0	Z	7		0		

Blanks in the Mean column indicate lack of reliable data. The Number of Data Points column is the number of analyses upon which the mean is based. Number of Data Points of zero indicates the mean was either calculated (as for Energy) or estimated, usually from a recipe, another form of the same food, or similar food.

Common Measures:

Measure 1 = 8.7g: 1 scoop

Footnotes:

1 Contains arachidonic acid (ARA, nutrient number 620) and docosahexaenoic acid (DHA, nutrient number 621) fatty acids found in human breast milk

Calories Factors: Protein

Fat

Carbohydrate

Food Group: 03 Baby Foods

USDA National Nutrient Database for Standard Reference, Release 28 (2015)

Nutrients and Units	Amount in 100 grams of edible portion				Amount in edible portion of common measures of food				
	Mean	Std. Error	Number of Data Points	Deriv Code	Source Code	Confidence Code	Measure 1	Measure 2	Measure 3
Lipids:									
Fatty acids, total saturated.....g	1.600		0		12		0.486		
4:0.....g	0.000		0		12		0.000		
6:0.....g	0.000		0		12		0.000		
8:0.....g	0.090		0		12		0.027		
10:0.....g	0.070		0		12		0.021		
12:0.....g	0.480		0		12		0.146		
13:0.....g									
14:0.....g	0.230		0		12		0.070		
15:0.....g									
16:0.....g	0.470		0		12		0.143		
17:0.....g									
18:0.....g	0.250		0		12		0.076		
20:0.....g									
22:0.....g									
24:0.....g									
Fatty acids, total monounsaturated.....g	1.400		0		12		0.426		
14:1.....g									
15:1.....g									
16:1 undifferentiated.....g	0.040		0		12		0.012		
17:1.....g									
18:1 undifferentiated.....g	1.340		0		12		0.407		
20:1.....g	0.010		0		12		0.003		
22:1 undifferentiated.....g	0.000		0		12		0.000		
24:1 c.....g									
Fatty acids, total polyunsaturated.....g	0.500		0		12		0.152		
18:2 undifferentiated.....g	0.450		0		12		0.137		
18:3 undifferentiated.....g	0.050		0		12		0.015		
18:4.....g	0.000		0		12		0.000		
20:2 n-6 c,c.....g									
20:3 undifferentiated.....g									
20:4 undifferentiated.....g	0.022		0	MC	9		0.007		
20:5 n-3 (EPA).....g	0.000		0		12		0.000		
21:5.....g									
22:4.....g									
22:5 n-3 (DPA).....g	0.000		0		12		0.000		
22:6 n-3 (DHA).....g	0.011		0	MC	9		0.003		
Fatty acids, total trans.....g									
Cholesterol.....mg	0		0		7		0		
Phytosterols.....mg									
Others:									
Alcohol, ethyl.....g	0.0		0		7		0.0		
Caffeine.....mg	0		0	Z	7		0		
Theobromine.....mg	0		0	Z	7		0		

Blanks in the Mean column indicate lack of reliable data. The Number of Data Points column is the number of analyses upon which the mean is based. Number of Data Points of zero indicates the mean was either calculated (as for Energy) or estimated, usually from a recipe, another form of the same food, or similar food.

Common Measures:

Measure 1 = 30.4g: 1 fl oz

Footnotes:

1 Contains arachidonic acid (ARA, nutrient number 620) and docosahexaenoic acid (DHA nutrient number 621) fatty acids found in human breast milk.

Calories Factors: Protein

Fat

Carbohydrate

Food Group: 03 Baby Foods

NDB No. 03968

Toddler formula, MEAD JOHNSON, ENFAGROW PREMIUM (formerly ENFAMIL, LIPIL, NEXT STEP), ready-to-feed

Nutrients and Units	Amount in 100 grams of edible portion				Amount in edible portion of common measures of food				
	Mean	Std. Error	Number		Source Code	Confidence Code	Measure 1	Measure 2	Measure 3
			of Data Points	Deriv Code					
Lipids:									
Fatty acids, total saturated.....g	1.550		0	NC	4		0.453		
4:0.....g	0.000		0	NR	4		0.000		
6:0.....g	0.010		0	NR	4		0.003		
8:0.....g	0.050		0	NR	4		0.015		
10:0.....g	0.040		0	NR	4		0.012		
12:0.....g	0.330		0	NR	4		0.096		
13:0.....g									
14:0.....g	0.150		0	NR	4		0.044		
15:0.....g									
16:0.....g	0.800		0	NR	4		0.234		
17:0.....g									
18:0.....g	0.150		0	NR	4		0.044		
20:0.....g	0.010		0	NR	4		0.003		
22:0.....g	0.010		0	NR	4		0.003		
24:0.....g									
Fatty acids, total monounsaturated.....g	1.380		0	NC	4		0.403		
14:1.....g									
15:1.....g									
16:1 undifferentiated.....g	0.010		0	NR	4		0.003		
17:1.....g									
18:1 undifferentiated.....g	1.370		0	NR	4		0.400		
20:1.....g	0.000		0	NR	4		0.000		
22:1 undifferentiated.....g	0.000		0	NR	4		0.000		
24:1 c.....g									
Fatty acids, total polyunsaturated.....g	0.730		0	NC	4		0.213		
18:2 undifferentiated.....g	0.620		0	NR	4		0.181		
18:3 undifferentiated.....g	0.060		0	NR	4		0.018		
18:4.....g	0.020		0	NR	4		0.006		
20:2 n-6 c,c.....g									
20:3 undifferentiated.....g									
20:4 undifferentiated.....g	0.020		0	NR	4		0.006		
20:5 n-3 (EPA).....g	0.000		0	NR	4		0.000		
21:5.....g									
22:4.....g									
22:5 n-3 (DPA).....g	0.000		0	NR	4		0.000		
22:6 n-3 (DHA).....g	0.010		0	NR	4		0.003		
Fatty acids, total trans.....g									
Cholesterol.....mg	1		0	NR	4		0		
Phytosterols.....mg									
Others:									
Alcohol, ethyl.....g	0.0		0	NR	4		0.0		
Caffeine.....mg	0		0	NR	4		0		
Theobromine.....mg	0		0	NR	4		0		

Blanks in the Mean column indicate lack of reliable data. The Number of Data Points column is the number of analyses upon which the mean is based. Number of Data Points of zero indicates the mean was either calculated (as for Energy) or estimated, usually from a recipe, another form of the same food, or similar food.

Common Measures:

Measure 1 = 29.2g: 1 fl oz

Calories Factors: Protein

Fat

Carbohydrate

Food Group: 03 Baby Foods

USDA National Nutrient Database for Standard Reference, Release 28 (2015)

NDB No. 03967

Toddler formula, MEAD JOHNSON, ENFAGROW, PREMIUM (formerly ENFAMIL, LIPIL, NEXT STEP), powder (1)

Nutrients and Units	Amount in 100 grams of edible portion					Amount in edible portion of common measures of food			
	Mean	Std. Error	Number of Data Points	Deriv Code	Source Code	Confidence Code	Measure 1	Measure 2	Measure 3
Lipids:									
Fatty acids, total saturated.....g	11.450		0	NC	4		1.008		
4:0.....g	0.000		0	NR	4		0.000		
6:0.....g	0.030		0	NR	4		0.003		
8:0.....g	0.420		0	NR	4		0.037		
10:0.....g	0.320		0	NR	4		0.028		
12:0.....g	2.500		0	NR	4		0.220		
13:0.....g									
14:0.....g	1.110		0	NR	4		0.098		
15:0.....g									
16:0.....g	5.900		0	NR	4		0.519		
17:0.....g									
18:0.....g	1.110		0	NR	4		0.098		
20:0.....g	0.060		0	NR	4		0.005		
22:0.....g									
24:0.....g									
Fatty acids, total monounsaturated.....g	10.030		0	NC	4		0.883		
14:1.....g									
15:1.....g									
16:1 undifferentiated.....g	0.030		0	NR	4		0.003		
17:1.....g									
18:1 undifferentiated.....g	10.000		0	NR	4		0.880		
20:1.....g	0.000		0	BFFN	4		0.000		
22:1 undifferentiated.....g	0.000		0	BFFN	4		0.000		
24:1 c.....g									
Fatty acids, total polyunsaturated.....g	5.445		0	NC	4		0.479		
18:2 undifferentiated.....g	4.600		0	NR	4		0.405		
18:3 undifferentiated.....g	0.450		0	NR	4		0.040		
18:4.....g	0.138		0	BFFN	4		0.012		
20:2 n-6 c,c.....g									
20:3 undifferentiated.....g									
20:4 undifferentiated.....g	0.171		1	MA	12		0.015		
20:5 n-3 (EPA).....g	0.000		0	BFFN	4		0.000		
21:5.....g									
22:4.....g									
22:5 n-3 (DPA).....g	0.000		0	BFFN	4		0.000		
22:6 n-3 (DHA).....g	0.086		1	MA	12		0.008		
Fatty acids, total trans.....g									
Cholesterol.....mg	7		0	BFFN	4		1		
Phytosterols.....mg									
Others:									
Alcohol, ethyl.....g	0.0		0	BFSN	4		0.0		
Caffeine.....mg	0		0	BFSN	4		0		
Theobromine.....mg	0		0	BFSN	4		0		

Blanks in the Mean column indicate lack of reliable data. The Number of Data Points column is the number of analyses upon which the mean is based. Number of Data Points of zero indicates the mean was either calculated (as for Energy) or estimated, usually from a recipe, another form of the same food, or similar food.

Common Measures:

Measure 1 = 8.8g: 1 scoop

Footnotes:

1 Contains arachidonic acid (ARA, nutrient number 620) and docosahexaenoic acid (DHA, nutrient number 621), fatty acids found in human breast milk.

Calories Factors: Protein

Fat

Carbohydrate

Food Group: 03 Baby Foods

USDA National Nutrient Database for Standard Reference, Release 28 (2015)

Refuse:0%

Nutrients and Units	Amount in 100 grams of edible portion				Amount in edible portion of common measures of food				
	Mean	Std. Error	Number of Data Points	Deriv Code	Source Code	Confidence Code	Measure 1	Measure 2	Measure 3
Proximates:									
Water.....g	4.50		4		1		1.28	0.32	0.45
Energy.....kcal	426		0	NC	4		121	30	43
Energy.....kJ	1783		0	NC	4		505	125	178
Protein (N x 5.85).....g	10.10		4		1		2.86	0.71	1.01
Total lipid (fat).....g	9.70		0	FLA	4		2.75	0.68	0.97
Ash.....g	1.50	0.000	3		1		0.43	0.11	0.15
Carbohydrate, by difference.....g	74.20		0	NC	4		21.04	5.19	7.42
Fiber, total dietary.....g	2.5		0		4		0.7	0.2	0.3
Sugars, total.....g	12.50		0	FLA	4		3.54	0.87	1.25
Starch.....g									
Minerals:									
Calcium, Ca.....mg	20		4		1		6	1	2
Iron, Fe.....mg	0.60		4		1		0.17	0.04	0.06
Magnesium, Mg.....mg	14		1		1		4	1	1
Phosphorus, P.....mg	55		1		1		16	4	6
Potassium, K.....mg	305		1		1		86	21	31
Sodium, Na.....mg	227		0	LC	8		64	16	23
Zinc, Zn.....mg	0.54		1		1		0.15	0.04	0.05
Copper, Cu.....mg	0.145		0		4		0.041	0.010	0.015
Manganese, Mn.....mg									
Selenium, Se.....µg	28.7		0	FLM	4		8.1	2.0	2.9
Vitamins:									
Vitamin C, total ascorbic acid.....mg	5.3		3		1		1.5	0.4	0.5
Thiamin.....mg	0.208		4		1		0.059	0.015	0.021
Riboflavin.....mg	0.239		4		1		0.068	0.017	0.024
Niacin.....mg	1.319		4		1		0.374	0.092	0.132
Pantothenic acid.....mg	0.537		0		4		0.152	0.038	0.054
Vitamin B-6.....mg	0.082		3		1		0.023	0.006	0.008
Folate, total.....µg	87		0	FLM	4		25	6	9
Folic acid.....µg	67		0	NC	4		19	5	7
Folate, food.....µg	20		0		4		6	1	2
Folate, DFE.....µg	134		0	NC	4		38	9	13
Choline, total.....mg	10.7		0	FLA	4		3.0	0.7	1.1
Betaine.....mg									
Vitamin B-12.....µg	0.00		0		4		0.00	0.00	0.00
Vitamin B-12, added.....µg	0.00		0	Z	7		0.00	0.00	0.00
Vitamin A, RAE.....µg	16		0	NC	4		4	1	2
Retinol.....µg	15		0	BNA	4		4	1	2
Carotene, beta.....µg	4		0	BNA	4		1	0	0
Carotene, alpha.....µg	0		0	BNA	4		0	0	0
Cryptoxanthin, beta.....µg	1		0	BNA	4		0	0	0
Vitamin A, IU.....IU	58		0	NC	4		16	4	6
Lycopene.....µg	0		0	FLA	4		0	0	0
Lutein + zeaxanthin.....µg	16		0	FLA	4		5	1	2
Vitamin E (alpha-tocopherol).....mg	2.44		0	FLA	4		0.69	0.17	0.24
Vitamin E, added.....mg	0.00		0	Z	7		0.00	0.00	0.00
Tocopherol, beta.....mg	0.05		0	FLA	4		0.02	0.00	0.01
Tocopherol, gamma.....mg	0.31		0	FLA	4		0.09	0.02	0.03
Tocopherol, delta.....mg	0.01		0	FLA	4		0.00	0.00	0.00
Tocotrienol, alpha.....mg	0.02		0	FLA	4		0.01	0.00	0.00
Tocotrienol, beta.....mg	0.07		0	FLA	4		0.02	0.00	0.01
Tocotrienol, gamma.....mg	0.00		0	FLA	4		0.00	0.00	0.00
Tocotrienol, delta.....mg	0.01		0	FLA	4		0.00	0.00	0.00
Vitamin D (D2 + D3).....µg	0.0		0	Z	7		0.0	0.0	0.0
Vitamin D2 (ergocalciferol).....µg									
Vitamin D3 (cholecalciferol).....µg									
Vitamin D.....IU	0		0	FLA	4		0	0	0
Vitamin K (phylloquinone).....µg	0.9		0	FLA	4		0.3	0.1	0.1

Nutrients and Units	Amount in 100 grams of edible portion				Amount in edible portion of common measures of food				
	Mean	Std. Error	Number of Data Points	Deriv Code	Source Code	Confidence Code	Measure 1	Measure 2	Measure 3
Dihydrophyloquinone.....µg									
Menaquinone-4.....µg									
Lipids:									
Fatty acids, total saturated.....g	2.525		0	FLA	4		0.716	0.177	0.253
4:0.....g	0.100		0	FLA	4		0.028	0.007	0.010
6:0.....g	0.059		0	FLA	4		0.017	0.004	0.006
8:0.....g	0.035		0	FLA	4		0.010	0.002	0.003
10:0.....g	0.077		0	FLA	4		0.022	0.005	0.008
12:0.....g	0.088		0	FLA	4		0.025	0.006	0.009
13:0.....g	0.000		0	FLA	4		0.000	0.000	0.000
14:0.....g	0.314		0	FLA	4		0.089	0.022	0.031
15:0.....g	0.000		0	FLA	4		0.000	0.000	0.000
16:0.....g	1.194		0	FLA	4		0.338	0.084	0.119
17:0.....g	0.005		0	FLA	4		0.001	0.000	0.001
18:0.....g	0.590		0	FLA	4		0.167	0.041	0.059
20:0.....g	0.017		0	FLA	4		0.005	0.001	0.002
22:0.....g	0.047		0	FLA	4		0.013	0.003	0.005
24:0.....g	0.000		0	FLA	4		0.000	0.000	0.000
Fatty acids, total monounsaturated.....g	4.244		0	FLA	4		1.203	0.297	0.424
14:1.....g	0.000		0	FLA	4		0.000	0.000	0.000
15:1.....g	0.000		0	FLA	4		0.000	0.000	0.000
16:1 undifferentiated.....g	0.129		0	FLA	4		0.037	0.009	0.013
17:1.....g	0.000		0	FLA	4		0.000	0.000	0.000
18:1 undifferentiated.....g	4.104		0	FLA	4		1.163	0.287	0.410
20:1.....g	0.012		0	FLA	4		0.003	0.001	0.001
22:1 undifferentiated.....g	0.000		0	FLA	4		0.000	0.000	0.000
24:1 c.....g	0.000		0	FLA	4		0.000	0.000	0.000
Fatty acids, total polyunsaturated.....g	2.073		0	FLA	4		0.588	0.145	0.207
18:2 undifferentiated.....g	2.007		0	FLA	4		0.569	0.140	0.201
18:3 undifferentiated.....g	0.065		0	FLA	4		0.018	0.005	0.006
18:4.....g	0.000		0	FLA	4		0.000	0.000	0.000
20:2 n-6 c,c.....g	0.000		0	FLA	4		0.000	0.000	0.000
20:3 undifferentiated.....g	0.000		0	FLA	4		0.000	0.000	0.000
20:4 undifferentiated.....g	0.001		0	FLA	4		0.000	0.000	0.000
20:5 n-3 (EPA).....g	0.000		0	FLA	4		0.000	0.000	0.000
21:5.....g									
22:4.....g									
22:5 n-3 (DPA).....g	0.000		0	FLA	4		0.000	0.000	0.000
22:6 n-3 (DHA).....g	0.000		0	FLA	4		0.000	0.000	0.000
Fatty acids, total trans.....g	0.012		0	FLA	4		0.003	0.001	0.001
Cholesterol.....mg	8		0	FLA	4		2	1	1
Phytosterols.....mg									
Others:									
Alcohol, ethyl.....g	0.0		0		7		0.0	0.0	0.0
Caffeine.....mg	0		0	FLA	4		0	0	0
Theobromine.....mg	0		0	FLA	4		0	0	0

Blanks in the Mean column indicate lack of reliable data. The Number of Data Points column is the number of analyses upon which the mean is based. Number of Data Points of zero indicates the mean was either calculated (as for Energy) or estimated, usually from a recipe, another form of the same food, or similar food.

Common Measures:

Measure 1 = 28.35g: 1 oz

Measure 2 = 7.0g: 1 piece

Measure 3 = 10.0g: 1 rusk

Calories Factors: Protein 4

Fat 8.4

Carbohydrate 4.1

NDB No. 03217
Zwieback

Food Group: 03 Baby Foods
USDA National Nutrient Database for Standard Reference, Release 28 (2015)