

ARS Antibiotic Resistance Bibliography

June 12, 2016

This bibliography represents peer-reviewed publications by ARS scientists on antibiotics and antibiotic resistance in agroecosystems. The asterisk (*) indicates ARS author.

1. Adenipekun, E. O., C. R. Jackson*, A. Oluwadun, B. A. Iwalokun, J. G. Frye*, J. B. Barrett, L. M. Hiott*, and T. A. Woodley. 2015. Prevalence and antimicrobial resistance in *Escherichia coli* from food animals in Lagos, Nigeria. *Microb Drug Resist.* 21:358-365.
<http://online.liebertpub.com/doi/10.1089/mdr.2014.0222>
2. Adenipekun, E.O., Jackson*, C.R., Ramadan, H., Iwalokun, B.A., Oyedeji, K.S., Frye*, J.G., Barrett, J.B., Hiott*, L.M., Woodley, T.A. and Oluwadun, A. Prevalence and multidrug resistance of *Escherichia coli* from community acquired infections in Lagos, Nigeria. *J. Infect. Devel. Count.* Accepted March 10, 2016.
3. Adenipekun, E.O., Jackson*, C.R., Ramadan, H., Iwalokun, B.A., Oyedeji, K.S., Frye*, J.G., Barrett, J.B., Hiott*, L.M., Woodley, T.A. and Oluwadun, A. Plasmid replicon typing of multi-drug resistant *Escherichia coli* producing β -Lactamases in humans and food animals in Lagos, South-West Nigeria. *In progress*
4. Agga*, G.E., T. M. Arthur*, L. M. Durso*, D. M. Harhay*, and J. W. Schmidt*. 2015. Antimicrobial-resistant bacterial populations and antimicrobial resistance genes obtained from environments impacted by livestock and municipal waste. *PLoS One* 10:e0132586.
<http://www.ncbi.nlm.nih.gov/pmc/articles/PMC4510610/>
5. Agga* GE, Schmidt* JW, Arthur* TM. Antimicrobial-Resistant Fecal Bacteria from Ceftiofur-Treated and Non-Antimicrobial-Treated Co-mingled Beef Cows at a Cow-Calf Operation. *Microb. Resist.* <http://www.ncbi.nlm.nih.gov/pubmed/26954009>
6. Agga* GE, Schmidt* JW, Arthur* TM. Effects of In-Feed Chlortetracycline Prophylaxis of Beef Cattle on Animal Health and Antimicrobial-Resistant *Escherichia coli*. *Applied Env Microbio.* *In review*
7. Alali, W. Q., M. H. Scott, K. L. Christian, V. R. Fajt, R. B. Harvey*, and B. D. Lawhorn. 2009. Relationship between level of antibiotic use and resistance among *Escherichia coli* isolates from integrated multi-site cohorts of humans and swine. *Prev Vet Med.* 90:160-167.
<http://www.ncbi.nlm.nih.gov/pubmed/19501924>
8. Alali, W. Q., H. M. Scott, R. B. Harvey*, and B. Norby. 2008. Longitudinal study of antimicrobial resistance among *Escherichia coli* isolated from integrated multi-site cohorts

- of humans and swine. *Appl and Environ Microbiol.* 74(12):3672-3681.
<http://www.ncbi.nlm.nih.gov/pubmed/18424541>
9. Allen*, H. K., R. An, J. Handelsman, and L. A. Moe. 2015. A response regulator from a soil metagenome enhances resistance to the β -lactam antibiotic carbenicillin in *Escherichia coli*. *PloS One.* 10:e0120094. <http://www.ncbi.nlm.nih.gov/pmc/articles/PMC4364456/>
 10. Allen*, H. K., and T. B. Stanton*. 2014. Altered Egos: Antibiotic Effects on Food Animal Microbiomes. *Annu Rev Microb.* 68(1):279-315.
<http://www.annualreviews.org/doi/pdf/10.1146/annurev-micro-091213-113052>
 11. Allen*, H. K. 2014. Antibiotic resistance gene discovery in food-producing animals. *Curr Opin Microbiol.* 19:25-29. <http://www.sciencedirect.com/science/article/pii/S136952741400068X>
 12. Allen*, H.K., J. Trachsel, T. P. Looft*, and T. Casey. 2014. Finding alternatives to antibiotics. *Ann N Y Acad Sci.* 1323:91-100.
<http://onlinelibrary.wiley.com/doi/10.1111/nyas.12468/abstract;jsessionid=CEFF7596858EC3FA5D3C76A8D6C2AB7B.f01t02>
 13. Allen*, H. K., U. Y. Levine, T. P. Looft*, M. M. Bandrick, and T. Casey. 2013. Treatment, promotion, commotion: Antibiotic alternatives in food-producing animals. *Trends Microbiol.* 21:114-9. <http://www.ncbi.nlm.nih.gov/pubmed/23473629>
 14. Allen*, H. K. 2012. Antibiotics and gene transfer in swine gut bacteria. *Feed Info News Service.* <http://www.feedinfo.com>.
 15. Allen*, H. K., T. P. Looft*, D. O. Bayles*, S. B. Humphrey*, U. Y. Levine, D. P. Alt*, and T. B. Stanton*. 2011. Antibiotics in feed induce prophages in swine fecal microbiomes. *Mbio.* 2:e00260-11. doi: 10.1128/mBio.00260-11.
<http://www.ncbi.nlm.nih.gov/pubmed/22128350>
 16. Allen*, H. K., J. Donato, H. H. Wang, K. A. Cloud-Hansen, J. Davies, and J. Handelsman. 2010. Call of the wild: Antibiotic resistance genes in natural environments. *Nat Rev Microbiol.* 8:251-259. <http://www.nature.com/nrmicro/journal/v8/n4/abs/nrmicro2312.html>
 17. Allen*, H. K., K. A. Cloud-Hansen, J. M. Wolinski, C. Guan, S. Greene, S. Lu, M. Boeyink, Nichole A. Broderick, K. F. Raffa, and J. Handelsman. 2009. Resident microbiota of the gypsy moth midgut harbors antibiotic resistance determinants. *DNA Cell Biol.* 28:109-117.
<http://online.liebertpub.com/doi/abs/10.1089/dna.2008.0812>

18. Allen*, H. K., L. A. Moe, J. Rodbumrer, A. Gaarder, and J. Handelsman. 2008. Functional metagenomics reveals diverse β -lactamases in a remote Alaskan soil. *ISME J.* 3:243-251. <http://www.nature.com/ismej/journal/v3/n2/full/ismej200886a.html>
19. Arikan, O., W. Mulbry*, C. Rice*. 2016. The effect of composting on the persistence of four ionophores in dairy manure and poultry litter. *Waste Management*. (submitted)
20. Arikan, O., W. Mulbry* III, and C. Rice*. 2009. Management of antibiotic residues from agricultural sources: Use of composting to reduce chlortetracycline residues in beef manure from treated animals. *J Hazard Mater.* 164:483-489. <http://www.ncbi.nlm.nih.gov/pubmed/18829164>
21. Arikan O. A., W. Mulbry* III, D. Ingram, and P. Millner*. 2009. Minimally managed composting of beef manure at the pilot scale: effect of manure pile construction on pile temperature profiles and the fate of oxytetracycline and chlorotetracycline. *Bioresour Technol.* 100:4447-4453. <http://www.sciencedirect.com/science/article/pii/S0960852409004465>
22. Arikan O. A., L. J. Sikora, W. Mulbry* III, S. U. Khan, and G. D. Foster. 2007. Composting rapidly reduces levels of extractable oxytetracycline in manure from therapeutically treated beef calves. *Bioresour Technol.* 98:169-176. <http://www.sciencedirect.com/science/article/pii/S0960852405005249>
23. Arikan, O., L. Sikora, W. Mulbry* III, S. Khan, C. Rice*, and G. Foster. 2006. The fate and effect of oxytetracycline during the anaerobic digestion of manure from therapeutically treated calves. *Process Biochem.* 41:1637-1643. <http://www.sciencedirect.com/science/article/pii/S1359511306001097>
24. Arikan, O., C. Rice*, and E. Codling. 2006. Occurrence of antibiotics and hormones in a major agricultural watershed. *Desalination.* 226:121-133. <http://www.sciencedirect.com/science/article/pii/S0011916408001434>
25. Arthur*, T. M., N. Kalchayanand, J. M. Bosilevac, D. M. Brichta-Harhay*, S. D. Shackelford, J. L. Bono, T. L. Wheeler, and M. Koohmaraie. 2008. Comparison of effects of antimicrobial interventions on multidrug-resistant *Salmonella*, susceptible *Salmonella*, and *Escherichia coli* O157:H7. *J Food Prot.* 71:2177-2181. <http://www.ncbi.nlm.nih.gov/pubmed/19044258>
26. Bader, M. W., W. W. Navarre, W. Shiau, H. Nikaido, J. G. Frye*, M. McClelland, F. C. Fang, and S. I. Miller. 2003. Regulation of *Salmonella typhimurium* virulence gene expression by cationic antimicrobial peptides. *Mol Microbiol.* 50:219-230. <http://onlinelibrary.wiley.com/doi/10.1046/j.1365-2958.2003.03675.x/abstract>

27. Bauer-Garland, J., J. G. Frye*, J. T. Gray, M. E. Berrang*, M. A. Harrison, and P. J. Fedorka-Cray*. 2006. Transmission of *Salmonella enterica* serotype Typhimurium in poultry with and without antimicrobial selective pressure. *J Appl Microbiol.* 101:1301-1308.
<http://onlinelibrary.wiley.com/doi/10.1111/j.1365-2672.2006.03036.x/abstract>
28. Bearson*, B.L., and B. W. Brunelle*. 2015. Fluoroquinolone induction of phage-mediated gene transfer in multidrug-resistant *Salmonella*. *Int J Antimicrob Agents.* 46:201-204.
<http://www.sciencedirect.com/science/article/pii/S0924857915001831>
29. Bearson*, B. L., H. K. Allen*, B. W. Brunelle*, I. S. Lee, S. R. Casjens, and T. B. Stanton*. 2014. The agricultural antibiotic carbadox induces phage-mediated gene transfer in *Salmonella*. *Front Microbiol.* 5:52. <http://www.ncbi.nlm.nih.gov/pubmed/24575089>
30. Becker S.C., J. Foster-Frey, and D. M. Donovan*. 2008. The phage K lytic enzyme LysK and lysostaphin act synergistically to kill MRSA. *FEMS Microbiol Lett.* 287(2):185-91.
<http://www.ncbi.nlm.nih.gov/pubmed/18721148>
31. Beier*, R.C., E. Franz, J.L. Bono*, R.E. Mandrell*, P.M. Fratamico*, T.R. Callaway*, K. Andrews, T.L. Poole*, T.L. Crippen*, C. L. Sheffield, R.C. Anderson*, and D.J. Nisbet*. 2016. Disinfectant and antimicrobial susceptibility profiles of the big six non-O157 Shiga toxin-producing *Escherichia coli* from food animals and humans. *J Food Protect.* (In press)
32. Beier*, R. C., J. A. Byrd, 2nd, L. F. Kubena, M. E. Hume, J. L. McReynolds, R. C. Anderson*, and D. J. Nisbet*. 2014. Evaluation of linalool, a natural antimicrobial and insecticidal essential oil from basil: Effects on poultry. *Poult Sci.* 93:267-272.
<http://www.ncbi.nlm.nih.gov/pubmed/24570447>
33. Beier*, R. C., T. L. Poole*, D. M. Brichta-Harhay*, R. C. Anderson*, K. M. Bischoff*, C. A. Hernandez, J. L. Bono*, T. M. Arthur*, T. G. Nagaraja, T. L. Crippen*, C. L. Sheffield, and D. J. Nisbet*. 2013. Disinfectant and antibiotic susceptibility profiles of *Escherichia coli* O157:H7 strains from cattle carcasses, feces, and hides and ground beef from the United States. *J Food Prot.* 76:6-17. <http://www.ncbi.nlm.nih.gov/pubmed/23317851>
34. Beier*, R. C., P. N. Anderson, M. E. Hume, T. L. Poole*, S. E. Duke, T. L. Crippen*, C. L. Sheffield, D. J. Caldwell, J. A. Byrd, R. C. Anderson*, and D. J. Nisbet*. 2011. Characterization of *Salmonella enterica* isolates from turkeys in commercial processing plants for resistance to antibiotics, disinfectants, and a growth promoter. *Foodborne Pathog Dis.* 8:593-600.
<http://www.ncbi.nlm.nih.gov/pubmed/21235389>
35. Beier*, R. C., R. C. Anderson*, N. A. Krueger, T. S. Edrington*, T. R. Callaway*, and D. J. Nisbet*. 2009. Effect of nitroethane and nitroethanol on the production of indole and 3-

- methylandole (skatole) from bacteria in swine feces by gas chromatography. *J Environ Sci Heal B*. 44:613-620. <http://www.ncbi.nlm.nih.gov/pubmed/20183070>
36. Beier*, R. C., S. E. Duke, R. L. Ziprin, R. B. Harvey, M. E. Hume, T. L. Poole*, H. M. Scott, L. D. Highfield, W. Q. Alali, K. Andrews, R. C. Anderson*, and D. J. Nisbet*. 2008. Antibiotic and disinfectant susceptibility profiles of vancomycin-resistant *Enterococcus faecium* (VRE) isolated from community wastewater in Texas. *Bull Environ Contam Toxicol*. 80:188-194. <http://www.ncbi.nlm.nih.gov/pubmed/18193143>
 37. Beier*, R. C., K. M. Bischoff*, R. L. Ziprin, T. L. Poole*, and D. J. Nisbet*. 2005. Chlorhexidine susceptibility, virulence factors, and antibiotic resistance of beta-hemolytic *Escherichia coli* isolated from neonatal swine with diarrhea. *Bull Environ Contam Toxicol*. 75:835-844. <http://www.ncbi.nlm.nih.gov/pubmed/16400568>
 38. Beier*, R. C., L. C. Creemer, R. L. Ziprin, and D. J. Nisbet*. 2005. Production and characterization of monoclonal antibodies against the antibiotic tilmicosin. *J Agric Food Chem*. 53:9679-9688. <http://www.ncbi.nlm.nih.gov/pubmed/16332115>
 39. Beier*, R., K. Bischoff*, and T. Poole*. 2004. Disinfectants (biocides) used in animal production: Antimicrobial resistance considerations, p. 227-238. In R. C. Beier, S. D. Pillai, T. D. Phillips, and R. L. Ziprin (ed.), *Preharvest and Postharvest Food Safety: Contemporary Issues and Future Directions*. Blackwell Publishing Professional, Ames, IA. <http://onlinelibrary.wiley.com/doi/10.1002/9780470752579.ch18/summary>
 40. Beier*, R. C., S. L. Foley, M. K. Davidson, D. G. White, P. F. McDermott, S. Bodeis-Jeons, S. Zhao, K. Andrews, T. L. Crippen*, C. L. Sheffield, T. L. Poole*, R. C. Anderson*, and D. J. Nisbet*. 2014. Characterization of antibiotic and disinfectant susceptibility profiles among *Pseudomonas aeruginosa* veterinary isolates recovered during 1994-2003. *J Appl Microbiol*. 118:326-342. <http://www.ncbi.nlm.nih.gov/pubmed/25431276>
 41. Berrang*, M. E., J. S. Bailey, S. F. Altekruze, W. K. Shaw, Jr, B. L. Patel, R. J. Meinersmann*, and P. J. Cray*. 2009. Prevalence, serotype, and antimicrobial resistance of *Salmonella* on broiler carcasses postpick and postchill in 20 U. S. processing plants. *J Food Prot*. 72:1610-1615. <http://www.ncbi.nlm.nih.gov/pubmed/19722391>
 42. Berrang*, M., S. R. Ladely, R. J. Meinersmann*, and P. J. Fedorka-Cray*. 2007. Subtherapeutic tylosin phosphate in broiler feed affects *Campylobacter* on carcasses during processing. *Poult Sci*. 86:1229-1233. <http://www.ncbi.nlm.nih.gov/pubmed/17495097>
 43. Bischoff, K. M., D. G. White, M. E. Hume, T. L. Poole*, and D. J. Nisbet*. 2005. The chloramphenicol resistance gene *cmlA* is disseminated on transferable plasmids that confer

- multiple-drug resistance in swine *Escherichia coli*. *FEMS Microbiol Lett.* 243:285-291.
<http://www.ncbi.nlm.nih.gov/pubmed/15668031>
44. Bouldin, J. G., C. Morales, J. G. Frye*, R. K. Gast, and M. T. Musgrove. 2007. Detection of *Salmonella enterica* subpopulations by phenotype microarray antibiotic resistance patterns. *Appl Environ Microbiol.* 73:7753-7756. <http://www.ncbi.nlm.nih.gov/pubmed/17965201>
 45. Brichta-Harhay* D. M., T. M. Arthur*, J. M. Bosilevac*, N. Kalchayanand*, S. D. Shackelford*, T. L. Wheeler*, and M. Koohmaraie. 2011. Diversity of multi-drug resistant *Salmonella enterica* strains associated with cattle at harvest in the United States. *Appl Environ Micro.* 77:1783-1796. <http://www.ncbi.nlm.nih.gov/pubmed/21239549>
 46. Brooks*, J.P., M.R. McLaughlin, A. Adeli, D.M. Miles. 2016. Cultivation and qPCR detection of pathogenic and antibiotic-resistant bacterial establishment in naïve broiler houses. *J. Environ. Qual.* 45:958-966.
 47. Brooks*, J. P., A. Adeli, and M. R. McLaughlin. 2014. Microbial ecology, bacterial pathogens, and antibiotic resistant genes in swine manure wastewater as influenced by three swine management systems. *Water Res.* 57:96-103.
<http://www.sciencedirect.com/science/article/pii/S0043135414002073>
 48. Brooks*, J. P., M. R. McLaughlin, B. Scheffler, and D. M. Miles. 2010. Microbial and antibiotic resistant constituents associated with biological aerosols and poultry litter within a commercial poultry house. *Sci Total Environ.* 408:4770-4777.
<http://www.ncbi.nlm.nih.gov/pubmed/20655094>
 49. Brooks*, J. P., and M. R. McLaughlin. 2009. Antibiotic resistant bacterial profiles of anaerobic swine lagoon effluent. *J Environ Qual.* 38:2431-2437.
<http://www.ncbi.nlm.nih.gov/pubmed/19875799>
 50. Brooks*, J. P., A. Adeli, J. J. Read, and M. R. McLaughlin. 2009. Rainfall simulation in greenhouse microcosms to assess bacterial-associated runoff from land-applied poultry litter. *J Environ Qual.* 38:218-229.
http://www.researchgate.net/publication/23785317_Rainfall_Simulation_in_Greenhouse_Microcosms_to_Assess_Bacterial-Associated_Runoff_from_Land-Applied_Poultry_Litter
 51. Brooks*, J. P., S. L. Maxwell, C. Rensing, C. P. Gerba, and I. L. Pepper. 2007. Occurrence of antibiotic-resistant bacteria and endotoxin associated with the land application of biosolids. *Can J Microbiol.* 53:616-622. <http://www.ncbi.nlm.nih.gov/pubmed/17668020>
 52. Brunelle*, B. W., B. L. Bearson*, and S. M. D. Bearson*. 2015. Chloramphenicol and tetracycline decrease motility and increase invasion and attachment gene expression in

- specific isolates of multidrug-resistant *Salmonella enterica* serovar Typhimurium. *Front Microbiol.* 5:801. <http://www.ncbi.nlm.nih.gov/pmc/articles/PMC4311684/>
53. Brunelle*, B. W., S. M. D. Bearson*, and B. L. Bearson*. 2013. Tetracycline accelerates the temporally-regulated invasion response in specific isolates of multidrug-resistant *Salmonella enterica* serovar Typhimurium. *BMC Microbiol.* 13:202. <http://www.biomedcentral.com/1471-2180/13/202>
54. Brunelle*, B.W., S. M. Bearson*, and B. L. Bearson*. 2011. *Salmonella enterica* serovar Typhimurium DT104 invasion is not enhanced by sub-inhibitory concentrations of the antibiotic florfenicol. *J Veterinar Sci Technol.* 2:104. <http://omicsonline.org/2157-7579/2157-7579-2-104.php>
55. Callaway*, T. R., T. S. Edrington*, R. C. Anderson, C. W. Aiello, J. A. Byrd II, M. H. Kogut, R. B. Harvey, and D. J. Nisbet. 2011. Using antimicrobial cultures, bacteriocins, and bacteriophages to reduce carriage of foodborne pathogens in cattle and swine. In: Lacroix, C., editor. *Protective Cultures, Antimicrobial Metabolites and Bacteriophages for Food and Beverage Biopreservation*. Philadelphia, PA: Woodhead Publishing. p. 204-224. http://www.ars.usda.gov/research/publications/publications.htm?SEQ_NO_115=247480
56. Callaway*, T. R., T. S. Edrington*, R. C. Anderson, R. B. Harvey, K. J. Genovese, C. Kennedy, D. W. Venn, and D. J. Nisbet. 2008. Probiotics, prebiotics, and competitive exclusion for prophylaxis against bacterial disease. *Anim Health Res Rev.* 9:217-225. <http://www.ncbi.nlm.nih.gov/pubmed/19102792>
57. Callaway*, T. R., R. C. Anderson, T. S. Edrington*, K. M. Bischoff, K. J. Genovese, T. L. Poole*, J. A. Byrd, R. B. Harvey, and D. J. Nisbet. 2004. Effects of sodium chlorate on antibiotic resistance in *Escherichia coli* O157:H7. *Foodborne Pathog Dis.* 1:59-63. <http://www.ncbi.nlm.nih.gov/pubmed/15992263>
58. Callaway*, T. R., T. S. Edrington*, J. L. Rychlik, K. J. Genovese, T. L. Poole*, Y. S. Jung, K. M. Bischoff, R. C. Anderson, and D. J. Nisbet. 2003. Ionophores: their use as ruminant growth promotants and impact on food safety. *Curr Issues Intest Microbiol.* 4:43-51. <http://www.ncbi.nlm.nih.gov/pubmed/14503688>
59. Cao, H., J. S. Karns, A. K. Pradhan, and J. S. Van Kessel*. 2015. Antimicrobial resistance of *Salmonella* and *E. coli* from Pennsylvania dairy herds. In preparation.
60. Campbell, L. D., H. M. Scott, K. M. Bischoff, R. C. Anderson, and R. B. Harvey. 2005. Prevalence of class 1 integrons and antimicrobial resistance gene cassettes among enteric bacteria found in multisite group-level cohorts of humans and swine. *J Food Prot.* 68:2693-2697. <http://www.ncbi.nlm.nih.gov/pubmed/16355844>

61. Carstens, K.L., A.D. Gross, T.B. Moorman, and J.R. Coats 2013. Sorption and photodegradation processes govern distribution and fate of sulfamethazine in freshwater-sediment microcosms. *Environ. Sci. Technol.* 47(19): 10877-10883 .
<http://www.ncbi.nlm.nih.gov/pubmed/23977992>
62. Chee-Sanford, J. C., I. J. Krapac, A. C. Yannarell, and R. I. Mackie. 2012. Environmental impacts of antibiotic use in the animal production industry. In: Norrgren, L., Levengood, J., editors. *Ecosystem Health and Sustainable Agriculture. Book 2.* Uppsala, Sweden: The Baltic University Programme. p. 228-368.
http://www.ars.usda.gov/research/publications/publications.htm?seq_no_115=284474
63. Chee-Sanford, J. C., R. I. Mackie, S. Koike, I. G. Krapac, Y. F. Lin, A. C. Yannarell, S. Maxwell, and R. I. Aminov. 2009. Fate and transport of antibiotic residues and antibiotic resistance genes following land application of manure waste. *J Environ Qual.* 38:1086-1108.
<http://www.ncbi.nlm.nih.gov/pubmed/19398507>
64. Chee-Sanford, J. C., R. I. Aminov, and R. I. Mackie. 2001. Occurrence and diversity of tetracycline resistance genes in lagoons and groundwater underlying two swine production facilities. *Appl Environ Microbiol.* 67:1494-1502.
<http://www.ncbi.nlm.nih.gov/pubmed/11282596>
65. Chen, C. Y., T. P. Strobaugh, Jr., R. L. Lindsey, J. G. Frye*, and G. Uhlich. 2011. Sequence analysis of a group of low molecular-weight plasmids carrying multiple IS903 elements flanking a kanamycin resistance aph gene in *Salmonella enterica* serovars. *Plasmid.* 65:246-252. <http://www.ncbi.nlm.nih.gov/pubmed/21324339>
66. Chen, C. Y., T. P. Strobaugh, Jr., and J. G. Frye*. 2010. Characterization of small ColE1-like plasmids conferring kanamycin resistance in *Salmonella enterica* subsp. *enterica* serovars Typhimurium and Newport. *Plasmid.* 63:150-154.
<http://www.ncbi.nlm.nih.gov/pubmed/20100512>
67. Chen, C.Y., R. L. Lindsey, T. P. Strobaugh, J. G. Frye*, and R. J. Meinersmann*. 2010. Prevalence of ColE1-Like Plasmids and Kanamycin Resistance Genes in *Salmonella enterica* Serovars. *Appl Environ Microbiol.* 76:6707-6714.
<http://www.ncbi.nlm.nih.gov/pmc/articles/PMC2953026/>
68. Chen, C. Y., G. W. Nace, B. Solow, and P. Fratamico. 2007. Complete nucleotide sequences of 84.5- and 3.2-kb plasmids in the multi-antibiotic resistant *Salmonella enterica* serovar Typhimurium U302 strain G8430. *Plasmid.* 57:29-43.
<http://www.ncbi.nlm.nih.gov/pubmed/16828159>

69. Cook*, K.L., A. M. Netthisinghe, and R. A. Gilfillen. 2014. Detection of pathogens, indicators and antibiotic resistance genes following land application of poultry litter. *J Environ Qual.* 43:1546-1558. <http://www.ncbi.nlm.nih.gov/pubmed/25603240>
70. Cotta, M.A., T.R. Whitehead, and R.L. Zeltwanger. 2003. Isolation, characterization, and comparison of bacteria from swine faeces and manure storage pits. *Environ Microbiol.* 5:737-745. <http://www.ncbi.nlm.nih.gov/pubmed/12919409>
71. Cox Jr, N. A., L. J. Richardson, M. E. Berrang*, R. J. Fedorka-Cray*, and R. J. Buhr. 2009. *Campylobacter coli* naturally resistant to elevated levels of gentamicin as a marker strain in poultry research. *J Food Prot.* 72:1288-1292. <http://www.ncbi.nlm.nih.gov/pubmed/19610342>
72. Cox Jr, N. A., S. E. Craven, M. T. Musgrove, M. E. Berrang*, and N. J. Stern. 2003. Effect of sub-therapeutic levels of antimicrobials in feed on the intestinal carriage of *Campylobacter* and *Salmonella* in turkeys. *J Appl Poult Res.* 12:32-36. http://www.ars.usda.gov/research/publications/publications.htm?SEQ_NO_115=293274
73. Crippen, T. L., and T. L. Poole*. 2009. Conjugative transfer of plasmid-located antibiotic resistance genes within the gastrointestinal tract of lesser mealworm larvae, *Alphitobius diaperinus* (Coleoptera: Tenebrionidae). *Foodborne Pathog Dis.* 6:907-915. <http://www.ncbi.nlm.nih.gov/pubmed/19425825>
74. Davis, J. A., C. R. Jackson*, P. J. Fedorka-Cray*, J. B. Barrett, J. H. Brousse, J. Gustafson, and M. Kucher. 2014. Carriage of Methicillin-Resistant *Staphylococcus aureus* by healthy companion animals. *Lett Appl Microbiol.* 59:1-8. <http://www.ncbi.nlm.nih.gov/pubmed/24730724>
75. Davis, J. A., C. R. Jackson*, J. G. Frye*, J. B. Barrett, and L. M. Hiott. 2014. Diversity of plasmids and antimicrobial resistance genes in multi-drug resistant *Escherichia coli* isolated from healthy companion animals. *Zoonoses Public Health.* 62:479-488. <http://www.ncbi.nlm.nih.gov/pubmed/25653018>
76. Davis, J. A., C. R. Jackson*, P. J. Fedorka-Cray*, J. B. Barrett, J. H. Brousse, J. Gustafson, and M. Kucher. 2011. Anatomical distribution and genetic relatedness of antimicrobial-resistant *Escherichia coli* from healthy companion animals. *J Appl Microbiol.* 110:597-604. <http://www.ncbi.nlm.nih.gov/pubmed/21208353>
77. Davis, J. A. and C. R. Jackson*. 2009. Comparative antimicrobial susceptibility of *Listeria monocytogenes*, *L. innocua* and *L. welshimeri*. *Microb Drug Resist.* 15: 27-32. <http://www.ncbi.nlm.nih.gov/pubmed/19216646>

78. Davis*, R. E. 1981. Antibiotic sensitivities in vitro of diverse spiroplasma strains associated with plants and insects. *Appl. Environ. Microbiol.* 41:329-333.
<http://www.ncbi.nlm.nih.gov/pubmed/16345699>
79. Davis*, R. E., and J. F. Worley. 1973. Spiroplasma: Motile, helical microorganism associated with corn stunt disease. *Phytopathology.* 63:403-408.
http://www.researchgate.net/publication/275375528_Spiroplasma_Motile_Helical_Microorganism_Associated_with_Corn_Stunt_Disease
80. Davis*, R. E., J. F. Worley, R. F. Whitcomb, R. Ishijima, and R. L. Steere. 1972. Helical filaments produced by a mycoplasma-like organism associated with corn stunt disease. *Science.* 176:521-523. <http://www.ncbi.nlm.nih.gov/pubmed/17748653>
81. Davis*, R. E., R. F. Whitcomb, and R. L. Steere. 1968. Remission of aster yellows disease by antibiotics. *Science* 161:793-795. <http://www.ncbi.nlm.nih.gov/pubmed/5663807>
82. Debnam, A. L., C. R. Jackson*, J. B. Barrett, and C. L. Hofacre. 2005. Effect of growth promotant usage on Enterococci species on a poultry farm. *Avian Dis.* 49:361-365.
<http://www.ncbi.nlm.nih.gov/pubmed/16252488>
83. Donovan*, D. M., S. C. Becker, S. Dong, J. R. Baker, J. A. Foster Frey, and D. G. Pritchard. 2009. Peptidoglycan hydrolase enzyme fusions are uniquely suited for treating multi-drug resistant pathogens. *Biotech International.* 21:6-10.
http://www.ars.usda.gov/research/publications/publications.htm?SEQ_NO_115=239543
84. Donovan*, D. M. 2007. Bacteriophage and peptidoglycan degrading enzymes with antimicrobial applications. *Recent Pat Biotechnol.* 1:113-122.
<http://www.ncbi.nlm.nih.gov/pubmed/19075835>
85. Douris, A., P. J. Fedorka-Cray*, and C. R. Jackson*. 2008. Characterization of Salmonella enterica serovar Agona slaughter isolates from the animal arm of the National Antimicrobial Resistance Monitoring System – Enteric Bacteria (NARMS): 1997 through 2003. *Microb Drug Resist.* 14:55-63. <http://www.ncbi.nlm.nih.gov/pubmed/18321206>
86. Douris, A., P. J. Fedorka-Cray*, and C. R. Jackson*. 2007. Detection of plasmids and class 1 integrons in Salmonella enterica serovar Agona isolated from NARMS slaughter samples collected in years 1997 through 2003. *Microb Drug Resist.* 13:212-219.
<http://www.ncbi.nlm.nih.gov/pubmed/17949309>
87. Durso*, L.M., D. Wedin, J.E. Gilley*, D.N. Miller*, and D.B. Marx. 2016. Assessment of selected antibiotic resistances in ungrazed native Nebraska prairie soils. *J Environ Qual.*45:454-462. doi:10.2134/jeq2015.06.0280 <https://dl.sciencesocieties.org/publications/jeq/pdfs/0/0/jeq2015.06.0280>

88. Durso*, L. M., K. L. Cook*. 2014. Impacts of antibiotic use in agriculture: what are the benefits and risks? *Curr Opin Microbiol.* 19:37-44.
<http://www.sciencedirect.com/science/article/pii/S1369527414000666>
89. Durso*, L. M., D. N. Miller*, and B. J. Wienhold. 2012. Distribution and quantification of antibiotic resistant genes and bacteria across agricultural and non-agricultural metagenomes. *PLoS One.* 7:e48325.
<http://www.plosone.org/article/info%3Adoi%2F10.1371%2Fjournal.pone.0048325>
90. Durso*, L. M., G. P. Harhay, J. L. Bono, and T. P. L. Smith. 2011. Virulence-associated and antibiotic resistance genes of microbial populations in cattle feces analyzed using a metagenomic approach. *J Microbiol Methods.* 84:278-282.
<http://www.ncbi.nlm.nih.gov/pubmed/21167876>
91. Edrington*, T. S., K. M. Bischoff, G. H. Loneragan, and D. J. Nisbet. 2014. Evaluation of feeding distiller's grains, containing virginiamycin, on antimicrobial susceptibilities in fecal isolates of *Enterococcus* and *Escherichia coli* and prevalence of resistance genes in cattle. *J Anim Sci.* 92:1144-1149. <http://www.ncbi.nlm.nih.gov/pubmed/24492576>
92. Edrington*, T. S., R. L. Farrow, B. H. Carter, A. Islas, G. R. Hagevoort, T. R. Callaway*, R. C. Anderson, and D. J. Nisbet. 2012. Age and diet effects on fecal populations and antibiotic resistance of a multi-drug resistant *Escherichia coli* in dairy calves. *Agric Food Anal Bacteriol.* 2:162-174. <http://naldc.nal.usda.gov/download/57362/PDF>
93. Edrington*, T. S., R. L. Farrow, M. E. Hume, P. N. Anderson, G. R. Hagevoort, D. J. Caldwell, T. R. Callaway*, R. C. Anderson, and D. J. Nisbet. 2012. Evaluation of the potential antimicrobial resistance transfer from a multi-drug resistant *Escherichia coli* to *Salmonella* in dairy calves. *Curr Microbiol.* 66:132-137.
<http://link.springer.com/article/10.1007%2Fs00284-012-0249-6>
94. Edrington*, T. S., W. E. Fox, T. R. Callaway*, R. C. Anderson, D. W. Hoffman, and D. J. Nisbet. 2009. Pathogen prevalence and influence of composted dairy manure application on antimicrobial resistance profiles of commensal soil bacteria. *Foodborne Path Dis.* 6:217-224. <http://www.ncbi.nlm.nih.gov/pubmed/19105635>
95. Edrington*, T. S., T. R. Callaway*, R. C. Anderson, and D. J. Nisbet. 2008. Prevalence of multi-drug resistant *Salmonella* on commercial dairies utilizing a single heifer raising facility. *J Food Prot.* 71:27-34.
<http://www.ingentaconnect.com/content/iafp/jfp/2008/00000071/00000001/art00005?token=00501569e23497e442f2067213e766c447049446c2a7334687627502b333e3568263c2bf0c3875b0>

96. Edrington*, T. S., T. R. Callaway*, K. M. Bischoff, K. J. Genovese, R. O. Elder, R. C. Anderson, and D. J. Nisbet. 2003. Effect of feeding the ionophores monensin and laidlomycin propionate and the antimicrobial bambarmycin to sheep experimentally infected with *E. coli* 0157:H7 and salmonella typhimurium. *J Anim Sci.* 81:553-560.
<file:///C:/Users/microlab/Downloads/jas-81-2-0810553.pdf>
97. Edrington*, T. S., T. R. Callaway*, P. D. Varey, Y. S. Jung, K. M. Bischoff, R. O. Elder, R. C. Anderson, E. Kutter, A. D. Brabbin, and D. J. Nisbet. 2003. Effects of the antibiotic ionophores monensin, lasalocid, laidlomycin propionate and bambarmycin on salmonella and *E. coli* 0157:H7 in vitro. *J Appl Microbiol.* 94:207-213.
<http://onlinelibrary.wiley.com/doi/10.1046/j.1365-2672.2003.01822.x/abstract;jsessionid=FC8B7E16F12BBAD6FF49946C42813A30.f03t04>
98. Edrington*, T., R. Harvey, L. Farrington, and D. Nisbet. 2001. Evaluation of sub-therapeutic use of the antibiotics apramycin and carbadoxon the development of antimicrobial-resistant *Salmonella* infection in swine. *J Food Prot.* 64:2067-2070.
<http://www.ncbi.nlm.nih.gov/pubmed/11770640>
99. Elsasser*, T.H., Project Leader. *The Use of Drugs in Food Animals Benefits and Risks.* Board on Agriculture, National Research Council, National Academy of Science. National Academy Press, 1999. ISBN: 978-0-309-05434-8.
100. Epps, S. V. R., R. B. Harvey, J. A. Byrd, B. T. Petrujkić, I. Sedej, R. C. Beier*, T. D. Phillips, M. E. Hume, R. C. Anderson, and D. J. Nisbet. 2015. Comparative effect of thymol or its glucose conjugate, thymol- β -D-glucopyranoside, on *Campylobacter* in avian gut contents. *J Environ Sci Heal B.* 50:55-61. <http://www.ncbi.nlm.nih.gov/pubmed/25421628>
101. Epps, S.V.R., B.T. Petrujkić, I. Sedej, R.B. Harvey, R.C. Beier*, T.B. Stanton, T.D. Phillips, M.E. Hume, R.C. Anderson, R.C., and D.J. Nisbet. 2015. Comparison of anti-*Campylobacter* activity of free thymol and thymol- β -D-glucopyranoside in absence or presence of β -glycoside-hydrolyzing gut bacteria. *Food Chem.* 173:92-98.
<http://www.ncbi.nlm.nih.gov/pubmed/25465999>
102. Fagerquist, C. K., A. R. Lightfield, S. J. Lehotay*. 2005. Confirmatory and quantitative analysis of b-lactam antibiotics in bovine kidney tissue by dispersive solid-phase extraction and liquid chromatography-tandem mass spectrometry. *Anal Chem.* 77:1473-1482.
<http://pubs.acs.org/doi/abs/10.1021/ac040138q>
103. Fan, Z., F. X. Casey, H. Hakk, G. L. Larsen, and E. Khan. 2011. Sorption, fate, and mobility of sulfonamides in soils. *Water Air Soil Pollut.* 218:49-61.
<http://link.springer.com/article/10.1007%2Fs11270-010-0623-6#page-1>

104. Feder, I. E., J. T. Gray, R. Pearce, P. M. Fratamico, E. Bush, A. Porto, F. M. Wallace, P. J. Cray*, and J. B. Luchansky. 2007. Testing of swine feces obtained through the national animal health monitoring system's swine 2000 study for the presence of *Escherichia coli* O157:H7. *J Food Prot.* 70:1489-1492. <http://www.ncbi.nlm.nih.gov/pubmed/17612081>
105. Fedorka-Cray*, P.J., M.D. Englen, J.T. Gray, C. R. Hudson*, and M.L. Headrick. 2002. Programs for monitoring antimicrobial resistance. *Animal Biotech.* 13: 43-54. http://www.tandfonline.com/doi/abs/10.1081/ABIO-120005769#.Vdd2c_lVhBc
106. Fitzgerald, A. C., T. S. Edrington*, M. L. Loofer, T. R. Callaway*, K. J. Genovese, K. M. Bischoff, J. L. McReynolds, J. D. Thomas, R. C. Anderson, and D. J. Nisbet. 2003. Antimicrobial susceptibility and factors affecting the shedding of *E. coli* O157:H7 and *Salmonella* in dairy cattle. *Lett Appl Microbiol.* 37:392-398. <http://www.ncbi.nlm.nih.gov/pubmed/14633110>
107. Franklin, A.M., D.S. Aga, E. Cytryn, L.M. Durso*, J.E. McLain, A. Pruden, M.C. Roberts, M.J. Rothrock, Jr. *, D.D. Snow, J.E. Watson, and R.S. Dungan*. 2016. Antibiotics in Agroecosystems: Introduction to Special Section. 45:377-393. <http://www.ncbi.nlm.nih.gov/pubmed/27065385>
108. Fratamico, P. M., L. K. Bagi, E. J. Bush, and B. T. Solow. 2004. Prevalence and characterization of shiga toxin-producing *Escherichia coli* in swine feces recovered in the national animal health monitoring system's swine 2000 study. *Appl Environ Microbiol.* 70:7173-7178. <http://www.ncbi.nlm.nih.gov/pubmed/15574914>
109. Fricke, W. F., T. J. Welch, P. F. McDermott, M. K. Mammel, J. E. LeClerc, D. G. White, T. A. Cebula, and J. Ravel. 2009. Comparative genomics of the IncA/C multidrug resistance plasmid family. *J Bacteriol.* 191:4750-4757. <http://www.ncbi.nlm.nih.gov/pubmed/19482926>
110. Frye*, J. G. and C. R. Jackson*. 2013. Genetic mechanisms of antimicrobial resistance identified in *Salmonella enterica*, *Escherichia coli*, and *Enterococcus* spp. isolated from U.S. food animals. *Front Microbiol.* 4:135. <http://journal.frontiersin.org/article/10.3389/fmicb.2013.00135/abstract>
111. Frye*, J. G., R. L. Lindsey, R. J. Meinersmann*, M. E. Berrang*, C. R. Jackson*, M. D. Englen, J. B. Turpin, and P. J. Fedorka-Cray*. 2011. Related antimicrobial resistance genes detected in different bacterial species co-isolated from swine fecal samples. *Foodborne Pathog Dis.* 8:663-679. <http://www.ncbi.nlm.nih.gov/pubmed/21385089>
112. Frye*, J. G., R. L. Lindsey, G. Rondeau, S. Porwollik, F. Long, M. McClelland, C. R. Jackson*, M. D. Englen, R. J. Meinersmann*, M. E. Berrang*, J. A. Davis, J. B. Barrett, J. B. Turpin, S. N. Thitaram, and P. J. Fedorka-Cray*. 2010. Development of a DNA Microarray to Detect

- Antimicrobial Resistance Genes Identified in the National Center for Biotechnology Information Database. *Microb Drug Resist.* 16:9-19.
<http://www.ncbi.nlm.nih.gov/pubmed/19916789>
113. Frye*, J. G., P. J. Fedorka-Cray*, C. R. Jackson*, and M. Rose. 2008. Analysis of *Salmonella enterica* with reduced susceptibility to the 3rd generation cephalosporin ceftriaxone isolated from US cattle during 2000-2004. *Microb Drug Resist.* 14:251-258.
<http://online.liebertpub.com/doi/abs/10.1089/mdr.2008.0844>
114. Frye*, J. G., P. J. Fedorka-Cray*. 2007. Prevalence, distribution and characterization of ceftiofur resistance in *Salmonella enterica* isolated from animal sources in the U.S. from 1999 to 2003. *Int J Antimicrob Agents.* 30:134-142.
<http://www.ncbi.nlm.nih.gov/pubmed/17531447>
115. Frye*, J. G., T. Jesse, F. Long, G. Rondeau, S. Porwollik, M. McClelland, C. R. Jackson*, M. Englen, and P. J. Fedorka-Cray*. 2006. DNA microarray detection of antimicrobial resistance genes in diverse bacteria. *Int J Antimicrob Agents.* 27: 138-151.
<http://www.sciencedirect.com/science/article/pii/S0924857905003195>
116. Furtula, V., C. R. Jackson*, E. G. Farrell, J. B. Barrett, L. M. Hiott, and P. A. Chambers. 2013. Antimicrobial resistance in *Enterococcus* spp. isolated from environmental samples in an area of intensive poultry production. *Int J Environ Res Public Health.* 10:1020-1036.
<http://www.mdpi.com/1660-4601/10/3/1020>
117. Garder, J.L., Moorman*, T.B., and Soupir, M.L. Transport and persistence of tylosin-resistant *Enterococci*, *erm* genes, and tylosin in soil and drainage water from fields receiving swine manure. *J Environ Qual.* 43: 1484-1493.
http://lib.dr.iastate.edu/cgi/viewcontent.cgi?article=1819&context=abe_eng_pubs
118. Geis-Asteggiate, L., S.J. Lehotay*, A.R. Lightfield, T. Dutko, C. Ng, and L. Bluhm. 2012. Ruggedness testing and validation of a practical analytical method for >100 veterinary drug residues in bovine muscle by ultrahigh performance liquid chromatography – tandem mass spectrometry. *J Chromatogr A.* 1258:43-54.
<http://www.sciencedirect.com/science/article/pii/S0021967312012228>
119. Glenn, L.M., R, L. Lindsey, J. P. Folster, G. Pecic, P. Boerlin, M. W. Gilmour, H. Harbottle, S. Zhao, P. F. McDermott, P. J. Fedorka-Cray*, and J. G. Frye*. 2013. Antimicrobial resistance genes in multi-drug resistant *Salmonella enterica* isolated from animals, retail meats, and humans in the U.S. and Canada. *Microb Drug Resist.* 19:175-184.
<http://online.liebertpub.com/doi/abs/10.1089/mdr.2012.0177>

120. Glenn, L. M., M. D. Englen, R. L. Lindsey, J. F. Frank, J. E. Turpin, M. E. Berrang*, R. J. Meinersmann*, P. J. Fedorka-Cray*, and J. G. Frye*. 2012. Analysis of antimicrobial resistance genes detected in multiple-drug-resistant *Escherichia coli* isolates from broiler chicken carcasses. *Microb Drug Resist.* 18:453-463.
<http://www.ncbi.nlm.nih.gov/pubmed/22385320>
121. Glenn, L. M., R. L. Lindsey, J. F. Frank, R. J. Meinersmann*, M. D. Englen, P. J. Fedorka-Cray*, and J. G. Frye*. 2011. Analysis of antimicrobial resistance genes detected in multidrug-resistant *Salmonella enterica* serovar Typhimurium isolated from food animals. *Microb Drug Resist.* 17:407-418. <http://www.ncbi.nlm.nih.gov/pubmed/21457076>
122. Gragg, S. E., G. H. Loneragan, M. M. Brashears, T. M. Arthur*, J. M. Bosilevac, N. Kalchayanand, R. Wang, J. W. Schmidt*, J. C. Brooks*, S. D. Shackelford, T. L. Wheeler, T. R. Brown, T. S. Edrington, and D. M. Brichta-Harhay*. 2013. Cross-sectional study examining *Salmonella enterica* carriage in subiliac lymph nodes of cull and fed cattle at harvest. *Foodborne Path. Dis.* 10:368-74. <http://www.ncbi.nlm.nih.gov/pmc/articles/PMC3696922/>
123. Guard-Bouldin, J., C. A. Morales, J. G. Frye*, R. K. Gast, and M. Musgrove. 2007. Detection of *Salmonella enterica* subpopulations by Phenotype MicroArray™ antibiotic resistance patterns. *Appl Environ Microbiol.* 73:7753-7756.
<http://www.ncbi.nlm.nih.gov/pmc/articles/PMC2168045/>
124. Henderson, K., T. Moorman*, and J. Coats. 2009. Fate and bioavailability of sulfamethazine in freshwater ecosystems. *ACS Symp Ser.* 1018:121-131.
<http://pubs.acs.org/doi/abs/10.1021/bk-2009-1018.ch009>
125. Henderson, K., T. Moorman*, and J. Coats. 2007. Mobility of Tylosin and Enteric Bacteria in Soil Columns. CRC Press, Boca Raton, FL.
<http://www.crcnetbase.com/doi/abs/10.1201/9781420052336.ch7>
126. Hespell, R. B. and T.R. Whitehead*. 1991. Conjugal transfer of Tn916, Tn916del_αE, and pAMBetaB1 from *Enterococcus faecalis* to *Butyrivibrio fibrisolvens* strains. *Appl Environ Microbiol.* 57: 2703-2709. <http://aem.asm.org/content/57/9/2703?related-urls=yes&legid=aem;57/9/2703>
127. Hespell, R. B. and T.R. Whitehead*. 1991. Introduction of Tn916 and pAMBetaB1 into *Streptococcus bovis* JB1 by conjugation. *Appl Environ Microbiol.* 57:2710-2713.
<http://www.ncbi.nlm.nih.gov/pmc/articles/PMC183645/>
128. Hofacre, C. L., D. G. White, J. J. Maurer, C. Morales, C. Lobsinger, and C. R. Hudson*. 2001. Characterization of antibiotic resistant bacteria in rendered animal products. *Avian Dis.* 45:953-961. <http://www.ncbi.nlm.nih.gov/pubmed/11785899>

129. Hower, S., M. C. Philips, M. Brodsky, A. Dameron, M. Tamargo, N. C. Salazar, C. R. Jackson*, J. B. Barrett, M. Davidson, J. A. Davis, S. Mukherjee, R. Y. Ewing, M. L. Gidley, C. D. Sinigalliano, L. Johns, F. E. Johnson III, O. Adebajo, and L. R. W. Plano. 2013. Clonally related methicillin-resistant *Staphylococcus aureus* isolated from short-finned pilot whales (*Globicephala macrorhynchus*), human volunteers, and a bayfront cetacean rehabilitation facility. *Microb Ecol.* 65:1024-1038. <http://link.springer.com/article/10.1007%2Fs00248-013-0178-3>
130. Hruby, C. E., M. L. Soupir, T.B. Moorman*, M. Shelly, and R. S. Kanwar. 2016. Effects of tillage and poultry manure application rates on *Salmonella* and fecal indicator bacteria concentrations in tiles draining Des Moines Lobe soils. *J Environ Manag.* 171:60-69. <http://www.sciencedirect.com/science/article/pii/S0301479716300408>
131. Huang, X.Z., M. A. Chahine, J. G. Frye*, D. M. Cash, E. P. Lesho, D. W. Craft, L. E. Lindler, and M. P. Nikolich. 2012. Molecular analysis of imipenem-resistant *Acinetobacter baumannii* isolated from U.S. military personnel wounded in Iraq 2003-2008. *Epidemiol Infect.* 140:2302-2307. <http://www.ncbi.nlm.nih.gov/pmc/articles/PMC3487480/>
132. Huang, X.Z., J. G. Frye*, M. A. Chahine, L. M. Glenn, J. A. Ake, and E. P. Lesho. 2012. Characteristics of plasmids in multi-drug-resistant *Enterobacteriaceae* isolated during prospective surveillance of a newly opened hospital in Iraq. *PLoS One.* 7:e40360. <http://www.ncbi.nlm.nih.gov/pmc/articles/PMC3394789/>
133. Huang, X.Z., J. G. Frye*, M. A. Chahine, D. M. Cash, M. G. Barber, B. S. Babel, M. R. Kasper, T. J. Whitman, L. E. Lindler, R. A. Bowden, M. P. Nikolich. 2010. Genotypic and phenotypic correlations of multidrug resistant *Acinetobacter baumannii* strains isolated from patients at National Naval Medical Center. *J Clin Microbiol.* 48:4333-4336. <http://www.ncbi.nlm.nih.gov/pmc/articles/PMC3020819/>
134. Huff, W. E., G. R. Huff*, N. C. Rath, J. M. Balog, and A. M. Donoghue*. 2005. Alternatives to antibiotics: utilization of bacteriophage to treat colibacillosis and prevent foodborne pathogens. *Poult Sci.* 84:655-659. <http://www.ncbi.nlm.nih.gov/pubmed/15844825>
135. Huff, W., G. Huff*, N. Rath, J. Balog, and A. Donoghue*. 2006. Bacteriophage: a safe and natural alternative to antimicrobial growth promoters. In: Barug, D., de Jong, J., Kies, A.K., Verstegen, M.W.A. (editors). *Antimicrobial Growth Promoters: Where Do We Go From Here?* The Netherlands: Wageningen Academic Publishers. p. 341-360. http://iapreview.ars.usda.gov/research/publications/publications.htm?SEQ_NO_115=17752

136. Hume, M. E., T. L. Poole*, N. J. Pultz, J. A. Hanrahan, and C. J. Donskey. 2004. Inhibition of vancomycin-resistant enterococcus by continuous-flow cultures of human stool microflora with and without anaerobic gas supplementation. *Curr Microbiol.* 48:364-367. <http://link.springer.com/article/10.1007%2Fs00284-003-4112-7>
137. Ibekwe*, A. M., S. E. Murinda, and A. K. Graves. 2011. Genetic diversity and antimicrobial resistance of *Escherichia coli* from human and animal sources uncovers multiple resistances from human sources. *PLoS One.* 6:e20819 <http://www.plosone.org/article/info%3Adoi%2F10.1371%2Fjournal.pone.0020819>
138. Ilhan, Z., S. Ong, and T. Moorman*. 2011. Dissipation of atrazine, enrofloxacin, and sulfamethazine in wood chip bioreactors and impact on denitrification. *J Environ Qual.* 40:1816-1823. <http://www.ncbi.nlm.nih.gov/pubmed/22031564>
139. Ilhan, Z., S. Ong, and T. Moorman*. 2012. Herbicide and antibiotic removal by woodchip denitrification filters: Sorption processes. *Water Air Soil Pollut.* 223:2651-2662. <http://link.springer.com/article/10.1007%2Fs11270-011-1057-5#page-1>
140. Jackson*, C. R., S. Kariyawasam, L. Borst, J. G. Frye*, J. Barrett, L. Hiott, and T. Woodley. 2014. Antimicrobial resistance, virulence determinants, and genetic profiles of clinical and non-clinical *Enterococcus cecorum* from poultry. *Lett Appl Microbiol.* 60:111-119. doi: 10.1111/lam.12374. <http://onlinelibrary.wiley.com/doi/10.1111/lam.12374/pdf>
141. Jackson*, C. R., J. A. Davis, J. G. Frye*, J. B. Barrett, and L. M. Hiott. 2014. Diversity of plasmids and antimicrobial resistance genes in multi-drug resistant *Escherichia coli* isolated from healthy companion animals. *Zoonoses Public Health.* 62:479-488. <http://www.ncbi.nlm.nih.gov/pubmed/25653018>
142. Jackson*, C. R., J. A. Davis, and J. B. Barrett. 2013. Prevalence and characterization of methicillin-resistant *Staphylococcus aureus* isolates from retail meat and humans in Georgia. *J Clin Microbiol.* 51:1199-1207. <http://www.ncbi.nlm.nih.gov/pubmed/23363837>
143. Jackson*, C. R., V. Furtula, E. G. Farrell, J. B. Barrett, L. M. Hiott, and P. Chambers. 2012. A comparison of BOX-PCR and Pulsed-Field Gel Electrophoresis to determine genetic relatedness of enterococci from different environments. *Microb Ecol.* 64:378-387. <http://www.ncbi.nlm.nih.gov/pubmed/22383122>
144. Jackson*, C. R., J. E. Lombard, D. A. Dargatz, and P. J. Fedorka-Cray*. 2011. Prevalence, species distribution and antimicrobial resistance of enterococci isolated from US dairy cattle. *Lett Appl Microbiol.* 52:41-48. <http://onlinelibrary.wiley.com/doi/10.1111/j.1472-765X.2010.02964.x/abstract>

145. Jackson*, C. R., P. J. Fedorka-Cray*, J. A. Davis, J. B. Barrett, J. H. Brousse, J. Gustafson, and M. Kucher. 2010. Mechanisms of antimicrobial resistance and genetic relatedness among enterococci isolated from dogs and cats in the United States. *J Appl Microbiol.* 108:2171-2179. <http://onlinelibrary.wiley.com/doi/10.1111/j.1365-2672.2009.04619.x/abstract>
146. Jackson*, C. R., P. J. Fedorka-Cray*, J. A. Davis, J. B. Barrett, and J. G. Frye*. 2009. Prevalence, species distribution and antimicrobial resistance of enterococci isolated from dogs and cats in the United States. *J Appl Microbiol.* 107:1269-1278. <http://www.ncbi.nlm.nih.gov/pubmed/19486402>
147. Jackson*, C. R., P. J. Fedorka-Cray*, J. B. Barrett, L. M. Hiott and T. A. Woodley. 2008. First report of vatB and vgaB from *Enterococcus gallinarum* in the United States. *Int J Antimicrob Agents.* 31:175-176. [http://www.ijaaonline.com/article/S0924-8579\(07\)00459-1/abstract](http://www.ijaaonline.com/article/S0924-8579(07)00459-1/abstract)
148. Jackson*, C. R., J. A. Boylan, J. G. Frye*, and F. C. Gherardini. 2007. Evidence of a conjugal erythromycin-resistance element in the Lyme disease spirochete, *Borrelia burgdorferi*. *Int J Antimicrob Agents.* 30:496-504. <http://www.sciencedirect.com/science/article/pii/S0924857907003299>
149. Jackson*, C. R., P. J. Fedorka-Cray*, J. B. Barrett, L. M. Hiott, and T. A. Woodley. 2007. Prevalence of streptogramin resistance in enterococci from animals: Identification of vatD from animal sources in the USA. *Int J Antimicrob Agents.* 30:60-66. <http://www.ncbi.nlm.nih.gov/pubmed/17532190>
150. Jackson*, C. R., A. L. Debnam, G. E. Avellaneda, J. B. Barrett, and C. L. Hofacre. 2006. Effect of subtherapeutic antimicrobials on genetic diversity of *Enterococcus faecium* from chickens. *Avian Dis.* 50:115-119. <http://www.ncbi.nlm.nih.gov/pubmed/16617993>
151. Jackson*, C. R., P. J. Fedorka-Cray*, M. C. Jackson-Hall, and L. M. Hiott*. 2005. Effect of media, temperature and culture conditions on the species population and antibiotic resistance of enterococci from broiler chickens. *Lett Appl Microbiol.* 41:262-268. <http://www.ncbi.nlm.nih.gov/pubmed/16108918>
152. Jackson*, C. R., P. J. Fedorka-Cray*, J. B. Barrett, and S. R. Ladely. 2005. High-level aminoglycoside resistant enterococci isolated from swine. *Epidemiol Infect.* 133:367-371. <http://www.ncbi.nlm.nih.gov/pmc/articles/PMC2870258/>
153. Jackson*, C. R., P. J. Fedorka-Cray*, J. B. Barrett, and S. R. Ladely. 2004. Effects of tylosin use on erythromycin resistance in enterococci isolated from swine. *Appl Environ Microbiol.* 70:4205-4210. <http://www.ncbi.nlm.nih.gov/pubmed/15240302>

154. Jackson*, C. R., P. J. Fedorka-Cray*, J. B. Barrett, and S. R. Ladely. 2004. Genetic relatedness of high-level aminoglycoside-resistant enterococci isolated from poultry carcasses. *Avian Dis.* 48:100-107. <http://www.ncbi.nlm.nih.gov/pubmed/15077803>
155. Jenkins M.C., C. N. O'Brien, L. Fuller, G. F. Mathis, and R. Fetterer. 2014. A rapid method for determining salinomycin and monensin sensitivity in *Eimeria tenella*. *Vet Parasitol.* 206:153-158. <http://www.ncbi.nlm.nih.gov/pubmed/25312355>
156. Jiang, W., Z. Wang, R. C. Beier*, H. Jiang, Y. Wu, and J. Shen. 2013. Simultaneous determination of 13 fluoroquinolone and 22 sulfonamide residues in milk by a dual-colorimetric enzyme-linked immunosorbent assay. *Anal Chem.* 85:1995-1999. <http://www.ncbi.nlm.nih.gov/pubmed/23347187>
157. Jiang, W., R. C. Beier*, Z. Wang, Y. Wu, and J. Shen. 2013. Simultaneous screening analysis of 3-methyl-quinoxaline-2-carboxylic acid and quinoxaline-2-carboxylic acid residues in edible animal tissues by a competitive indirect immunoassay. *J Agric Food Chem.* 61:10018-10025. <http://www.ncbi.nlm.nih.gov/pubmed/24090030>
158. Joy, S. R., D. D. Snow, J. E. Gilley, B. Woodbury*, and S. L. Bartelt-Hunt. 2014. Fate of antimicrobials and antimicrobial resistance genes in simulated swine manure storage. *Sci Total Environ.* 481:69-74. <http://www.sciencedirect.com/science/article/pii/S0048969714001892>
159. Joy, S. R., S. L. Bartelt-Hunt, D. D. Snow, J. E. Gilley, B. L. Woodbury*, D.B. Parker, D.B. Marx, and X. Li. 2013. Fate and transport of antimicrobials and antimicrobial resistance genes in soil and runoff following land application of swine manure slurry. *Environ. Sci. Technol.* 47:12081-12088. <http://pubs.acs.org/doi/abs/10.1021/es4026358>
160. Kalchayanand, N., T. M. Arthur*, J. M. Bosilevac, J. W. Schmidt*, R. Wang, S. D. Shackelford, and T. L. Wheeler. 2015. Efficacy of antimicrobial compounds on surface decontamination of seven shiga toxin-producing *Escherichia coli* and *Salmonella* inoculated onto fresh beef. *J Food Prot.* 78:503-510. <http://www.ncbi.nlm.nih.gov/pubmed/25719873>
161. Kautz, M., A. Dvorzhinskiy, J. G. Frye*, N. Stevenson, and D. Herson. 2013. A Study of the Pathogenicity of Dodecyltrimethylammonium chloride (DTAC) Resistant *Salmonella*. *Appl Environ Microbiol.* 79:2371-2376. <http://aem.asm.org/content/early/2013/01/28/AEM.03228-12>
162. Keyes, K., C. R. Hudson, J. J. Maurer, D. G. White, and M. D. Lee. 2000. Detection of florfenicol resistance genes in *Escherichia coli* isolated from sick chickens. *Antimicrob Agents Chemother.* 44:421-424. <http://www.ncbi.nlm.nih.gov/pubmed/10639375>

163. Kich, J. D., A. Coldebella, N. Mores, M. G. Nogueira, M. Cardoso, P. M. Fratamico, J. E. Call, P. J. Cray*, and J. B. Luchansky. 2011. Prevalence, distribution, and molecular characterization of Salmonella recovered from swine finishing herds and a slaughter facility in Santa Catarina, Brazil. *Int J Food Microbiol.* 151:307-313. <http://www.ncbi.nlm.nih.gov/pubmed/22024043>
164. Kieke, A. L., M. A. Borchardt*, B. A. Kieke, S. K. Spencer, M. F. Vandermause, K. E. Smith, S. L. Jawahir, and E. A. Belongia. 2006. Use of streptogramin growth promoters in poultry and isolation of streptogramin-resistant *Enterococcus faecium* from humans. *J Infect Dis.* 194:1200-12008. <http://www.ncbi.nlm.nih.gov/pubmed/17041845>
165. Kim, W. K., N. Karabasil, S. Bulajic, K. D. Dunkley, T. R. Callaway*, T. L. Poole*, S. C. Ricke, R. C. Anderson, and D. J. Nisbet. 2005. Comparison of spontaneous antibiotic frequency of *Salmonella typhimurium* growth in glucose amended continuous culture at slow and fast dilution rates. *J Environ Sci Health B.* 40:475-484. <http://www.ncbi.nlm.nih.gov/pubmed/15913019>
166. Kogut, M. H., K. J. Genovese, L. H. He, C. L. Swaggerty, and Y. Jiang. 2013. Modulation of chicken intestinal immune gene expression by small cationic peptides as feed additives during the first week posthatch. *Clin Vaccine Immunol.* 20:1440-1448. <http://www.ncbi.nlm.nih.gov/pubmed/23863505>
167. Koike, S., R. I. Aminov, A. C. Yannarell, H. D. Gans, I. G. Krapac, J. C. Chee-Sanford*, and R. I. Mackie. 2010. Molecular ecology of macrolide-lincosamide-streptogramin B methylases in waste lagoons and subsurface waters associated with swine production. *Microb Ecol.* 59:487-498. <http://www.ncbi.nlm.nih.gov/pubmed/19924466>
168. Koike, S., I. G. Krapac, H. D. Oliver, A. C. Yannarell, J. C. Chee-Sanford*, R. I. Aminov, and R. I. Mackie. 2007. Monitoring and source tracking of tetracycline resistance genes in lagoons and groundwater adjacent to swine production facilities over a 3-year period. *Appl Environ Microbiol.* 73:4813-4823. <http://www.ncbi.nlm.nih.gov/pubmed/17545324>
169. Kolz, A., T. Moorman*, S. Ong, K. Scoggin, and E. Douglass. 2005. Degradation and metabolite production of tylosin in anaerobic and aerobic swine-manure lagoons. *Water Environ Res.* 77:49-56. <http://www.ncbi.nlm.nih.gov/pubmed/15765935>
170. Kolz, A., S. Ong, and T. Moorman*. 2005. Sorption of tylosin onto swine manure. *Chemosphere.* 60:284-289. <http://www.ncbi.nlm.nih.gov/pubmed/15914248>
171. Koyuncu, I., O. A. Arıkan, M. R. Weisner, and C. P. Rice.* 2008. Removal of hormones and antibiotics by nanofiltration membranes. *J Membrane Sci.* 309: 94-101. <http://www.sciencedirect.com/science/article/pii/S037673880700734X>

172. Kraatz, M., T. Whitehead*, M. Cotta, M. Berhow, and M. Rasmussen. 2014. Effects of chlorophyll-derived efflux pump inhibitor pheophorbide a and pyropheophorbide a on growth and macrolide antibiotic resistance of indicator and anaerobic swine manure bacteria. *Int J Antibiotics*. 2014:Article 185068. <http://www.hindawi.com/journals/ijan/2014/185068/>
173. Ladely, S. R., M. A. Harrison, P. J. Fedorka-Cray*, M. E. Berrang*, M. D. Englen, and R. J. Meinersmann*. 2007. Development of macrolide-resistant *Campylobacter* in broilers administered subtherapeutic or therapeutic concentrations of tylosin. *J Food Prot*. 70:1945-1951. <http://www.ncbi.nlm.nih.gov/pubmed/17803155>
174. Lee, M. D., S. Sanchez, M. Zimmer, U. Idris, M. E. Berrang*, and P. F. McDermott. 2002. Class 1 integron-associated tobramycin-gentamicin resistance in *Campylobacter jejuni* isolated from the broiler chicken house environment. *Antimicrob Agents Chemother* 46:3660-3664. <http://www.ncbi.nlm.nih.gov/pubmed/12384387>
175. Lehotay, S.J., Y. Sapozhnikova, and H.G.J. Mol. 2015. Current issues involving screening and identification of chemical contaminants in foods by mass spectrometry. *Trends Anal Chem*. 69:62-75. <http://www.sciencedirect.com/science/article/pii/S0165993615000692>
176. Lehotay*, S. J., K. Mastovska, A. R.Lightfield, A. Nuñez, T. Dutko, C. Ng, and L. Bluhm. 2013. Rapid analysis of aminoglycoside antibiotics in bovine tissues using disposable pipette extraction and ultrahigh performance liquid chromatography-tandem mass spectrometry. *J Chromatogr A*. 1313:103-112. <http://www.ncbi.nlm.nih.gov/pubmed/24075075>
177. Lehotay*, S.J., A.R. Lightfield, L. Geis-Asteggiane, M.J. Schneider, T. Dutko, C. Ng, L. Bluhm, and K. Mastovska. 2012. Development and validation of a streamlined method designed to detect residues of 62 veterinary drugs in bovine kidney using ultrahigh performance liquid chromatography – tandem mass spectrometry. *Drug Testing Anal*. 4(Supplement 1):75-90. <http://onlinelibrary.wiley.com/doi/10.1002/dta.1363/abstract>
178. Lehotay*, S.J., K. Mastovska, A. Amirav, A.B. Fialkov, T. Alon, P.A. Martos, A. de Kok, and A.R. Fernandez-Alba. 2008. Identification and confirmation of chemical residues by chromatography-mass spectrometry and other techniques. *Trends Anal Chem*. 27:1070-1090. <http://www.sciencedirect.com/science/article/pii/S0165993608002173>
179. Lertpaitoonpan, W., T.B. Moorman, and S.K. Ong. 2015. Effect of swine manure on sulfamethazine degradation in aerobic and anaerobic soils. *Water Air Soil Pollut*. 226:81 DOI 10.1007/s11270-014-2286-1. <http://link.springer.com/article/10.1007/s11270-014-2286-1>

180. Li, Y., K. Liu, R. C. Beier*, X. Cao, J. Shen, and S. Zhang. 2014. Simultaneous determination of mequindox, quinocetone, and their major metabolites in chicken and pork by ULPC-MS/MS. *Food Chem.* 160:171-179. <http://www.ncbi.nlm.nih.gov/pubmed/24799224>
181. Liang, X., H. Ni, R. C. Beier*, Y. Dong, J. Li, X. Luo, S. Zhang, J. Shen, and Z. Wang. 2014. Highly broad-specific and sensitive enzyme-linked immunosorbent assay for screening sulfonamides: Assay optimization and application to milk samples. *Food Anal Methods.* 7:1992-2002. <http://link.springer.com/article/10.1007%2Fs12161-014-9845-3#page-1>
182. Lindsey, R. L., J. G. Frye*, S. N. Thitaram, R. J. Meinersmann*, P. J. Fedorka-Cray*, and M. D. Englen. 2011. Characterization of multidrug-resistant *Escherichia coli* by antimicrobial resistance profiles, plasmid replicon typing, and pulsed-field gel electrophoresis. *Microb Drug Resist.* 17:157-163. <http://www.ncbi.nlm.nih.gov/pubmed/21332363>
183. Lindsey, R. L., J. G. Frye*, P. J. Fedorka-Cray*, and R. J. Meinersmann*. 2011. Microarray-based analysis of IncA/C plasmid-associated genes from multidrug-resistant *Salmonella enterica*. *Appl Environ Microbiol.* 77:6991-6999. <http://www.ncbi.nlm.nih.gov/pubmed/21841024>
184. Lindsey, R. L., J. G. Frye*, P. J. Fedorka-Cray*, T. J. Welch*, and R. J. Meinersmann*. 2010. An oligonucleotide microarray to characterize multidrug resistant plasmids. *J Microbiol Methods.* 81:96-100. <http://www.ncbi.nlm.nih.gov/pubmed/20138094>
185. Lindsey, R. L., P. J. Fedorka-Cray*, J. G. Frye*, and R. J. Meinersmann*. 2009. Inc A/C plasmids are prevalent in multidrug-resistant *Salmonella enterica* isolates. *Appl Environ Microbiol.* 75:1908-1915. <http://www.ncbi.nlm.nih.gov/pubmed/19181840>
186. Looft*, T. P., H. K. Allen*, B. Catarel, U. Y. Levine, D. O. Bayles, D. P. Alt, B. Henrissat, and T. B. Stanton*. 2014. Bacteria, phages, and pigs: the effects of in-feed antibiotics on the microbiome at different gut locations. *ISME J.* 8:1566-1576. <http://www.nature.com/ismej/journal/vaop/ncurrent/full/ismej201412a.html>
187. Looft, T.*, H. K. Allen*, T. A. Casey, D. P. Alt, and T. B. Stanton.* 2014. Carbadox has both temporary and lasting effects on the swine gut microbiota. *Front Microbiol.* 5:276. <http://www.ncbi.nlm.nih.gov/pubmed/24959163>
188. Looft*, T., and H. K. Allen*. 2012. Collateral effects of antibiotics on mammalian gut microbiomes. *Gut Microbes.* 3:463-467. <http://www.ncbi.nlm.nih.gov/pmc/articles/PMC3466501/>
189. Looft*, T. P., T. A. Johnson, H. K. Allen*, D. O. Bayles, D. P. Alt, R. D. Stedtfeld, W. J. Sul, T. M. Stedtfeld, B. Chai, J. R. Cole, S. A. Hashsham, J. M. Tiedje, and T. B. Stanton*. 2012. In-feed

- antibiotic effects on the swine intestinal microbiome. Proc Natl Acad Sci U S A. 109:1691-1696. <http://www.pnas.org/content/early/2012/01/11/1120238109>
190. Loper*, J. E., M. D. Henkels, R. G. Roberts, G. G. Grove, M. J. Willet, and T. J. Smith. 1991. Evaluation of streptomycin, oxytetracycline, and copper resistance of *Erwinia amylovora* isolated from pear orchards in Washington state. Plant Dis. 75:287-290. http://www.apsnet.org/publications/plantdisease/backissues/Documents/1991Articles/PlantDisease75n03_287.pdf
191. Lozano N., C. P. Rice*, M. Ramirez, and A. Torrents. 2012. Fate of triclosan and methyltriclosan in soil from biosolids application. Env Pollut. 160:103-108. <http://www.ncbi.nlm.nih.gov/pubmed/22035932>
192. Lu, Y., H. Zhao, J. Sun, Y. Liu, X. Zhou, R. C. Beier*, G. Wu, and X. Hou. 2014. Characterization of multidrug-resistant *Salmonella enterica* serovars Indiana and Enteritidis from chickens in Eastern China. PLoS One. 9:e96050. doi: 10.371/journal.pone.0096050. <http://www.ncbi.nlm.nih.gov/pubmed/24788434>
193. Luby, E. M., T. B. Moorman* and M. L. Soupier. 2016. Fate and transport of tylosin-resistant bacteria and macrolide resistance genes in artificially drained agricultural fields receiving swine manure. Sci Tot Environ. 550:1126-1133. <http://www.sciencedirect.com/science/article/pii/S0048969716301310>
194. Lupton*, S. J., J. K. Huwe, D. J. Smith, K. L. Dearfield, J. J. Johnston. 2012. Absorption and excretion of ¹⁴C-perfluorooctanoic acid (PFOA) in Angus cattle (*Bos taurus*). J Agric Food Chem. 60:1128-1134. <http://pubs.acs.org/doi/abs/10.1021/jf2042505>
195. Lupton*, S. J., J. K. Huwe, D. J. Smith, K. L. Dearfield, J. J. Johnston. 2014. Distribution and excretion of perfluorooctane sulfonate (PFOS) in beef cattle (*Bos taurus*). J Agric Food Chem. 62:1167-1173. <http://pubs.acs.org/doi/abs/10.1021/jf404355b>
196. Lupton*, S. J., W. L. Shelver*, D. J. Newman, S. Larsen, and D. J. Smith. 2014. Depletion of penicillin G residues in heavy sows after intramuscular injection. Part I: Tissue residue depletion. J Agric Food Chem. 62:7577-7585. <http://pubs.acs.org/doi/abs/10.1021/jf501492v>
197. Lyon, S. A., M. E. Berrang*, P. J. Fedorka-Cray*, D. L. Fletcher, and R. J. Meinersmann*. 2008. Antimicrobial resistance of *Listeria monocytogenes* isolated from a poultry feather processing plant. Foodborne Pathog Dis. 5:253-259. <http://www.ncbi.nlm.nih.gov/pubmed/18564907>

198. Mackie, R. I., S. Koike, I. Krapac, J. Chee-Sanford*, S. Maxwell, and R. I. Aminov. 2006. Tetracycline residues and tetracycline resistance genes in groundwater impacted by swine production facilities. *Anim Biotechnol.* 17:157-176. <http://www.ncbi.nlm.nih.gov/pubmed/17127527>
199. Mantz, A. R., D. N. Miller*, J. J. Spiehs, B. L. Woodbury*, and L. M. Durso*. 2013. Persistence of erythromycin resistance gene erm(B) in cattle feedlot pens over time. *Agric Food Anal Bacteriol.* 3:312-326. <http://afajournal.com/articles/persistence-of-erythromycin-resistance-gene-ermb-in-cattle-feedlot-pens-over-time/>
200. Marschall, J., R. J. Tibbetts, W. M. Dunne, J. G. Frye*, V. J. Fraser, and D. K. Warren. 2009. Presence of the KPC carbapenemase gene in Enterobacteriaceae causing bacteremia, and the correlation with in vitro carbapenem susceptibility. *J Clin Microbiol.* 47:239-241. <http://www.ncbi.nlm.nih.gov/pubmed/19020072>
201. Martos, P.A., S.J. Lehotay*, and B. Shurmer. 2008. Ultra-trace analysis of nine macrolides, including tulathromycin A (Draxxin), in edible animal tissues with mini-column liquid chromatography tandem mass spectrometry. *J Agric Food Chem.* 56:8844-8850. <http://pubs.acs.org/doi/abs/10.1021/jf801747u>
202. May, K. D., J. Wells*, C. V. Maxwell, and W. T. Oliver. 2012. Granulated lysozyme as an alternative to antibiotics improves growth performance and small intestinal morphology of 10-day-old pigs. *J Anim Sci.* 90:1118-1125. <http://www.ncbi.nlm.nih.gov/pubmed/23572262>
203. McGowan, L. L., C. R. Jackson*, J. B. Barrett*, L. M. Hiott, and P. J. Fedorka-Cray*. 2006. Prevalence and antimicrobial resistance of enterococci isolated from retail fruits, vegetables, and meats. *J Food Prot.* 69:2976-2982. <http://www.ncbi.nlm.nih.gov/pubmed/17186667>
204. McGowan-Spicer, L. L., P. J. Fedorka-Cray*, J. G. Frye*, R. J. Meinersmann*, J. B. Barrett, and C. R. Jackson*. 2008. Antimicrobial resistance and virulence of *Enterococcus faecalis* isolated from retail food. *J Food Prot.* 71:760-769. <http://www.ncbi.nlm.nih.gov/pubmed/18468030>
205. McLain, J., S. Young, L.M. Durso*, E. Cytryn. 2016. Culture-based methods for detection of antibiotic resistance in agroecosystems: advantages, challenges, and gaps in knowledge. *J Environ. Qual.* 45:432-440.
206. Mclain, J. E., and C. F. Williams*. 2014. Sustainability of water reclamation: long-term recharge with reclaimed wastewater does not enhance antibiotic resistance in sediment bacteria. *Sustainability.* 6:1313-1327. <http://www.mdpi.com/2071-1050/6/3/1313>
207. Meinersmann*, R. J., R. L. Lindsey, J. L. Bono, T. P. Smith, and B. B. Oakley. 2013. Proposed model for the high rate of rearrangement and rapid migration observed in some IncA/C

- plasmid lineages. *Appl Environ Microbiol.* 79:4806-4814.
<http://www.ncbi.nlm.nih.gov/pubmed/23747695>
208. Meinersmann*, R. J., M. E. Berrang*, C. R. Jackson*, P. Fedorka-Cray*, S. Ladely, E. Little, J. G. Frye*, and B. Mattsson. 2008. Salmonella, Campylobacter and Enterococcus spp.: their antimicrobial resistance profiles and their spatial relationships in a synoptic study of the Upper Oconee River basin. *Microb Ecol.* 55:444-452.
<http://www.ncbi.nlm.nih.gov/pubmed/17687594>
209. Merenstein, D. J., T. P. Tan, A. Molokin, K. H. Smith, R. F. Roberts, N. M. Shara, M. Mete, M. E. Sanders, G. Solano-Aguilar*. 2015. Safety of Bifidobacterium animalis subsp. lactis (B. lactis) strain BB-12-supplemented yogurt in healthy adults on antibiotics: a phase I safety study. *Gut Microbes* 6(1):66-77.
http://www.tandfonline.com/doi/abs/10.1080/19490976.2015.1005484?url_ver=Z39.88-2003&rfr_id=ori:rid:crossref.org&rfr_dat=cr_pub%3dpubmed#.VeYIVvIVhBc
210. Mi, T., X. Liang, L. Ding, S. Zhang, S. A. Eremin, R. C. Beier*, J. Shen, and Z. Wang. 2014. Development and optimization of a fluorescence polarization immunoassay for orbifloxacin in milk. *Anal Methods.* 6:3849-3857.
<http://pubs.rsc.org/en/content/articlelanding/2014/ay/c3ay42034e#ldivAbstract>
211. Millner*, P., D. Ingram, W. Mulbry*, and O. Arikan. 2014. Pathogen reduction in minimally managed composting of bovine manure. *Waste Manag.* 34:1992–1999.
<http://www.ncbi.nlm.nih.gov/pubmed/25151442>
212. Min, B. R., W. E. Pinchak, R. Merkel, S. Walker, G. Tomita, and R. C. Anderson. 2008. Comparative antimicrobial activity of tannin extracts from perennial plants on mastitis pathogens. *Sci Res Essays.* 3:066-073.
http://www.academicjournals.org/article/article1380355448_Min%20et%20al.pdf
213. Molla, B., M. Byrne, M. Abley, J. Mathews, C. Jackson*, P. Fedorka-Cray*, S. Sreevatsan, P. Wang, and W. Gebreyes. 2012. Epidemiology and genotypic characteristics of Methicillin-Resistant Staphylococcus aureus (MRSA) of porcine origin. *J Clin Microbiol.* 50:3687-93.
<http://www.ncbi.nlm.nih.gov/pubmed/22972820>
214. Muldoon, M. T., I. A. Font, R. C. Beier*, C. K. Holtzapple, C. R. Young, and L. H. Stanker. 2010. Development of a Cross-Reactive Monoclonal Antibody to Sulfonamide Antibiotics: Evidence for Structural Conformation-Selective Hapten Recognition. *Food Agric Immunol.* 11:117-134.
<http://www.tandfonline.com/doi/abs/10.1080/09540109999807#.VdtkDCVViYc>

215. Navarre, W. W., T. A. Halsey, D. Walthers, J. Frye*, M. McClelland, J. L. Potter, L. Kenney, J. S. Gunn, F. C. Fang, and S. J. Libby. 2005. Co-regulation of *Salmonella enterica* genes required for virulence and resistance to antimicrobial peptides by SlyA and PhoP/PhoQ. *Mol Microbiol.* 56:492-508. <http://www.ncbi.nlm.nih.gov/pubmed/15813739>
216. Nelson, D. C., M. Schmelcher, L. Rodriguez, J. Klumpp, D. G. Pritchard, S. Dong, and D. M. Donovan*. 2012. Endolysins as antimicrobials. *Adv Virus Res.* 83:299-365. <http://www.ncbi.nlm.nih.gov/pubmed/22748813>
217. Netthisinghe, A.M.P., K.L. Cook*, C. Rice*, R.A. Gilfillen and K.R. Sistani. 2013. Soil Nutrients, Bacteria Populations, and Veterinary Pharmaceuticals across a Backgrounding Beef Feedlot. *J. Environ. Qual.* 42: 532-544. http://www.researchgate.net/publication/236836934_Soil_Nutrients_Bacteria_Populations_and_Veterinary_Pharmaceuticals_across_a_Backgrounding_Beef_Feedlot
218. Netthisinghe, A. M., K. L. Cook*, C. Rice*, R. A. Gilfillen, and K. R. Sistani. 2012. Spatial variation of nutrients, pharmaceuticals and bacteria across a cattle backgrounding operation. *J Environ Qual.* 42:532-544. <http://www.ncbi.nlm.nih.gov/pubmed/23673846>
219. Nisbet, D. J., T. R. Callaway*, T. S. Edrington*, R. C. Anderson, and T. L. Poole*. 2008. Effects of ionophores on *Enterococcus faecalis* and *E. faecium* growth in pure and mixed ruminal culture. *Foodborne Pathog Dis.* 5:193-198. <http://www.ncbi.nlm.nih.gov/pubmed/18370609>
220. Norman, K. N., H. M. Scott, R. B. Harvey, B. Norby, and M. E. Hume. 2014. Comparison of antimicrobial susceptibility among *Clostridium difficile* isolated from an integrated human and swine population in Texas. *Foodborne Pathog Dis* 11:257-264. <http://www.ncbi.nlm.nih.gov/pubmed/24320797>
221. Oliver, W. T., and J. Wells*. 2015. Lysozyme as an alternative to growth promoting antibiotics in swine production. *J Anim Sci Biotechnol.* 6:35. DOI 10.1186/s40104-015-0034-z <http://www.ncbi.nlm.nih.gov/pmc/articles/PMC4535397/>
222. O'Regan, E., T. Quinn, J. G. Frye*, J. M. Pagès, S. Porwollik, P. J. Fedorka-Cray*, M. McClelland, S. Fanning. 2010. Fitness Costs and Stability of a High-Level Ciprofloxacin Resistance Phenotype in *Salmonella enterica* Serotype Enteritidis: Reduced Infectivity Associated with Decreased Expression of SPI-1 Genes. *Antimicrob Agents Chemother.* 54:367–374. <http://aac.asm.org/content/54/1/367.full>
223. Oliver*, W. T., J. E. Wells*, and C. V. Maxwell. 2014. Lysozyme as an alternative to antibiotics improves performance in nursery pigs during an indirect immune challenge. *J Anim Sci.* 92:4927-4934. <http://www.ncbi.nlm.nih.gov/pubmed/25253813>

224. Oliver, W. T., and J. Wells*. 2013. Lysozyme as an alternative to antibiotics improves growth performance and small intestinal morphology in nursery pigs. *J Anim Sci.* 91:3129-3136. <http://www.ncbi.nlm.nih.gov/pubmed/23572262>
225. Olszewski, J. M., N. Lozano, C. Haines, C. Rice*, M. Ramirez, and A. Torrents. 2013. The effect of liming on antibacterial and hormone levels in wastewater biosolids. *J Environ Sci Health A Tox Hazard Subst Environ Eng.* 48:862-870. <http://www.ncbi.nlm.nih.gov/pubmed/23485235>
226. Pepper, I.L., J.P. Brooks, and C.P. Gerba. Antibiotic resistant bacteria in municipal wastes: is there reason for concern? *In Review Environ Sci Tech*
227. Petrujkić, B. T., I. Sedej, R. C. Beier*, R. C. Anderson, R. B. Harvey, S. V. R. Epps, R. D. Stipanovic, N. Krueger, and D. J. Nisbet. 2013. Ex vivo absorption of thymol and thymol- β -D-glucopyranoside in piglet everted jejunal segments. *J Agric Food Chem.* 61:3757-3762. <http://pubs.acs.org/doi/abs/10.1021/jf401013a>
228. Plano, L.R.W., T. Shibata, A. C. Garza, J. Kish, J. Fleisher, C. D. Sinigalliano, M. L. Gidley, K. Withum, S. M. Elmir, S. Hower, C. R. Jackson*, J. B. Barrett, T. Cleary, M. Davidson, J. A. Davis, S. Mukherjee, L. E. Fleming, and H. M. Solo-Gabriele. 2013. Human-associated methicillin-resistant *Staphylococcus aureus* from a subtropical recreational marine beach. *Microb. Ecol.* 65(4):1039-51. <http://www.ncbi.nlm.nih.gov/pubmed/23553001>
229. Poole*, T. L., J. S. Suchodolski, T. R. Callaway*, R. L. Farrow, G. H. Loneragan, and D. J. Nisbet. 2013. The effect of chlortetracycline on faecal microbial populations in growing swine. *J Glob Antimicrob Resist.* 1:171-174. <http://www.sciencedirect.com/science/article/pii/S2213716513000453>
230. Poole*, T., and C. Sheffield. 2013. Use and Misuse of Antimicrobial Drugs in Poultry and Livestock: Mechanisms of Antimicrobial Resistance. *Pak Vet J.* 33:266-271. http://pvj.com.pk/pdf-files/33_3/266-271.pdf
231. Poole*, T. L., T. R. Callaway*, K. M. Bischoff, G. H. Loneragan, R. C. Anderson, and D. J. Nisbet. 2012. Competitive effect of commensal faecal bacteria from growing swine fed chlortetracycline-supplemented feed on beta-haemolytic *Escherichia coli* strains with multiple antimicrobial resistance plasmids. *J Appl Microbiol.* 113:659-668. <http://www.ncbi.nlm.nih.gov/pubmed/22716900>
232. Poole*, T. L., D. M. Brichta-Harhay*, T. R. Callaway*, R. C. Beier*, K. M. Bischoff, G. H. Loneragan, R. C. Anderson, and D. J. Nisbet. 2011. Persistence of resistance plasmids carried by beta-hemolytic *Escherichia coli* when maintained in a continuous-flow fermentation

- system without antimicrobial selection pressure. *Foodborne Pathog Dis.* 8:535-540.
<http://www.ncbi.nlm.nih.gov/pubmed/21453118>
233. Poole*, T. L., T. S. Edrington*, D. M. Brichta-Harhay*, A. Carattoli, R. C. Anderson, and D. J. Nisbet. 2009. Conjugative transferability of the A/C plasmids from *Salmonella enterica* isolates that possess or lack bla(CMY) in the A/C plasmid backbone. *Foodborne Pathog Dis.* 6:1185-1194. <http://www.ncbi.nlm.nih.gov/pubmed/19743926>
234. Poole*, T. L., T. R. Callaway*, and D. J. Nisbet. 2007. Alternatives to antimicrobials, p. 419-433. In S. Shabbir (ed.), *Foodborne Diseases*. Humana Press, Totowa, NJ.
[http://www.researchgate.net/publication/226893636 Alternatives to Antimicrobials](http://www.researchgate.net/publication/226893636_Alternatives_to_Antimicrobials)
235. Poole*, T. L., J. L. McReynolds, T. S. Edrington*, J. A. Byrd II, T. R. Callaway*, and D. J. Nisbet. 2006. Effect of flavophospholipol on conjugation frequency between *Escherichia coli* donor and recipient pairs in vitro and in the chicken gastrointestinal tract. *J Antimicrob Chemother.* 58:359-366. <http://www.ncbi.nlm.nih.gov/pubmed/16847028>
236. Poole*, T. L., T. R. Callaway*, K. M. Bischoff, and D. J. Nisbet. 2006. Macrolide inactivation gene cluster mphA-mrx-mphR adjacent to a class 1 integron in *Aeromonas hydrophila* isolated from a diarrhoeic pig in Oklahoma. *J Antimicrob Chemother.* 57:31-38.
<http://www.ncbi.nlm.nih.gov/pubmed/16339607>
237. Poole*, T. L., M. E. Hume, L. D. Campbell, H. M. Scott, W. Q. Alali, and R. B. Harvey. 2005. Vancomycin-Resistant *Enterococcus faecium* Strains Isolated from Community Wastewater from a Semiclosed Agri-Food System in Texas. *Antimicrob Agents Chemother.* 49:4382-4385.
<http://www.ncbi.nlm.nih.gov/pubmed/16189128>
238. Poole*, T. L., K. J. Genovese, T. R. Callaway*, K. M. Bischoff, C. J. Donskey, and D. J. Nisbet. 2004. Competitive exclusion of a glycopeptide-resistant *Enterococcus faecium* in the presence of vancomycin but not equivalent concentrations of tylosin or gentamicin. *Poult Sci.* 83:1099-1105. <http://www.ncbi.nlm.nih.gov/pubmed/15285499>
239. Poole*, T. L., K. J. Genovese, K. D. Knappe, T. R. Callaway*, K. M. Bischoff, and D. J. Nisbet. 2003. Effect of subtherapeutic concentrations of tylosin on the inhibitory stringency of a mixed anaerobe continuous-flow culture of chicken microflora against *Escherichia coli* O157:H7. *J Appl Microbiol.* 94:73-79. <http://www.ncbi.nlm.nih.gov/pubmed/12492926>
240. Poole*, T. L., K. J. Genovese, T. J. Anderson, K. M. Bischoff, T. R. Callaway*, and D. J. Nisbet. 2001. Inhibition of a Vancomycin Resistant *Enterococci* by An Anaerobic Continuous-Flow Culture of Chicken Microflora. *Microb Ecol Health Dis.* 13:246-253.
<http://www.ncbi.nlm.nih.gov/pubmed/15060733>

241. Poole*, T. L., M. E. Hume, K. J. Genovese, T. J. Anderson, C. L. Sheffield, K. M. Bischoff, and D. J. Nisbet. 2001. Persistence of a vancomycin-resistant *Enterococcus faecium* in an anaerobic continuous-flow culture of porcine microflora in the presence of subtherapeutic concentrations of vancomycin. *Microb Drug Resist.* 7:343-348.
<http://www.ncbi.nlm.nih.gov/pubmed/11822774>
242. Ramlachan, N., R. C. Anderson, K. Andrews, R. B. Harvey, and D. J. Nisbet. 2012. Transfer of tylosin resistance between *Enterococcus* spp. during continuous-flow culture of feral or domestic porcine gut microbes. *Agric Food Anal Bacteriol.* 2:111-120.
<http://afajournal.com/articles/transfer-of-tylosin-resistance-between-enterococcus-spp-during-continuous-flow-culture-of-feral-or-domestic-porcine-gut-microbes%C2%A0/>
243. Ramlachan, N., R. C. Anderson, K. Andrews, R. B. Harvey, and D. J. Nisbet. 2008. A comparative study on the effects of tylosin on select bacteria during continuous-flow culture of mixed populations of gut microflora derived from a feral and domestic pig. *Foodborne Pathog Dis.* 5:21-31. <http://www.ncbi.nlm.nih.gov/pubmed/18260812>
244. Rodríguez-Rubio, L., B. Martínez, D. M. Donovan*, A. Rodríguez, and P. García. 2013. Bacteriophage virion-associated peptidoglycan hydrolases: potential new enzymotics. *Crit Rev Microbiol.* 39:427-434. <http://www.ncbi.nlm.nih.gov/pubmed/22991936>
245. Rodríguez-Rubio L., B. Martínez, A. Rodríguez, D. M. Donovan*, F. Götz, and P. García. 2013. The Phage Lytic Proteins from the *Staphylococcus aureus* Bacteriophage vB_SauS-phiPLA88 Display Multiple Active Catalytic Domains and Do Not Trigger Staphylococcal Resistance. *PLoS One.* 8(5):e64671. doi: 10.1371/journal.pone.0064671. PMID:23724076.
<http://www.ncbi.nlm.nih.gov/pubmed/23724076>
246. Rodríguez-Rubio, L., B. Martínez, A. Rodríguez, D. M. Donovan*, and P. García. 2012. Enhanced staphylolytic activity of the *Staphylococcus aureus* bacteriophage vB_SauS-phiPLA88 HydH5 virion associated peptidoglycan hydrolase: fusions, deletions and synergy with LysH5. *Appl Environ Microbiol.* 78:2241-8.
<http://www.ncbi.nlm.nih.gov/pubmed/22267667>
247. Rose, B. G., S. A. Buckley, C. Kamps-Holtzapfel, R. C. Beier*, and L. H. Stanker. 1996. Ceftiofur Sodium: Monoclonal Antibody Development and Cross-Reactivity Studies with Structurally Repeated Cephalosporins. *J Agric Food Chem.* 44:622-627.
<http://pubs.acs.org/doi/pdf/10.1021/jf950596n>
248. Rothrock*, M.J., P.L. Keen, K.L. Cook*, L.M. Durso*, A.M. Franklin, and R.S. Dungan*. 2016. How should we be determining background and baseline antibiotic resistance levels in agroecosystems research. *J. Environ. Qual.* 45:420-431.
<http://www.ncbi.nlm.nih.gov/pubmed/27065388>

249. Rothrock*, M. K. L. Hiatt*, J. Y. Guard, and C. R. Jackson. 2015. Antibiotic resistance patterns of major zoonotic pathogens from a season-long farm-to-fork study of all-natural, antibiotic-free, pasture-raised broiler flocks in the Southeastern US. *Journal of Environmental Quality*. 45(2): 593-603. <https://dl.sciencesocieties.org/publications/jeq/articles/45/2/593>
250. Rothrock Jr*, M. J., K. D. Ingram, J. Gamble, J. Y. Guard, K. M. Cicconi-Hogan, A. Hinton Jr, K. L. Hiatt*. 2015. The characterization of *Salmonella enterica* serovars isolated from the scalding tank water of a commercial poultry processing plant: Recovery of a multi-drug resistant Heidelberg strain. *Poult Sci*. 94(3):467-472. <http://www.ncbi.nlm.nih.gov/pubmed/25681479>
251. Saengkersub, S., K. Woo-Kyun, R. C. Anderson, D. J. Nisbet, and S. C. Ricke. 2006. Effects of nitrocompounds and feedstuffs on in vitro methane production in chicken cecal contents and rumen fluid. *Anaerobe*. 12:85-92. <http://www.ncbi.nlm.nih.gov/pubmed/16701620>
252. Sanchez, S., M. A. McCrackin Stevenson, C. R. Hudson*, M. Maier, T. Buffington, Q. Dam, and J. J. Maurer. 2002. Characterization of multidrug-resistant *Escherichia coli* isolates associated with nosocomial infections in dogs. *J. Clin. Microbiol.* 40: 3586-3595. <http://www.ncbi.nlm.nih.gov/pubmed/12354850>
253. Schmelcher, M., D. M. Donovan*, and M. Loessner. 2012. Bacteriophage endolysins as novel antimicrobials. *Future Microbiol.* 7:1147-1171. <http://www.ncbi.nlm.nih.gov/pubmed/23030422>
254. Schmidt*, J. W., G. E. Agga, J. M. Bosilevac, D. M. Brichta-Harhay*, S. D. Shackelford, R. Wang, T. L. Wheeler, and T. M. Arthur*, 2015. Occurrence of antimicrobial-resistant *E. coli* and *Salmonella enterica* in the beef cattle production and processing continuum. *Appl. Environ. Microbiol.* 81:713-725. <http://aem.asm.org/content/early/2014/11/10/AEM.03079-14>
255. Schmidt*, J. W., D. Griffin, L. A. Kuehn, and D. M. Brichta-Harhay*. 2013. Influence of therapeutic ceftiofur treatments of feedlot cattle on fecal and hide prevalences of commensal *Escherichia coli* resistant to expanded-spectrum cephalosporins, and molecular characterization of resistant isolates. *Appl Environ Microbiol.* 79:2273-83. <http://www.ncbi.nlm.nih.gov/pubmed/23354706>
256. Schmidt*, J. W., D. M. Brichta-Harhay*, N. Kalchayanand, J. M. Bosilevac, S. D. Shackelford, T. L. Wheeler, and M. Koohmaraie. 2012. Prevalence, enumeration, serotypes, and antimicrobial resistance phenotypes of *Salmonella enterica* isolates from carcasses at two large United States pork processing plants. *Appl Environ Microbiol.* 78:2716-26. <http://www.ncbi.nlm.nih.gov/pubmed/22327585>

257. Schneider, M.J., S. J. Lehotay*, and A.R. Lightfield. 2015. Validation of a streamlined multiclass, multiresidue method for determination of veterinary drug residues in bovine muscle. *Anal Bioanal Chem* 407(15):4423-35.
<http://www.ncbi.nlm.nih.gov/pubmed/25542573>
258. Schneider, M.J., L. Yun, and S.J. Lehotay*. 2013. Terbium-sensitized luminescence screening method for fluorquinolones in beef serum. *Food Addit Contam Part A Chem Anal Control Expo Risk Assess.* 30:666-669. <http://www.ncbi.nlm.nih.gov/pubmed/23472630>
259. Schneider, M.J., S.J. Lehotay*, and A.R. Lightfield. 2012. Validation of a multiclass, multiresidue LC-MS/MS method for analysis of veterinary drug residues in bovine kidney. *Drug Testing Anal.* 4(Supplement 1):91-102.
<http://onlinelibrary.wiley.com/doi/10.1002/dta.1359/abstract>
260. Schneider, M.J., and S.J. Lehotay*. 2008. A Comparison of the FAST, Premi® and KISTM Tests for Screening Antibiotic Residues in Beef Kidney Juice and Serum. *Anal Bioanal Chem.* 390:1775-1779. <http://www.sciencedirect.com/science/article/pii/S0003267008014566>
261. Schneider, M.J., K. Mastovska, S.J. Lehotay*, A.R. Lightfield, B. Kinsella, and C.E. Shultz. 2009. Comparison of screening methods for antibiotics in beef kidney juice and serum. *Anal. Chim. Acta* 637:290-297.
<http://www.sciencedirect.com/science/article/pii/S0003267008014566>
262. Scott, H. M., L. D. Campbell, R. B. Harvey, K. M. Bischoff, W. Q. Alali, K. S. Barling, and R. C. Anderson. 2005. Patterns of antimicrobial resistance among commensal *Escherichia coli* isolated from integrated multi-site housing and worker cohorts of humans and swine. *Foodborne Pathog Dis.* 2:24-37. <http://www.ncbi.nlm.nih.gov/pubmed/15992296>
263. Seal, B. S., C. G. Gay, H. S. Lillehoj, and D. M. Donovan*. 2013. Alternatives to antibiotics: a symposium on the challenges and solutions for animal production. *Anim Health Res Rev.* 14:78-87. <http://www.ncbi.nlm.nih.gov/pubmed/23702321>
264. Seal, B. S. 2013. Characterization of bacteriophages virulent for *Clostridium perfringens* and identification of phage lytic enzymes as alternatives to antibiotics for potential control of the bacterium. *Poult Sci.* 92:526-533. <http://www.ncbi.nlm.nih.gov/pubmed/23300321>
265. Sheffield, C. L., T. L. Crippen, R. C. Beier*, and J. A. Byrd. 2014. Salmonella Typhimurium in chicken manure reduced or eliminated by addition of LT1000. *J Appl Poult Res.* 23:116-120.
<http://japr.oxfordjournals.org/content/23/1/116.abstract>
266. Shelver*, W.L., S.J. Lupton*, D.J. Newman, S. Larsen, and D.J. Smith. 2014. Depletion of penicillin G residues in heavy sows after intramuscular injection. Part II: application of

- kidney inhibition swab tests. *J Agric Food Chem* 62:7586-92.
<http://pubs.acs.org/doi/abs/10.1021/jf501494w>
267. Shelver*, W. L., H. Hakk, G. L. Larsen, T. M. DeSutter, and F. X. Casey. 2010. Development of an ultra-high-pressure liquid chromatography-tandem mass spectrometry multi-residue sulfonamide method and its application to water, manure slurry, and soils from swine rearing facilities. *J Chromatogr A*. 1217:1273-1282.
<http://www.ncbi.nlm.nih.gov/pubmed/20047751>
268. Smith, D.J., W.L. Shelver*, R.E. Baynes, L. Tell, R. Gehring, M. Li, T. Dutko, J.W. Schroeder, G. Herges, and J.E. Riviere. 2015. Excretory, Secretory, and Tissue Residues after Label and Extra-label Administration of Flunixin Meglumine to Saline- or Lipopolysaccharide-Exposed Dairy Cows. *J Agric Food Chem* 63:4893-901.
<http://pubs.acs.org/doi/abs/10.1021/acs.jafc.5b01509>
269. Smith, J. L., and P. M. Fratamico. 2010. Fluoroquinolone resistance in campylobacter. *J Food Protect.* 73:1141-1152. <http://www.ncbi.nlm.nih.gov/pubmed/20537275>
270. Solano-Aguilar* G., K. P. Fernandez, H. Ets, A. Molokin, B. Vinyard, J. F. Urban, and M. F. Gutierrez. 2013. Characterization of fecal microbiota of children with diarrhea in 2 locations in Colombia. *J Pediatr Gastroenterol Nutr* 56(5):503-11.
271. Son, I., M. D. Englen, M. E. Berrang*, P. J. Fedorka-Cray*, and M. A. Harrison. 2007. Antimicrobial resistance of Arcobacter and Campylobacter from broiler carcasses. *Int J Antimicrob Agents*. 29:451-455. <http://www.ncbi.nlm.nih.gov/pubmed/17303391>
272. Soni, B., S.L. Bartelt-Hunt, D. D. Snow, J.E. Gilley, B.L. Woodbury*, D.B. Marx, and X. Li. 2015. Narrow Grass Hedges Reduce Tylosin and Associated Antimicrobial Resistance Genes in Agricultural Runoff. *J Environ Quality*. 44:895-902.
<http://www.ncbi.nlm.nih.gov/pubmed/26024269>
273. Stanton*, T. B. 2013. A call for antibiotic alternatives research. *Trends Microbiol.* 21:111-113. <http://www.ncbi.nlm.nih.gov/pubmed/23473628>
274. Stanton*, T. B., S. B. Humphrey, and W. C. Stoffregen. 2011. Chlortetracycline-Resistant Intestinal Bacteria in Organically Raised and Feral Swine. *Appl Environ Microbiol.* 77:7167-7170. <http://www.ncbi.nlm.nih.gov/pmc/articles/PMC3194871/>
275. Stanton*, T.B., Humphrey, S.B. 2011. Persistence of antibiotic resistance: evaluation of a probiotic approach using antibiotic-sensitive *M. elsdenii* strains to prevent colonization of swine by antibiotic-resistant strains. *Appl Environ Microbiol.* 77(20):7158-7166.
<http://www.ncbi.nlm.nih.gov/pmc/articles/PMC3194883/>

276. Stanton*, T. B., S. B. Humphrey, V. K. Sharma, and R. L. Zuerner. 2008. Collateral effects of antibiotics: carbadox and metronidazole induce VSH-1 and facilitate gene transfer among *Brachyspira hyodysenteriae* strains. *Appl Environ Microbiol.* 74:2950-2956. <http://www.ncbi.nlm.nih.gov/pubmed/18359835>
277. Stanton, T. B*. 2007. Prophage-like gene transfer agents-novel mechanisms of gene exchange for *Methanococcus*, *Desulfovibrio*, *Brachyspira*, and *Rhodobacter* species. *Anaerobe.* 13:43-49. <http://www.ncbi.nlm.nih.gov/pubmed/17513139>
278. Stanton*, T., S. Humphrey, K. Scott, and H. Flint. 2005. Hybrid tet Genes and tet Gene Nomenclature: Request for Opinion. *Antimicrob Agents Chemother.* 49:1265-1266. <http://www.ncbi.nlm.nih.gov/pmc/articles/PMC549286/>
279. Stanton*, T.B., Mcdowall, J.S., Rasmussen, M.A. 2004. Diverse tetracycline resistance genotypes of *Megasphaera elsdenii* strains selectively cultured from swine feces. *Appl Environ Microbiol.* 70:3754-3757. <http://aem.asm.org/content/70/6/3754.full>
280. Stanton*, T.B., and S. B. Humphrey. 2003. Isolation for tetracycline-resistant *Megasphaera elsdenii* strains with novel mosaic gene combinations of tet(O) and tet(W) from swine. *Appl Environ Microbiol.* 69:3874-3882. <http://www.ncbi.nlm.nih.gov/pubmed/12839756>
281. Steneroden, K. K., D. C. Van Metre, C. R. Jackson*, and P. S. Morley. 2010. Detection and control of a nosocomial outbreak caused by *Salmonella* Newport at a large animal hospital. *J Vet Intern Med.* 24:606-16. <http://www.ncbi.nlm.nih.gov/pubmed/20337913>
282. Stockwell, V.O., K. B. Johnson, D. Sugar, and J. E. Loper. 2011. Mechanistically compatible mixtures of bacterial antagonists improve biological control of fire blight of pear. *Phytopathology.* 101:113-123. <http://www.ncbi.nlm.nih.gov/pubmed/20839962>
283. Stockwell, V.O., K. B. Johnson, and J. E. Loper. 1996. Compatibility of bacterial antagonists of *Erwinia amylovora* with antibiotics used to control fire blight. *Phytopathology.* 86:834-840. https://www.apsnet.org/publications/phytopathology/backissues/Documents/1996Articles/Phyto86n08_834.pdf
284. Swaggerty, C. L., I. Y. Pevzner, and M. H. Kogut. 2014. Selection for pro-inflammatory mediators yields chickens with increased resistance against *Salmonella enterica* serovar Enteritidis. *Poul Sci.* 93:535-544. <http://www.ncbi.nlm.nih.gov/pubmed/24604845>
285. Swift, S. M., B.S. Seal, J.K. Garrish, B. B. Oakley, K. Hiatt*, H. Y. Yeh, R. Woolsey, K. M. Schegg, J. E. Line, and D. M. Donovan*. 2015. A Thermophilic Phage Endolysin Fusion to a *Clostridium perfringens*-Specific Cell Wall Binding Domain Creates an Anti-Clostridium

- Antimicrobial with Improved Thermostability. *Viruses* 7(6):3019-34.
<http://www.mdpi.com/1999-4915/7/6/2758>
286. Tibbetts, R., J. G. Frye*, J. Marschall, D. Warren, W. Dunne. 2008. Detection of KPC-2 in a clinical isolate of *Proteus mirabilis*: First reported description of carbapenemase resistance in this species caused by a KPC β -lactamase. *J Clin Microbiol.* 46:3080-3083.
<http://www.ncbi.nlm.nih.gov/pmc/articles/PMC2546724/>
287. Unger, I., K. Goynes, A. Kennedy, R. Kremer, J. McLain, and C. Williams*. 2013. Antibiotic effects on microbial community characteristics in soils under conservation management practices. *Soil Sci Soc Am J.* 77:100-112.
<https://www.soils.org/publications/sssaj/abstracts/77/1/100>
288. Van Kessel*, J. S., J. L. Sonnier, S. Zhao, and J. S. Karns. 2013. Antimicrobial resistance of *Salmonella enterica* isolates from bulk tank milk and milk filters in the United States. *J Food Prot.* DOI: 10.4315/0362-28X.JFP-12-263. <http://www.ncbi.nlm.nih.gov/pubmed/23317852>
289. Varel, V. H., J. E. Wells*, W. L. Shelver*, C. P. Rice*, D. L. Armstrong, and D. B. Parker. 2012. Effect of anaerobic digestion temperature on odour, coliforms and chlortetracycline in swine manure or monensin in cattle manure. *J Appl Microbiol.* 112:705-715.
<http://www.ncbi.nlm.nih.gov/pubmed/22313722>
290. Venkitanarayanan, K., A. Kollanoor-Johny, M. J. Darre, A. M. Donoghue*, and D. J. Donoghue. 2013. Use of plant-derived antimicrobials for improving the safety of poultry products. *Poul Sci.* 92(2):493-501. <http://www.ncbi.nlm.nih.gov/pubmed/23300319>
291. Verner-Jeffreys, D. W., T. J. Welch*, T. Schwarz, M. J. Pond, M. J. Woodward, S. J. Haig, G. S. Rimmer, E. Roberts, V. Morrison, and C. Baker-Austin. 2009. High prevalence of multidrug-tolerant bacteria and associated antimicrobial resistance genes isolated from ornamental fish and their carriage water. *PLoS One.* 4:1-9.
<http://www.plosone.org/article/info%3Adoi%2F10.1371%2Fjournal.pone.0008388>
292. Walker, C. W., J. E. Watson, and C. F. Williams*. 2012. Occurrence of carbamazepine in soils under different land uses receiving wastewater. *J Environ Qual.* 41:1263-1267.
<http://www.ncbi.nlm.nih.gov/pubmed/22751070>
293. Wang, R., N. Kalchayanand, J. W. Schmidt*, and D. M. Harhay*. 2013. Mixed biofilm formation by Shiga toxin-producing *Escherichia coli* and *Salmonella enterica* serovar Typhimurium enhanced bacterial resistance to sanitization due to extracellular polymeric substances. *J Food Prot.* 76:1513-1522. <http://www.ncbi.nlm.nih.gov/pubmed/23992495>

294. Wang, Z., R. C. Beier*, Y. Sheng, S. Zhang, W. Jiang, J. Wang, and J. Shen. 2013. Monoclonal antibodies with group specificity toward sulfonamides: Selection of hapten and antibody selectivity. *Anal Bioanal Chem.* 405:4027-4037.
<http://www.ncbi.nlm.nih.gov/pubmed/23417550>
295. Wang, Y., Wang, G. R., Shoemaker, N. B., Whitehead*, T. R., and A.A. Salyers. 2005. Distribution of the ermG gene among bacterial isolates from porcine intestinal contents. *Appl Environ Microbiol.* 71:4930-4934. <http://www.ncbi.nlm.nih.gov/pubmed/16085899>
296. Wang, Z., Z. Kai, R. C. Beier*, J. Shen, and X. Yang. 2012. Investigation of antigen-antibody interactions of sulfonamides with a monoclonal antibody in a fluorescence polarization immunoassay using 3D-QSAR models. *Int J Mol Sci.* 13:6334-6351.
<http://www.ncbi.nlm.nih.gov/pmc/articles/PMC3382755/>
297. Wang, Z., Y. Zhu, S. Ding, F. He, R. C. Beier*, J. Li, H. Jiang, C. Feng, Y. Wan, S. Zhang, Z. Kai, X. Yang, and J. Shen. 2007. Development of a monoclonal antibody-based broad-specificity ELISA for fluoroquinolone antibiotics in foods and molecular modeling studies of cross-reactive compounds. *Anal Chem.* 79:4471-4483.
<http://www.ncbi.nlm.nih.gov/pubmed/17511422>
298. Wei W., R. E. Davis*, D. L. Nuss, and Y. Zhao. 2013. Phytoplasmal infection derails genetically preprogrammed meristem fate and alters plant architecture. *P NATL ACAD SCI USA.* 110:19149-19154. <http://www.ncbi.nlm.nih.gov/pubmed/24191032>
299. Wei W., R. E. Davis*, R. Jomantiene, and Y. Zhao. 2008. Ancient, recurrent phage attacks and recombination shaped dynamic sequence-variable mosaics at the root of phytoplasma genome evolution. *P NATL ACAD SCI USA.* 105:11827-11832.
<http://www.pnas.org/content/105/33/11827.abstract>
300. Welch*, T. J., J. Evenhuis, D. G. White, P. F. McDermott, H. Harbottle, R. A. Miller, M. Griffin, and D. Wise. 2009. IncA/C plasmid-mediated florfenicol resistance in the catfish pathogen *Edwardsiella ictaluri*. *Antimicrob Agents Chemother.* 53:845-846.
<http://www.ncbi.nlm.nih.gov/pmc/articles/PMC2630597/>
301. Welch*, T. J., W. F. Fricke, P. F. McDermott, D. G. White, M. L. Rosso, D. A. Rasko, M. K. Mammel, M. Eppinger, M. J. Rosovitz, D. Wagner, L. Rahalison, J. E. Leclerc, J. M. Hinshaw, L. E. Lindler, T. A. Cebula, E. Carniel, and J. Ravel. 2007. Multiple antimicrobial resistance in plague: an emerging public health risk. *PLoS One.* 1:1-6.
http://www.ars.usda.gov/research/publications/publications.htm?SEQ_NO_115=203871

302. Wells*, J. E., E. D. Berry*, N. Kalchayanand, L. A. Rempel, M. Kim, and W. T. Oliver. 2015. Effect of lysozyme or antibiotics on faecal zoonotic pathogens in nursery pigs. *J Appl Microbiol.* 118:1489-1497. <http://www.ncbi.nlm.nih.gov/pubmed/25799945>
303. Wells*, J., N. Kalchayanand, E. D. Berry*, and W. T. Oliver. 2013. Effects of antimicrobials fed as dietary growth promoters on faecal shedding of *Campylobacter*, *Salmonella* and shiga-toxin producing *Escherichia coli* in swine. *J Appl Microbiol.* 114:318-328. <http://www.ncbi.nlm.nih.gov/pubmed/23163916>
304. White, D. G., C. R. Hudson, J. J. Maurer, S. Ayers, S. Zhao, M. D. Lee, L. Bolton, T. Foley, and J. Sherwood. 2000. Characterization of chloramphenicol and florfenicol resistance in *Escherichia coli* associated with bovine diarrhea. *J Clin Microbiol.* 38:4593-4598. <http://www.ncbi.nlm.nih.gov/pubmed/11101601>
305. Whitehead*, T.R. and B.J. Haley*. 2016. Draft genome sequence of "*Cottobacterium suis*" MTC7 isolated from a swine manure storage pit. Submitted to Genome Announcements.
306. Whitehead*, T.R., E.R.B. Moore, B.J. Haley*, N. Patel, and P.A. Lawson. 2016. Description of *Cottobacterium suis* gen. nov., sp. nov., an antibiotic resistant bacterium isolated from a swine-manure storage pit. Submitted to *Int. J. Systemat. Evol. Microbiol.*
307. Whitehead*, T.R. and M.A. Cotta*. 2001. Sequence analyses of a broad-host range plasmid containing *ermT* from a tylosin-resistant *Lactobacillus* sp. isolated from swine feces. *Curr. Microbiol.* 43:17-20. <http://www.ncbi.nlm.nih.gov/pubmed/11375658>
308. Whitehead*, T.R. and M.A. Cotta*, M.A. 2016. Examination of the cultivatable, aerobic microflora of swine feces and stored swine manure. *J Environ Qual.* 25:604-608. <http://www.ncbi.nlm.nih.gov/pubmed/27065407>
309. Whitehead*, T.R., C. N. Johnson, N. B. Patel, M. A. Cotta, E. R. B. Moore, and P. A. Lawson. 2015. *Savagea faecisuis* gen. nov., sp. nov., a tylosin- and tetracycline-resistant bacterium isolated from a swine-manure storage pit. *Antonie Van Leeuwenhoek.* 108:151-161. <http://www.ncbi.nlm.nih.gov/pubmed/25980832>
310. Whitehead*, T. R., and M. A. Cotta. 2013. Stored Swine Manure and Swine Feces as Reservoirs of Antibiotic Resistance Genes. *Lett Appl Microbiol.* 56:264-267. <http://www.ncbi.nlm.nih.gov/pubmed/23297734>
311. Whitehead*, T. R. and M. A. Cotta. 2001. Sequence analyses of a broad host-range plasmid containing *ermT* from a tylosin-resistant *Lactobacillus* sp. isolated from swine feces. *Curr Microbiol.* 43:17-20. <http://www.ncbi.nlm.nih.gov/pubmed/11375658>

312. Whitehead, T.R., C.N. Johnson, N.B. Patel, M.A. Cotta, E.R.B. Moore, and P.A. Lawson. 2015. *Savagea faecisuis* gen. nov., sp. nov., a tylosin- and tetracycline-resistant bacterium isolated from a swine-manure storage pit. *Antonie van Leeuwenhoek*. 108:151-161. <http://www.ncbi.nlm.nih.gov/pubmed/?term=whitehead+savagea>
313. Whitmore, S. C., J. F. Rissler, and R. E. Davis*. 1983. In vitro susceptibility of spiroplasmas to heavy metal salts. *Antimicrob. Agents and Chemotherapy* 23:22-25. <http://www.ncbi.nlm.nih.gov/pubmed/6830208>
314. Whittle, G., T. R. Whitehead*, N. Hamburger, N. B. Shoemaker, M. A. Cotta*, and A. A. Salyers. 2003. Identification of a new ribosomal protection type of tetracycline resistance gene, tet(36), from swine manure pits. *Appl Environ Microbiol*. 69:4151-4158. <http://www.ncbi.nlm.nih.gov/pubmed/12839793>
315. Williams-Nguyen, J., B.J. Sallach, S. Bartelt-Hunt, A. Boxall, L.M. Durso*, J.E. McLain, R.S. Singer, D.D. Snow, J.L. Zilles. 2016. Antibiotics antibiotic resistance in agroecosystems: state of the science. *J. Environ. Qual.* 45:394-406.
316. Williams*, C. F., and J. E. Mclain. 2012. Soil persistence and fate of carbamazepine, lincomycin, caffeine, and ibuprofen from wastewater. *J Environ Qual.* 41:1473-1480. <http://www.ncbi.nlm.nih.gov/pubmed/23099938>
317. Williams, C .F., J. E. Watson, S. D. Nelson and C. E. Walker. 2013. Sorption/Desorption of lincomycin from three arid-region soils. *J Environ Qual.* 42:1460-1465. <http://www.ncbi.nlm.nih.gov/pubmed/24216423>
318. Shen, Y., M. S. Michael, D. M. Donovan* and D. C. Nelson. 2012. Phage-based Enzybiotics, in *Bacteriophages in Health and Disease*, Paul Hyman and Stephen T. Abedon (eds.), 2012, Wallingford, UK:CAB International, pp. 217-239.
319. Zou, W., J. G. Frye*, C. W. Chang, J. Liu, C. E. Cerniglia, and R. Nayak. 2009. Microarray analysis of antimicrobial resistance genes in *Salmonella enterica* from preharvest poultry environment. *J Appl Micro.* 107:906-914. <http://www.ncbi.nlm.nih.gov/pubmed/19320942>