

Further References:

- Jang, E. B., G.T. McQuate, D. O. McInnis, R. C. Bautista, R. I. Vargas, R. F. L. Mau and Lyle Wong.** Targeted Cue-lure Trapping, Bait-spray, Sanitation, Sterile-male and Parasitoid Releases in an Area Wide Integrated Melon Fly (Diptera: Tephritidae) Control Program in Hawaii. Amer. Entomol. (In press)
- Klungness, L. M., Jang, E. B., Mau, R. F. L., Vargas, R. I., Sugano, J. S., and Fujitani, E.. 2005.** New approaches to sanitation in a cropping system susceptible to tephritid fruit flies (Diptera: Tephritidae) in Hawaii. J. Appl. Sci. Environ. Manag. 9(2): 5-14.
- McGregor, A. M. 2007.** An Economic Evaluation of the Hawaii Fruit Fly Area-Wide Pest Management Program. USDA-ARS Pacific Basin Agric. Res. Center Internal Report. 92 pp.
- McInnis, D.O., S.Y. Tam, R.R. Lim, J. Komatsu, R.S. Kurashima, and C.P Albrecht and T. Shelly . 2004.** Development of a pupal color-based genetic sexing strain of the melon fly, *Bactrocera cucurbitae* (Diptera: tephritidae). Ann. Entom. Soc. Am. 97: 1026-1033.
- McQuate, G. T., C. D. Sylva, and E. B. Jang.** 2005. Mediterranean fruit fly (Diptera: Tephritidae) suppression in persimmon through bait sprays in adjacent coffee plantings. J. Appl. Entomol. 129: 110 - 117.
- Peck, S.L. and G. T. McQuate. 2000.** Field tests of environmentally friendly malathion replacements to suppress wild Mediterranean fruit fly (Diptera: Tephritidae) populations. J. Econ. Entom. 93: 280-289.
- Peck, S. L. and G. T. McQuate.** 2004. Ecological aspects of *Bactrocera latifrons* (Diptera: Tephritidae) on Maui, Hawaii: movement and host preference. Environ. Entomol. 33: 1722 - 1731.
- Stark, J. D., J. E. Banks, and R. I. Vargas.** 2004. How risky is risk assessment? The role that life history strategies play in susceptibility of species to pesticides and other toxicants. Proc. National Acad. Sci. 101: 732 – 736
- Vargas, R. I., Peck, S. L., McQuate, G. T., Jackson, C. G., Stark, J. D. and Armstrong, J. W. 2001.** Potential for area-wide integrated management of Mediterranean fruit fly (Diptera: Tephritidae) with a braconid parasitoid and a novel bait spray. J. Econ. Entomol. 94: 817 - 825.
- Vargas, R. I., L. Leblanc, R. Putoa and A. Eitam. 2007.** Impact of introduction of *Bactrocera dorsalis* (Diptera: Tephritidae) and classical biological control releases of *Fopius arisanus* (Hymenoptera: Braconidae) on economically important fruit flies in French Polynesia. J. Econ. Entomol. 100: 670-679.

.

Vargas, R. I., J. D. Stark, M. Hertlein, A. Mafra Neto, R. Coler and J. C. Pinero.
2008. Evaluation of SPLAT with spinosad and methyl eugenol or cue-lure for “attract-and-kill” of oriental and melon fruit flies (Diptera: Tephritidae) in Hawaii. J. Econ. Entomol. 101: 750-768.